

DAILY RAINFALL SHROPSHIRE 1921 - 1930

ACKLETON HSE	1925 - 1930
ACKLETON THE FOLLEY	1927 - 1930
ASHFORD HSE	1921 - 1927
BETTWS-Y-CRWYN	1921.
BISHOPS CASTLE LINLEY VILLA	1929 - 1930
BISHOPS CASTLE MORE RECTORY	1921 - 1925, 29-30
BISHOPS CASTLE CLAREMONT	1921-23, 1930
BISHOPS CASTLE VICARAGE	1921-27
BISHOPS CASTLE CASTLE ST	1921 - 1930
BISHOPS CASTLE LINLEY DRIVE	1929 - ~~1930~~
BITTERLEY RECTORY	1921 - 1930
BRIDGNORTH CANTREYN	1921 - 1930
BRIDGNORTH COTON HALL	1925 - 1926
BRIDGNORTH QUATT	1923, 1925-30
BROMFIELD WARWICK HSE	1921 - 1930
BROMFIELD OAKLIY PARK	1921 - 1930
BROSELEY JACKFIELD RECTORY	1929
BURWARTON HALL	1921 - 1930
CHESWARDINE KNIGHTON RES	1921 - 1930

CHESWARDINE HALL	1922 - 1930
CHIRBURY MARRINGTON HALL	1922 - 1930
CHURCH PREEN PREEN COTT	1921 - 1930
CHURCH STRETTON S. W.	1921 - 1930
CHURCH STRETTON WOLBTASTON	1921 - 1930
CHURCH STRETTON WESTLEIGH	1921 - 1924
CHURCH STRETTON WATLING RD.	1921 - 1924
CHURCH STRETTON ST MARGARETS	1924 - 1930
CLUN	1928 - 1929
CRAVEN ARMS NEWINGTON HSE	1921 - 1927
CULMINGTON MANOR	1925 - 1930
DOBBINGTON SCH	1924 - 1930
DOBBINGTON NETLEY HALL	1924 - 1926
ELLESMERE	1921 - 1928
GRINSHILL SANSAW GDNS	1921 - 1930
HANALL SCH	1928 - 1930
LILLESHALL DONNINGTON WOOD SCH	1925 - 1927
LUDLOW SPRINGFIELD	1921 - 1930
LUDLOW KNOWBURY SCH	1926.
LUDLOW ASHFORD HALL	1921
LYDBURY NORTH	1925 - 1930

MADELEY	GOFE SCHOOL	1922.
MUCH	WENLOCK WILLI PK GDNS.	1921 - 1930
MIDDLE	MARTON HALL	1922, 1926-1930
NEWPORT	AGRICULTURAL COLL	1921 - 1930
NEWPORT	CHETWYND PARK	1921 - 1930
NEWPORT	ASTON HALL	1921 - 1930
NEWPORT	CHETWYND PK GDNS	1921 - 1924
NEWPORT	EDGMOND	1921,
NORTON - IN - HALES		1921 - 1930
OSWESTRY	COUNCIL SCHOOL	1921 - 1930
OSWESTRY	MOUNT RES.	1921 - 1930
OSWESTRY	MORETON SCH	1929,
OVERTON	SODYLT HALL	1925 - 1930
SHIFNAL	COSFORD W W	1928 - 1930
SHIFNAL	HATTON GRANGE	1921 - 1930
SHIFNAL	NATIONAL SCHOOLS	1921 - 1930
SHREWSBURY	RODEN	1921 - 1930
SHREWSBURY	COTON HILL	1923 - 1930
SHREWSBURY	FITZ RECTORY	1921 - 1926
SHREWSBURY	COPTHORNE	1929 - 1930
SHREWSBURY	ST MICHAELS SCH	1921 - 1929

SHREWSBURY	MONKMOOR	1929 - 1930
SHREWSBURY	RADBROOK HALL	1921 - 1930
SHREWSBURY	BECKBURY HSE	1925 - 1930
SHREWSBURY	LONGDEN RD.	1925 - 1930
SHREWSBURY	MONKLANDS	1929 - 1930
STANTON LACY	VICARAGE	1924 - 1930
WELLINGTON	W.W.	1925 - 1930
WELLINGTON		1924 - 1927
WHITCHURCH	FENNS BANKS	1921 - 1930
WISTANSTOW.		1921 - 1930
WORFIELD	SCHOOL HSE	1921 - 1923

2294.

GANIZATION. 21009

Kept at Ackle
in the County of ACKLETON

Diameter of Funnel o
Height of top of Gaug
Ground

House

1925 - 30

uested to read the instructions
filling in this form.

should fill in section C

THE MORN

VIOUS DAY.

Jan. 1, following.

January 1st of the

An observer who doe
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	-	.02	-	-	-	-	.14	.08	-	.07	-	1
2	.05	.12	-	-	-	-	.01	-	.05	-	.25	-	2
3	.25	-	-	-	.08	-	.23	.04	.11	.01	.09	-	3
4	.10	-	-	.06	.05	-	-	-	-	.02	.18	-	4
5	.01	.31	-	.34	.20	-	-	.09	.32	-	.10	-	5
6	-	.10	.01	-	.10	-	.38	.01	-	-	.44	-	6
7	-	.11	.05	-	.40	-	-	.25	-	-	.28	.04	7
8	.03	-	.05	-	.62	-	-	.53	.23	-	-	.35	8
9	-	.11	.03	.04	.08	-	-	-	.25	-	.02	-	9
10	-	.04	.05	-	-	-	-	.31	.01	-	-	-	10
11	-	1.07	-	-	-	-	-	-	-	.01	-	-	11
12	-	.19	-	-	-	-	-	.01	-	.08	-	-	12
13	.02	.03	.03	.09	-	-	-	-	-	.01	-	.38	13
14	.49	-	.07	.17	-	-	-	-	-	-	-	-	14
15	-	-	-	.18	-	-	.01	-	.22	.48	-	-	15
16	.02	.03	.02	-	-	.01	-	-	.19	.07	-	-	16
17	.01	.04	-	-	.07	-	-	-	-	-	-	-	17
18	-	.18	-	.06	.21	-	-	-	-	-	-	-	18
19	-	.04	-	-	.01	-	.01	-	.86	.87	-	.38	19
20	-	-	.07	-	-	-	.11	.01	.03	.17	-	.08	20
21	-	.09	.01	-	-	-	.23	.17	.09	.19	-	-	21
22	-	.12	-	.11	.03	-	1.09	.01	.65	.58	-	.66	22
23	.01	.02	.02	-	.20	-	-	.43	.22	.03	-	.05	23
24	-	.18	.06	.13	.04	-	-	.09	.05	.01	.03	.06	24
25	-	.26	.03	.09	.19	-	.18	-	.35	.08	-	.11	25
26	-	.08	-	.06	.23	.02	.23	.10	.08	.52	.02	.04	26
27	.02	.13	-	-	.04	-	.16	.02	.01	.02	-	-	27
28	.03	.09	-	.01	.01	-	-	-	-	.06	-	.16	28
29	.13	-	-	.16	.13	-	.01	-	-	-	.19	.10	29
30	-	X	.02	.09	.01	-	-	-	-	.02	-	.14	30
31	.16	X	.22	X	.10	X	-	-	X	.02	X	.03	31
TOTAL	1.88	3.34	.76	1.59	2.80	.03	2.65	2.23	3.80	3.25	1.67	2.21	26821
Days with 01 in. or more.	15	21	16	14	20	2	12	15	18	19	11	14	177
Days with .04 in. or more.	7	18	7	13	16	-	8	10	15	10	8	12	124

Register of Rainfall in 1925.

Kept at Achlester House
in the County of Shropshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 240 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	-	.02	-	-	-	-	.14	.08	-	.07	-	1
2	.05	.12	-	-	-	-	.01	-	.05	-	.25	-	2
3	.25	-	-	-	.08	-	.23	.04	.11	.01	.09	-	3
4	.10	-	-	.06	.05	-	-	-	-	.02	.18	-	4
5	.01	.31	-	.34	.20	-	-	.09	.32	-	.10	-	5
6	-	.10	.01	-	.10	-	.38	.01	-	-	.44	-	6
7	-	.11	.05	-	.40	-	-	.25	-	-	.28	.04	7
8	.03	-	.05	-	.62	-	-	.53	.23	-	-	.35	8
9	-	.11	.03	.04	.08	-	-	-	.25	-	.02	-	9
10	-	.04	.05	-	-	-	-	.31	.01	-	-	-	10
11	-	1.07	-	-	-	-	-	-	-	.01	-	-	11
12	-	.19	-	-	-	-	-	.01	-	.08	-	-	12
13	.02	.03	.03	.09	-	-	-	-	-	.01	-	.08	13
14	.49	-	.07	.17	-	-	-	-	-	-	-	-	14
15	-	-	-	.18	-	-	.01	-	.22	.48	-	-	15
16	.02	.03	.02	-	-	.01	-	-	.19	.07	-	-	16
17	.01	.04	-	-	.07	-	-	-	-	-	-	-	17
18	-	.18	-	.06	.21	-	-	-	-	-	-	-	18
19	-	.04	-	-	.01	-	.01	-	.86	.87	-	.38	19
20	-	-	.07	-	-	-	.11	.01	.03	.17	-	.08	20
21	-	.09	.01	-	-	-	.23	.17	.09	.19	-	-	21
22	-	.12	-	.11	.03	-	1.09	.01	.65	.58	-	.66	22
23	.01	.02	.02	-	.20	-	-	.43	.22	.03	-	.05	23
24	-	.18	.06	.13	.04	-	-	.09	.05	.01	.03	.06	24
25	-	.26	.03	.09	.19	-	.18	-	.35	.08	-	.11	25
26	-	.08	-	.06	.23	.02	.23	.10	.08	.52	.02	.04	26
27	.02	.13	-	-	.04	-	.16	.02	.01	.02	-	-	27
28	.03	.09	-	.01	.01	-	-	-	-	.06	-	.16	28
29	.13	-	-	.16	.13	-	.01	-	-	-	.19	.10	29
30	-	X	.02	.09	.01	-	-	-	-	.02	-	.14	30
31	.16	X	.22	X	.10	X	-	-	X	.02	X	.03	31
TOTAL	1.88	3.34	.76	1.57	2.00	.03	2.65	2.23	3.20	3.25	1.67	2.21	26.21
Days with .01 in. or more.	15	21	16	14	20	2	12	15	18	19	11	14	177
Days with .04 in. or more.	7	18	7	13	16	-	8	10	15	10	8	12	124

(Signed)

T. J. Heale

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Chester House*
in the County of *Shropshire*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft *3* in.
,, Ground ,, Sea Level *270* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.01	.15	-	.22	-	.05	-	.05	-	-	.32	-	I
2	-	-	.02	.12	-	-	-	.06	-	.01	.35	-	2
3	.31	.03	-	.16	-	-	.02	.17	-	.41	.02	-	3
4	.14	.01	.03	.13	.10	-	-	.05	-	.08	-	-	4
5	.01	-	.12	.05	.58	-	-	.23	-	.15	-	-	5
6	-	-	.44	-	.30	-	-	.02	.29	.11	-	-	6
7	.08	-	-	-	-	-	.01	.03	-	.12	.22	.08	7
8	.01	-	-	.03	-	-	-	.02	.24	.05	.01	.01	8
9	.86	-	.34	.15	.39	-	.01	-	.04	.01	-	.20	9
10	.46	-	.11	-	.08	-	.02	.13	-	-	-	.42	10
11	.03	-	.01	.01	.01	-	.20	.01	.01	.01	.02	.31	11
12	.23	-	-	-	.11	-	-	.07	-	-	-	.17	12
13	.07	-	.25	.16	.01	.01	.18	.09	.44	-	-	.17	13
14	.77	.04	.54	.15	-	-	.38	.03	.01	-	-	.09	14
15	.02	-	.27	-	-	-	.26	-	-	.31	-	.14	15
16	-	.02	.02	-	-	-	.23	-	.14	.05	-	.13	16
17	-	-	.02	.02	.03	-	.13	.02	.69	.03	-	-	17
18	-	-	.04	.01	-	.03	.16	.01	.01	.01	.05	.01	18
19	-	-	.16	.22	-	.03	-	.04	.41	.15	.40	.01	19
20	-	-	.01	.01	.01	-	1.73	.62	.40	.01	.18	-	20
21	.01	-	.30	-	-	.04	.35	.05	-	.06	.08	-	21
22	.39	-	-	-	-	-	.33	.43	-	.27	.23	-	22
23	.05	-	-	.04	.04	-	.18	.07	-	-	.19	.03	23
24	.15	-	-	.21	.06	.04	-	-	.04	.33	.09	-	24
25	.01	.02	-	.24	-	-	.01	-	.18	.55	.13	.08	25
26	.60	.09	-	.29	-	-	-	.01	.02	.04	-	.07	26
27	.04	-	.08	.01	.06	.02	.19	-	-	.04	-	.21	27
28	.07	-	.04	-	-	-	.13	-	-	.01	.41	.19	28
29	.01	-	.01	-	-	-	.36	.01	-	.01	.13	.12	29
30	-	×	-	-	.26	.28	.09	.01	.01	.03	-	-	30
31	.44	×	-	×	.12	×	-	-	×	.26	×	-	31
TOTAL	4.25	.36	2.81	2.23	2.16	.50	4.97	2.26	2.93	3.11	2.83	2.93	31.34
* Days with or in. or more.	23	7	19	19	15	8	20	23	15	25	16	20	210
* Days with or in. or more.	15	3	12	13	11	4	15	12	10	16	13	16	140

REGI

2293

ACKLETON

127.

Cin A.

2084A

Kept at The Folley
in the County of Sheff

THE FOLLEY STABLEFORD

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

Ground " St

1927 - 30

THE MORNING M

S DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the year in the space on the right of this paragraph.

the following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.35	—	.04	.50	.04	.01	.03	.01	.02	1
2	—	—	.06	—	—	—	.17	.02	—	.06	.18	—	2
3	.02	.01	.05	.15	.05	—	—	—	—	.02	—	—	3
4	.03	.02	.02	.02	.02	.09	.05	—	—	—	.02	—	4
5	.04	—	.10	.04	.22	.04	.06	—	—	—	.02	TR	5
6	.04	.05	.14	.35	.02	.30	.18	—	—	—	.02	—	6
7	.02	.02	.13	.02	.02	.23	.02	.01	.53	—	.93	.01	7
8	.05	.12	.03	.11	—	.27	.02	.07	—	—	.01	—	8
9	.03	—	.05	.51	—	—	.02	.11	.05	TR	—	—	9
10	—	—	.01	.02	—	—	—	.09	—	.01	.06	.05	10
11	—	—	.01	.03	—	.14	TR	.02	—	.01	—	.02	11
12	—	—	—	.06	—	—	.60	.08	—	—	—	—	12
13	.12	—	.01	—	.14	—	.05	.07	—	—	—	.02	13
14	.16	—	.04	—	.03	.12	—	.11	.15	.10	.12	.12	14
15	.02	—	—	.03	.05	—	.02	.15	.70	.01	.03	.20	15
16	—	—	—	—	.45	—	.02	1.70	.17	.02	.03	—	16
17	—	—	—	—	.20	.58	—	.35	.27	TR	.02	—	17
18	.02	—	.01	—	—	.01	—	.82	.12	—	—	.02	18
19	.01	—	—	—	—	1.00	—	.25	.02	.03	.75	—	19
20	—	.23	—	—	—	.06	TR	.37	—	.02	.13	—	20
21	.23	.94	—	—	.10	.10	.05	.32	.03	—	.18	.32	21
22	.13	.13	—	—	.08	—	.02	.19	.47	.44	.13	.33	22
23	.02	.11	.19	.09	—	.21	.01	.11	.25	.88	.13	.04	23
24	.02	.02	.07	—	—	.24	TR	.02	.33	.01	.22	.47	24
25	.15	.01	.40	.09	—	.06	.07	.38	.06	.03	—	.18	25
26	.10	.11	.04	.07	—	.11	—	—	.02	.08	.01	.02	26
27	.21	.28	.05	.03	.15	.04	.61	—	.02	.04	.01	.01	27
28	.20	.19	.01	—	—	.05	.20	—	—	.15	.02	—	28
29	.59	X	.11	—	—	—	—	—	.05	.03	.40	—	29
30	.02	X	.16	—	—	.18	.01	—	.11	.05	.01	—	30
31	.09	X	.09	X	.03	X	.06	.06	X	.03	X	—	31
TOTAL	2.32	1.84	1.89	1.97	1.56	3.87	2.74	6.34	3.36	2.05	3.44	1.83	32.21
Days with 01 in. or more.	23	14	23	16	14	20	20	22	17	20	23	15	227
Days with 04 in. or more.	13	9	16	10	9	19	12	18	13	8	11	8	146
YEARS TOTAL													32.21

Please read the Notes and Instructions Overleaf.

(Signed)

H. J. Bath

[P.T.O.]

Section

A

for the entry of D

FOR OFFICIAL USE.

AIR MINISTRY METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at

The Folly, Ackleton

in the County of

Shropshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

Ground Sea Level.....230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.35	—	.04	.50	.04	.01	.03	.01	.02	1
2	—	—	.06	—	—	—	.17	.02	—	.06	.18	—	2
3	.02	.01	.05	.15	.05	—	—	—	—	.02	—	—	3
4	.03	.02	.02	.02	.02	.09	.05	—	—	—	.02	—	4
5	.04	—	.10	.04	.22	.04	.06	—	—	—	.02	TR	5
6	.04	.05	.14	.35	.02	.30	.18	—	—	—	.02	—	6
7	.02	.02	.13	.02	.02	.23	.02	.01	.53	—	.93	.01	7
8	.05	.12	.03	.11	—	.27	.02	.07	—	—	.01	—	8
9	.03	—	.05	.51	—	—	.02	.11	.05	TR	—	—	9
10	—	—	.01	.02	—	—	—	.09	—	.01	.06	.05	10
11	—	—	.01	.03	—	.14	TR	.02	—	.01	—	.02	11
12	—	—	—	.06	—	—	.60	.08	—	—	—	—	12
13	.12	—	.01	—	.14	—	.05	.07	—	—	—	.02	13
14	.16	—	.04	—	.03	.12	—	.11	.15	.10	.12	.12	14
15	.02	—	—	.03	.05	—	.02	.15	.70	.01	.03	.20	15
16	—	—	—	—	.45	—	.02	1.70	.17	.02	.03	—	16
17	—	—	—	—	.20	.58	—	.35	.27	TR	.02	—	17
18	.02	—	.01	—	—	.01	—	.82	.12	—	—	.02	18
19	.01	—	—	—	—	1.00	—	.25	.02	.03	.75	—	19
20	—	.23	—	—	—	.06	TR	.37	—	.02	.13	—	20
21	.23	.54	—	—	.10	.10	.05	.32	.03	—	.18	.32	21
22	.13	.13	—	—	.08	—	.02	.19	.47	.44	.13	.33	22
23	.02	.11	.19	.09	—	.21	.01	.11	.25	.88	.13	.04	23
24	.02	.02	.07	—	—	.24	TR	.02	.33	.01	.22	.47	24
25	.15	.01	.40	.09	—	.06	.07	.38	.06	.03	—	.18	25
26	.10	.11	.04	.07	—	.11	—	—	.02	.08	.01	.02	26
27	.21	.28	.05	.03	.15	.04	.61	—	.02	.04	.01	.01	27
28	.20	.19	.01	—	—	.05	.20	—	—	.15	.02	—	28
29	.59	X	.11	—	—	—	—	—	.05	.03	.40	—	29
30	.02	X	.16	—	—	.18	.01	—	.11	.05	.01	—	30
31	.09	X	.09	X	.03	X	.06	.06	X	.03	X	—	31
TOTAL	2.32	1.84	1.89	1.97	1.56	3.87	2.74	5.34	3.36	2.05	3.44	1.83	32.21
Days with ".01 in. or more.	23	14	23	16	14	20	20	22	17	20	23	15	227
Days with ".04 in. or more.	13	9	16	10	9	19	12	18	13	8	11	8	146
YEAR'S TOTAL													32.21

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

Cond. for W.D.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at The Folly, Stableford
in the County of Shropshire

W.D.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.07</u>	<u>.19</u>	<u>.28</u>	<u>.01</u>	<u>.16</u>	<u>—</u>	<u>.02</u>	<u>.24</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	1
2	<u>.42</u>	<u>.02</u>	<u>.02</u>	<u>—</u>	<u>TR</u>	<u>—</u>	<u>.07</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	2
3	<u>.07</u>	<u>.10</u>	<u>.27</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.01</u>	3
4	<u>.01</u>	<u>.02</u>	<u>.01</u>	<u>.02</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	4
5	<u>.02</u>	<u>.32</u>	<u>TR</u>	<u>.03</u>	<u>—</u>	<u>.02</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.32</u>	<u>.01</u>	<u>—</u>	5
6	<u>.05</u>	<u>.03</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.18</u>	<u>.03</u>	<u>—</u>	<u>.24</u>	<u>.39</u>	<u>.01</u>	<u>TR</u>	6
7	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>TR</u>	<u>.03</u>	<u>.01</u>	<u>—</u>	<u>.03</u>	7
8	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.18</u>	<u>—</u>	<u>.69</u>	<u>—</u>	<u>.27</u>	<u>.08</u>	<u>.42</u>	<u>TR</u>	<u>—</u>	8
9	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.14</u>	<u>.04</u>	<u>—</u>	<u>.13</u>	<u>.02</u>	<u>—</u>	<u>—</u>	9
10	<u>.05</u>	<u>—</u>	<u>.01</u>	<u>TR</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>TR</u>	10
11	<u>.30</u>	<u>.15</u>	<u>.02</u>	<u>.02</u>	<u>.04</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.67</u>	<u>.21</u>	<u>.02</u>	11
12	<u>.01</u>	<u>.12</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.13</u>	<u>.19</u>	<u>.15</u>	12
13	<u>.19</u>	<u>.28</u>	<u>.04</u>	<u>.36</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>TR</u>	<u>.02</u>	<u>.07</u>	13
14	<u>.01</u>	<u>.02</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>.21</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>TR</u>	<u>—</u>	14
15	<u>.05</u>	<u>.21</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>.36</u>	<u>—</u>	<u>.47</u>	<u>.38</u>	<u>—</u>	15
16	<u>.05</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.10</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>.03</u>	<u>.22</u>	<u>TR</u>	16
17	<u>—</u>	<u>.06</u>	<u>.09</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>.18</u>	<u>.04</u>	17
18	<u>.06</u>	<u>.01</u>	<u>.02</u>	<u>—</u>	<u>.32</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>TR</u>	<u>—</u>	18
19	<u>.38</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.13</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.21</u>	<u>—</u>	<u>.05</u>	19
20	<u>.01</u>	<u>.01</u>	<u>.07</u>	<u>.02</u>	<u>.15</u>	<u>.18</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.19</u>	<u>.23</u>	<u>.10</u>	20
21	<u>.10</u>	<u>.01</u>	<u>.33</u>	<u>.07</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>TR</u>	<u>.02</u>	<u>.17</u>	<u>.02</u>	21
22	<u>.84</u>	<u>.01</u>	<u>.26</u>	<u>.09</u>	<u>TR</u>	<u>.10</u>	<u>—</u>	<u>.08</u>	<u>.06</u>	<u>.10</u>	<u>.05</u>	<u>—</u>	22
23	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.39</u>	<u>TR</u>	<u>TR</u>	<u>.25</u>	<u>.09</u>	23
24	<u>.30</u>	<u>—</u>	<u>.05</u>	<u>.04</u>	<u>.04</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>TR</u>	<u>.23</u>	<u>.19</u>	<u>TR</u>	24
25	<u>.05</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.63</u>	<u>.21</u>	<u>.12</u>	<u>.24</u>	<u>.10</u>	25
26	<u>.17</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.02</u>	<u>—</u>	<u>TR</u>	<u>.01</u>	<u>.19</u>	<u>.09</u>	26
27	<u>.13</u>	<u>.01</u>	<u>.02</u>	<u>—</u>	<u>.04</u>	<u>.23</u>	<u>.01</u>	<u>.55</u>	<u>—</u>	<u>.48</u>	<u>.35</u>	<u>—</u>	27
28	<u>.02</u>	<u>.01</u>	<u>—</u>	<u>TR</u>	<u>—</u>	<u>—</u>	<u>TR</u>	<u>.27</u>	<u>.12</u>	<u>.11</u>	<u>.27</u>	<u>.27</u>	28
29	<u>.23</u>	<u>.02</u>	<u>.13</u>	<u>—</u>	<u>TR</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>TR</u>	<u>.19</u>	29
30	<u>.19</u>	<u>X</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>.65</u>	<u>.02</u>	<u>.27</u>	<u>.01</u>	<u>.08</u>	<u>.02</u>	<u>.04</u>	30
31	<u>.02</u>	<u>X</u>	<u>.14</u>	<u>X</u>	<u>—</u>	<u>X</u>	<u>.55</u>	<u>—</u>	<u>X</u>	<u>.07</u>	<u>X</u>	<u>.38</u>	31
TOTAL	<u>.19</u>	<u>.28</u>	<u>.01</u>	<u>.16</u>	<u>—</u>	<u>.02</u>	<u>.24</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>—</u>	YEAR'S TOTAL
Days with .01 in. or more.	<u>28</u>	<u>22</u>	<u>19</u>	<u>17</u>	<u>11</u>	<u>19</u>	<u>13</u>	<u>14</u>	<u>11</u>	<u>24</u>	<u>21</u>	<u>16</u>	<u>215</u>
Days with .04 in. or more.	<u>19</u>	<u>9</u>	<u>12</u>	<u>11</u>	<u>8</u>	<u>16</u>	<u>4</u>	<u>12</u>	<u>7</u>	<u>17</u>	<u>15</u>	<u>12</u>	<u>148</u>

REGISTER OF RAINFALL IN 1929.

Kept at The Tolly, Stablesford
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 230 ft.

W.D. Curlew 1/1/30.
cd for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

.01

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>.27</u>	—	—	—	—	—	<u>.35</u>	<u>.20</u>	<u>.21</u>	—	<u>.01</u>	1
2	<u>.01</u>	<u>.02</u>	—	<u>.03</u>	—	<u>.20</u>	—	TR	—	<u>.13</u>	—	<u>.01</u>	2
3	—	<u>.19</u>	—	—	—	<u>.02</u>	<u>.02</u>	<u>.02</u>	TR	—	<u>.08</u>	<u>.12</u>	3
4	—	—	—	<u>.03</u>	<u>.02</u>	<u>.05</u>	<u>.27</u>	<u>.44</u>	<u>.35</u>	—	—	<u>.08</u>	4
5	TR	<u>.02</u>	—	<u>.12</u>	<u>.15</u>	<u>.24</u>	<u>.38</u>	—	—	<u>.02</u>	<u>.02</u>	<u>.54</u>	5
6	<u>.06</u> snow	<u>.01</u>	—	—	<u>.64</u>	<u>.20</u>	<u>.24</u>	<u>.26</u>	—	<u>1.45</u>	<u>.31</u>	<u>.02</u>	6
7	<u>.03</u> snow	—	—	—	<u>.03</u>	<u>.43</u>	<u>.02</u>	<u>.06</u>	—	<u>.06</u>	<u>.15</u>	<u>.46</u>	7
8	—	—	—	TR	<u>.21</u>	—	—	—	—	<u>.19</u>	<u>.29</u>	<u>.26</u>	8
9	—	<u>.03</u>	—	<u>.06</u>	TR	<u>.01</u>	—	<u>.02</u>	—	<u>.30</u>	—	<u>.37</u>	9
10	<u>.16</u>	<u>.09</u>	—	—	—	—	<u>.03</u>	<u>.01</u>	—	<u>.02</u>	<u>.21</u>	<u>.46</u>	10
11	<u>.03</u>	—	—	<u>.01</u>	—	—	—	—	—	<u>.09</u>	<u>.02</u>	<u>.31</u>	11
12	—	—	—	—	<u>.38</u>	—	<u>.06</u>	<u>.01</u>	—	—	<u>.94</u>	<u>.12</u>	12
13	—	—	—	<u>.09</u>	<u>.07</u>	<u>.65</u>	<u>.26</u>	—	—	—	—	—	13
14	<u>.04</u>	—	—	TR	<u>.19</u>	<u>.02</u>	—	<u>.06</u>	—	—	<u>.03</u>	<u>.01</u>	14
15	<u>.02</u>	—	—	TR	<u>.12</u>	<u>.19</u>	—	—	<u>.02</u>	<u>.01</u>	—	<u>.07</u>	15
16	<u>.07</u>	—	—	—	TR	<u>.02</u>	—	—	—	—	<u>.35</u>	—	16
17	—	—	—	—	—	—	—	<u>.08</u>	TR	TR	<u>.02</u>	—	17
18	<u>.23</u> snow	—	—	TR	—	—	—	<u>.08</u>	—	<u>.06</u>	—	<u>.01</u>	18
19	—	—	—	—	—	—	—	—	—	<u>.01</u>	<u>.35</u>	—	19
20	—	—	—	TR	—	—	—	TR	<u>.01</u>	TR	<u>.25</u>	<u>.02</u>	20
21	—	—	<u>.02</u>	—	—	—	—	<u>.01</u>	<u>.03</u>	<u>.23</u>	<u>.06</u>	<u>.27</u>	21
22	<u>.02</u>	—	<u>.06</u>	—	—	<u>.10</u>	—	<u>.03</u>	—	—	TR	—	22
23	<u>.01</u>	—	—	<u>.12</u>	—	<u>.05</u>	<u>.01</u>	<u>.10</u>	—	<u>.01</u>	<u>.19</u>	<u>.01</u>	23
24	<u>.01</u>	—	—	—	<u>.01</u>	<u>.02</u>	<u>.14</u>	—	—	TR	<u>.46</u>	<u>.44</u>	24
25	—	<u>.04</u>	<u>.09</u>	<u>.05</u>	—	<u>.01</u>	—	<u>.05</u>	—	<u>.70</u>	<u>.65</u>	<u>.38</u>	25
26	—	<u>.15</u> snow	<u>.04</u>	<u>.04</u>	—	—	—	—	—	TR	<u>.20</u>	<u>.10</u>	26
27	—	<u>.05</u> snow	—	<u>.04</u>	<u>.17</u>	—	—	—	—	<u>.03</u>	<u>.12</u>	<u>.10</u>	27
28	<u>.05</u>	—	—	<u>.12</u>	<u>.01</u>	—	—	—	—	<u>.15</u>	<u>.16</u>	<u>.02</u>	28
29	<u>.36</u>	X	—	—	—	—	<u>.25</u>	TR	<u>.03</u>	<u>.03</u>	<u>.73</u>	<u>.64</u>	29
30	<u>.04</u>	X	—	—	—	—	—	—	<u>.03</u>	<u>.01</u>	<u>.17</u>	<u>.13</u>	30
31	<u>.01</u>	X	—	X	—	X	<u>.04</u>	—	X	—	X	<u>.01</u>	31
TOTAL	<u>1.15</u>	<u>.87</u>	<u>.21</u>	<u>.71</u>	<u>2.00</u>	<u>2.21</u>	<u>1.72</u>	<u>1.58</u>	<u>.67</u>	<u>3.71</u>	<u>5.76</u>	<u>4.97</u>	<u>25.58</u>
Days with 0.1 in. or more.	<u>17</u>	<u>9</u>	<u>4</u>	<u>10</u>	<u>12</u>	<u>15</u>	<u>13</u>	<u>14</u>	<u>7</u>	<u>18</u>	<u>23</u>	<u>26</u>	<u>168</u>
Days with 0.4 in. or more.	<u>9</u>	<u>5</u>	<u>3</u>	<u>8</u>	<u>7</u>	<u>9</u>	<u>9</u>	<u>8</u>	<u>2</u>	<u>10</u>	<u>18</u>	<u>17</u>	<u>106</u>

Section **A**

for the entry of Daily Observations.

2277
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930. 1930

Kept at The Folly Stableford
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

16

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.41	—	—	—	.07	.38	—	—	—	.24	—	1
2	.02	.16	—	.22	—	.03	—	.09	—	—	.33	—	2
3	—	—	.04	.10	—	.03	—	.06	Fog TR	.01	.37	—	3
4	.28	.03	.01	.16	TR	—	.03	.18	—	.43	.05	—	4
5	.14	TR	.03	.17	.13	.01	—	.04	—	.09	—	—	5
6	TR	—	.12	.04	.53	—	—	.18	—	.16	—	—	6
7	—	TR	.46	—	.33	—	.02	.03	.29	.11	—	—	7
8	.08	—	—	—	—	—	TR	.05	—	.11	.19	.07	8
9	.02	—	—	.03	—	—	.02	.03	.25	.06	—	.20	9 part snow
10	.36	—	.36	.15	.49	.01	.02	.02	.02	.02	—	—	10
11	.54	—	.14	—	.07	.02	.01	.14	Fog TR	—	—	.53	11
12	.03	—	—	.02	.01	TR	.23	.02	—	.02	.02	.20	12
13	.23	.01	.01	.01	.11	TR	—	.07	—	—	—	.19	13
14	.06	—	.24	.19	.01	—	.20	.10	.43	—	Fog TR	.16	14
15	.79	.03	Snow .64	.16	—	—	.28	.02	—	—	TR	.09	15
16	—	.02	.30	—	—	—	.25	—	.02	.32	.10	.15	16
17	.01	—	—	—	—	—	.14	—	.14	.06	—	.15	17
18	—	—	Snow .02	.04	.03	—	.08	.03	.67	.04	TR	—	18
19	—	—	Snow .08	.02	—	.05	.14	.01	.02	.02	.21	Fog .02	19
20	—	—	Snow .12	.22	—	.03	—	.05	.40	.15	.19	.01	20
21	.01	—	.04	.02	.01	—	1.67	.62	.32	TR	.10	—	21
22	—	—	.25	—	—	.04	.29	.06	.01	.08	.07	—	22
23	.40	—	—	—	TR	—	.29	.44	—	.25	.23	—	23
24	.05	—	—	.05	.06	—	.17	.06	.02	.02	.16	.03	24
25	.16	—	—	.20	.06	.03	—	.02	.06	.31	.12	.01	25
26	—	.03	—	.20	—	—	—	—	.18	.55	.13	.09	26
27	.63	.08	—	.33	.03	—	—	.02	.03	.04	—	.16	27
28	.04	—	.09	.01	.04	.03	.20	—	—	.04	—	.07	28
29	.06	X	.04	—	—	—	.09	—	—	.02	.45	.21	29
30	.01	X	—	—	—	—	.28	.01	.02	.01	.15	.09	30
31	.01	X	—	X	.33	X	.08	.01	X	.04	X	.34	31 31.73
TOTAL	4.34	.36	2.99	2.34	2.31	.66	14.87	2.36	2.88	3.20	2.87	2.93	YEAR'S TOTAL
Days with ".01 in. or more.	3.94	.77	2.99	2.34	2.24	.35	11.87	2.36	2.88	2.96	3.11	2.77	31.68
Days with ".04 in. or more.	22	7	18	20	16	11	20	25	16	25	16	20	216 216
	15	2	14	14	11	3	15	14	9	17	15	16	145 146

REG

ASHFORD HSE

SHROPSHIRE

1921 - 1927

ORGANIZATION.

92

ong 2°40' W

9 am

tion Woofferton

of Rain Gauge 5 in.

ge above Ground 5 ft. 5 in.

Sea Level 315 ft.

result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.245		.10					.31	.09				1
2	.01				.02			.33		.04	.38	.09	2
3	.01		.05		.09	.08		.01		.60	.20		3
4	.28		.02			.08		.36			.05		4
5	.01		.04		.03			.60			.26	.02	5
6	.03		.06		.16					.06			6
7	.12				.07			.33			.05		7
8	.03		.04		.06						snow .50		8
9	.01		.02	.36	.08			.04	.02				9
10	.10							.42				.04	10
11	.35				.10			.13	.45				11
12	.30				.02			.11	.28			.13	12
13	.26	.02	.50					.10	.11	.09	.12		13
14			.27	snow .57	.09		.03		.07		.02	.38	14
15	.03		.04	.08			.13				.05		15
16	.02		.13	.20							.34		16
17	.11		.07				.X	.20				.02	17
18	.28		.07	.13						.15			18
19	.02		.08							.54		.08	19
20											.02		20
21				.12				.22		.04	.09	.15	21
22	.01			.07						.36		.25	22
23				.28						.40	.05		23
24		.14					.01					.26	24
25	.05	.25	.11				.42						25
26	.02		.10									.22	26
27			.03		.03	.16		.02			.05	.25	27
28			.12				.05	.35				.05	28
29	.25		.04		.22							.09	29
30	.26	X			.09						.30	.20	30
31	.19	X		X		X		.11	X		X	.02	31
TOTAL	3.20	.41	1.89	1.81	1.06	.32	.64	3.64	1.02	2.28	2.48	2.25	YEAR'S TOTAL 21.00
Days with .01 in. or more	24	3	19	8	13	3	5	16	6	9	15	16	137
Days with .04 in. or more	13	2	16	8	9	3	3	14	5	9	13	13	108

REGISTER OF RAINFALL IN 1921.

Kept at Ashford House^m Ludlow
 in the County of Salops
 by W. Downes Hall.

Lat. 52° 26' Long. 2° 40' W
 Time of Observation 9 a.m.
 Nearest Railway Station Woofferton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 5 ft.
 " " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~12~~ 5		10					31	09				1
2	01				02			33		04	38	09	2
3	01		05		09	08		01		60	20		3
4	28		02			08		36			03		4
5	01		04		03			60			26	02	5
6	03		06		16					06			6
7	12				07			33			05		7
8	03		04		06						snow 50		8
9	01		02	36	08			04	02				9
10	10							42				04	10
11	35				10			13	45				11
12	30				02			11	28			13	12
13	26	02	50					10	11	09	12		13
14			27	snow 57	09		03		07		02	38	14
15	03		04	08			13				03		15
16	02		13	20							34		16
17	11		07				X	20				02	17
18	28		07	13						15			18
19	02		08							54		08	19
20											02		20
21				12				22		04	09	15	21
22	01			07						36		25	22
23				28						40	05		23
24		14					01					26	24
25	05	25	11				42						25
26	02		10									22	26
27			03		03	16		02			05	25	27
28			12				05	35				03	28
29	25		04		22							09	29
30	26	X			09						30	20	30
31	19	X		X		X		11	X		X	02	31
TOTAL	320	41	189	181	106	32	64	364	102	228	248	225	YEAR'S TOTAL 2100
Days with 01 in. or more	24	3	19	8	13	3	5	16	6	9	15	16	137
Days with 04 in. or more	13	2	16	8	9	3	3	14	5	9	13	13	108

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Ashford House
in the County of Salop
by W. Downes Hall

Lat. 52° 20' Long. 2° 40' W.
Time of Observation 9 a.m.
Nearest Railway Station Woofferton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 315 ft.
" " " " Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.25	.31				.31		.15		.30		1
2	.04	.31	.02				.20	.06			.03	.02	2
3	.20	.10	.38	.28	.13		.30	.08	.03	.02	.17		3
4	.02	.39	.10		.39		.21	.04		.03			4
5	.06		.34	.21			1.02			.42	.35		5
6	.40		.30					.17			.25		6
7	.07		snow .55	.09			.20	.24				.02	7
8	.04		snow .43				.18	.13				.08	8
9						.01				.08	.04		9
10	.04				.04						.13		10
11	.01				.10								11
12							.04	.35	.55			.02	12
13	snow .34	.02		.19					.12				13
14		.06		.33		.21	.26		.18			.35	14
15	snow .54	.07		.10					.12			.16	15
16		.11		.10	.11		.08	.34	.07			.03	16
17		snow .42		.07								.16	17
18	.27	.06					.22		.07			.14	18
19	.03	.04	.30						.22		.04	snow 1.92	19
20	.06	.08					.13		.01	.09		.25	20
21		.43	snow .03	.05			.04	.02				.26	21
22		.26			thunder .17	.23	.12	.06				.16	22
23		.02		.14			.23						23
24	snow .04		.17	.09		.32		.26				.05	24
25	.19	.04	.08	.50		.04		.01	.23		.03	.04	25
26	.15	.30	.01						.08			.05	26
27	.31	.50	.22					.15	.02		.04	.31	27
28	.40	.66	.05			.06		.17	.23			.20	28
29	.01		.26			.15						.24	29
30	.22	X		.20				.23	.12		.09	.04	30
31	.21	X	.02	X		X	.06	.11	X	.23	X		31
TOTAL	3.80	4.12	3.57	2.35	.94	1.02	3.60	2.42	2.20	.87	1.47	4.50	YEAR'S TOTAL 30.86
Days with 01 in. or more	23	19	17	13	6	7	16	16	15	6	11	20	169
Days with 04 in. or more	19	17	13	13	6	6	16	14	12	4	9	16	145

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Ashford House
in the County of Salop.
by H. Downes Hall.

Lat. 52°26'N Long. 2°46'
Time of Observation 9 a.m.
Nearest Railway Station Woolfforton G.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " " " Sea Level 315 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06		16				02		10			67	1
2	28		05		13			04		13			2
3		01	06						07	43	03	08	3
4				12						05		05	4
5	33		06	30	27						20		5
6	37	22	17	33						05			6
7		22		17			06			15		26	7
8	16	26				04				27	19		8
9	23	45			05	04	12	04			19		9
10	02	36		33			06			40			10
11				32									11
12		36		30	16		08			44	02	04	12
13		37		25	08		16		06	03	62	04	13
14				11	09				06				14
15		06	12	11		17	04				43		15
16	10	16			22			12			26		16
17	04	48				02	10	13	68	04		02	17
18		41			05	01		08	10	16			18
19	03	04					21	02	15			07	19
20		14	04					06	21	17	03	17	20
21		13					26	06	05	07		08	21
22		34	08		02		10		05	19		03	22
23		15	20				20	35	18	16			23
24		25		15	06				32	13			24
25		48		08		08		31	06	30		33	25
26	08	38	04	04				35		74		27	26
27		23	23		21		21	12		43		13	27
28		25	08	10	05		36						28
29			25	02			06	54		15	09	17	29
30		X	04	06			30			13	08	13	30
31	02	X		X		X	74	04	X		X	44	31
TOTAL	172	675	158	279	139	36	308	226	209	464	210	298	YEAR'S TOTAL
Days with 01 in. or more	12	22	14	16	12	6	17	14	13	21	11	17	3175
Days with 04 in. or more	9	21	14	15	11	4	16	13	13	21	8	15	160

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Country No. _____
River Dist. _____
Station No. _____

Kept at Ashford House nr Ludlow
in the County of Salop
by W. Downes Hall

Lat. 52° 20' Long. 2° 40'
Time of Observation 9 am
Nearest Railway Station Woofferton GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " " " Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.06	.56	.12	.47		.34	.30		RWR
2			.09		.15		.07			.11			CH
3							.20	.41					3
4						.35	.09					.41	4
5		.04	.44				.15			.31			5
6					.19	.06		.10	.30	.05			6
7	.10				.18	.08			.42				7
8	.17				.05	.18			.41	.91			8
9	.20	.11		.27		.16			.04				9
10	.05			.15	.78	.26							10
11	1.30			.26	.16	.20			.05		.53		11
12	.22			.30	.05			.13	.16				12
13	.13			.86			.18		.32				13
14	.01			.13				.09				.27	14
15							.05	.05	.16			.13	15
16	.22							1.04	.14			.15	16
17	.30	.14				1.02	.58	.16	.06				17
18	.19				.25								18
19	.15				.31	.35		.06		.80			19
20	.20				.20	.23	.83	.20	.19				20
21	.35		.02		.20	.37	.42	.27	.40	1.00			21
22	.45		.37		.10			.11	.08			.46	22
23	.11		.14	.20			.04	.15	.34			.72	23
24	.11	.07		.13	.23		.35	.07	.23			.18	24
25			.07	.15	.09			.03	.10	.52	.31	.18	25
26	.04			.19			.27		.65	.15	.53	.58	26
27				.22			.52		.19	.04	.12	.46	27
28				.19			.76	.25		.97		.02	28
29		.05		.46	.68			.18		.08	.44	.94	29
30		X		.96	.25		.05	.15			.15	.52	30
31		X		X	3.54	X	.12	.02	X		X	.44	31 1215
TOTAL	4.30	.41	1.27	4.47	7.47	3.82	4.80	3.88	4.24	5.28	2.42	5.46	YEAR'S TOTAL 47.82
Days with .01 in. or more.	18	5	7	14	18	12	17	19	18	12	7	14	164
Days with .04 in. or more	17	5	6	14	18	12	17	16	18	12	7	13	155

Not read daily. Ca. for auth. Oct. 22.25.28. Corrd. by O.G.S.
FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

2075

Kept at Ashford House nr Ludlow
in the County of Salop.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" Ground " Sea Level 315 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.85		.09			.11		.05	.04		.05		1
2	.06	.04		.05			.08				.75		2
3	.29				.10			.04			.12		3
4					.20						.17		4
5				.13	.11				.20				5
6		.10	.06	.10	.21		.36	.04			.73		6
7		.30			.25			.33			.17	.09	7
8	.10		.16		.30			.48	.29		.07		8
9		.16	.02	.06					.17				9
10				.24				.68					10
11													11
12		.31						.11					12
13										.10			13
14	.53									.04			14
15				.40					.65	.25		.43	15
16	.05									.03			16
17				.05	.08				.07				17
18		.07		.20	.12							.05	18
19				.01					.90	1.03		.70	19
20			.11				.37	.18	.34	.42			20
21		.30					.22	.26	.24	.19			21
22		.10		.17			.64	.03	.85	~~.55~~		1.37	22
23	.06				.66			.08	.18	.05		.12	23
24		.35		.07	.08			.13	.20	.04			24
25	.03	.48	.17				.28			~~.18~~		.16	25
26	.03	.18			.34		.56	.13	.03	.77			26
27		.08			.13		.24			.05	.06	.14	27
28	.20	.22			.11					~~.25~~		.16	28
29	.36			.27	.48						.25	.10	29
30		X		.15						.08		.14	30
31	.25	X	.13	X	.05	X			X	3.95	X	.11	31
TOTAL	2.83	3.86	.74	1.90	3.22	.11	2.75	2.54	4.16	~~2.85~~	2.37	3.57	YEARS TOTAL
Days with .01 in. or more.	12	14	7	13	15	1	8	13	13	15	9	12	132
Days with .04 in. or more.	10	11	6	12	15	1	8	12	12	14	9	12	127

(Signed) H. Downes Hall. [P.T.O.]

* * The following register &c., is required values cannot be side.

RAINFALL

NOTE.—Records taken in be entered on

At *Ashford*

In the County of *Sa*

Diameter of Funnel.

Height of Top above Ground

Height of Ground above Sea

Month.	Total Depth.	Greatest in 24
	Inches.	Inches.
JAN.	2.83	.58
FEB.	3.86	1.17
MAR.	.74	.17
APR.	1.90	.40
MAY	3.22	.66
JUNE	.11	.11
JULY	2.75	.50
AUG.	2.57	.68
SEPT.	4.16	.90
OCT.	3.85	1.03
NOV.	2.37	.75
DEC.	3.57	1.30
Total	31.90	

Signature *W. D.*

Circ. Di. M.O.Y.

Here with I send daily readings for October 1925. Sorry there is a mistake but I make it 10 more than my previous total


*W. Downes Hall
Ashford House
Ludlow*

*June 15
1926.*

October 1925

Daily rain

13th	.10
14th	.04
15th	.25
16th	.03
19th	4.03
20th	.42
21st	.19
22nd	.53
23rd	.05
24th	.04
25th	.10
26th	.77
27th	.05
28th	.25
30th	.08
	<u>3.95</u>



by if a change exposure), and

ould be sent :—

ervation *9 am*

ection *S.W.*

ection *S.W.*

ection

ections of gauges
se please make a

Rainfall, please

*Enclosure
Ludlow*

at answers to the

measured rainfall?
fall?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).*
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.*
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18th of the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.*
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."*
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 28, Abingdon Street, London, S.W.1 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Ashford House nr Ludlow
in the County of Salop

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft.....5 in.
" Ground " Sea Level.....31.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70	.14			.20	.17			.12		.90	.09	1
2	.16	.06							.10	.07		.03	2
3	.18	.21	.30										3
4			.10				.18		.05		.63	.05	4
5	.07	.30	.01		.56		.49	.07			.08	.16	5
6	.32	.18					.27		.22	.25	.35		6
7		.75		.20	.13	.21	.06		.07		.26		7
8		.09	.06	.09	.07					.60	.49		8
9						.42		1.05					9
10					.36	.22	.11	.16		.08	.75		10
11						.07					.22		11
12						.09		.16		.34	.22		12
13	.08				.25			.10					13
14	.11	.23			.33					.27			14
15	.07			.40	.09					.20	.47		15
16	.15	.33		.07							.45		16
17	.25	.19		.59		.47		.25			.32	.25	17
18	.26	.09				.07	.09	.15			.45		18
19				.17			.40	.15	.16		.12		19
20								.05			.70		20
21	.10			.18				.04		.27	.12		21
22	.50												22
23	.03												23
24	.15						.36			.26			24
25				.25									25
26					.21				.39	.27			26
27	.20			.08			.13		.14				27
28	.16				.18								28
29				.27	.29		.38				.07		29
30	.16	X		.28				.35					30
31	.15	X		X	.25	X			X		X		31
TOTAL	3.80	2.57	.47	2.58	2.92	1.72	2.47	2.53	1.25	2.61	6.60	.58	YEAR'S TOTAL
Days with 0.1 in. or more.	19	11	4	11	12	8	10	11	6	10	17	5	126
Days with 0.4 in. or more.	18	11	3	11	12	8	10	11	8	10	17	4	123

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

2056
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Asford House, Ludlow

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 1/2 ft.

Ground Sea Level 306.315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14			.12	.32						1
2			.00	.20	.16								2
3	.08		.11	.02	.07	.17					.34		3
4			.09	.11	.10	.11							4
5		.07	.13	.31		.17	.15				.32		5
6							.16	.04	.30		.42		6
7		.21				.39	.25	.08					7
8	.09			.91			.06	.55	.02				8
9				.07				.20				.07	9
10			.16			.18							10
11			.31				.08	.10	.02				11
12	.24				.10				.07				12
13								.25	.22	.25	.09	.35	13
14	.10							.15	.95				14
15					.45				.30				15
16					.28	.62		.71	.29				16
17								.59	.12				17
18	.25					.77		.50	.05				18
19		.40					.04	.49			.96		19
20	.27	.55			.07		.10	.41			.61		20
21	.06	.17					.15	.26	.56	.42	.39	.34	21
22	.23	.11	.46			.50		.86	.23	1.03		.46	22
23			.22					.05	.29			.44	23
24	.35	.14	.37			.35			.12	.12		.17	24
25	.15	.09	.41			.10			.05			1.05	25
26	.10	.52			.25								26
27	.33	.30			.08		.40		.23				27
28	.06	.27	.12			.10	.12		.25		.92		28
29	.90		.35			.37	.10						29
30	.12	X	.36			.31	.11		.03				30
31		X		X		X		.10	X	.28	X	.21	31
TOTAL	3.33	2.83	3.33	1.62	1.56	4.26	2.04	5.34	4.10	2.10	4.05	3.09	YEARS TOTAL
Days with "01 in. or more.	15	11	14	6	9	14	13	16	18	5	8	8	137
Days with "04 in. or more.	15	11	14	5	9	14	13	16	15	5	8	8	133

BETHWS-Y-CRWYN
SHROPSHIRE

1921

Kept at Bethws-y-c
in the County of Shrop
by J. Watson

Long.....
ation.....
7 Station.....
nel of Rain Gauge.....in.
Gauge above Ground.....ft.....in.
" " Sea Level.....ft.
e result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to enter the reading at 9 a.m. on 1st Jan. of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	67	02	06										1
2	08				15								2
3	04		61		17	02							3
4	48		06		06	17							4
5	04		09		04								5
6	04		05		17								6
7	05		02		05		01						7
8	24		03		10								8
9	01		06	14	04								9
10	26		04		03								10
11	72		02		15								11
12	69				09	09							12
13	09	01	32	20									13
14	01		31	10	07								14
15	34		87	05			09						15
16	26		26	44			17						16
17	1-01		18	08		02	04						17
18	24		06										18
19			49		02	03							19
20			05			04							20
21	06		03	07									21
22			16	08			48						22
23	06			07			71						23
24	02	19					06						24
25	04	06	17				54						25
26	05		10		05	15							26
27			22		03	14	02						27
28	06		27	01	10		02						28
29	24		10	03	33								29
30	33	X			23		07						30
31	06	X		X	17	X			X		X		31
TOTAL	6.19	28	4.63	1.27	2.05	.66	1.61						YEAR'S TOTAL
Days with 0.1 in. or more	27	4	25	11	19	8	11						
Days with 0.4 in. or more	24	2	21	9	16	5	8						

REGISTER OF RAINFALL IN 1921

Kept at Bettws-y-crwyn
in the County of Shropshire
by J. Watson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	67	02	06										1
2	08				15								2
3	04		61		17	02							3
4	48		06		06	17							4
5	04		09		04								5
6	04		05		17								6
7	05		02		05		01						7
8	24		03		10								8
9	01		06	14	04								9
10	26		04		03								10
11	72		02		15								11
12	69				09	09							12
13	09	01	32	20									13
14	01		31	10	07								14
15	34		87	05			09						15
16	26		26	44			17						16
17	1-01		18	08		02	04						17
18	24		06										18
19			49		02	03							19
20			05			04							20
21	06		03	07									21
22			16	08			48						22
23	06			07			11						23
24	02	19					06						24
25	04	06	17				54						25
26	05		10		05	15							26
27			22		03	14	02						27
28	06		27	01	10		02						28
29	24		10	03	33								29
30	33	~~XX~~			23		07						30
31	06	~~XX~~		~~XX~~	17	~~XX~~		~~XX~~		~~XX~~			31
TOTAL	6.19	28	4.63	1.27	2.05	66	1.61						YEAR'S TOTAL
Days with 0.1 in. or more	27	4	25	11	19	8	11						
Days with 0.4 in. or more	24	2	21	9	16	5	8						

Section **A** for the entry
FORM 1090. AIR MIN
REC

Kept at Linley Villa
in the County of Sh

Diameter of Funnel of Gauge.
Height of top of Gauge above
" Ground "

THE MORNING

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									tr	.24	—	.02	1
2									.03	.03	tr	.37	2
3									.34	—	.06	.10	3
4									tr	.05	~~.06~~	.74	4
5									—	.97	.28	.20	5
6									—	.05	.02	<u>1.04</u>	6
7									—	.17	.28	.30	7
8									—	.32	tr	.63	8
9									—	tr	.44	.50	9
10									—	.06	.06	.47	10
11									—	tr	<u>1.04</u>	.12	11
12									.64	tr	.01	.01	12
13									—	—	.05	.04	13
14									.06	—	tr	.04	14
15									—	—	S+R .51	—	15
16									—	—	.02	—	16
17									—	.05	—	—	17
18									—	.11	.48	.01	18
19									.03	tr	.39	.01	19
20									—	.17	tr	.54	20
21									—	—	.07	—	21
22									—	.02	.35	.02	22
23									—	.14	.45	.40	23
24									—	.57	.73	.54	24
25									—	—	.29	.13	25
26									—	.02	.34	.18	26
27									—	.19	.62	.15	27
28									.15	.04	.20	.48	28
29									—	.09	.32	.19	29
30		X							.46	—	.01	tr	30
31		X		X		X			X	—	X	.02	31
TOTAL									1.71	3.29	7.03	7.25	YEAR'S TOTAL
Days with ".01 in. or more.									7	18	23	26	
Days with ".04 in. or more.									5	15	19	20	

Section

A

for the entry

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Linley Villa, nr. Bishop's Castle,
in the County of Shropshire
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft.
Ground Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									tr	.24	—	.02	1
2									.03	.03	tr	.37	2
3									.34	—	.06	.10	3
4									tr	.05	~~.06~~	.74	4
5									—	.97	.29	.20	5
6									—	.05	.02	1.04	6
7									—	.17	.28	.30	7
8									—	.32	tr	.63	8
9									—	tr	.44	.50	9
10									—	.06	.06	.47	10
11									—	tr	1.04	.12	11
12									.64	tr	.01	.01	12
13									—	—	.05	.04	13
14									.06	—	tr	.04	14
15									—	—	S+R .51	—	15
16									—	—	.02	—	16
17									—	.05	—	—	17
18									—	.11	.48	.01	18
19									.03	tr	.39	.01	19
20									—	.17	tr	.54	20
21									—	—	.07	—	21
22									—	.02	.35	.02	22
23									—	.14	.45	.40	23
24									—	.57	.73	.54	24
25									—	—	.29	.13	25
26									—	.02	.34	.18	26
27									—	.19	.62	.15	27
28									.15	.04	.20	.48	28
29									—	.09	.32	.19	29
30		X							.46	—	.01	tr	30
31		X		X		X			X	—	X	.02	31
TOTAL									1.71	3.29	7.03	7.25	YEAR'S TOTAL
Days with ".01 in. or more.									7	18	23	26	
Days with ".01 in. or more.									5	15	19	20	

Section

A

for the entry of Daily Observations.

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Linley Villa, Bishop's Castle
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.53	—	.30	—	.02	—	.25	—	—	.50	—	I
2	tr	.03	.06	.01	.02	tr	.03	.06	—	.01	.69	—	2
3	.36	.07	tr	.67	tr	—	.04	.30	—	.78	—	—	3
4	.15	tr	.10	.23	.16	—	—	.03	—	✓	—	—	4
5	.10	—	.08	.03	.22	—	—	.24	—	✓	—	—	5
6	tr	.01	.49	—	.35	—	—	—	.12	✓	—	.05	6
7	.14	—	—	—	—	—	—	—	tr	✓	.03	.10	7
8	.10	.01	—	.18	.02	—	—	.07	.44	.48	.02	.05	8
9	.56	—	.39	.63	.23	.04	tr	.03	tr	—	.02	—	9
10	.50	—	.15	—	.10	.03	.03	.20	—	—	—	.70	10
II	.08	—	—	tr	.12	.01	.01	.04	TL .03	.18	.11	.18	II
12	.19	—	.02	.04	.18	—	—	.15	—	—	—	.43	12
13	.19	—	.20	.15	.02	—	.13	.09	.47	—	—	.02	13
14	.70	.02	.87	.04	.02	—	.45	.01	tr	—	—	.03	14
15	.01	.17	.06	—	.02	—	.24	.01	.04	.24	.40	.44	15
16	tr	—	—	.02	—	—	.11	—	.10	✓	—	.14	16
17	tr	—	tr	.03	.09	tr	.10	.07	.73	✓	.03	.01	17
18	—	—	.08	.03	—	.23	.05	—	.32	.02	—	—	18
19	—	—	.13	.57	.01	.07	.14	.01	✓	tr	.16	—	19
20	tr	—	.06	.02	.03	.02	1.88	.60	✓	.20	.05	—	20
21	—	—	.32	—	tr	.07	.03	.02	.03	✓	.21	—	21
22	.32	—	—	—	—	—	.10	.47	tr	✓	.37	—	22
23	.06	—	—	.03	.04	.09	.08	.22	.03	✓	.41	.01	23
24	.27	—	—	.32	.04	tr	.01	.01	.10	✓	.17	.09	24
25	—	.03	—	.27	.11	—	.02	—	—	✓	.25	.12	25
26	.63	.07	—	.20	tr	—	.01	—	—	✓	—	.21	26
27	—	tr	.07	tr	—	.03	.32	—	—	✓	—	.07	27
28	.02	—	.06	—	—	—	.07	—	—	.03	.35	.45	28
29	—	X	—	—	—	—	.35	TL .42	—	.03	tr	.16	29
30	—	X	—	—	.36	—	.07	.02	—	.10	—	.51	30
31	.45	X	tr	X	.04	X	—	—	X	.27	X	.13	31
TOTAL	4.87	.94	3.14	3.77	2.18	.61	4.27	3.42	3.11	3.74	3.77	3.90	37.82
Days with or in. or more.	19	9	16	19	20	10	22	22	13	24	16	20	(210)
Days with .04 in. or more.	17	4	15	12	13	5	15	14	11	20	12	16	(154)

40-9999

observed by Miss Farmer (Signed) Terence More

P.T.O.

CLAREMONT
BISHOPS CASTLE
SHROPSHIRE
1921
" 22
" 23 1930

ORGANIZATION.

22...
on 2.50.50
on Bishop's Castle
Rain Gauge 5 in.
above Ground 1 ft. in.
" Sea Level 680.72 ft.
It entered to the previous day.

IMPORTANT NOTE.—R

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.05						.35	.16			.09	1
2	.02				.05			.01		.11	.35		2
3			.16		.06	.13		.01	.03	.66	.15		3
4	.18		.01		.01	.10		.22			.03		4
5			.04		.01			.46			.59		5
6			.04		.10						.21	.01	6
7	.08				.02			.28			.52		7
8	.01		.05		.01								8
9			.04	.36	.02			.09					9
10	.23				.03			.26	.07	.04		.09	10
11	.14				.08			.22	.26				11
12	.35				.66			.10	.31			.09	12
13	.27		.21	.10				.21	.11	.12	.15		13
14			.26	.11	.02			.02			.04	.32	14
15			.26	.08	.01			.02					15
16	.16		.21	.20							.43	.02	16
17	.31		.10	.03	.02		.21	.03					17
18	.15		.03				.05						18
19			.08			.06				.26	.02	.03	19
20			.04					.06					20
21				.07						.05	.10	.10	21
22			.09	.03			.15			.21	.07	.20	22
23							.07						23
24		.08								.28		.30	24
25	.08	.19	.15				.41						25
26			.08			.23		.08				.25	26
27			.03		.20			.50				.44	27
28			.18		.11		.01				.08	.05	28
29	.12		.02	.07	.14		.02				.20	.14	29
30	.18	X			.10		.01					.32	30
31	.13	X		X	.05	X		.05	X		X	.01	31
TOTAL	2.86	.32	2.08	1.05	1.70	.52	.93	2.97	.94	1.73	2.94	2.46	20.50
Days with ".01 in. or more	16	3	20	9	19	4	8	18	6	8	14	16	141
Days with ".04 in. or more	14	3	16	7	10	4	5	13	5	8	12	12	109

REGISTER OF RAINFALL IN 1922

Kept at Claremont, Bishop's Cleevein the County of Salopby Richard ParryLat. 52° 29' 15" Long. 2° 59' 50"Time of Observation 9 a.m.Nearest Railway Station Bishop's CleeveDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 6 ft. 72 in." " " " Sea Level 680.72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.05						.35	.16			.09	1
2	.02				.05			.01		.11	.35		2
3			.16		.06	.13		.01	.03	.66	.15		3
4	.18		.01		.01	.10		.22			.03		4
5			.04		.01			.46			.59		5
6			.04		.10						.21	.01	6
7	.08				.02			.28			.52		7
8	.01		.05		.01								8
9			.04	.36	.02			.09					9
10	.23				.03			.26	.07	.04		.09	10
11	.14				.08			.22	.26				11
12	.35				.66			.10	.31			.09	12
13	.27		.21	.10				.21	.11	.12	.15		13
14			.26	.11	.02			.02			.04	.32	14
15			.26	.08	.01			.02					15
16	.16		.21	.20							.43	.02	16
17	.31		.10	.03	.02		.21	.03					17
18	.15		.03				.05						18
19			.08			.06				.26	.02	.03	19
20			.04					.06					20
21				.07						.05	.10	.10	21
22			.09	.03			.15			.21	.07	.20	22
23							.07						23
24		.08								.28		.30	24
25	.08	.19	.15				.41						25
26			.08			.23		.08				.25	26
27			.03		.20			.50				.44	27
28			.18		.11		.01				.08	.05	28
29	.12		.02	.07	.14		.02				.20	.14	29
30	.18	X			.10		.01					.32	30
31	.13	X		X	.05	X		.05	X		X	.01	31
TOTAL	2.86	.32	2.08	1.05	1.70	.52	.93	2.97	.94	1.73	2.94	2.46	20.50
Days with ".01 in. or more	16	3	20	9	19	4	8	18	6	8	14	16	141
Days with ".04 in. or more	14	3	16	7	10	4	5	13	5	8	12	12	109

Kept at Claremont Bishop's Castle
in the County of Salop
by Richard Parry

Lat. 52° 29' 15" Long. 2° 59' 20"
Time of Observation 9 a.m.
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 680.72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.21	.38		.21		.39		.12			.02	1
2	.08	.45	.03		.03		.26				.25	.07	2
3	.14	.16	.15		.09		.09	.15		.03	.16		3
4	.02	.26	.16		.38		.87	.09	.03	.08			4
5	.02		.21	.50	.10		.14			.57	.29		5
6	.22		.20				.30	.06			.30		6
7	.10		.50	.09			.60	.03			.05	.09	7
8	.05		.14	.02				.50	.08	.05	.02	.08	8
9	.02		.02								.01		9
10					.03			.12			.16		10
11	.08						.03						11
12			.12	.19			.07	.33	.40				12
13	.41		.24	.37		.39	.14		.01				13
14	.10	.05	.11	.11			.07		.31			.38	14
15	.32	.03		.21								.04	15
16	.04	.11		.06	.12		.02	.38	.05			.10	16
17	.06	.23			.01		.26		.01			.19	17
18	.37	.05			.02				.15	.01	.02	.10	18
19		.10	.21						.21	.01	.02	1.35	19
20	.06	.12				.02						.69	20
21	.13	.21		.06			.21					.45	21
22	.01	.22			.23	.09	.06	.14				.20	22
23		.02		.22			.14					.06	23
24		.01	.11	.16	.22	.22		.22			.03	.10	24
25	.25	.18	.19	.59		.05			.20		.02	.07	25
26	.36	.19	.10	.03		.05	.03				.02	.04	26
27	.26	.69	.12	.03		.02		.10	.06		.02	.20	27
28	.40	.43		.22		.07		.20	.09			.05	28
29						.12		.09				.51	29
30	.16	X	.25	.31					.26		.14	.04	30
31	.32	X	.05	X		X			X	.29	X		31
TOTAL	3.98	3.72	2.82	3.17	1.22	1.03	3.68	2.41	1.98	1.04	1.51	4.83	31.39
Days with "01 in. or more	24	19	16	16	10	9	17	13	14	7	15	21	181
Days with "01 in. or more	20	16	14	13	6	7	14	12	11	4	7	20	144
YEAR'S TOTAL													

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Claremont, Bishop's Castle
in the County of Salop
by Richard Parry

Lat. 52.29.15 Long. 2.39.30
Time of Observation 9 a.m.
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 682 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.27	.23	—	—	—	—	.34	.21	—	—	.38	1
2	.12	.01	.09	—	.08	.05	.02	—	—	.13	—	—	2
3	.10	.01	.05	—	—	.07	—	—	.12	.58	.01	.05	3
4	—	—	.03	.02	—	—	—	—	.02	.05	.07	.02	4
5	.22	—	—	.17	.53	.04	—	—	—	.02	.02	—	5
6	.20	.58	.15	.29	—	.03	—	—	—	.15	—	—	6
7	.04	.80	.13	.19	—	—	—	—	—	.03	—	.19	7
8	.15	.04	.11	—	—	.04	—	—	—	.27	.06	—	8
9	.20	.63	—	.02	.08	.02	.04	—	—	.11	.24	.01	9
10	.06	.34	—	.59	.05	—	.03	—	—	.49	—	—	10
11	.02	.02	—	.08	.06	—	.50	—	—	.15	—	—	11
12	—	.26	.04	.08	.25	.01	—	—	—	.57	.10	—	12
13	.05	.23	—	.11	.05	—	.23	—	—	.10	.68	—	13
14	—	—	—	.02	.10	—	—	.10	—	—	—	—	14
15	—	.04	.02	.10	.06	.18	—	—	—	.02	.50	—	15
16	—	.18	—	.02	.21	—	—	.09	.46	.02	.26	—	16
17	.09	.34	—	—	.04	—	—	.08	—	.04	.02	—	17
18	—	.67	—	.02	.02	—	—	.06	.05	.09	.04	—	18
19	.05	.10	—	—	.07	—	.20	.02	.59	—	.10	.05	19
20	.02	.13	—	—	—	—	—	.14	—	.20	—	.03	20
21	—	.10	—	—	—	.02	—	.66	.02	.14	—	.05	21
22	—	.25	.20	—	.15	—	—	.04	.10	.21	—	.13	22
23	—	.13	.10	—	.04	—	—	.38	.22	.27	—	.02	23
24	—	.10	—	.12	.22	—	.28	.97	.02	.61	—	—	24
25	—	.27	—	.07	—	.18	.10	.22	.48	.35	—	.37	25
26	—	.71	—	.07	—	—	.10	.11	.12	.99	—	.22	26
27	—	.36	.04	—	—	.01	—	.34	—	.50	—	.18	27
28	.01	.31	.10	.01	.10	—	.75	.14	—	—	.05	—	28
29	—	—	.14	.01	—	—	.02	.94	—	.12	—	.09	29
30	.01	X	.09	.02	—	—	.03	.08	—	.05	.05	.09	30
31	.05	X	—	X	—	X	—	.05	X	—	X	.52	31
TOTAL	6.45	6.88	1.52	2.01	2.07	.65	2.30	4.26	2.21	6.20	2.20	2.40	YEAR'S TOTAL 34.15
Days with 0.1 in. or more	17	25	15	19	17	11	12	18	12	26	14	16	202
Days with 0.4 in. or more	13	22	13	11	14	6	8	17	8	22	11	12	157

for. apes (letter attached)
AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Stall Villa Bishop's Castle
 in the County of Salop
 by Richard Parry

Lat. 52° 29' 15" Long. 2° 55' 30"

Time of Observation 9.0 a.m.

Nearest Railway Station Bishop's Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 582 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	.05	—	.03	.35	.12	.13	—	—	.32	—	11 V 1
2	—	—	.11	—	.11	.03	.05	—	—	.10	.02	—	12
3	.03	—	.13	—	.04	—	.16	.56	—	—	—	—	13
4	—	—	—	—	—	.40	.01	—	—	—	—	.31	14
5	—	—	.70	—	.12	.03	.21	—	—	.18	—	.05	15
6	.23	.02	—	—	.10	—	.05	.12	.10	.36	—	—	16
7	.03	—	—	—	.11	.02	—	—	.70	.58	—	—	17
8	.06	—	—	.02	.04	.17	—	—	.32	—	—	—	18
9	.08	.07	—	.19	.03	.20	—	—	.09	.21	—	—	19
10	.02	—	—	.08	.08	.15	—	.03	—	.38	—	—	20
11	.85	—	—	.14	.04	.12	—	.32	.88	—	.27	—	21
12	.73	—	—	.53	.08	.22	—	.03	.04	—	—	—	22
13	.06	—	—	.57	.11	—	—	.17	.20	—	—	.16	23
14	.01	—	—	—	—	—	—	—	—	—	—	.08	24
15	—	.05	—	.05	.01	—	—	—	.16	—	—	.12	25
16	.30	—	—	—	.01	.07	—	.66	.14	—	—	—	26
17	.07	.02	—	—	—	—	.49	.07	.23	—	—	—	27
18	.15	.04	—	—	.11	—	—	.18	—	.23	—	—	28
19	.11	.08	—	—	.30	—	—	—	.12	.03	—	—	29
20	.15	—	—	—	.29	—	.59	—	.23	.20	—	—	30
21	.25	—	.03	—	.06	.40	.87	.14	.03	.52	—	—	31
22	.25	—	.22	.01	—	—	—	.13	.26	—	—	.23	32
23	.03	—	.03	.11	.11	—	.04	.12	.19	—	—	.52	33
24	.05	.02	—	.11	.32	—	.03	.05	.15	—	—	.41	34
25	.02	—	.04	.10	.04	—	.44	.02	.53	—	.15	.23	35
26	.05	—	.03	.17	.02	—	.15	.02	.04	.35	.75	.58	36
27	—	.02	—	.28	—	—	.55	.14	—	.23	—	.28	37
28	—	.02	—	.30	—	.05	1.48	.14	—	.15	.15	.03	38
29	.01	.03	—	.48	.12	—	—	—	.04	.52	.50	.47	39
30	—	X	—	.86	.12	—	—	.22	.18	.05	.14	.35	40
31	—	X	—	X	1.75	X	—	.20	X	—	X	.25	41
TOTAL	2.88	—	—	—	—	—	—	3.45	—	—	—	—	42
Days with 01 in. or more	22	11	9	16	25	13	15	20	20	15	8	15	43
Days with 04 in. or more	15	—	8	12	22	10	13	16	19	14	7	14	44

LA VILLA,

BISKOPS CASTEE.

18. May 1925

Dear Sir

I agree to your amendments as shown in Govers
of the ^{book} instant. If you have no objection I will
discontinue sending any further returns - I am
⁷⁰ 70 years of age - I shall probably move my place
of abode and at any rate shall be away from home
at frequent intervals. It has been a great pleasure
to me to make these returns for many years but
age and circumstances demand an end!.

Govers faithfully
Richard Parry

Return amended
11/5/25 ^{OK}

File No. _____	
AIR MINISTRY	
Received	11 MAY 1925
Allocated to	M27
with	enclature
Acknowledged _____	

Section

A

BISHOPSCASTLE (LINLEY ROCK)

for the entry of Daily Observations.

OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Rock, Linley, Bishop's Castle
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
Ground Sea Level 1200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									—	—	.46	—	1
2									—	—	.81	—	2
3									—	.80	—	—	3
4									—	.08	—	—	4
5									.01	.27	—	—	5
6									.20	.26	.01	.03	6
7									.08	.21	.07	.07	7
8									.45	.40	—	.18	8
9									—	—	.05	~~.77~~	9
10									—	.01	—	~~.77~~	10
11									.11	—	—	.16	11
12									—	—	—	.31	12
13									.08	—	.01	.07	13
14									.01	—	—	.11	14
15									.02	—	.49	.05	15
16									.08	—	—	.50	16
17									.78	—	—	.01	17
18									.10	—	.28	—	18
19									.87	—	.23	—	19
20									.24	.80	.04	.01	20
21									.04	.14	—	—	21
22									—	.19	.40	—	22
23									.09	—	—	.07	23
24									.08	.13	.61	.06	24
25									.13	.16	.24	—	25
26									.02	.09	.02	.17	26
27									.03	.05	—	.11	27
28									—	—	.31	.41	28
29									—	.05	.05	.15	29
30		X							—	.14	—	.57	30
31		X		X		X			X	.35	X	.38	31
TOTAL									4.32	4.13	4.08	4.19	my
*Days with or in. or more.									19	17	16	20	
*Days with or in. or more.									14	16	13	17	

40-9999

*See Instruction 2 (f) on other side.

(Signed) Miss Francis, for Mr More (P.T.O.)

Kept at The Vicarage
in the County of Shrop
by Rev. G. W. St

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructi
and particulars as to the Bri
sent post-free on application
Square, London, N.W. 1.

Re

BISHOPS CASTLE
~~MOORE REC.~~
VICARAGE
SHROPSHIRE
1921-7

NIZATION.

2° 30" N
M.
SHOPS CASTLE.
Gauge 5 in.
Ground 1 ft. 6 in.
Sea Level 596 ft.
ered to the previous day.
ted to add
the end of
rain gauges,
Observers,"
32, Camden

Jan-1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.04	.07	—	—	—	—	.38	.18	—	.10	.10	1
2	.03	—	.02	—	.05 ^s	—	—	.39	.02	.10	.27	—	2
3	.01	—	.17	—	.05 ^s	.13	—	.02	—	.67	.16	—	3
4	.18	—	.02	—	—	.09	—	.27	—	—	.02	—	4
5	.01	—	.05	—	.02	—	—	.48	—	—	.71	—	5
6	.05	—	.04	—	.11	—	—	.01	—	—	.40	—	6
7	.07	—	.01	—	.01	—	—	.28	—	—	—	.01	7
8	.02	—	.03	—	.09	.01	—	—	—	—	—	—	8
9	.01	—	.02	.30	—	—	—	.09	—	—	—	—	9
10	.21	—	.02	—	.04	—	—	.27	.10	.04	—	.08	10
11	.29	—	.01	—	.06	—	—	.27	.23	—	—	—	11
12	.35	.01	—	—	.71	—	—	.07	.23	—	—	.09	12
13	.28 ^s	—	.21	.14	—	—	—	.02	.16	.10	.18	—	13
14	.01	—	.26	.10	.06	—	.04	.20	.02	—	—	.35	14
15	.01	—	.26	.12	—	—	.24	.01	—	—	.07	—	15
16	.15	—	.20	.22	—	—	.05	.02	—	—	.47	.02	16
17	.50	—	.12	.04	—	.04	—	.02	—	—	—	—	17
18	.26	—	.04	—	—	—	—	—	—	—	—	—	18
19	.01	—	.10	—	.03	.03	—	—	—	.28	—	.04	19
20	—	—	.03	—	—	—	—	—	—	—	.05	.01	20
21	—	—	.01	.06	—	—	—	.06	—	.04	.12	.13	21
22	—	—	.10	.02	—	—	.19	—	—	.20	—	.21	22
23	—	—	.01	.19	—	—	.09	—	—	.27	—	.02	23
24	—	.09	—	—	—	—	—	—	.02	—	—	.37	24
25	.10	.20	.16	—	—	—	.62	—	—	—	—	.01	25
26	.02	—	.10	—	—	.09	—	—	—	—	.03	.28	26
27	.01	—	.05	—	.11	.16	—	.01	—	—	.04	.64	27
28	—	—	.15	—	.10	—	.01	.56	—	—	—	.06	28
29	.10	—	.03	—	.14	—	.02	—	—	—	—	.15	29
30	.18	×	—	.05	.09	—	—	—	—	—	.23	.53	30
31	.11	×	—	×	.03	×	—	.05	×	.01	×	.01	31
TOTAL	3.44	.34	2.29	1.24	1.70	.55	1.26	3.48	1.06	1.71	2.85	3.11	YEAR'S TOTAL
Days with ".01 in. or more	25	4	27	10	16	7	8	20	8	9	14	19	23.03 ✓
Days with ".04 in. or more	15	3	16	9	12	5	6	13	5	8	12	13	167 ✓
													117 ✓

REGISTER OF RAINFALL IN 1921.....

Kept at The Vicarage, BISHOP'S CASTLE Lat. 3° W Long. 52° 30' N
 in the County of Shropshire Time of Observation 9 A.M.
 by Rev. G.W. Stewart Nearest Railway Station BISHOP'S CASTLE
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 596 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan.-1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.04	.07	—	—	—	—	.38	.18	—	.10	.10	1
2	.03	—	.02	—	.05 ^s	—	—	.39	.02	.10	.27	—	2
3	.01	—	.17	—	.05 ^s	.13	—	.02	—	.67	.16	—	3
4	.18	—	.02	—	—	.09	—	.27	—	—	.02	—	4
5	.01	—	.05	—	.02	—	—	.48	—	—	.71	—	5
6	.05	—	.04	—	.11	—	—	.01	—	—	.40	—	6
7	.07	—	.01	—	.01	—	—	.28	—	—	—	.01	7
8	.02	—	.03	—	.09	.01	—	—	—	—	—	—	8
9	.01	—	.02	.30	—	—	—	.09	—	—	—	—	9
10	.21	—	.02	—	.04	—	—	.27	.10	.04	—	.08	10
11	.29	—	.01	—	.06	—	—	.27	.33	—	—	—	11
12	.35	.01	—	—	.71	—	—	.07	.23	—	—	.09	12
13	.28 ^s	—	.21	.14	—	—	—	.02	.16	.10	.18	—	13
14	.01	—	.26	.10	.06	—	.04	.20	.02	—	—	.35	14
15	.01	—	.26	.12	—	—	.24	.01	—	—	.07	—	15
16	.15	—	.20	.22	—	—	.05	.02	—	—	.47	.02	16
17	.50	—	.12	.04	—	.04	—	.02	—	—	—	—	17
18	.26	—	.04	—	—	—	—	—	—	—	—	—	18
19	.01	—	.10	—	.03	.03	—	—	—	.28	—	.04	19
20	—	—	.03	—	—	—	—	—	—	—	.05	.01	20
21	—	—	.01	.06	—	—	—	.06	—	.04	.12	.13	21
22	—	—	.10	.02	—	—	.19	—	—	.20	—	.21	22
23	—	—	.01	.19	—	—	.09	—	—	.27	—	.02	23
24	—	.09	—	—	—	—	—	—	.02	—	—	.37	24
25	.10	.20	.16	—	—	—	.62	—	—	—	—	.01	25
26	.02	—	.10	—	—	.09	—	—	—	—	.03	.28	26
27	.01	—	.05	—	.11	.16	—	.01	—	—	.04	.64	27
28	—	—	.15	—	.10	—	.01	.56	—	—	—	.06	28
29	.10	—	.03	—	.14	—	.02	—	—	—	—	.15	29
30	.18	~~—~~	—	.05	.09	—	—	—	—	—	.23	.53	30
31	.11	~~—~~	—	~~—~~	.03	~~—~~	—	.05	~~—~~	.01	~~—~~	.01	31
TOTAL	3.44	.34	2.29	1.24	1.70	.55	1.26	3.48	1.06	1.71	2.85	3.11	YEAR'S TOTAL
Days with .01 in. or more	25	4	27	10	16	7	8	20	8	9	14	19	23.03 ✓
Days with .04 in. or more	15	3	16	9	12	5	6	13 ~~14~~	5	8	12	13	167 ✓
													117 ✓

FORM 1090
(formerly B.F.O. Form A.1).

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Lat. $3^{\circ} W$ Long. $52^{\circ} 30' N$.

Time of Observation $9 A.M.$

Nearest Railway Station *Bishop's Cleeve*

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 5967 ft.

Kept at *The Vicarage, Bishop's Cleeve*
in the County of *Salop*
by *Rev. G. W. Stewart*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.21	.39	—	.18	—	.42	—	.09	—	.14	.05	1
2	.09	.57	.02	—	.03	—	.30	—	—	—	.01	.01	2
3	.14	.13	.13	—	.09	—	.26	.13	—	—	.15	—	3
4	.02	.32	.14	—	.59	—	.02	.09	.03	.03	—	—	4
5	.10	—	.27	.55	.01	—	.92	—	—	.07	.30	—	5
6	.19	—	.24	—	—	—	.20	.10	—	.57	.33	—	6
7	.14	—	.57	.09	—	—	.43	.03	—	—	.05	.07	7
8	.04	—	.21	—	—	—	.59	.45	—	—	.01	.06	8
9	.03	—	—	.01	—	.01	—	.02	.09	.05	—	—	9
10	—	—	—	—	.02	—	—	.12	—	—	.17	—	10
11	.10	—	.02	—	—	—	—	—	—	—	—	—	11
12	—	—	—	.20	—	.13	.65	.36	.42	—	.01	—	12
13	.43	—	—	.41	—	.30	.17	—	.02	—	—	—	13
14	—	—	—	.11	—	—	.09	—	.30	—	—	.40	14
15	.56	.07	—	.14	—	—	.02	—	.06	—	—	.03	15
16	.27	.12	—	.15	—	—	.01	.44	.09	—	—	.09	16
17	.05	.27	—	—	.12	—	.27	—	.07	—	—	.21	17
18	.37	.05	—	—	—	—	—	—	.01	—	.02	.10	18
19	—	.10	.21	—	.02	—	—	—	.31	.03	.03	1.80	19
20	.06	.10	.01	—	—	.01	—	—	.11	—	—	.47	20
21	.08	.19	.01	.06	—	—	.23	.04	—	—	—	.47	21
22	.08	.26	—	—	.23	.11	.05	.12	—	—	—	.24	22
23	—	.02	—	.28	—	—	.15	—	—	—	.03	.08	23
24	.13	.02	.10	.20	—	.25	—	.24	—	—	.02	.10	24
25	.26	.07	.16	.61	—	.05	.03	—	.23	—	—	.09	25
26	.26	.33	.03	.04	—	.04	—	—	—	—	.02	.10	26
27	.32	.72	.20	—	—	.02	—	.07	.09	—	.02	.22	27
28	.46	.42	.01	.16	—	.07	—	.24	.02	—	—	.01	28
29	—	~~X~~	—	—	—	.11	—	.09	.03	—	—	.42	29
30	.17	~~X~~	.23	.31	—	.01	—	—	.27	—	.40	.02	30
31	.31	~~X~~	.05	~~X~~	—	~~X~~	—	.12	~~X~~	.44	~~X~~	—	31
TOTAL	4.87	4.02	3.00	3.32	1.29	1.11	4.81	2.66	2.24	1.19	1.46	5.09	35.06
Days with ".01 in. or more	25	18	19	15	9	12	18	16	17	6	16	21	192
Days with ".01 in. or more	23	16	13	14	5	8	14	13	12	4	7	17	146

REGISTER OF RAINFALL IN 1923.

Kept at The Vicarage, Bishop's Cleeve
 in the County of Salop
 by Rev. G. M. Stewart

Lat. 3° W Long. 52° 30' W.Time of Observation 9 AMNearest Railway Station Bishop's CleeveDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in." " " " Sea Level 596.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.27	.26	—	—	—	—	.02	—	.03	—	.41	1
2	.17	.01	.09	—	.07	—	—	—	.02	.14	—	—	2
3	.08	.01	.06	—	—	.06	—	—	.14	.59	.03	.06	3
4	—	—	.03	.02	—	—	—	—	—	.04	.07	.02	4
5	.22	—	.01	.15	.61	.04	—	—	—	.02	.02	—	5
6	.20	.58	.18	.28	—	.02	—	.01	—	.01	—	.04	6
7	.03	.80	.16	.20	—	—	—	~~.01~~	—	.17	—	.21	7
8	.19	.04	.11	—	—	.04	—	—	—	.28	.16	.02	8
9	.17	.63	—	.02	.10	.02	.03	—	—	.01	.20	.01	9
10	.17	.40	—	.59	.09	—	.02	—	—	.43	—	—	10
11	—	—	—	.21	.08	—	.61	—	—	.12	.01	—	11
12	—	.33	.04	.08	.28	.02	—	—	—	.49	.07	.02	12
13	.08	.26	—	.08	.07	—	.25	—	.03	.09	.80	—	13
14	—	—	—	.03	.12	—	—	.08	—	.01	—	—	14
15	—	.05	.02	.10	.08	.19	.04	—	—	—	.56	—	15
16	—	.19	—	.02	.23	—	—	.13	—	.03	.28	—	16
17	.08	.66	—	—	.06	—	.01	.11	.44	.03	.02	—	17
18	.01	.77	—	.02	.03	.01	—	.06	.04	.08	.03	—	18
19	.05	.12	—	—	.01	—	.21	.02	.59	—	.09	.10	19
20	.02	.18	—	—	.01	—	—	.05	.24	.20	.03	.03	20
21	—	.10	—	—	—	.01	—	.30	.03	.21	—	.05	21
22	.04	.28	.06	—	.17	—	—	.02	.09	.19	—	.13	22
23	—	.13	.16	.02	.02	—	.32	.40	.20	.30	—	.02	23
24	—	.16	—	.14	.01	.01	.16	.06	.27	.64	—	—	24
25	—	.34	—	.03	.10	.17	.05	.24	.26	.35	—	.40	25
26	.03	.98	.04	.09	.01	—	—	.11	.02	1.10	—	.25	26
27	—	.47	.09	—	.18	—	.77	.23	—	.47	—	.20	27
28	.01	.38	.14	—	.03	—	.07	.30	—	.01	.06	—	28
29	—	~~X~~	—	.02	.02	—	.03	1.07	—	.11	—	.06	29
30	.01	~~X~~	.07	.03	—	.02	.20	.15	—	.05	.05	.14	30
31	.05	~~X~~	—	~~X~~	—	~~X~~	.33	.05	~~X~~	—	~~X~~	.57	31
TOTAL	1.66	8.14	1.52	2.13	2.38	.61	3.10	3.41	2.37	6.20	2.48	2.74	YEAR'S TOTAL
Days with 01 in. or more	19	24	16	19	22	12	15	19	13	28	16	19	36.74
Days with 04 in. or more	13	22	13	10	14	5	11	15	9	20	10	13	222
													155

2047

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1924

Kept at Vicarage, Bishop's Castle
in the County of Shropshire
by Rev. G. W. Stewart

Lat. 3° W Long. 52° 30' N
Time of Observation 9 A.M.
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 596 T. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.07	—	.03	.39	.15	.12	—	—	.31	—	1
2	—	—	.17	—	.11	.02	.04	—	—	.11	.03	—	2
3	.02	—	.14	—	.03	—	.16	.54	—	—	—	—	3
4	—	—	—	—	—	.40	.01	.01	—	—	—	.30	4
5	—	—	.68	—	.16	—	.20	.07	—	.17	—	.07	5
6	—	.03	.01	—	.10	.03	.03	.07	.08	.38	—	—	6
7	.05	—	—	—	.42	.16	—	—	.56	.54	—	—	7
8	.08	.01	—	.05	.03	—	—	—	.27	.01	—	—	8
9	.14	.05	—	.18	.04	.22	—	—	.12	.21	—	—	9
10	—	—	—	.08	.08	.15	—	—	.01	.35	.01	—	10
11	.86	—	—	.15	.15	.15	—	—	.02	—	.25	—	11
12	.25	—	—	.55	.03	.29	—	.35	.03	—	.01	—	12
13	.08	—	—	.55	.11	—	—	—	.19	—	.01	.20	13
14	—	—	—	.05	.01	—	—	.13	—	—	.01	.08	14
15	—	.05	—	—	—	—	—	.06	.16	—	—	.15	15
16	.28	—	—	—	.02	—	.01	.56	.14	—	—	—	16
17	.09	.02	—	—	—	.13	.49	.08	.23	—	—	—	17
18	.19	.02	—	—	.19	.09	—	.09	—	.22	—	—	18
19	.18	.03	—	—	.19	—	—	—	.13	.04	—	—	19
20	.12	—	.02	—	.29	—	.65	.03	.22	.22	—	—	20
21	.24	—	.02	—	.07	.31	(.96)	.13	.03	.48	—	—	21
22	.23	—	.13	.01	.01	—	—	.12	.15	—	—	.26	22
23	.06	—	.07	.11	.12	—	.04	.16	.18	—	—	.40	23
24	.08	.03	—	.12	.32	—	.03	.02	.15	—	—	.32	24
25	—	.02	.04	.16	.05	—	.49	.01	.51	—	.15	.25	25
26	.06	—	.02	.14	.02	—	—	.01	.03	.36	.76	.48	26
27	—	.02	—	.29	—	—	.68	.01	—	.27	.06	.36	27
28	.01	.01	—	.26	—	.04	1.60	.15	—	.03	.10	.03	28
29	—	.06	—	.56	.08	—	—	.22	.04	.55	.49	.43	29
30	—	~~X~~	—	.76	.12	—	—	.18	.18	.03	.15	.35	30
31	.03	~~X~~	—	~~X~~	1.47	~~X~~	.01	—	~~X~~	—	~~X~~	.31	31
TOTAL	3.07	.35	1.37	4.02	4.25	2.38	5.55	3.12	3.43	3.97	2.34	3.99	37.84
Days with ".01 in. or more	20	12	11	16	26	13	16	22	21	16	13	15	201
Days with ".04 in. or more	16	3	7	15	18	11	11	16	16	13	8	14	148
YEAR'S TOTAL													37.84

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2091

Register of Rainfall in 1925.

Kept at The Vicarage, Bishop's Castle
 in the County of Shropshire

Diameter of Funnel of Gauge five in.Height of top of Gauge above Ground 1 ft. 6 in." Ground " Sea Level 596.7 ft.

Observers are requested to read the instructions
 printed overleaf before filling in this form.

Every Observer should fill in section C
 overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.84	—	.14	.10	.04	.03	—	.02	.05	—	.18	.05	1
2	.14	.01	—	—	—	—	—	—	.01	—	.33	—	2
3	.23	.05	—	—	—	—	.09	.06	—	.01	.05	—	3
4	.18	.02	—	.14	.32	—	—	—	—	—	.11	—	4
5	.03	.18	—	.50	.16	—	—	.11	.16	—	.02	—	5
6	—	.15	.02	—	.43	—	.13	—	.02	.01	.84	—	6
7	—	.12	.12	.02	.14	—	—	.13	—	—	.10	.07	7
8	.03	.08	.17	—	.15	—	—	.49	.25	—	—	.37	8
9	—	.20	.03	.11	.10	—	—	.01	.32	—	.09	.05	9
10	.01	.10	.07	.20	—	—	—	.68	—	—	—	.03	10
11	—	.90	—	—	.02	—	—	—	—	—	—	.04	11
12	—	.52	—	—	—	—	—	.17	—	.05	—	—	12
13	.05	.01	.07	.06	—	—	—	—	—	.04	—	.23	13
14	.30	—	—	.17	—	—	—	—	—	—	—	.07	14
15	—	.01	—	.25	—	—	—	—	.13	.30	—	—	15
16	.02	.05	—	.01	—	—	—	—	—	.05	—	—	16
17	—	.03	—	—	.19	—	—	—	—	.05	—	—	17
18	—	.13	—	.17	.20	—	—	—	—	—	—	—	18
19	—	.03	.01	—	—	—	.03	.03	.80	.83	.02	.71	19
20	—	.16	.15	—	.03	—	.12	.25	.21	.43	—	.06	20
21	—	—	—	—	.01	—	.22	.30	.20	.07	—	—	21
22	—	.07	—	.18	—	—	.54	.36	.38	.50	—	.72	22
23	.06	—	—	—	.83	—	.11	.45	.55	.19	—	.12	23
24	—	.12	.08	.02	.08	—	—	—	.04	.03	—	.04	24
25	.01	.26	.26	.08	.02	—	.25	—	.14	.07	—	.14	25
26	—	.20	—	.10	.25	—	.29	.05	.04	.80	.05	.04	26
27	.03	.08	—	—	.29	—	.12	.03	—	.08	.07	.05	27
28	.22	.20	—	.01	.10	—	—	—	—	.11	—	.32	28
29	.36	X	—	—	.19	—	.24	—	—	—	.39	.33	29
30	.01	X	.03	.01	.02	—	—	—	.07	.03	.01	.18	30
31	.36	X	.16	X	.01	X	—	.03	X	.03	X	.13	31
TOTAL	2.89	3.68	1.31	2.13	3.58	.03	2.14	3.17	3.37	3.68	2.26	3.75	YEARS TOTAL
Days with ".01 in. or more.	17	24	13	17	21	1	11	16	16	19	13	20	1888
Days with ".04 in. or more.	10	18	9	12	15	—	10	11	14	14	10	19	1142

(Signed) (Rev.) G. W. Stewart [P.T.O.]

Kept at The Vicarage, Bishop's Castle
in the County of Shropshire
by Rev. J.W. Stewart

Lat. 3° W Long. 52° 30' N.
Time of Observation 9 AM
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 596 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.20	—	—	.26	.22	—	—	.22	—	.65	.08	1
2	.06	.10	—	—	—	—	—	—	.03	—	.02	.10	2
3	.23	.10	.25	—	—	—	—	.01	—	—	—	.02	3
4	—	.05	.15	—	.01	—	.06	—	.01	—	.48	.10	4
5	.08	.17	.04	—	.41	—	.33	.05	.05	.05	.06	.10	5
6	.30	.07	—	—	—	—	.21	.64	.07	.05	.31	—	6
7	—	.59	—	.18	.02	.17	—	—	.08	.02	.19	.01	7
8	—	.06	.04	.06	.10	.02	.03	.05	.02	.66	.45	—	8
9	.07	—	.03	—	.03	.40	.12	1.06	—	.15	.02	—	9
10	—	—	—	—	.19	.08	.09	.10	.01	.04	.53	—	10
11	—	—	—	—	.17	.18	—	.05	.01	.07	.02	—	11
12	—	—	—	—	.17	.01	—	.07	.05	.41	.08	—	12
13	.07	—	—	.37	.07	—	—	.03	.02	.10	.50	.03	13
14	.07	.18	—	.64	.05	.06	—	.03	.05	.13	.23	.10	14
15	.01	.08	—	.61	—	.01	—	.07	—	.18	.28	—	15
16	.20	.14	—	—	—	—	—	.01	—	—	.63	—	16
17	.06	.07	—	.02	—	.51	—	.08	—	—	.25	.10	17
18	.23	.10	—	.07	—	.02	.87	.07	—	—	.24	—	18
19	—	—	.05	.18	—	—	.17	.11	.32	—	.09	—	19
20	—	—	.01	.02	—	—	—	.01	—	—	.52	—	20
21	.09	.04	.02	.26	.01	—	.08	—	—	.14	.14	—	21
22	.42	.15	—	.10	—	—	—	—	—	.17	.03	—	22
23	.14	.01	—	—	.31	—	—	—	.03	—	—	—	23
24	.22	—	—	—	.29	—	.14	—	—	.31	—	—	24
25	.05	—	—	.15	.01	—	—	—	.08	.21	.05	.02	25
26	—	—	.05	.01	.12	—	—	—	.34	—	.01	—	26
27	.55	—	.01	.09	.05	—	.07	—	.08	.02	—	—	27
28	.11	—	—	.03	.08	—	.35	—	—	.18	—	—	28
29	.02	—	—	.42	.16	—	.03	—	—	—	—	—	29
30	.10	—	—	.25	.03	—	—	.61	—	—	—	—	30
31	.22	—	—	—	.02	—	—	—	—	—	—	—	31
TOTAL	3.80	2.11	.65	2.86	2.56	1.68	2.55	2.45	1.47	2.89	5.78	.66	YEAR'S TOTAL 29.46
Days with ".01 in. or more	22	16	10	17	21	11	13	17	17	17	23	10	194
Days with ".04 in. or more	20	15	6	13	14	7	11	12	10	15	18	6	147

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

Ordnance map

State pattern and maker of Gauge, if known.

Negretti & Zambra

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
<i>Tree</i>	<i>20 ft</i>	<i>43 ft</i>	<i>S</i>
<i>House</i>	<i>35 ft</i>	<i>47 ft</i>	<i>N</i>

In order that the position may be accurately entered on a map please mention

Latitude *52° 30'* N.

Longitude *3° W*

Nearest Railway Station and Parish Church.

Name.	Distance.	Direction.
Station <i>Bishop's</i>	<i>500 yds</i>	<i>NE</i>
<i>Castle</i>		
Church <i>dito</i>	<i>50 "</i>	<i>NE</i>

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

M. O. 7

8 JAN 1927

(47_{RS}) (100843 Wt. 19620/409 Gp. 163 32000 10-20 W & S Ltd.

M C

8 JAN 1927

RAINFALL IN 1920
NOTE.—Records taken in millimetres
should not be entered on this form

At... The Vicarage

In the County of... Shropshire

Rain Gauge { Diameter of Funnel... five in.
Height { Above Ground... 1 ft... 6 in.
of Top { Above Sea Level... 5067 ft

PLEASE
FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date.	01 in. or more	04 in. or more
JAN.	<u>3.91</u> ~~3.80~~	<u>.55</u>	<u>27</u>	<u>22</u>	<u>20</u>
FEB.	<u>2.11</u>	<u>.59</u>	<u>7</u>	<u>16</u>	<u>15</u>
MAR.	<u>.65</u> <u>3.46</u>	<u>.25</u>	<u>3</u>	<u>10</u>	<u>6</u>
APR.	<u>2.86</u>	<u>.42</u>	<u>29</u>	<u>17</u>	<u>13</u>
MAY	<u>2.56</u>	<u>.41</u>	<u>5</u>	<u>21</u>	<u>14</u>
JUNE	<u>1.68</u>	<u>.51</u>	<u>17</u>	<u>11</u>	<u>7</u>
JULY	<u>2.55</u>	<u>.87</u>	<u>18</u>	<u>13</u>	<u>11</u>
AUG.	<u>2.45</u>	<u>1.06</u>	<u>9</u>	<u>17</u>	<u>12</u>
SEPT.	<u>1.47</u>	<u>.34</u>	<u>26</u>	<u>17</u>	<u>10</u>
OCT.	<u>2.89</u>	<u>.66</u>	<u>8</u>	<u>17</u>	<u>15</u>
NOV.	<u>5.78</u>	<u>.65</u>	<u>1</u>	<u>23</u>	<u>18</u>
DEC.	<u>.66</u>	<u>.10</u>	<u>24</u>	<u>10</u>	<u>6</u>
Total	<u>30.09</u> <u>29.46</u>			<u>194</u>	<u>147</u>

Signed... G. W. Hewart

Titles... Rev. M.A.

W--2T. [Please fill in the other side also.]

(65,296). Wt.21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

2069

Kept at The Vicarage, Bishop's Cleeve
in the County of Shropshire

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft. 6.....in.
" Ground " Sea Level.....596.....ft. 7.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	—	—	—	.11	.04	.01	.15	.29	—	1
2	.08	—	.04	.06	.08	—	—	—	—	.04	—	—	2
3	.03	.04	.10	.01	.02	.02	.03	—	—	—	.01	—	3
4	—	—	.07	.09	.25	.18	.39	—	—	—	.06	—	4
5	.08	.09	.11	.24	—	.14	.22	—	—	—	.27	.01	5
6	.05	—	.08	.04	—	.02	—	.08	.33	—	.24	—	6
7	.08	.10	.07	.11	—	.26	.18	.04	—	—	—	—	7
8	.01	—	.03	.61	—	.02	—	.29	.02	—	.04	—	8
9	—	—	.08	.19	—	—	—	.33	.01	—	.04	.03	9
10	—	—	—	.06	—	.20	—	.13	—	—	—	—	10
11	—	—	.07	.02	—	—	.45	.06	.04	—	—	—	11
12	.17	—	—	.02	—	—	—	.12	.07	—	—	—	12
13	.18	—	.03	—	—	.26	—	.10	.14	.05	.03	.20	13
14	.14	—	—	.01	.04	—	—	.11	.10	—	.05	.15	14
15	.02	—	—	.04	.27	—	—	.71	.33	—	.06	.01	15
16	.07	—	—	—	.13	.36	—	.26	.17	—	—	—	16
17	.10	—	—	—	—	.30	—	.97	.13	—	—	—	17
18	—	—	—	—	—	.70	—	.50	.04	.02	.60	—	18
19	—	.36	—	—	—	.01	—	.33	—	.07	.60	—	19
20	.16	.44	—	—	.12	.09	.32	.17	.07	—	.18	.18	20
21	.19	.17	.02	—	.06	.03	.20	.45	.24	.59	.22	.53	21
22	.08	.24	.28	.12	—	.30	.01	.10	.15	.86	.14	.21	22
23	—	.01	.16	.05	—	.47	—	.15	.02	—	.22	.36	23
24	.52	.02	.32	.09	—	.02	.11	.03	.17	.11	—	.21	24
25	.73	.13	.46	.01	—	.13	.05	—	.16	.23	—	.64	25
26	.32	.48	.14	—	.16	.06	.05	—	.01	.18	—	—	26
27	.10	.24	—	—	—	.11	.32	—	—	.10	—	—	27
28	.81	.17	.12	—	—	.01	—	.04	.13	.02	.38	—	28
29	.15	X	.14	—	—	.38	.02	—	.28	.11	—	—	29
30	.24	X	.12	—	—	.32	.05	.20	.06	.17	—	—	30
31	.01	X	.24	X	.03	X	.04	.01	X	—	X	.15	31
TOTAL	3.72	2.49	2.86	1.77	1.16	4.34	2.55	5.22	3.68	2.70	3.43	2.68	YEARS TOTAL
Days with ".01 in. or more.	23	13	21	17	10	23	16	23	22	14	17	12	211
Days with ".04 in. or more.	19	11	18	12	8	16	13	21	17	12	15	9	171

BISHOPS — CASTLE
MORE
RECTORY
SHROPSHIRE

ORGANIZATION.

1921/...

Kept at.....

in the County of.....

by.....

Long.....

Lat.....

Height of Rain Gauge..... in.

Height above Ground..... ft.

Sea Level..... ft.

Result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51	.02	.06					.35	.06		.07	.05	1
2	.03				.05			.33	.02	.05	.18		2
3			.06		.05	.12		.02		.60	.13		3
4	.07		.01		.02	.16		.23		.01	.02		4
5			.02		.01			.28			.44	.01	5
6	.02		.03		.06			.02			.17		6
7					.02			.26			.43		7
8	.04				.04	.02		.01					8
9				.32	.03			.09					9
10	.15	.01	.02		.01			.05	.04	.04		.07	10
11	.27			.11	.08			.35	.15		.02		11
12	.30				.61			.08	.25			.07	12
13	.36		.20					.03	.07	.11	.10	.01	13
14			.28	.12	.06		.04	.11	.02	.01	.01	.30	14
15	.01		.18	.05			.10				.03	.01	15
16	.11		.09	.30			.04				.33		16
17	.20		.09	.06		.03					.01		17
18	.05		.04									.01	18
19			.06		.04	.02						.01	19
20			.04							.18	.03		20
21			.05							.03	.17	.06	21
22			.11	.02			.15			.10	.03	.24	22
23				.13			.04		.01	.19		.03	23
24		.22								.01		.37	24
25	.03	.14	.10				.37					.02	25
26			.03			.08		.09			.01	.17	26
27		.01	.02		.29	.16		.01			.03	.29	27
28			.10		.15		.01	.57				.04	28
29	.05		.01		.15			.05				.07	29
30	.23	X		.05	.09		.01				.15	.28	30
31	.07	X		X	.35	X		.06	X		X	.03	31
TOTAL	2.50	.40	1.55	1.21	2.11	.59	.76	2.99	.62	1.33	2.36	2.14	YEAR'S TOTAL
Days with 0.1 in. or more	19	5	20	10	18	7	8	19	8	11	19	20	162
Days with 0.4 in. or more	13	2	13	9	13	4	6	14	5	7	10	12	

REGISTER OF RAINFALL IN 1921.

Kept at Moss Beck
 in the County of Northampton
 by Rev. Ridley Bell

Lat. _____ Long. _____
 Time of Observation 7.30
 Nearest Railway Station Wellingborough
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. 11 in.
 " " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51	.02	.06					.35	.06		.07	.05	1
2	.03				.05			.33	.02	.05	.18		2
3			.06		.05	.12		.02		.60	.13		3
4	.07		.01		.02	.16		.23		.01	.02		4
5			.02		.01			.28			.44	.01	5
6	.02		.03		.06			.02			.17		6
7					.02			.26			.43		7
8	.04				.04	.02		.01					8
9				.32	.03			.09					9
10	.15	.01	.02		.01			.05	.04	.04		.07	10
11	.27			.11	.08			.35	.15		.02		11
12	.30				.51			.08	.25			.07	12
13	.36		.20					.03	.07	.11	.10	.01	13
14			.28	.12	.06		.04	.11	.02	.01	.01	.30	14
15	.01		.18	.05			.10				.03	.01	15
16	.11		.09	.30			.04				.33		16
17	.20		.09	.06		.03					.01		17
18	.05		.04									.01	18
19			.06		.04	.02						.01	19
20			.04							.18	.03		20
21				.05						.03	.17	.06	21
22			.11	.02			.15			.10	.03	.24	22
23				.13			.04		.01	.19		.03	23
24		.22								.01		.37	24
25	.03	.14	.10				.37					.02	25
26			.03			.08		.09			.01	.17	26
27		.01	.02		.29	.16		.01			.03	.29	27
28			.10		.15		.01	.57				.04	28
29	.05		.01		.15			.05				.07	29
30	.23			.05	.09		.01				.15	.28	30
31	.07				.35			.06				.03	31
TOTAL	2.50	.40	1.55	1.21	2.11	.59	.76	2.99	.62	1.33	2.36	2.14	YEAR'S TOTAL
Days with ".01 in. or more	17	5	20	10	18	7	8	(19)	8	11	19	20	(62)
Days with ".04 in. or more	13	2	13	9	13	4	6	14	5	7	10	12	(62)

REGISTER OF RAINFALL IN 1922.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Relton

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station Lydney Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.15	.32		.10				.11		.05	.07	1
2	.02	.40	.01		.03							.02	2
3	.15	.13	.12		.04			.21		.03	.13		3
4		.35	.08	.01	.32			.04	.01	.04	.04		4
5	.08		.11	.40						.75	.36		5
6	.15		.16	.01				.07			.36		6
7	.05		.48	.07			2.70	.06			.04	1.03	7
8	.03		.14				.59	.48	.04	.01			8
9	.02		.01	.01		.01		.04		.04	.03		9
10					.05			.09			.13		10
11	.06								.01				11
12				.16		.11	.10	.37	.50				12
13	.53			.23		.37	.22		.01				13
14		.03					.03		.33			.40	14
15	.43	.03		.09			.03		.02			.03	15
16	.19	.10		.20	.10		.02	.31	.04		.01	.06	16
17	.04	.12			.01		.29	.01	.02			.17	17
18	.22	.04			.03				.13	.03	.02	.07	18
19		.04	.21						.18		.02	2.04	19
20	.05	.10				.07				.10			20
21		.12		.05			.26	.03				.45	21
22		.14			.15	.09	.06	.10				.15	22
23				.11	.02		.11		.02		.03	.05	23
24	.16		.12	.08		.19		.22				.04	24
25	.17	.05	.12	.49		.02		.01	.18		.05	.05	25
26	.27	.32	.04	.05			.02		.02	.01	.05	.07	26
27	.21	.65	.25	.01				.09	.05		.02	.18	27
28	.46	.38	.03	.14				.28	.10			.04	28
29												.35	29
30	.15	~~X~~	.17	.22				.17	.31		.15	.04	30
31	.30	~~X~~		~~X~~		~~X~~		.14	~~X~~	.48	~~X~~	~~X~~	31
TOTAL	3.88	3.15	2.37	2.33	.85	.5.23		2.72	2.08	1.49	1.49	4.31	
Days with 0.1 in. or more	22	17	16	17	10	11	10	18	18	9	16	13	
Days with 0.4 in. or more	19	15	13	13	6	10	13	15	11	5	10	10	

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Peltou

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lydbury Heath
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.22	.23				.04	.03	.03	.03		.40	1
2	.13		.03		.10			.06		.16			2
3	.06		.09			.08		.02	.11	.62	.03	.07	3
4			.04	.06						.16	.06		4
5	.22			.17	.65	.04				.03			5
6	.23	.53	.09	.25		.04		.02		.02		.06	6
7	.03	.70	.13	.15						.12		.23	7
8	.09	.04	.14			.02				.20	.13		8
9	.12	.58		.03	.09			.03		.02	.27	.09	9
10	.07	.35		.53						.48			10
11	.04	.02		.36	.03					.14			11
12		.30	.05	.10	.24	.02				.45	.02	.03	12
13	.03	.35		.08	.06				.03	.11	.40		13
14		.02		.05	.07			.23	.01	.05	.03		14
15		.05	.03	.12	.05	.16		.02			.38		15
16	.01	.17			.24					.04	.20		16
17	.05	.63			.03	.01		.11	.45	.05	.02		17
18		.53			.03	.02		.06	.05	.08	.05		18
19	.03	.08						.02	.47		.08		19
20	.03	.27			.01		.77	.05	.25	.18			20
21		.12				.02	.01	.16		.20	.03	.19	21
22	.04	.35	.05		.11		.02	.50		.11		.13	22
23		.12	.20		.04		.28	.40	.21	.30		.02	23
24		.08		.08			.12	.06	.27	.55			24
25		.37		.03	.15	.14	.07	.19	.16	.36		.36	25
26	.04	.27	.07	.05	.02	.02		.09		.97		.25	26
27		.35	.09		.49		.70	.30		.31		.18	27
28		.25	.20	.04	.05		.03	.16		.02	.15		28
29		X	.16	.02			.03	1.28		.08	.05	.12	29
30		X	.07	.02			.18	.06		.03		.14	30
31	.07	X		X		X	.44	.06	X		X	.53	31
TOTAL	1.34	6.75	1.67	2.14	2.46	.57	2.69	3.91	2.04	5.87	1.90	2.80	YEAR'S TOTAL
Days with 01 in. or more	18	24	16	17	18	11	16	22	11	28	15	15	211
Days with 01 in. or more	13	22	14	13	13	5	10	16	8	22	10	13	159

REGISTER OF RAINFALL IN 1924.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Pelton

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lydburn Heath
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 600 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.05		.04	.65		.09			.38		1
2			.10		.17	.04		.04		.14	.03		2
3	.02		.20		.05	.01		.42		.01			3
4					.01							.33	4
5		.05	.55		.07	.45		.11		.10		.10	5
6		.03	.07		.09	.06		.06	.09	.27			6
7					.28	.25			1.10	.66			7
8		.02		.09	.04	.02			.30				8
9	.20	.04		.23	.06	.20			.20	.14			9
10				.13	.05	.17			.02	.31	.02		10
11	.73			.20	.15	.08		.05			.27		11
12	.28			.18		.20		.32	.03		.02		12
13	.05			.66					.15		.02	.17	13
14				.04				.10			.01	.07	14
15								.03	.08		.13		15
16	.32				.25			.66	.15				16
17	.08	.03				.20		.11	.15			.01	17
18	.12				.20		2.05	.10		.23			18
19	.08				.20	.07		.03	.13	.04			19
20	.13	.07	.02		.19		.62	.05	.22	.20			20
21	.25		.03		.08	.30	.80	.18	.10	.50			21
22	.24		.22					.07	.26			.28	22
23	.08		.08	.09	.10		.02	.15	.16			.41	23
24	.07	.05		.10	.29		.03	.03	.13	.02		.30	24
25	.02		.16	.10	.07		.50	.02	.70		.14	.29	25
26	.04			.10			.03	.04	.05	.37	.90	.28	26
27				.30			.68	.01		.38	.05	.26	27
28	.02	.03		.20		.05	1.57	.20		.02	.10	.03	28
29		.05		.55	.10			.45	.04	.55	.52	.26	29
30		X		.97	.13			.15	.17		.13	.37	30
31	.02	X		X	2.56	X	.05		X		X	.23	31
TOTAL	2.77	.38	1.48	3.94	5.18	2.75	6.35	3.47	4.23	4.02	2.63	3.52	YEAR'S TOTAL 40.72
Days with 0.1 in. or more	19	10	10	15	(22)	15	(20)	24	20	16	13	16	200
Days with in. or more	14	5	8	15	(20)	13	(14)	19	18	13	9	14	162

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No.

River Dist......

Station No. _____

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Rellou.

Lat. _____ Long. _____

Time of Observation 9 2.44

Nearest Railway Station Lydham

Diameter of Funnel of Rain Gauge.....

Height of top of Gauge above Ground.....

“ ” ” ” Sea Level.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

[illegible]

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1929.

Kept at The Old Rectory, The More, Bishop's Castle,
in the County of Shropshire

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" Ground " Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									tr	.25	—	.02	1
2									.03	.03	tr	.32	2
3									.35	tr	.09	.10	3
4									tr	.06	.03	.75	4
5									—	1.10	.12	.23	5
6									—	.05	tr	1.23	6
7									—	.19	.26	.20	7
8									—	.37	.10	.76	8
9									—	—	.37	.50	9
10									—	.05	.13	.48	10
11									—	tr	.95	.09	11
12									.60	—	.01	.01	12
13									—	—	.01	.08	13
14									.06	—	—	—	14
15									—	—	S+R .43	—	15
16									—	tr	.01	—	16
17									—	.08	—	—	17
18									tr	.10	.51	.01	18
19									.01	—	.44	.01	19
20									tr	.18	.01	.58	20
21									—	—	.08	—	21
22									—	.01	.43	.01	22
23									—	.20	.50	.42	23
24									—	.52	.73	.49	24
25									—	—	.37	.13	25
26									—	—	.36	.24	26
27									—	.31	.63	.10	27
28								tr	.18	.03	.20	.76	28
29								tr	—	.08	.32	.26	29
30		X						tr	.60	—	.01	—	30
31		X		X		X		.13	X	—	X	.02	31
TOTAL									1.83	3.61	7.10	7.80	YEARS TOTAL
Days with ".01 in. or more.									7	17	25	25	
Days with ".04 in. or more.									5	14	19	19	

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Camlad House, Lydham,
in the County of Salop. Bishops Castle

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	~~.04~~	—	.05	.01	.09	—	.02	~~.2~~	.25	—	.01	1
2	—	.34	—	—	—	.08	—	.01	—	.04	.04	.38	2
3	—	—	—	—	.01	.02	.14	.42	.46	—	.03	.10	3
4	—	~~.04~~	—	.10	.41	.15	.16	—	—	.05	.07	.84	4
5	^s .05	—	—	—	.55	.18	.53	.29	—	<u>1.10</u>	.30	.25	5
6	^s .03	—	—	—	.14	.25	.04	.12	—	.07	.05	.98	6
7	^s .01	—	—	—	.79	—	—	—	—	.18	.26	.39	7
8	^s .09	.05	.02	.04	.01	.12	—	.02	—	.41	.06	.50	8
9	^s .02	.05	.02	—	—	—	.02	—	—	.01	.41	.86	9
10	.05	—	—	.02	—	—	—	.01	—	.03	.08	.48	10
11	—	^s .04	—	^s —	.30	—	.08	—	—	—	.96	.11	11
12	—	—	—	.13	.01	.94	.73	—	.51	—	—	.02	12
13	.01	—	—	—	.12	.04	—	.09	—	—	—	—	13
14	—	—	—	—	.10	.30	—	—	.05	—	—	.05	14
15	—	^s .03	—	—	.01	.05	—	—	—	—	^{s-r} .38	.01	15
16	—	—	—	—	—	.12	—	.10	—	—	.04	.01	16
17	^s .18	—	—	—	—	—	—	.02	—	.08	—	—	17
18	—	—	—	—	—	—	—	.01	—	.11	.57	.01	18
19	—	—	.02	—	—	—	—	.02	.02	—	.48	—	19
20	—	—	.05	—	—	—	—	.05	—	.18	.08	.59	20
21	—	—	.23	—	—	.09	—	—	—	.01	—	—	21
22	.02	.01	.02	.01	—	—	.05	.22	—	.02	.36	—	22
23	—	—	—	—	—	—	—	.05	—	.22	.60	.41	23
24	—	—	—	—	—	.03	—	.15	—	.51	.56	.56	24
25	—	^s .02	.05	.12	—	—	—	—	—	.05	.39	.18	25
26	—	^s .01	—	^s .06	—	—	—	—	—	.01	.24	.21	26
27	.02	—	—	.16	—	—	.04	.01	—	.23	.58	.02	27
28	^{s-r} .43	—	—	.14	—	—	.42	.02	.16	.07	.25	.73	28
29	.02	X	—	—	—	—	—	—	—	.10	.30	.27	29
30	.01	X	—	—	—	—	.06	—	.62	—	.04	.02	30
31	.53	X	—	X	—	X	.44	.12	X	—	X	.02	31
TOTAL	1.47	.55	.41	.83	2.46	2.34	2.71	1.75	1.82	3.73	7.13	8.01	YEAR'S TOTAL 33.21
Days with .01 in. or more.	14	8	7	10	12	13	12	19	6	21	24	26	172
Days with .04 in. or more.	6	4	3	8	7	11	11	10	5	16	23	18	122

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930

Kept at The Old Rectory, The More,
near Bishop's Castle, Shropshire
in the County of Shropshire

Resumed in 1929/
showed to 15

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
,, Ground ,, Sea Level 605 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.34	—	.33	—	.01	—	—	—	—	.35	—	1
2	.07	.03	.08	.01	.02	—	.04	.25	—	—	.63	—	2
3	.32	.08	tr	.70	.12	—	.03	.27	—	.01	tr	—	3
4	—	—	.11	.15	—	—	tr	—	—	.77	(.63)	—	4
5	.29	.01	.19	—	.50	—	—	.28	tr	.22	—	—	5
6	.01	.03	.30	—	—	—	tr	.01	.12	.21	—	—	6
7	.14	—	—	—	—	—	—	—	.04	.30	.12	.22	7
8	.24	—	tr	.24	—	—	—	.06	.42	.50	—	.08	8
9	.16	—	.17	.52	.20	.03	—	—	tr	.02	.01	.73	9
10	.94	—	—	—	.10	.03	tr	.12	—	tr	—	.11	10
11	.10	—	.03	—	.10	—	.07	.01	.03	.17	—	.44	11
12	.16	—	.05	.05	.16	—	—	.20	tr	tr	—	.05	12
13	.19	—	.19	.09	.01	—	.29	.06	.53	—	—	.08	13
14	.62	.17	.01	tr	.01	—	.22	.02	.01	.01	.08	.44	14
15	—	—	.03	—	—	—	.29	—	.03	.24	.23	—	15
16	tr	—	—	—	—	—	.09	—	.50	tr	—	.08	16
17	.01	—	—	.09	.09	—	.18	.07	.58	.26	—	.04	17
18	—	—	.03	—	tr	.40	.09	.04	.40	tr	.25	tr	18
19	—	—	.17	.60	tr	.04	—	—	.50	.16	.16	—	19
20	.01	—	.09	—	tr	.06	1.81	.65	.02	tr	.11	—	20
21	—	—	.33	.01	—	.02	.10	.01	tr	.11	.20	—	21
22	.32	—	—	—	—	—	.11	.47	.10	.15	.27	—	22
23	.07	.11	—	.04	.01	.12	.01	.07	.04	.04	.47	—	23
24	.36	—	—	.32	—	—	.01	—	.16	.11	.20	—	24
25	—	.01	—	.38	—	—	.02	—	.02	.17	.21	.32	25
26	.65	.01	—	.01	.07	—	—	—	—	.01	—	.14	26
27	.01	tr	.08	—	—	.02	.36	—	—	tr	—	.01	27
28	.03	—	.08	—	—	—	.01	—	tr	tr	.30	.50	28
29	—	X	—	—	—	—	.01	.20	tr	.01	—	.29	29
30	—	X	.04	—	.42	—	.30	.02	—	.09	.01	.50	30
31	.43	X	.05	X	.03	X	.02	—	X	.44	X	.01	31
TOTAL	5.17	.79	3.03	3.54	1.84	.73	4.06	2.81	3.50	4.00	3.60	4.03	37.10
Days with ".01 in. or more.	(23)	9	18	15	14	9	20	17	16	21	16	17	195
Days with ".04 in. or more.	(18)	4	15	12	9	4	13	13	11	16	14	15	144

40-9999

S = snow

H = hail

R+S = rain & snow

TL = thunderstorm

L = lightning at night without thunder

(Signed) by Emily Jones & Gladys Davis for T. More, Esq. [P.T.O.]

RECORD

Kept at Bishops Castle
in the County of Shropshire
by E. Griffiths

BISHOPS CASTLE
CASTLE ST.
SHROPSHIRE

1921-1930

ANIZATION.

1 Gauge _____ in.
re Ground _____ ft. _____ in.
Sea Level _____ ft.

tered to the previous day.
sted to add
t the end of
rain gauges,
Observers,"
62, Camden

Jan. 1. following.

IMPORTANT NOTE.

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

R

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	05	06					36	14		10	08	1
2					05			30	02	10	24		2
3			14		05	12		01		66	16		3
4	20		02			10		25			02		4
5			04		02			42			64	01	5
6	05		04		09						10		6
7	04				03			27			51		7
8			05		07	01							8
9			02	35	04			08	01				9
10	19		02		03			32		04		09	10
11	29				06			23	30				11
12	34				40			08	29			08	12
13	26		22	10					13	10	21		13
14			26	10	06		05	17	03		03	30	14
15	01		28	06			21				05	02	15
16	15		21	20			05	03			43		16
17	38		12	03		04		02					17
18	15		03			04							18
19			10		03					25		02	19
20			03			02	02				05		20
21				06						05	11	11	21
22			09	04			17	05	03	20	03	21	22
23				20			09			29		02	23
24		15										30	24
25	08	09	17				40					02	25
26			08			10						25	26
27			08		20	15		01			05	50	27
28			14		10			50			02	05	28
29	10		02		14		03					11	29
30	10	X		05	10		02				22	34	30
31	10	X		X	07	X		06	X		X	02	31
TOTAL	2.92	2.9	2.22	1.19	1.54	.58	1.04	3.16	.95	1.69	2.97	2.53	21.08
Days with "01 in. or more	16	3	22	10	17	8	9	17	8	8	17	18	153
Days with "04 in. or more	15	3	16	9	13	6	6	13	4	8	13	12	118

REGISTER OF RAINFALL IN 1921

Kept at Bishops Cleeve
 in the County of Shropshire
 by E. Griffiths

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	05	06					36	14		10	08	1
2					05			30	02	10	24		2
3			14		05	12		01		66	16		3
4	20		02			10		25			02		4
5			04		02			42			64	01	5
6	05		04		09						10		6
7	04				03			27			51		7
8			05		07	01							8
9			02	35	04			08	01				9
10	19		02		03			32		04		09	10
11	29				06			23	30				11
12	34				40			08	29			08	12
13	26		22	10					13	10	21		13
14			26	10	06		05	17	03		03	30	14
15	01		28	06			21				05	02	15
16	15		21	20			05	03			43		16
17	38		12	03		04		02					17
18	15		03			04							18
19			10		03					25		02	19
20			03			02	02				05		20
21				06						05	11	11	21
22			09	04			17	05	03	20	03	21	22
23				20			09			29		02	23
24		15										30	24
25	08	09	17				40					02	25
26			08			10						25	26
27			08		20	15		01			05	50	27
28			14		10			50			02	05	28
29	10		02		14		03					11	29
30	10	X		05	10		02				22	34	30
31	10	X		X	07	X		06	X		X	02	31
TOTAL	2.92	2.9	2.22	1.19	1.54	.58	1.04	3.16	.95	1.69	2.97	2.53	21.08
Days with .01 in. or more	16	3	22	10	17	8	9	17	8	8	17	18	153
Days with .04 in. or more	15	3	16	9	13	6	6	13	4	8	13	12	118

242

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

2116

REGISTER OF RAINFALL IN 1922.....

Kept at Bishops Castle
in the County of Shropshire
by E. G. Griffiths

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	19	35		17		38		09		07	05	1
2	05	45	02		05		25				03	02	2
3	09	12	15	03	07		25	15		02	15	02	3
4	02	31	15	15	45		02	08	02	03			4
5	10		20	33			83			59	30		5
6	19		17				14	10			29		6
7	10		48	09			35	04			04	08	7
8	05		10				50	50	09		02	08	8
9	03		03	02		01		02		05	02		9
10					04			11			17		10
11	06								02				11
12				18		11	07	35	41			01	12
13	41			40		28	17		02				13
14		05		10			07		30		01	36	14
15	47	03		13			02		06			04	15
16	23	10		10			01	40	05			10	16
17		23			05		25					19	17
18	37	02							20		02	10	18
19		09	20						20	05	03	1.33	19
20	08	15			05	03						15	20
21	10	19	01	05			20	04				43	21
22		22			25	09	05	10				20	22
23		02		25			14				01	05	23
24	13	02	10	14		21		22			02	10	24
25	23	07	16	55		04			20			08	25
26	25	30	03	05		05	04	03			02	11	26
27	29	72	20	03		02		05	09		02	22	27
28	40	42	01	15		06		22	04			05	28
29						13						34	29
30	18	~~XX~~	23	32		01	01	08	27		13	03	30
31	30	~~XX~~	07	~~XX~~		~~XX~~		14	~~XX~~	50	~~XX~~		31
TOTAL	4.27	3.70	2.66	3.07	1.13	1.04	3.75	2.63	2.06	1.24	1.35	4.14	YEAR'S TOTAL 31.04
Days with 0.1 in. or more	23	19	18	18	9	12	19	17	15	6	17 ~~10~~	23	195 ~~188~~
Days with 0.1 in. or more	21	15	13	15	8	8	15	15	12	4	7	19	152

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Bishops Castle
in the County of Shropshire
by E Griffiths

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	20	24					02	01	04		39	1
2	18		08		08			01	01	15			2
3	05	02	05			07		02	13	63	01	05	3
4			03	02						04	05	01	4
5	21		02	15	56	05				02	03		5
6	19	50	14	28		02				01	02		6
7	03	75	10	16						15		21	7
8	15	03	11			05				24	12	04	8
9	16	53		02	08	01		01		03	15		9
10	10	34		54	06		10			40		01	10
11	04			20	03		40			07			11
12		28	05	06	26	02				28	05	03	12
13	03	23		08	05		20		02		65		13
14		01		03				06	01				14
15		05	02	10	13	17	05	05			48		15
16		17			25			06			24		16
17	08	62			05		01	08	38	23	02		17
18	01	60		03		02		03	05	12	03		18
19	04	10					20		50	08	10	06	19
20		18						05	24	20	02	05	20
21		05				01		24	02	18		05	21
22	03	25	07		15		02	05	11	14		10	22
23		12	16		02		25	35	19	28		02	23
24		15		14		01	10	06	27	56			24
25		31		03	08	17	09	21	22	40		37	25
26	02	85	05	08				10		100		23	26
27		40	09		22		72	37		39		18	27
28	02	32	13	02	02		05	10	01	02	06	09	28
29				01	02		03	90		10			29
30		X					17	09		05	05	12	30
31	05	X	08	X		X		03	X		X	50	31
TOTAL				1.97									YEAR'S TOTAL
Days with 0.1 in. or more	1.43	7.06	1.42	1.98	2.06	60	2.70	2.89	2.17	5.81	2.08	2.51	32.70
Days with 0.4 in. or more	18	24	16	18	16	11	15	21	15	26	16	18	214
	12	21	13	10	12	5	12	15	9	22	10	14	155

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Bishops Cleeve
in the County of Shropshire
by E. Griffiths

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.08		.03	.40	.14	.10			.33		1
2			.16		.15	.02	.04	.02		.09	.03		2
3	.02	.03	.14		.05		.14	.53		.01			3
4						.37	.01	.01	.01			.33	4
5			.65		.14		.20	.07		.18		.05	5
6					.10	.04	.03	.06	.08	.32			6
7	.02				.44	.17			.68	.55			7
8	.07		.01	.04	.03	.01			.27	.01			8
9	.07	.05		.20	.06	.21			.09	.22			9
10	.02			.09	.05	.18			.02	.39			10
11	.80			.11	.12	.10		.05	.01		.27		11
12	.27	.01		.55	.06	.27		.29	.03				12
13	.08			.60	.12						.03	.20	13
14				.05				.15	.18				14
15		.03						.05	.15	.02		.20	15
16	.08						.01	.63	.15				16
17	.30	.02				.12	.50	.09	.25				17
18	.15	.05			.20			.09		.20			18
19	.11				.19	.06			.14	.03			19
20	.14		.03		.29		.63	.03	.24	.24			20
21	.23				.05	.35	.95	.13	.03	.45			21
22	.25		.12	.01				.09	.15			.36	22
23	.03		.16	.10	.10		.04	.11	.17			.42	23
24	.05	.02	.03	.12	.31		.03	.03	.16			.43	24
25			.04	.14	.03		.45	.02	.47		.18	.21	25
26	.05	.03	.01	.15			.10	.01	.04	.36	.67	.60	26
27	.01	.02		.30			.55			.27	.08	.33	27
28		.01		.24		.04	1.50	.17		.03	.09	.03	28
29		.05		.58	.10			.33	.04	.53	.50	.45	29
30		X		.75	.11			.15	.18	.02	.12	.38	30
31	.02	X		X	1.82	X	.01		X		X	.25	31
TOTAL	2.79	.32	1.43	4.03	4.55	2.34	5.33	3.21	3.54	3.92	2.30	4.24	38.00
Days with ".01 in. or more	21	11	11	16	21	14	17	23	22	18	10	14	199
Days with ".04 in. or more	14	3	7	15	19	12	12	17	17	12	8	13	147

216

2089

AIR MINISTRY.
FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

Kept at Bishopscote, Castle St.
in the County of Shropshire
by E. Griffiths

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	83		13	05	05	01		01	03		16	04	1
2	13	02							01		37		2
3	20	04			04		10	05			05		3
4	14	02		13	30					01	11		4
5	03	15		50	15			10	14		02		5
6		10	03		48		14				82		6
7		11	09	02	14			11			12	05	7
8	04	06	15		43			52	26			35	8
9		19	02	10	15				33		08	04	9
10		10	04	20	10			64				02	10
11		87										04	11
12		51			02			18		05			12
13	05	02	06	05						04		20	13
14	30			13									14
15				22					10	30		06	15
16	02	07								05			16
17		02			19				02	06			17
18		13		15	20						02		18
19		02					04	04	78	78		71	19
20			10		04		09	23	22	42		06	20
21		17					22	29	17	04			21
22		13		18			54	36	36	46		62	22
23	05				92		03	45	38	16		12	23
24		30	06	02	08				02	03		04	24
25	01	38	23	08	02		25		15	06		14	25
26		22		10	28		25	05		83	05	04	26
27	05	07			24		08	03	03	04	05	28	27
28	25	23			07				02	10		32	28
29	31				22		15				37	36	29
30	01	X	04		01				07	04	01	17	30
31	30	X	14	X		X		02	X	04	X	09	31
TOTAL	2.72	3.93	1.09	1.93	4.13	01	1.89	3.08	3.09	3.51	2.23	3.75	31.36
Days with 01 in. or more	16	23	12	14	21	1	11	15	17	18	13	20	181
Days with 04 in. or more	12	18	10	12	18	0	10	12	11	16	10	19	148

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

County No. _____

River Dist. _____

Station No. _____

Kept at Bishops Castle, Castle Street

in the County of Shropshire

by E. Griffiths

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	51	20			15	21			27		62	07	1
2	16	08							03			08	2
3	12	10	32					01				01	3
4		05	10				11		01		54	11	4
5	07	20	03		34		31	05	05	08	05	09	5
6	31	10					20	02	07	03	34		6
7	04	60		13	03	16			08	02	24	03	7
8	02	06	02	05	10	05	08	04	02	61	33		8
9			02		02	36	07	96		10	07		9
10					16	08	09	06		03	68		10
11					08	20		04		05	01		11
12					13	02		06	04	45	12		12
13	09	02			06	05		04	01	10	46	04	13
14	05	17		36	05			03	04	15	16	11	14
15	01	07		07				05		20	31		15
16	22	17		67				08			72		16
17	08	07		01		50		10			22	08	17
18	20	08		05		02	87	04			26		18
19			05	10			17	08	31		07		19
20			01	02				03			50		20
21	10	04	02	29	01		08			15	11		21
22	40	12		08						20	03		22
23	11				46				03				23
24	21				24		14		01	23		02	24
25	04			13					05	24	05		25
26			05	01	11				35				26
27	58			10	05		07		06		03		27
28	20			03	09		35			18			28
29	02	X		39	16		05						29
30	11	X		25	03			67					30
31	21	X	01	X		X			X		X		31
TOTAL	3.86	2.13	.63	2.74	2.27	1.65	2.59	2.36	1.43	2.82	5.92	.64	YEAR'S TOTAL 29.04
Days with 0.1 in. or more.	23	16	10	17	18	10	13	17	16	16	22	10	188
Days with 0.4 in. or more	20	15	4	13	14	8	13	13	10	13	19	7	149

BMonthly
Summary.**C**

Particulars of Station.

2099

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE—Records taken in millimetres should be entered on Form 1091.

At Castle Street, Rochdale, Lancs.In the County of ShropshireRain Gauge. Diameter of Funnel 5 in.Height of Top above Ground 22 ft.Height of Ground above Sea Level 720 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
	Inches.	Inches.	.01 in.	.04 in.
			or more	or more
JAN.	3.86	.58	27	23
FEB.	2.13	.60	7	16
MAR.	.63	.32	3	10
APR.	2.74	.67	16	17
MAY	2.27	.46	16	18
JUNE	1.65	.50	17	10
JULY	2.59	.87	15	13
AUG.	2.36	.96	9	17
SEPT.	1.43	.35	26	16
OCT.	2.82	.45	12	16
NOV.	5.92	.72	16	22
DEC.	.64	.11	14	10
Total	29.04		168	148

Signature E. Griffiths

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—


Mr. E. Griffiths
Castle Street, Rochdale, Lancs.Latitude of Station 52.29.10 N Longitude 3.0.00 WHour of observation by the clock—in Winter 9.30 AM in Summer 9 AMNearest Railway Station Rochdale Distance 500 yds Direction S.E.Nearest Parish Church St. Andrew's Distance 800 yds Direction S

If gauge has been moved during the year state—

Date of move 1926 Distance 100 yds Direction N

Nature of objects nearest to gauge	Heights of objects	Distances	Directions
<u>Apple Tree</u>	<u>30 ft</u>	<u>36 feet</u>	<u>W</u>
<u>Rum Tree</u>	<u>15 ft</u>	<u>18 ft</u>	<u>E</u>
<u>Well</u>	<u>8 ft</u>	<u>9 ft</u>	<u>N</u>

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D**INSTRUCTIONS.**

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B). (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } -14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The "total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.



Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Bishop's Castle, Castle Streetin the County of Shropshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....2 ft. 0 in.

,, Ground ,, Sea Level.....726.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			11				12	03		15	28	01	1
2	07		04	45	08					04			2
3	02	03	12		02	01	02				01	01	3
4			05	09	25	14	39				05		4
5	07	07	09	25		17	20				23	02	5
6	08		08	04		01		08	33		21		6
7	06	10	04	09		20	16	03				01	7
8			03	50				30	02		04		8
9			09	18		03		43	02		02	03	9
10			01	08		20		17		01			10
11			10	02			40	07	05				11
12	15			01				12	08				12
13	16		03		01	18		10	16	05	03	24	13
14	15			01	02		02	10	110			08	14
15	02				27			80	29		05	02	15
16					14	40		25	16		02		16
17	15					28		100	13				17
18						70		45	04	02	100		18
19		43				01		34		06	74		19
20	18	41			10	10	25	20	07		25	20	20
21	23	16	02		06	03	20	46	24	58	25	46	21
22	06	23	30	10		30		10	14	83	14	21	22
23			14	05		42		10	02		12	35	23
24	51	04	34	06		02	08	03	18	09		23	24
25	14	12	40	02		15	06		16	23		60	25
26	30	52	18		16	06	07		01	15			26
27	08	21	01	01		10	32			09			27
28	70	30	16					05	15	01	36		28
29	13		14			47	02		30	10			29
30	22	X	10			40	07	19	06	18			30
31	01	X	37	X	02	X	02		X		X	13	31
TOTAL	349	262	295	196	113	438	240	540	371	259	380	260	YEAR'S TOTAL
Days with 01 in. or more.	21	12	23	16	11	22	16	22	21	15	17	15	211
Days with 04 in. or more.	18	11	18	11	7	16	12	19	17	12	13	9	163

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bishop's Castle, Castle Street
in the County of Shropshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.....in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	03	01				07						1
2	05	23	27	03							06		2
3		03											3
4	08	36	05			10	13			23	19		4
5	18	02	04	15		26	05		30	07	09		5
6						95				05		07	6
7	04			14		24		35	04	34		03	7
8				02		25	01		17	02			8
9	04	02	06	09		10							9
10	23	27	04	04		03		04	05	36	13	05	10
11		28	02	35				18		06	12	15	11
12	28	32	03	50		15		11			06	04	12
13				09		41		24			04		13
14	08	22				29		19	02	52	57		14
15	17	11	04		18					01	33	05	15
16		17	04	04	30					02	20	18	16
17	06	02	04		05	02				19	04		17
18	32				16	04			03	20	09	11	18
19			11		04	12		07		41	50	06	19
20	15		52			06				10	33		20
21	1.00		28	04	15	05		03	10	05	18		21
22			06		08			63			60	08	22
23	42		08					06		48	50		23
24	10		05					33	17	30	22	15	24
25	27					14		03		14	02	28	25
26	42		02		11	10		35		69	07		26
27			04				02	16	09	23	14	30	27
28	34	01	17			21		04	20		04	47	28
29	22	35	23			40	07	19		06	04	10	29
30	02	X	35	02		05	67			04		58	30
31	38	X	06	X		X	39		X	03	X		31
TOTAL	5.33	2.44	2.61	1.51	1.07	3.97	1.41	3.00	1.17	4.60	4.56	2.70	YEAR'S TOTAL 34.37
Days with "01 in. or more.	22	15	23	12	8	20	8	16	10	23	23	16	196
Days with "04 in. or more.	21	9	19	9	8	18	6	14	8	19	22	15	168

(Signed) E. Griffiths

Kept at CASTLE ST BISHOP'S CASTLE
in the County of SALOP
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 720 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL													YEAR'S TOTAL
Days with "01 in. or more.													
Days with "04 in. or more.													

*In months when
no rain
was made
J.B.*



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Bishops Castle, Castle Street
 in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " Ground " Sea Level 720 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.17		.07	.03	.10		.03		.25			1
2		.19				.09	.01			.03	.01	.35	2
3						.03	.13	.42	.50			.11	3
4				.12	.47	.02	.16			.08	.10	1.04	4
5	.05				.74	.19	.61	.32		1.10	.34	.26	5
6	.02				.08	.25		.11		.10	.02	1.31	6
7	.01				.69					.21	.30	.33	7
8		.06		.03		.09		.02		.56	.03	.82	8
9	.10	.03					.02				.44	.71	9
10	.06			.01				.02		.04	.15	.57	10
11		.22			.35			.02			1.12	.10	11
12				.15		.93	.77		.60		.03	.03	12
13				.02	.10	.08		.08				.05	13
14					.10	.34			.07			.04	14
15	.16	.05				.05					.38		15
16								.10		.03	.03		16
17	.07							.05		.07			17
18								.01		.10	.68		18
19									.03		.49		19
20			.05					.01		.18	.08	.72	20
21	.01		.19			.08	.04						21
22	.01			.01			.02	.21		.02	.50		22
23					.01		.01	.05		.32	.68	.42	23
24		.03				.03		.15		.43	.82	.65	24
25		.08	.05	.10							.39	.23	25
26		.10		.11						.05	.21	.25	26
27	.01			.18			.06	.02		.28	.36		27
28	.40			.16			.42	.04	.21	.06	.45	.85	28
29	.02	X								.18	.31	.24	29
30		X					.07		.48		.02		30
31	.58	X		X		X	.44	.11	X		X	.07	31
TOTAL	1.50	.93	.29	.96	2.57	2.28	2.76	1.17	1.89	4.09	7.94	9.15	36.13
Days with .01 in. or more.	13	9	3	11	9	13	13	18	6	19	24	21	159
Days with .04 in. or more.	7	7	3	7	7	10	9	11	5	16	18	20	120

REGISTER OF RAINFALL IN 1930 .

Kept at Bishop's Castle, Castle Street
in the County of Shropshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	05	25		38		05		16			53		I
2		04	12	02	03		07	16		01	62		2
3	40	16	02	65			04	21		83	02		3
4	22	01	08	20	12			04		11			4
5	18		07	03	23			19		16			5
6		03	45		23				14	19		04	6
7	18				02				04	31	14	10	7
8	20			25				03	47	56		16	8
9	74		25	56	20	05		05			02		9
10	71		23		14	06	01	11			03	65	10
11	08		04		08	02	04	04	05	25		16	11
12	25		01	03	14			18				52	12
13	21		20	09			07	06	65			05	13
14	66	02	92	06	02		38	02	03	01		08	14
15	01	18	12	03			26		05	25	31	43	15
16							17		17	06		16	16
17	02		01	10	09		16	10	72	26		02	17
18			07			91	06	02	11	04	27		18
19			10	28	01	06		05	98	09	19		19
20			19			05	203	63	21	08	16	02	20
21			29		03	10	06	06	03	11	18		21
22	33						12	51		12	30		22
23	05			31		09	10	14	13		44	11	23
24	33			30					10	16	30		24
25		05		36			04		16		30	08	25
26	49	09		11			04			10		26	26
27			07		16		33			04		09	27
28	05		08				11				20	51	28
29		X					13	10		01	04	14	29
30		X			51		17	02		07		62	30
31	46	X	02	X	16	X			X	27	X	12	31
TOTAL	5.62	.83	3.34	3.76	2.17	1.39	4.39	2.88	4.04	4.08	4.05	4.32	40.87
Days with "or in. or more.	20	9	20	17	16	9	20	21	16	23	17	20	208
Days with "04 in. or more.	18	6	16	13	11	8	19	17	14	20	14	18	174

Section **A**
FORM 1090.

BISHOPS
for the entry of Daily
AIR MINISTRY.

2279

FOR OFFICIAL USE.
ANIZATION

REGIST

LINLEY DRIVE

BISHOP CASTLE

VI/22/21/3

Kept at Heathmyned, Lin

in the County of Sslop

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

„ Ground „ Sea Level

1929 - ~~30~~

THE MORNING MEAS

Y.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									tr				1
2									.01				2
3									.27				3
4									tr				4
5									—				5
6									—				6
7									—				7
8									—				8
9									tr				9
10									—				10
11									—				11
12									.70				12
13									—				13
14													14
15											Snow		15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×							.61				30
31		×		×		×			×		×		31
TOTAL									1.59	3.79	7.43		YEAR'S TOTAL
Days with ".01 in. or more.										3.51	7.70	7.78	
Days with ".04 in. or more.													

Section

FORM 1090.

for the entry of Dai

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FOR OFFICIAL USE.

REGISTER OF RAINFALL IN 1929.

Kept at Heathmyrd, Linley, Bishop's Castle
in the County of Salop

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 1275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									tr				1
2									.01				2
3									.27				3
4									tr				4
5									—				5
6									—				6
7									—				7
8									—				8
9									tr				9
10									—				10
11									—				11
12									.70				12
13									—				13
14													14
15											Snow		15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×							.61				30
31		×		×		×			×		×		31
TOTAL									1.59	3.79	7.43		YEAR'S TOTAL
Days with ".01 in. or more.										3.57	7.70	7.78	
Days with ".04 in. or more.													

Kept at Bitterley
in the County of Sal
by Rebendary J.

BITTERLEY REC
SHROPSHIRE
1921-1930

IMPORTANT NOTE
If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instru
and particulars as to the
sent post-free on applicati
Square, London, N.W. 1.

ANIZATION.

1 m.
Ludlow
in Gauge 5 in.
ve Ground 1 ft. 6 in.
Sea Level 509 ft.
entered to the previous day.
ested to add
at the end of
f rain gauges,
all Observers,"
62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.32	-	0.08	-	-	-	-	0.29	0.14	-	0.08	-	1
2	0.02	-	-	-	0.06	-	-	0.32	0.04	0.02	0.24	-	2
3	0.02	-	0.02	-	0.08	0.06	-	0.01	-	0.69	0.15	-	3
4	0.18	-	0.01	-	-	0.10	-	0.25	-	-	0.02	-	4
5	-	-	0.02	-	0.02	-	-	0.54	-	-	0.40	0.08	5
6	0.02	-	0.07	-	0.12	-	-	-	-	0.01	0.20	-	6
7	0.10	-	-	-	0.06	-	-	0.45	-	-	0.30	-	7
8	0.01	-	0.03	-	0.07	-	-	-	-	-	-	-	8
9	-	-	-	0.19	0.04	-	-	0.04	0.01	-	-	-	9
10	0.08	-	0.01	-	-	-	-	0.72	-	0.04	-	0.06	10
11	0.29	-	-	-	0.10	-	-	0.21	0.32	0.01	-	-	11
12	0.32	-	0.05	-	-	-	-	0.19	0.26	-	-	-	12
13	0.22	0.03	0.38	0.04	-	-	-	0.03	0.04	0.09	0.08	-	13
14	-	-	0.23	0.61 ^s	0.11	-	0.01	0.02	0.04	-	0.04	0.42	14
15	0.02	-	0.02	0.08 ^s	-	-	0.03	-	-	-	0.02	-	15
16	0.02	-	0.16	0.19 ^s	-	-	-	0.03	-	-	0.28	-	16
17	0.12	-	0.06	0.02	-	-	-	0.02	-	-	-	0.01	17
18	0.10	-	-	0.11	-	-	-	-	-	0.09	-	-	18
19	-	-	0.13	-	-	0.02	-	-	-	0.33	-	-	19
20	-	-	-	-	-	-	-	-	-	-	0.11	0.01	20
21	0.02	-	0.02	0.14	-	-	-	0.28	-	0.03	-	0.07	21
22	-	-	-	0.07	-	-	-	0.02	1	0.32	0.02	0.17	22
23	-	-	-	-	-	-	0.01	0.01	-	0.36	-	-	23
24	-	0.10	-	-	-	-	-	-	-	-	-	0.27	24
25	0.04	0.24	0.07	-	-	-	0.44	0.01	-	-	-	0.01	25
26	0.02	-	0.15	-	-	-	-	-	-	-	-	0.20	26
27	-	-	-	-	0.01	0.19	-	-	-	-	0.03	0.23	27
28	-	-	0.06	-	0.02	-	0.03	0.44	-	-	0.01	0.03	28
29	0.20	-	0.07	-	0.20	-	0.01	0.01	-	-	-	0.05	29
30	0.33	~~X~~	-	-	0.08	-	-	-	-	-	0.23	0.13	30
31	0.12	~~X~~	-	~~X~~	-	~~X~~	-	0.12	~~X~~	0.02	~~X~~	0.01	31
TOTAL	2.57	0.37	1.64	1.45	0.97	0.37	0.53	4.01	0.86	2.01	2.21	1.75	18.74
Days with 01 in. or more	21	3	19	9	13	4	6	21	8	12	16	15	147
Days with 04 in. or more	13	2	12	8	10	3	1	12	6	7	11	10	95
YEAR'S TOTAL													18.74

REGISTER OF RAINFALL IN 1922

Kept at Bitterley Rectory
in the County of Salop
by Prebendary J. R. Burton

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.32	-	0.08	-	-	-	-	0.29	0.14	-	0.08	-	1
2	0.02	-	-	-	0.06	-	-	0.32	0.04	0.02	0.24	-	2
3	0.02	-	0.02	-	0.08	0.06	-	0.01	-	0.69	0.15	-	3
4	0.18	-	0.01	-	-	0.10	-	0.25	-	-	0.02	-	4
5	-	-	0.02	-	0.02	-	-	0.54	-	-	0.40	0.08	5
6	0.02	-	0.07	-	0.12	-	-	-	-	0.01	0.20	-	6
7	0.10	-	-	-	0.06	-	-	0.45	-	-	0.30	-	7
8	0.01	-	0.03	-	0.07	-	-	-	-	-	-	-	8
9	-	-	-	0.19	0.04	-	-	0.04	0.01	-	-	-	9
10	0.08	-	0.01	-	-	-	-	0.72	-	0.04	-	0.06	10
11	0.29	-	-	-	0.10	-	-	0.21	0.32	0.01	-	-	11
12	0.32	-	0.05	-	-	-	-	0.19	0.26	-	-	-	12
13	0.22	0.03	0.38	0.04 ^s	-	-	-	0.03	0.04	0.09	0.08	-	13
14	-	-	0.23	0.61 ^s	0.11	-	0.01	0.02	0.04	-	0.04	0.42	14
15	0.02	-	0.02	0.08 ^s	-	-	0.03	-	-	-	0.02	-	15
16	0.02	-	0.16	0.19 ^s	-	-	-	0.03	-	-	0.28	-	16
17	0.12	-	0.06	0.02	-	-	-	0.02	-	-	-	0.01	17
18	0.10	-	-	0.11	-	-	-	-	-	0.09	-	-	18
19	-	-	0.13	-	-	0.02	-	-	-	0.33	-	-	19
20	-	-	-	-	-	-	-	-	-	-	0.11	0.01	20
21	0.02	-	0.02	0.14	-	-	-	0.28	-	0.03	-	0.07	21
22	-	-	-	0.07	-	-	-	0.02	1	0.32	0.02	0.17	22
23	-	-	-	-	-	-	0.01	0.01	-	0.36	-	-	23
24	-	0.10	-	-	-	-	-	-	-	-	-	0.27	24
25	0.04	0.24	0.07	-	-	-	0.44	0.01	-	-	-	0.01	25
26	0.02	-	0.15	-	-	-	-	-	-	-	-	0.20	26
27	-	-	-	-	0.01	0.19	-	-	-	-	0.03	0.23	27
28	-	-	0.06	-	0.02	-	0.03	0.44	-	-	0.01	0.03	28
29	0.20	-	0.07	-	0.20	-	0.01	0.01	-	-	-	0.05	29
30	0.33	~~X~~	-	-	0.08	-	-	-	-	-	0.23	0.13	30
31	0.12	~~X~~	-	~~X~~	-	~~X~~	-	0.12	~~X~~	0.02	~~X~~	0.01	31
TOTAL	2.57	0.37	1.64	1.45	0.97	0.37	0.53	4.01	0.86	2.01	2.21	1.75	YEAR'S TOTAL 18.74
Days with "01 in. or more	21	3	19	9	13	4	6	21	8	12	16	15	147
Days with "04 in. or more	13	2	12	8	10	3	1	12	6	7	11	10	95

REGISTER OF RAINFALL IN 1922.

Kept at Bitterley Rectory
in the County of Salop
by Prebendary John R. Burton

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 509 ft.
" " " " Sea Level 509 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	0.16	0.33	-	0.04	-	0.31	0.01	0.20	-	0.10	0.01	1
2	0.01	0.28	-	-	0.01	-	0.31	0.08	-	-	-	0.04	2
3	0.26	0.16	0.29	0.16	0.12	-	0.16	0.12	-	-	0.13	-	3
4	-	0.40	0.13	-	0.28	-	0.13	0.01	-	0.04	0.24	-	4
5	0.13	-	0.26	0.33	-	-	0.78	-	-	0.27	0.32	-	5
6	0.16	-	0.24	-	-	-	0.01	0.15	-	-	0.18	-	6
7	0.08	-	0.05	0.08	-	-	0.20	0.17	-	-	-	0.02	7
8	0.03	-	1.02	-	-	-	0.21	0.07	-	0.02	-	-	8
9	0.04	-	-	-	-	0.01	-	0.11	-	0.03	0.02	-	9
10	-	-	-	-	-	-	-	-	-	-	0.13	-	10
11	-	-	-	-	0.02	-	-	-	0.01	-	-	0.05	11
12	-	-	-	0.15	-	0.11	0.03	0.29	0.40	-	-	0.02	12
13	0.33	-	-	0.19	-	0.08	0.13	-	0.05	-	-	-	13
14	0.02	0.03	-	0.06	-	-	0.17	-	0.32	-	-	0.24	14
15	0.40	0.07	-	0.11	-	-	0.02	0.01	0.08	-	-	0.16	15
16	-	0.07	-	0.03	0.10	-	0.03	0.30	0.02	-	-	0.05	16
17	-	0.20	-	-	0.02	-	0.27	-	0.03	-	-	0.14	17
18	0.30	0.16	-	-	-	0.01	0.02	0.01	0.23	-	-	0.06	18
19	-	-	-	-	-	-	-	-	0.02	0.05	0.03	0.80	19
20	0.04	0.13	0.26	-	-	-	0.10	-	-	0.02	-	-	20
21	-	0.29	0.03	0.05	-	-	0.14	0.01	-	-	-	0.41	21
22	-	0.15	-	-	0.14	0.13	0.08	-	-	-	-	0.12	22
23	-	-	-	0.15	0.01	-	0.25	-	-	-	0.01	-	23
24	0.02	-	0.18	0.05	-	0.18	-	-	-	-	-	0.05	24
25	0.20	0.05	-	0.53	-	0.04	-	0.06	0.22	-	-	-	25
26	0.07	0.25	0.12	0.23	-	0.06	0.07	-	0.02	-	0.08	-	26
27	0.29	0.33	0.22	0.04	-	-	-	0.13	0.03	-	0.02	0.33	27
28	0.21	0.56	0.03	0.07	-	0.05	-	0.12	0.12	-	-	-	28
29	-	X	-	-	-	0.07	0.01	-	-	-	-	0.25	29
30	0.21	X	0.20	0.09	-	0.14	-	0.41	0.26	-	0.06	0.02	30
31	0.27	X	0.02	X	-	X	0.08	0.07	X	0.26	X	-	31
Total	3.12	3.29	3.38	2.32	0.74	0.88	3.51	2.13	2.01	0.69	1.40	2.77	YEAR'S TOTAL 26.24
Rain Days	20	16	15	16	9	11	22	18	15	7	12	17	178
	16	15	12	15	5	9	16	13	9	4	8	13	135

REGISTER OF RAINFALL IN 1923

Kept at Bitterley Rectory
 in the County of Salop
 by Reverend John R. Burton

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 5.09 ft.

FORM A.
 BRITISH RAINFALL
 JAN 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	-	0.20	-	-	-	0.01	-	-	0.01	0.04	0.55	1
2	0.21	-	0.02	0.01	0.07	-	-	0.02	-	0.10	0.02	-	2
3	-	-	0.08	-	-	0.03	-	-	0.07	0.40	-	0.11	3
4	0.02	-	0.01	0.16	-	-	-	-	0.01	0.03	-	0.05	4
5	0.23	-	0.05	0.19	0.23	0.02	-	-	-	0.03	-	0.02	5
6	0.34	0.40	0.13	0.26	-	-	-	-	-	0.02	-	0.03	6
7	-	0.42	0.07	0.34	-	-	0.01	-	-	0.14	-	0.10	7
8	0.05	0.18	0.01	-	-	-	-	-	-	0.23	0.11	-	8
9	0.07	0.34	-	-	-	0.02	0.04	0.04	-	-	0.15	-	9
10	-	0.23	-	0.31	0.05	-	0.18	-	-	0.40	-	0.02	10
11	-	-	-	0.18	-	0.01	-	-	-	0.10	-	-	11
12	-	0.35	0.03	0.23	0.03	0.06	0.07	-	-	0.29	0.02	0.03	12
13	0.02	0.33	-	0.13	-	-	-	-	0.05	0.02	0.41	0.02	13
14	-	-	0.01	0.06	0.09	-	-	0.01	0.06	0.02	0.01	-	14
15	-	0.05	0.05	0.10	0.23	0.15	0.02	0.01	-	-	0.16	-	15
16	0.03	0.12	-	0.02	-	-	-	0.05	-	-	0.15	0.01	16
17	0.05	0.41	-	-	-	0.01	0.04	0.05	0.33	0.06	-	-	17
18	0.02	0.22	-	0.03	0.03	0.01	-	0.04	-	0.13	0.02	0.05	18
19	0.01	0.02	-	-	-	-	0.21	0.04	0.24	-	0.01	0.07	19
20	-	0.08	0.03	-	0.01	-	-	0.04	0.08	0.10	0.02	0.05	20
21	0.05	0.08	-	-	-	0.02	-	0.10	-	0.11	-	0.23	21
22	0.03	0.36	0.02	-	0.03	-	-	0.02	0.18	0.10	0.02	0.06	22
23	0.01	0.07	0.14	-	0.03	-	0.23	0.30	-	0.14	-	0.04	23
24	-	0.24	-	0.09	0.01	-	0.12	0.02	0.23	0.07	-	-	24
25	-	0.30	-	0.02	-	0.05	-	0.25	0.05	0.14	-	0.23	25
26	0.01	0.25	-	0.08	-	-	-	-	-	0.59	-	0.33	26
27	-	0.15	0.25	-	0.25	-	0.53	0.25	-	0.30	-	0.09	27
28	-	0.06	0.05	0.10	0.02	-	0.14	0.05	0.01	0.02	0.07	-	28
29	-	~~X~~	0.11	0.01	0.04	-	0.02	0.69	-	0.10	-	0.10	29
30	-	~~X~~	0.04	0.04	-	-	0.37	0.03	-	0.12	0.08	0.25	30
31	-	~~X~~	-	~~X~~	-	~~X~~	1.05	0.04	~~X~~	-	~~X~~	0.45	31
Total	1.22	4.66	1.30	2.36	1.12	0.38	3.04	2.05	1.31	3.77	1.29	2.89	YEAR'S TOTAL 25.39
Rain Days.	16	21	18	19	14	10	15	19	11	26	15	22	206

Days with out rain 8-20-11-14-7-3-11-13-9-19-8-16-13 9
 W. 8,000, LX. 17.

2080

Register of Rainfall in 1925.

Kept at Bitterley Rectory
in the County of Salop

Observers are requested to read the instructions printed overleaf before filling in this form.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 509 ft.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.75	-	0.10	-	-	0.11	-	-	0.05	-	0.15	-	1
2	0.05	0.04	-	0.07	0.04	-	0.07	-	-	-	0.57	-	2
3	0.33	-	-	-	0.05	-	0.14	0.03	0.04	-	0.08	-	3
4	-	0.03	-	0.06	0.13	-	-	0.01	0.08	-	0.13	-	4
5	0.04	0.20	-	0.55	0.18	-	-	0.09	0.21	-	-	-	5
6	-	0.08	0.03	0.03	0.54	-	0.21	-	0.01	-	-	0.04	6
7	-	0.07	-	-	0.40	-	-	0.20	-	-	0.72	-	7
8	0.05	-	0.10	-	-	-	-	0.54	0.16	-	0.17	0.42	8
9	-	0.10	0.11	0.05	0.13	-	0.02	-	0.30	-	-	-	9
10	-	0.15	0.10	0.10	-	-	-	0.44	-	-	0.06	0.04	10
11	-	0.95	-	-	0.06	-	-	0.02	0.05	-	-	-	11
12	-	0.32	-	0.03	-	-	-	0.06	-	0.16	-	-	12
13	0.65	-	0.03	0.05	-	-	-	-	-	0.02	-	-	13
14	0.46	-	-	0.08	-	-	-	-	-	-	-	-	14
15	-	-	-	0.08	-	-	-	-	0.45	0.38	-	0.06	15
16	0.04	0.05	-	-	-	-	-	-	0.16	-	-	-	16
17	-	0.04	-	-	0.05	-	-	-	0.04	-	-	-	17
18	-	0.11	-	0.26	0.19	-	-	-	-	-	-	-	18
19	-	0.05	-	-	-	-	0.01	-	0.79	0.78	-	0.22	19
20	-	-	-	-	-	-	0.22	-	0.19	0.37	-	0.35	20
21	-	0.23	-	-	-	-	0.30	0.02	0.24	0.15	-	-	21
22	-	0.15	-	0.16	-	-	0.72	0.22	0.70	0.65	-	1.12	22
23	-	0.03	0.15	-	0.55	-	-	0.03	0.03	0.15	-	0.05	23
24	-	0.34	-	-	0.06	-	-	0.12	0.01	-	-	0.05	24
25	-	0.53	0.10	0.04	0.09	-	0.20	-	0.24	0.14	-	0.15	25
26	0.06	0.17	-	0.06	0.30	-	0.38	-	-	0.68	-	0.06	26
27	0.02	0.03	-	-	0.10	-	0.20	0.15	-	0.12	-	0.07	27
28	0.08	0.20	-	0.03	0.04	-	-	-	0.03	0.25	-	0.22	28
29	0.28	X	-	0.07	0.40	-	-	-	-	-	0.24	0.17	29
30	-	X	-	0.12	0.02	-	-	-	-	0.01	-	0.15	30
31	0.19	X	0.15	X	0.10	X	-	-	X	0.04	X	0.05	31
TOTAL	3.00	3.87	0.87	1.84	3.43	0.11	247	1.93	3.78	3.90	2.12	3.22	YEAR'S TOTAL 30.54
Days with "01 in. or more.	13	21	11	18	19	1	13	13	19	14	29	18	169
Days with "04 in. or more.	12	18	7	14	18	1	9	8	15	12	0	18	138

(Signed) John R. Burton 140 P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Bitterley Rectory
in the County of Salop

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 6 in.
" Ground " Sea Level.....509 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.55	0.20	-	-	0.19	0.24	-	-	0.05	-	0.46	-	1
2	0.20	0.16	-	-	-	0.01	-	-	0.08	0.05	0.07	0.09	2
3	0.05	0.15	0.16	-	-	-	-	-	-	-	-	-	3
4	-	-	0.04	-	-	-	0.28	-	0.05	0.20	0.42	0.05	4
5	0.05	0.22	-	-	0.48	-	0.42	0.10	0.06	-	0.64	0.19	5
6	0.25	0.23	-	-	0.02	-	0.32	0.03	0.12	-	0.29	-	6
7	-	0.50	-	-	0.16	0.17	-	-	0.24	0.04	0.30	-	7
8	-	0.16	0.07	0.12	-	-	0.06	0.04	0.02	0.62	0.52	-	8
9	0.02	0.02	-	-	-	0.35	0.03	0.25	-	0.06	0.03	-	9
10	-	-	-	-	0.10	0.10	0.05	0.07	-	0.10	0.45	-	10
11	-	-	-	-	0.29	0.09	-	0.03	-	-	0.03	-	11
12	-	-	-	-	0.03	0.09	-	0.08	0.06	0.26	-	0.05	12
13	0.08	0.05	-	-	0.19	0.07	-	0.14	-	0.05	0.36	-	13
14	0.13	0.17	-	0.42	0.11	-	-	0.02	0.04	0.22	0.15	0.22	14
15	0.06	0.03	-	0.12	0.16	0.02	-	0.17	-	0.15	0.27	-	15
16	0.21	0.20	-	0.50	0.08	0.14	-	-	-	-	0.64	-	16
17	-	0.15	-	0.02	0.14	0.41	-	0.10	-	-	0.15	-	17
18	0.35	0.06	-	0.09	-	0.04	0.09	0.10	-	-	0.63	-	18
19	-	-	0.04	0.05	0.05	-	0.30	0.21	0.05	-	0.16	0.05	19
20	-	0.01	-	0.05	-	-	-	0.07	-	-	0.56	-	20
21	0.13	-	0.04	0.20	0.17	-	0.08	-	-	0.46	0.08	-	21
22	0.40	0.05	-	0.03	-	-	-	-	-	0.04	0.02	-	22
23	0.14	-	-	-	0.13	-	-	-	0.03	-	-	-	23
24	0.07	-	-	-	0.05	-	0.12	-	-	0.30	-	-	24
25	0.08	-	-	0.24	0.03	-	-	-	0.09	-	0.04	0.06	25
26	0.05	-	0.06	-	0.17	-	-	-	-	-	0.02	-	26
27	0.12	-	-	0.15	0.05	-	0.07	-	0.25	0.20	-	-	27
28	0.16	-	-	-	0.07	-	0.35	-	-	0.32	-	-	28
29	-	X	-	0.10	0.20	-	0.10	-	-	-	0.05	-	29
30	0.11	X	-	0.20	-	-	-	0.42	-	-	-	-	30
31	7	X	-	X	0.22	X	-	0.02	X	-	X	-	31
TOTAL	3.21	2.36	0.41	2.29	3.09	1.73	2.27	1.85	1.14	3.07	6.84	0.71	YEARS TOTAL
Days with '01 in. or more.	✓20	✓16	✓6	✓14	✓22	✓12	✓13	✓16	✓13	✓15	✓23	✓7	✓177
Days with '04 in. or more.	19	13	6	12	19	10	12	12	11	15	19	7	✓145

Please read the Notes and Instructions Overleaf.

(Signed)

John R. Burton

[P.T.O.]

REGISTER OF RAINFALL IN 1927.

Kept at *Bitterley Rectory*
in the County of *Salop*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *6* in.
" Ground " Sea Level *509* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.12	0.15	-	-	0.11	0.25	0.05	-	0.12	0.30	-	1
2	0.08	-	0.06	0.20	0.04	-	-	-	-	-	-	0.02	2
3	-	-	0.02	0.01	0.05	-	0.05	-	-	-	-	-	3
4	0.05	0.04	0.10	0.05	0.16	0.25	0.08	-	-	-	0.08	-	4
5	0.08	0.07	-	0.25	-	0.14	0.26	-	-	-	0.11	-	5
6	0.03	-	0.20	0.01	-	0.19	-	0.03	-	-	0.50	-	6
7	0.06	0.14	-	0.13	-	0.04	0.14	0.03	-	-	-	-	7
8	-	-	0.03	0.72	-	0.14	0.04	0.25	0.33	-	-	-	8
9	0.04	-	-	0.07	-	-	-	0.18	-	-	0.08	-	9
10	-	-	0.18	0.10	-	0.19	-	-	0.04	-	-	-	10
11	-	-	0.15	0.05	-	-	0.25	0.05	0.02	-	-	-	11
12	0.25	-	0.04	-	-	-	-	0.12	0.04	0.10	-	-	12
13	0.10	-	-	-	0.05	0.45	-	0.17	0.20	-	0.08	0.12	13
14	0.12	-	-	0.02	-	-	0.04	0.37	1.00	-	-	0.14	14
15	-	-	-	-	0.40	-	0.04	0.62	0.63	-	0.03	-	15
16	-	-	-	-	0.20	0.62	-	0.31	0.27	-	-	-	16
17	0.30	0.02	-	-	-	-	-	0.75	0.09	-	-	-	17
18	-	-	-	-	-	0.65	-	0.40	0.04	-	1.07	-	18
19	-	0.47	-	-	0.04	-	0.02	0.43	0.03	0.03	0.37	-	19
20	0.28	0.45	-	-	-	0.10	0.10	0.11	0.08	-	0.24	-	20
21	0.08	0.18	0.02	-	0.20	-	0.20	0.70	0.52	0.67	0.15	0.65	21
22	0.16	0.10	0.07	0.03	-	0.30	0.09	0.10	0.23	0.74	0.16	0.05	22
23	-	0.10	0.39	0.04	-	0.37	-	-	0.32	-	0.22	0.47	23
24	0.31	0.04	0.38	0.06	-	-	0.06	0.02	0.11	0.10	-	0.52	24
25	0.15	0.12	0.25	-	-	0.10	-	-	0.10	0.11	0.03	-	25
26	0.25	0.53	0.11	-	0.17	0.09	0.33	-	0.02	0.10	-	-	26
27	0.13	0.16	0.06	-	-	0.09	0.10	-	-	0.15	-	-	27
28	0.98	0.26	0.24	-	-	-	-	-	0.10	0.05	0.55	-	28
29	0.64	X	0.18	-	-	0.26	0.05	-	0.35	0.10	-	-	29
30	0.16	X	0.05	-	-	0.32	0.14	0.10	0.04	0.08	-	-	30
31	0.02	X	0.50	X	0.01	X	0.12	-	X	0.08	X	0.12	31
TOTAL	3.67	2.80	3.18	1.74	1.32	4.41	2.36	4.79	4.56	2.44	3.97	20.9	YEAR'S TOTAL 37.33
Days with "01 in. or more.	21	15	20	14	10	18	19	19	21	13	15	8	193
Days with "04 in. or more.	19	14	17	10	9	18	18	16	18	12	13	7	171

Section



for the entry of Daily Observations.

2134
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bitterley Rectory
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 509 ft.

*Oct 5th Nov corr by sun photo
Obs: agrees f. 926443/28
year 5 long*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	74	2	1	4	-	-	0.07	-	-	-	0.03	-	1
2	-	11	24	-	-	-	0.01	-	-	-	-	0.02	2
3	4	1	-	5	18	-	0.05	-	-	-	-	-	3
4	-	0.45	0.01	0.03	-	-	0.04	-	-	0.33	0.01	-	4
5	0.10	0.05	-	-	-	-	0.07	-	0.21	0.33	0.04	-	5
6	-	0.01	-	0.01	-	0.21	0.04	0.01	-	0.12	-	-	6
7	-	-	-	0.09	-	0.38	-	0.26	0.07	0.23	0.02	-	7
8	-	0.02	-	-	-	0.57	-	0.06	0.34	-	-	0.02	8
9	0.11	0.21	0.03	-	-	0.34	-	-	-	4.60	-	-	9
10	0.18	0.10	0.02	0.10	0.01	0.03	-	0.02	0.03	-	0.12	0.03	10
11	-3	0.13	-	0.24	-	-	-	0.06	-	0.46	0.06	0.23	11
12	0.28	0.35	0.01	0.23	-	0.11	-	0.08	-	-	-	0.06	12
13	-	0.02	-	0.03	-	0.19	-	0.06	-	-	0.04	0.03	13
14	0.12	0.13	-	-	-	0.06	-	0.12	-	55	0.74	-	14
15	0.10	0.03	0.03	-	-	-	-	0.02	-	-	0.46	-	15
16	0.02	0.05	0.10	0.02	0.06	-	-	-	-	0.03	0.15	-	16
17	0.09	0.01	-	-	0.37	0.06	-	-	-	-	-	0.07	17
18	0.30	-	0.08	0.05	0.17	0.20	-	-	0.02	0.23	0.01	0.12	18
19	-	-	0.06	0.15	0.37	0.10	-	0.10	-	0.11	0.15	0.03	19
20	0.09	-	0.24	0.06	-	0.02	-	0.01	-	0.31	0.16	0.04	20
21	0.75	-	0.40	0.02	0.02	0.07	-	0.53	0.05	0.10	0.06	0.06	21
22	-	-	0.06	0.02	-	-	-	-	-	0.12	0.12	0.10	22
23	0.27	-	0.10	0.10	0.04	0.08	-	-	-	0.36	0.07	0.04	23
24	0.04	-	0.09	-	-	-	-	0.89	0.20	0.06	0.04	0.11	24
25	0.13	-	-	-	-	0.09	-	0.06	-	0.26	-	0.25	25
26	0.28	-	-	-	-	0.14	-	0.38	-	0.73	0.06	-	26
27	0.02	-	-	0.02	-	-	0.04	0.27	0.05	0.02	0.05	0.33	27
28	0.26	0.02	0.14	-	-	0.15	-	0.06	0.24	0.05	0.09	0.10	28
29	0.13	0.34	0.11	-	-	0.54	0.03	0.18	-	0.01	0.06	0.11	29
30	0.03	x	0.25	-	-	0.04	0.45	-	-	0.07	0.10	0.50	30
31	0.17	x	0.10	x	-	x	0.40	-	x	0.02	x	-	31
TOTAL	4.25	2.06	2.03	1.25	1.22	3.38	1.20	3.17	1.21	5.00	3.84	2.25	YEAR'S TOTAL
Days with 0.1 in. or more.	22	18	19	17	8	19	10	18	9	20	22	19	27
Days with 0.4 in. or more.	20	10	12	10	6	17	8	14	7	15	18	14	151

(Signed) John R. Burton P.T.O.

REGISTER OF RAINFALL IN 1929.

Kept at *Bitterley Rectory*
in the County of *Salop*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *6* in.
,, Ground ,, Sea Level *509* ft.

Feb. 3 low. accept.
See 1st low. Cf 2200, 2201, 2202, 2304.
accept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		0.03				0.17				0.21		0.02	I
2						0.15		0.04	0.13		0.03	0.12	2
3							0.06	0.30	0.19	0.01		0.08	3
4						0.09	0.56	0.02		0.06	0.05	0.47	4
5	0.03			0.11		0.18	0.48	0.31		1.12	0.28	0.02	5
6						0.26		0.04			0.09	0.38	6
7	0.15				0.77	0.10						0.29	7
8					0.43	0.05		0.05		0.48		0.56	8
9							0.04			0.06	0.18	0.53	9
10										0.03	0.24	0.20	10
11					0.51			0.02			0.67	0.05	11
12				0.33	0.12	0.56	0.24						12
13	0.04			0.07	0.20	0.26		0.06					13
14					0.13	0.68						0.08	14
15						0.02							15
16								0.08		0.04			16
17	0.11							0.10					17
18	0.01										0.86		18
19								0.04			0.19	0.05	19
20								0.06		0.36		0.32	20
21	0.01		0.08			0.08		0.03			0.10		21
22	0.01			0.02	0.01			0.12			0.27	0.03	22
23							0.05			0.35	0.44	0.29	23
24		0.02		0.10		0.09				0.52	0.33	0.37	24
25		0.12		0.05							0.10	0.21	25
26		0.10			0.02					0.66	0.13	0.09	26
27	0.04			0.18						0.03	0.44	0.03	27
28	0.25			0.20			0.31	0.08	0.05		0.59	0.74	28
29	0.03									0.26	0.26	0.12	29
30	0.02	×					0.09		0.39			0.05	30
31	0.27	×		×		×	0.26	0.12	×		×	0.01	31
TOTAL	0.97	0.27	0.08	1.06	2.19	2.69	2.09	1.47	0.76	4.19	5.25	5.11	26.13
Days with or in. or more.	12	4	1	8	8	13	9	16	4	14	18	24	131
Days with or in. or more.	6	2	1	7	6	12	9	13	4	11	17	19	107

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Bitterley Rectory*
in the County of *Salop*

Diameter of Funnel of Gauge *1* in.
Height of top of Gauge above Ground *1* ft *6* in.
Ground Sea Level *5.09* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
2251
2255
2252

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				0.45		0.54		0.10			0.40		I
2	0.19	0.13	0.04	0.07		0.13		0.19			0.16		2
3	0.04	0.10		0.33				0.36		0.39	0.03		3
4	0.18		0.03	0.15	0.04			0.04		0.04			4
5	0.03		0.05		0.27			0.17		0.12			5
6			0.64	0.05	0.28				0.26	0.08			6
7	0.06		0.01					0.03		0.10	0.04	0.09	7
8	0.03							0.03	0.38	0.20		0.03	8
9	0.47		0.25	0.31	0.15						0.02		9
10	0.34		0.10		0.07			0.11	0.07			0.44	10
11					0.05			0.01	0.41	0.04	0.02	0.08	11
12	0.23		0.03	0.03	0.10	0.02		0.03				0.10	12
13	0.09			0.06	0.02	0.03	0.10	0.04	0.03			0.09	13
14	0.76		0.27	0.07	0.03		0.30	0.03	0.09	0.03	0.01	0.05	14
15		0.35	0.26				0.32		0.49	0.34	0.15	0.29	15
16							0.05		0.03	0.04		0.15	16
17				0.15	0.02		0.04	0.05	0.08	0.04		0.02	17
18				0.03	0.09	0.20	0.06	0.05	0.04		0.14		18
19			0.11	0.36		0.04	0.03	0.03	0.38	0.14	0.18		19
20	0.02					0.04	1.23	0.48	0.19	0.01	0.05		20
21			0.15			0.06	0.11		0.04	0.03	0.09		21
22	0.37		0.29				0.10	0.43	0.01	0.14	0.12		22
23	0.03				0.02		0.09	0.04	0.03	0.01	0.06	0.14	23
24	0.13			0.25	0.02	0.07	0.03			0.04	0.13		24
25		0.04		0.34	0.03		0.02		0.26	0.04	0.12	0.72	25
26	0.79	0.05		0.19	0.40				0.01	0.06		0.16	26
27				0.02			0.07			0.04			27
28							0.15				0.35	0.16	28
29			0.09				0.19	0.10		0.01	0.04	0.00	29
30	0.04	X			0.31	0.03	0.13			0.07		0.29	30
31	0.16	X	0.15	X	0.10	X			X	0.15	X	0.15	31 NP
TOTAL	3.96	0.67	2.47	2.86	2.00	1.16	3.02	2.43	2.80	2.19	2.11	2.44	28.11
*Days with or in. or more.	10	5	15	16	17	10	17	19	17	23	18	17	192
*Days with or more.	14	5	12	13	11	7	14	13	12	18	14	15	148

40-9999

*See Instruction 2 (f) on other side.

(Signed) *John R. Burton* P.T.O.

Kept at Cantrey

in the County of.....

by Wm B.

IMPORTANT NOTE

If an Observer prefers not to
the reading at 9 a.m. on 1
this paragraph. Full instr
and particulars as to the
sent post-free on applicat
Square, London, N.W. 1, or

BRIDGNORTH
CANTREYN
SHROPSHIRE
1921-1930

ORGANIZATION.

2-25-40

a.m.

Bridgnorth

rain Gauge 5 in.

above Ground 3 ft. in.

Sea Level 290 ft.

entered to the previous day.

requested to add

t at the end of

of rain gauges,

fall Observers,"

n, 62, Camden

place, Edinburgh.

rm.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0 30		07					14	02		09	09	1
2	0 02				17			21			45		2
3			01		02	28				77	17		3
4	0 19				01	03		16			03		4
5			02		01			49			17	05	5
6			01		18					01	16	01	6
7	0 09		02		07			39			19		7
8	0 02				01								8
9			02	16	06			06					9
10	0 12							48				04	10
11	0 24				05			19	20	01		01	11
12	0 20		03					20	30			14	12
13	0 10		19	19				03	02	10			13
14			20	32	12							16	14
15	0 04			02			16						15
16		02		23							37		16
17	0 11		06	05				08					17
18	0 14			03						06			18
19			06			04				35	01		19
20						02							20
21				08				37		07	10	03	21
22			10	01						25		19	22
23				05					02	22		10	23
24		13		01								30	24
25	0 02	15	05			21						07	25
26			02			07						22	26
27	0 10				16	05	01				03	28	27
28			09		05		03	39					28
29	0 14		08		09		04	02				02	29
30	0 21				07						23	20	30
31	0 10							13		01			31
TOTAL	2 14	0 30	1 03	1 15	1 07	0 49	0 45	3 34	0 56	1 85	2 00	1 91	16 29
Days with 01 in. or more	17	3	16	11	14	6	5	15	5	10	12	16	130
Days with 01 in. or more	14	2	9	7	10	4	3	13	2	7	9	12	92

Lat 52-32-30 Long 2-25-40

Time of Observation 9 a.m.

Nearest Railway Station Bredon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

Kept at Canteyn Bredon
in the County of Salop
by Wm Baylis

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0 30		07					14	02		09	09	1
2	0 02				17			21			45		2
3			01		02	28				77	17		3
4	0 19				01	03		16			03		4
5			02		01			49			17	05	5
6			01		18					01	16	01	6
7	0 09		02		07			39			19		7
8	0 02				01								8
9			02	16	06			06					9
10	0 12							48				04	10
11	0 24				05			19	20	01		01	11
12	0 20		03					20	30			14	12
13	0 10		19	19				03	02	10			13
14			20	32	12							16	14
15	0 04			02			16						15
16		02		23							37		16
17	0 11		06	05				08					17
18	0 14			03						06			18
19			06			04				35	01		19
20						02							20
21				08				37		07	10	03	21
22			10	01						25		19	22
23				05					02	22		10	23
24		13		01								30	24
25	0 02	15	05				21					07	25
26			02			07						22	26
27	0 10				16	05	01				03	28	27
28			09		05		03	39					28
29	0 14		08		09		04	02				02	29
30	0 21				07						23	20	30
31	0 10							13		01			31
TOTAL	2 14	0 30	1 03	1 15	1 07	0 49	0 45	3 34	0 56	1 85	2 00	1 91	16 29
Days with 01 in. or more	17	3	16	11	14	6	5	15	5	10	12	16	130
Days with 04 in. or more	14	2	9	7	10	4	3	13	2	7	9	12	92

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922

Kept at Cantreyn Bridgworth

in the County of Salop

by Wm Bayliss

Lat 52° 32' 30" Long 2° 25' 40"

Time of Observation 9 a.m.

Nearest Railway Station Bridgworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft.

Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	31		08					14	03		10	09	1
2	03				17			25			48		2
3			02		03	29				81	18		3
4	19				01	04		17			04		4
5			02		02			51			17	05	5
6			02		18					02	17	02	6
7	10		03		09			41			19		7
8	02				02								8
9			02	18	07			07					9
10	14							50				06	10
11	25				06			20	20	02		02	11
12	20		04					21	32			14	12
13	11		20	21				04	02	10			13
14			21	35	13							18	14
15	05			05			19						15
16		02		27							40		16
17	13		08	06				10					17
18	14			04						08			18
19			09			07				35	01		19
20						03							20
21				10				40		07	11	05	21
22			12	02						27		20	22
23				06					04	23		11	23
24		13		02								32	24
25	04	15	06				21					08	25
26			03			08						25	26
27	11				20	06	02				03	32	27
28			11		07		03	41					28
29	15		09		11		06	02				03	29
30	22				08						25	25	30
31	11							14		02			31
TOTAL	2 30	0 30	1 22	1 36	1 24	0 57	0 51	3 57	0 61	1 97	2 13	2 17	YEAR'S TOTAL 17 95
Days with "01 in. or more	17	3	16	11	14	6	5	15	5	10	12	16	130
Days with "04 in. or more	15	2	10	9	10	5	3	14	3	7	10	13	101

AIR MINISTRY.
METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Gentles Bridge
in the County of Salop
by Wm Bayless

Lat. 52° 32' 30" Long. 2° 25' 40"
Time of Observation 9. a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 3 in.
" " " " Sea Level 287.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following:

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	20	35		09		22	01	34		12	03	1
2	23	27	02				18	13				02	2
3	25	10	23		08		22	17			04		3
4		25	10	05	23		06			08			4
5	08		24	22			40			11	40		5
6	22		26				14	29			20		6
7	11		41	13			35	31				02	7
8			26	03			34	19		02		12	8
9	05							25		03			9
10								02			15		10
11	13												11
12				23		14	03	30	45				12
13	35			28			10		01				13
14		02		07			23		44		02	23	14
15	44	11		08	14		05		07			04	15
16	45	11		11	03			20	03			03	16
17		17			02		43		03			13	17
18	24	06					02	01	17	03		04	18
19		06	23						05	02		05	19
20	05	11					08			02		49	20
21	12	25	04	04			17	01				31	21
22		09			13	09	19	08				16	22
23				04		15	63						23
24	10		44	13		10		16				08	24
25	33	03	05	64		02			20			03	25
26	28	22	02	37			04		10		08	04	26
27	43	32	16	10				11	09			33	27
28	05	55				04		11	10			08	28
29						02	02					32	29
30	10	X		06		05		12	36		02	22	30
31	27	X		X		X	01	09	X	19	X	06	31
TOTAL	4 33	2 92	2 51	2 58	0 72	0 61	4 91	2 46	2 44	0 50	1 03	3 83	YEAR'S TOTAL
Days with 01 in. or more	21	17	14	16	7	8	21	18	14	8	8	20	173
Days with 04 in. or more	21	15	12	15	5	6	17	14	11	3	6	16	141

REGISTER OF RAINFALL IN 1922.

Kept at Canteyn. Bridgnorth
in the County of Salop
by Wm Bayliss

Lat. 52° 32' 30" Long. 2° 25' 40"
Time of Observation 9.2.22
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	19	33		08		20	01	33		11	02	1
2	21	26	01				16	02				01	2
3	20	06	22		07		20	16			03		3
4		18	10	04	23		05			07			4
5	08		22	21			1 24			11	39		5
6	20		24				13	28			19		6
7	10		40	12			33	26				01	7
8			23	02			30	18		01		12	8
9	04							24		02			9
10								02			14		10
11	11												11
12				21		12	02	27	40				12
13	34			26			09		01				13
14		02		06			21		43		01	21	14
15	34	10		06			04		06			03	15
16	37	10		09	12			20	02			02	16
17		17			02		42		02			13	17
18	21	05			01		02	01	15	02		04	18
19		05	22						04	02		1 10	19
20	04	11					07			02		46	20
21	11	21	02	03			17	01				29	21
22		08			11	06	19	08				14	22
23				03			63						23
24	05		12	10		13		16				08	24
25	30	02	02	61		08			18			03	25
26	24	19	04	35		01	03	10	09		07	04	26
27	39	30	15	09				10	08			34	27
28	05	54				02			09			07	28
29						01	02					30	29
30	10	X		04		03	01	11	35		01	22	30
31	24	X		X		X		08	X	16	X	06	31
TOTAL	3 76	2 63	2 32	2 32	0 64	0 46	4 53	2 29	2 25	0 43	0 95	3 72	26 30
Days with 01 in. or more	21	17	14	16	7	8	21	18	14	8	8	21	173
Days with 04 in. or more	21	15	11	123	5	34	16	13	11	3	5	15	1302

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Gartney Bridge north
in the County of Salop
by Wm Bayliss

Lat. 52° 23' 30" Long. 2° 25' 40"
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 290 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'08		'23				'04		'06	'01		'49	1
2	'32			'03	'12		'02	'02	'02	'09	'01		2
3		'12	'23			'02			'07	'42	'01	'10	3
4										'03		'02	4
5	'31		'03	'16	'38	'08				'01			5
6	'34	'48	'15	'19		'02				'01			6
7		'46	'19	'27			'09			'19		'17	7
8	'08	'26	'01							'17	'18		8
9	'04	'60			'07	'03	'02	'03			'20		9
10	'03	'20		'30	'06		'11			'31		'01	10
11	'07	'02		'27	'21					'14			11
12		'22	'02	'56	'07	'04	<u>1 '05</u>			'25	'01		12
13		'31		'13	'01				'03	'06	'44	'02	13
14		'17		'08	'11		'09	'12	'11				14
15		'10	'02	'04	'08	'11	'04				'30		15
16	'07	'21			'07	'01		'10	'03		'25		16
17	'03	'45					'01	'17	'26		'02		17
18	'02	'10				'01		'20		'07	'11	'08	18
19	'03						'18	'02	'17		'07	'05	19
20		'18	'02		'01			'08	'38	'09	'07	'11	20
21	'03	'03						'03	'03	'06		'40	21
22	'02	'13	'11		'07		'01	'08		'13		'08	22
23		'08	'12	'01	'08		'20	'22	'44	'08		'05	23
24		'23		'06	'03	'01	'28	'03	'27	(36)			24
25		'44		'07	'04	'01	'09	'27	'11	'26		'21	25
26		'39		'08				'09		'42		'29	26
27		'08	'16		'28		'26	'16		'33		'07	27
28	'02	'03	'02	'02	'03		'13	'39			'08		28
29	'09		'12				'01	'45	'01	'06		'19	29
30		X	'03	'02			'17			'07	'02	'42	30
31		X	'04	X		X	'02	'02	X		X	'27	31
TOTAL	1 '58	5 '29	1 '50	2 '29	1 '72	0 '34	3 '42	2 '48	1 '94	3 '59	1 '77	3 '08	YEAR'S TOTAL
Days with '01 in. or more	16	23	'16	'16	'17	'10	'19	'18	'13	'23	'14	'18	2 '03
Days with '04 in. or more	9	20	9	'12	'13	3	'14	'12	9	'19	9	'15	1 '44

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Gankeyn Bridgnorth
in the County of Salop
by Wm Baylis

Lat. 52° 23' 30" Long. 2° 25' 40"
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft.
" " " " Sea Level 290 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08		25				04		08	01	01	52	1
2	32			03	13		03	03		10	02		2
3		13	23			03			08	44		12	3
4										04		02	4
5	33		03	19	41	09				01			5
6	35	52	16	22		03				01			6
7		50	20	30			10			20		19	7
8	09	28	01							18	19		8
9	04	62			08	05	03	04			21		9
10	03	22		33	07		14			33		02	10
11	07	03		28	23					15			11
12		23	03	58	08	05	10			28	02		12
13	35	33		14	02				04	07	48	02	13
14		18		09	12		10	12	12				14
15		10	03	04	09	12	04				33		15
16	48	23			19	01		11	03		22		16
17	03	51					02	18	28		02		17
18	03	11						20		08	12	08	18
19	03					02	19	02	18		07	06	19
20	05	23	03		02			09	40	10	07	12	20
21	04	04						05	04	06		40	21
22	03	15	11		08		01	09		14		09	22
23		09	12	01	09		20	23	44	09		06	23
24	10	25		07	04	03	29	04	30	35			24
25	33	46		09	05	02	10	30	11	27		22	25
26	20	39		08				10		43		29	26
27	13	09	17		31		28	17		36		10	27
28	03	03	03	03	04		14	39			09		28
29	10		12				02	50	02	06		20	29
30	10	X	04	03			18			07	02	42	30
31	21	X	05	X		X	65	03	X		X	29	31
TOTAL	1.68	5.71	1.61	2.51	2.05	0.45	3.66	2.69	2.12	3.83	1.87	3.22	31.40
Days with 01 in. or more	16	23	16	16	17	10	19	18	13	23	14	18	203
Days with 04 in. or more	10	21	10	12	15	4	14	15	11	20	9	15	152

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No. 2280

REGISTER OF RAINFALL IN 1924.

Kept at Bantrey n Bridgnorthin the County of Salopby Wm BaylissLat. 52 23 30 Long. 2 25 40Time of Observation 9 a.m.Nearest Railway Station BridgnorthDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 3 ft." " " " Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			'09		'06	<u>'54</u>	'08	'31			'34		1 W RW
2			'05		'08	<u>'83</u>	'03	'08				'02	2 W RW
3			'07				'22	'28					3
4						'35	'19	'03	'02	'01		'31	4
5		'04	<u>'54</u>		'16		'15		'06	'17		'14	5
6					'02	'04		'09	'34	'17			6
7	'04				'06	'08			'29	<u>'79</u>			7
8	'03				'10				'17				8
9	'12	'06		'10	'03	'14			'09	'10			9
10	'04			'28	'76	'12				'11			10
11	<u>'90</u>			'22	'14	'15					<u>'55</u>		11
12	'20			'05	'03	'07		<u>'83</u>	'05				12
13	'08			<u>'49</u>	'03		'02	'03	'12	'02	'03	'13	13
14				'09							'02	'07	14
15		'13					'02	'12	'07			'14	15
16	'13							'44	'12				16
17	'13					'10	'35	'09	'23				17
18	'10	'07			'16		'04			'28	'03	'03	18
19	'03				'28	'10			'14	'04			19
20	'20		'06		'49	'21	<u>'81</u>	'13	'28	'13			20
21	'34				'23	'13	<u>'81</u>	'10		'74			21
22	'52		<u>'30</u>	'08				'20	'29			'20	22
23	'06		'04	'13	'02		'06	'22	'12			'37	23
24	'14	<u>'22</u>		'07	'19			'03	'09			'11	24
25			'07	'04	'01		'38		<u>'49</u>		'06	'03	25
26	'04		'19	'19			'04	'03	'01	'55	'45	'47	26
27		'02		'26			'08			'21	'06	'32	27
28				'10		'06	'36	'11		'02	'12		28
29		'03		'42	'05			'32	'08	'60	'28	<u>'49</u>	29
30		X		'47	'31			'07	'37		'06	'38	30 q13
31		X		X	<u>2'05</u>	X	'09		X		X	'19	31
TOTAL	3'10	0'57	1'40	2'99	<u>5'36</u>	2'12	4'23	3'51	3'43	3'94	1'98	3'40	35'03
Days with 01 in. or more.	17	7	9	15	21	14	17	19	20	16	11	16	181
Days with 04 in. or more.	16	5	9	15	15	13	14	15	18	12	8	13	152

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. 2280

Kept at Gancreyn Bridgnorth
in the County of Salop
by Wm Baylis

Lat. 52° 23' 30" Long. 2° 25' 40"
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft.
" " " " Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			<u>08</u>		<u>06</u>	<u>51</u>	<u>07</u>	<u>29</u>			<u>33</u>		1 <u>RKW</u>
2			<u>08</u>		<u>06</u>	<u>02</u>	<u>02</u>	<u>07</u>				<u>02</u>	2 <u>WFF</u>
3			<u>06</u>				<u>22</u>	<u>27</u>					3
4						<u>33</u>	<u>18</u>	<u>02</u>	<u>02</u>	<u>01</u>		<u>29</u>	4
5		<u>03</u>	<u>52</u>		<u>16</u>		<u>13</u>		<u>05</u>	<u>17</u>		<u>13</u>	5
6					<u>01</u>	<u>03</u>		<u>09</u>	<u>32</u>	<u>16</u>			6
7	<u>03</u>				<u>05</u>	<u>07</u>			<u>30</u>	<u>78</u>			7
8	<u>02</u>				<u>08</u>				<u>16</u>				8
9	<u>11</u>	<u>05</u>		<u>08</u>	<u>02</u>	<u>13</u>			<u>08</u>	<u>08</u>			9
10	<u>03</u>			<u>28</u>	<u>76</u>	<u>11</u>				<u>10</u>			10
11	<u>86</u>			<u>21</u>	<u>13</u>	<u>13</u>					<u>63</u>		11
12	<u>19</u>			<u>04</u>	<u>03</u>	<u>06</u>		<u>82</u>	<u>03</u>				12
13	<u>07</u>			<u>47</u>	<u>03</u>		<u>01</u>	<u>02</u>	<u>11</u>	<u>02</u>	<u>03</u>	<u>12</u>	13
14				<u>08</u>							<u>02</u>	<u>07</u>	14
15		<u>13</u>					<u>01</u>	<u>11</u>	<u>06</u>			<u>12</u>	15
16	<u>12</u>							<u>43</u>	<u>11</u>				16
17	<u>11</u>					<u>09</u>	<u>34</u>	<u>08</u>	<u>21</u>				17
18	<u>09</u>	<u>07</u>			<u>14</u>		<u>02</u>			<u>27</u>	<u>02</u>	<u>02</u>	18
19	<u>02</u>				<u>23</u>	<u>09</u>			<u>13</u>	<u>03</u>			19
20	<u>19</u>		<u>04</u>		<u>46</u>	<u>21</u>	<u>78</u>	<u>13</u>	<u>26</u>	<u>12</u>			20
21	<u>31</u>				<u>21</u>	<u>12</u>	<u>81</u>	<u>09</u>		<u>72</u>			21
22	<u>51</u>		<u>29</u>	<u>07</u>				<u>19</u>	<u>27</u>			<u>18</u>	22
23	<u>05</u>		<u>04</u>	<u>12</u>	<u>01</u>		<u>05</u>	<u>21</u>	<u>11</u>			<u>34</u>	23
24	<u>13</u>	<u>21</u>		<u>07</u>	<u>17</u>			<u>02</u>	<u>08</u>			<u>10</u>	24
25			<u>06</u>	<u>03</u>	<u>01</u>		<u>35</u>		<u>44</u>		<u>05</u>	<u>02</u>	25
26	<u>04</u>		<u>19</u>	<u>19</u>			<u>04</u>	<u>03</u>	<u>01</u>	<u>52</u>	<u>42</u>	<u>42</u>	26
27		<u>01</u>		<u>24</u>			<u>52</u>			<u>21</u>	<u>04</u>	<u>30</u>	27
28				<u>08</u>		<u>05</u>	<u>31</u>	<u>10</u>		<u>01</u>	<u>11</u>		28
29		<u>02</u>		<u>41</u>	<u>04</u>			<u>31</u>	<u>08</u>	<u>59</u>	<u>27</u>	<u>50</u>	29
30		X		<u>41</u>	<u>29</u>			<u>06</u>	<u>37</u>		<u>04</u>	<u>35</u>	30 <u>856</u>
31		X		X	<u>2 04</u>	X	<u>08</u>		X		X	<u>15</u>	31
TOTAL	<u>2 88</u>	<u>0 52</u>	<u>1 31</u>	<u>2 78</u>	<u>4 99</u>	<u>1 95</u>	<u>3 94</u>	<u>3 33</u>	<u>3 20</u>	<u>3 79</u>	<u>1 86</u>	<u>3 16</u>	<u>33 71</u>
Days with 01 in. or more.	<u>17</u>	<u>7</u>	<u>9</u>	<u>15</u>	<u>21</u>	<u>14</u>	<u>17</u>	<u>19</u>	<u>20</u>	<u>15</u>	<u>11</u>	<u>16</u>	<u>181</u>
Days with 04 in. or more	<u>13</u>	<u>4</u>	<u>8</u>	<u>14</u>	<u>15</u>	<u>12</u>	<u>13</u>	<u>15</u>	<u>17</u>	<u>11</u>	<u>8</u>	<u>13</u>	<u>203</u>



AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at *Cantreyon*in the County of *Sahop*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *3* ft. in." Ground " Sea Level *290* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.75</i>		<i>.15</i>		<i>.17</i>	<i>.06</i>		<i>.11</i>	<i>.13</i>		<i>.10</i>		1
2	<i>.05</i>	<i>.02</i>		<i>.02</i>			<i>.10</i>		<i>.06</i>		<i>.40</i>		2
3	<i>.32</i>	<i>.02</i>			<i>.07</i>		<i>.07</i>	<i>.04</i>			<i>.06</i>		3
4	<i>.13</i>			<i>.09</i>	<i>.13</i>				<i>.10</i>	<i>.02</i>	<i>.21</i>		4
5	<i>.03</i>	<i>.23</i>		<i>.41</i>	<i>.05</i>			<i>.06</i>	<i>.29</i>		<i>.04</i>		5
6		<i>.06</i>	<i>.02</i>		<i>.13</i>		<i>.31</i>				<i>.44</i>		6
7		<i>.12</i>	<i>.05</i>	<i>.05</i>	<i>.40</i>			<i>.20</i>		<i>.03</i>	<i>.09</i>	<i>.07</i>	7
8	<i>.09</i>		<i>.06</i>		<i>.40</i>			<i>.59</i>	<i>.30</i>			<i>.39</i>	8
9		<i>.14</i>		<i>.03</i>	<i>.14</i>				<i>.33</i>		<i>.02</i>		9
10		<i>.08</i>	<i>.08</i>	<i>.02</i>				<i>.33</i>				<i>.04</i>	10
11		<i>.93</i>			<i>.01</i>							<i>.06</i>	11
12		<i>.19</i>		<i>.01</i>				<i>.02</i>					12
13		<i>.04</i>	<i>.03</i>	<i>.04</i>						<i>.02</i>			13
14	<i>.44</i>		<i>.04</i>	<i>.09</i>									14
15				<i>.20</i>					<i>.46</i>	<i>.69</i>		<i>.05</i>	15
16	<i>.103</i>	<i>.04</i>	<i>.02</i>	<i>.04</i>					<i>.05</i>				16
17		<i>.05</i>			<i>.02</i>					<i>.02</i>			17
18		<i>.31</i>		<i>.11</i>	<i>.06</i>								18
19					<i>.08</i>		<i>.03</i>		<i>1.00</i>	<i>.87</i>		<i>.43</i>	19
20			<i>.10</i>				<i>.03</i>	<i>.04</i>	<i>.03</i>	<i>.19</i>		<i>.10</i>	20
21		<i>.14</i>	<i>.02</i>				<i>.55</i>	<i>.16</i>	<i>.05</i>	<i>.18</i>		<i>.03</i>	21
22		<i>.13</i>		<i>.13</i>	<i>.02</i>		<i>.76</i>		<i>.55</i>	<i>.50</i>		<i>.64</i>	22
23	<i>.02</i>	<i>.02</i>			<i>.16</i>			<i>1.37</i>	<i>.05</i>	<i>.05</i>		<i>.08</i>	23
24		<i>.18</i>	<i>.13</i>	<i>.10</i>	<i>.05</i>			<i>.14</i>	<i>.05</i>		<i>.07</i>	<i>.07</i>	24
25		<i>.39</i>	<i>.11</i>	<i>.31</i>	<i>.24</i>		<i>.23</i>		<i>.22</i>	<i>.10</i>		<i>.11</i>	25
26		<i>.12</i>		<i>.09</i>	<i>.27</i>		<i>.38</i>	<i>.14</i>	<i>.09</i>	<i>.60</i>		<i>.06</i>	26
27	<i>.05</i>	<i>.11</i>		<i>.02</i>	<i>.07</i>		<i>.04</i>		<i>.02</i>	<i>.03</i>			27
28	<i>.06</i>	<i>.08</i>			<i>.02</i>					<i>.08</i>		<i>.23</i>	28
29	<i>.27</i>			<i>.15</i>	<i>.17</i>		<i>.01</i>				<i>.22</i>	<i>.14</i>	29
30		<i>X</i>	<i>.03</i>	<i>.25</i>	<i>.06</i>					<i>.30</i>	<i>.02</i>	<i>.14</i>	30
31	<i>.27</i>	<i>X</i>	<i>.21</i>	<i>X</i>	<i>.05</i>	<i>X</i>			<i>X</i>	<i>.02</i>	<i>X</i>	<i>.07</i>	31
TOTAL	2 <i>.50</i>	3 <i>.40</i>	1 <i>.05</i>	2 <i>.16</i>	2 <i>.77</i>	0 <i>.06</i>	2 <i>.51</i>	3 <i>.20</i>	3 <i>.78</i>	3 <i>.70</i>	1 <i>.67</i>	2 <i>.71</i>	YEAR'S TOTAL 29 <i>.51</i>
Days with ".01 in. or more.	<i>13</i>	<i>21</i>	<i>14</i>	<i>19</i>	<i>22</i>	<i>1</i>	<i>11</i>	<i>12</i>	<i>17</i>	<i>16</i>	<i>11</i>	<i>17</i>	<i>174</i>
Days with ".04 in. or more.	<i>10</i>	<i>18</i>	<i>9</i>	<i>14</i>	<i>18</i>	<i>1</i>	<i>8</i>	<i>10</i>	<i>15</i>	<i>10</i>	<i>9</i>	<i>16</i>	<i>138</i>

(Signed) *Wm. Bayliss* [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Cantyn*in the County of *Salop*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *3* ft. in.Ground Sea Level *290* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>73</i>		<i>14</i>		<i>15</i>	<i>05</i>		<i>10</i>	<i>12</i>		<i>09</i>		1
2	<i>04</i>	<i>01</i>		<i>01</i>			<i>09</i>		<i>03</i>		<i>38</i>		2
3	<i>30</i>	<i>01</i>			<i>06</i>		<i>07</i>	<i>04</i>			<i>06</i>		3
4	<i>13</i>			<i>08</i>	<i>12</i>				<i>09</i>	<i>02</i>	<i>20</i>		4
5	<i>02</i>	<i>24</i>		<i>38</i>	<i>04</i>			<i>05</i>	<i>27</i>		<i>04</i>		5
6		<i>05</i>	<i>01</i>		<i>13</i>		<i>30</i>				<i>48</i>		6
7		<i>11</i>	<i>04</i>	<i>04</i>	<i>38</i>			<i>19</i>		<i>02</i>	<i>09</i>	<i>07</i>	7
8	<i>08</i>		<i>03</i>		<i>36</i>			<i>58</i>	<i>29</i>			<i>39</i>	8
9		<i>13</i>		<i>02</i>	<i>13</i>				<i>32</i>		<i>01</i>		9
10		<i>07</i>	<i>07</i>	<i>02</i>				<i>32</i>				<i>04</i>	10
11		<i>91</i>			<i>01</i>							<i>05</i>	11
12		<i>19</i>		<i>01</i>				<i>01</i>					12
13		<i>04</i>	<i>02</i>	<i>03</i>						<i>01</i>			13
14	<i>42</i>		<i>03</i>	<i>07</i>									14
15				<i>17</i>					<i>45</i>	<i>64</i>		<i>04</i>	15
16	<i>02</i>	<i>03</i>	<i>01</i>	<i>03</i>					<i>05</i>				16
17		<i>04</i>			<i>01</i>					<i>02</i>			17
18		<i>37</i>		<i>10</i>	<i>05</i>								18
19					<i>06</i>		<i>02</i>		<i>91</i>	<i>87</i>		<i>44</i>	19
20			<i>08</i>				<i>03</i>	<i>03</i>	<i>03</i>	<i>17</i>		<i>09</i>	20
21		<i>13</i>	<i>01</i>				<i>53</i>	<i>15</i>	<i>04</i>	<i>18</i>		<i>08</i>	21
22		<i>11</i>		<i>12</i>	<i>02</i>		<i>75</i>		<i>53</i>	<i>49</i>		<i>59</i>	22
23	<i>02</i>	<i>01</i>			<i>14</i>			<i>136</i>	<i>05</i>	<i>04</i>		<i>07</i>	23
24		<i>19</i>	<i>12</i>	<i>08</i>	<i>04</i>			<i>14</i>	<i>04</i>		<i>08</i>	<i>05</i>	24
25		<i>34</i>	<i>11</i>	<i>29</i>	<i>22</i>		<i>22</i>		<i>21</i>	<i>10</i>		<i>11</i>	25
26		<i>11</i>		<i>08</i>	<i>26</i>		<i>36</i>	<i>13</i>	<i>09</i>	<i>54</i>		<i>06</i>	26
27	<i>04</i>	<i>10</i>		<i>02</i>	<i>05</i>		<i>03</i>		<i>02</i>	<i>02</i>			27
28	<i>05</i>	<i>07</i>			<i>01</i>					<i>07</i>		<i>22</i>	28
29	<i>25</i>			<i>14</i>	<i>16</i>		<i>01</i>				<i>20</i>	<i>13</i>	29
30		<i>X</i>	<i>02</i>	<i>26</i>	<i>05</i>					<i>03</i>	<i>01</i>	<i>11</i>	30
31	<i>25</i>	<i>X</i>	<i>21</i>	<i>X</i>	<i>04</i>	<i>X</i>			<i>X</i>	<i>02</i>	<i>X</i>	<i>06</i>	31
TOTAL	<i>2 35</i>	<i>3 26</i>	<i>6 90</i>	<i>1 95</i>	<i>2 49</i>	<i>0 05</i>	<i>2 41</i>	<i>3 10</i>	<i>3 54</i>	<i>3 24</i>	<i>1 64</i>	<i>2 55</i>	<i>27 48</i>
Days with 01 in. or more.	<i>13</i>	<i>21</i>	<i>14</i>	<i>19</i>	<i>22</i>	<i>1</i>	<i>11</i>	<i>12</i>	<i>17</i>	<i>16</i>	<i>11</i>	<i>17</i>	<i>174</i>
Days with 04 in. or more.	<i>10</i>	<i>17</i>	<i>7</i>	<i>12</i>	<i>18</i>	<i>1</i>	<i>7</i>	<i>10</i>	<i>14</i>	<i>9</i>	<i>9</i>	<i>16</i>	<i>130</i>

(Signed) *Wm Bayliss* [P.T.O.]

REGISTER OF RAINFALL IN 1926.

Kept at Bantreyn Bridgnorth
in the County of Salop
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....3.....in.
,, Ground ,, Sea Level 290.....ft.

2104
2280
NNE on 1st January 1927
this gauge was altered
from 3" to 1'0"
above ground
see encl 4A file 700 464/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41	07			40	18			10		99	04	1
2	05	08				04			11		04	03	2
3	17	10	19					06					3
4		03	11				27				25	02	4
5	03	31	02		53		45	15	09		07	19	5
6	21	14			02		09		08	10	27		6
7		25		25	26	22	05		15	02	18		7
8		02	12	04	02	09	01			65	60	02	8
9			07		02	25		124					9
10					17	07	05	16		02	45		10
11					02	11				02			11
12					19	07		07		26	14		12
13	05				14	03				02	27	03	13
14	10	16		19	63	18		02	02	14	07	08	14
15	10	05		07	04			05		19	26		15
16	15	10		44							54		16
17		06		03		37		03			33	03	17
18	31	01		02	03		10	12			17	05	18
19			03	08			13	14					19
20				07				10			69		20
21	07		07		02		11	01		36	03		21
22	29	03								01			22
23	09				16				03				23
24	06				02		30		05	25			24
25	15		02	15			07			08	04	03	25
26			03		24				21				26
27	14				05				02	04			27
28	14				03		30		02	19	03		28
29	02			07	15		03						29
30	13	X		23	05			58					30
31	21	X		X	10	X			X		X		31
TOTAL	288	191	066	164	329	161	196	273	088	235	542	052	YEAR'S TOTAL 2585
Days with 01 in. or more.	20	14	9	12	22	11	13	13	11	15	19	10	189
Days with 04 in. or more.	18	10	5	10	14	10	11	10	7	10	17	4	126

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Cantrun Bridgnorth
in the County of Salop
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....3 ft. in.
" Ground " Sea Level.....290 ft.

✓✓✓✓✓
BR
For 1927 the record at
3 ft is not to be published
See end 4A File 700x64/6
To be published for 1926

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>40</u>	<u>07</u>			<u>36</u>	<u>17</u>			<u>10</u>		<u>1 00</u>	<u>04</u>	1
2	<u>04</u>	<u>08</u>				<u>03</u>			<u>11</u>		<u>04</u>	<u>03</u>	2
3	<u>17</u>	<u>10</u>	<u>17</u>					<u>05</u>					3
4		<u>03</u>	<u>08</u>				<u>27</u>				<u>25</u>	<u>02</u>	4
5	<u>02</u>	<u>30</u>	<u>01</u>		<u>51</u>		<u>44</u>	<u>14</u>	<u>08</u>		<u>06</u>	<u>18</u>	5
6	<u>20</u>	<u>14</u>			<u>02</u>		<u>09</u>		<u>07</u>	<u>10</u>	<u>28</u>		6
7		<u>75</u>		<u>23</u>	<u>24</u>	<u>21</u>	<u>05</u>		<u>14</u>	<u>02</u>	<u>18</u>		7
8		<u>02</u>	<u>10</u>	<u>04</u>	<u>01</u>	<u>09</u>	<u>01</u>			<u>63</u>	<u>60</u>	<u>01</u>	8
9			<u>06</u>		<u>01</u>	<u>24</u>		<u>1 23</u>					9
10					<u>16</u>	<u>06</u>	<u>04</u>	<u>16</u>		<u>02</u>	<u>45</u>		10
11					<u>01</u>	<u>10</u>				<u>02</u>			11
12					<u>17</u>	<u>06</u>		<u>06</u>		<u>25</u>	<u>14</u>		12
13	<u>04</u>				<u>13</u>	<u>02</u>				<u>01</u>	<u>26</u>	<u>03</u>	13
14	<u>10</u>	<u>15</u>		<u>17</u>	<u>62</u>	<u>16</u>		<u>02</u>	<u>01</u>	<u>13</u>	<u>06</u>	<u>08</u>	14
15	<u>10</u>	<u>05</u>		<u>06</u>	<u>04</u>			<u>04</u>		<u>18</u>	<u>25</u>		15
16	<u>12</u>	<u>10</u>		<u>43</u>							<u>52</u>		16
17		<u>06</u>		<u>04</u>		<u>35</u>		<u>03</u>			<u>31</u>	<u>03</u>	17
18	<u>28</u>	<u>01</u>		<u>01</u>	<u>02</u>		<u>09</u>	<u>11</u>			<u>16</u>	<u>04</u>	18
19			<u>02</u>	<u>07</u>			<u>12</u>	<u>13</u>					19
20				<u>06</u>				<u>08</u>			<u>68</u>		20
21	<u>07</u>		<u>06</u>		<u>01</u>		<u>10</u>	<u>01</u>		<u>34</u>	<u>02</u>		21
22	<u>28</u>	<u>03</u>								<u>01</u>			22
23	<u>08</u>				<u>16</u>				<u>03</u>				23
24	<u>05</u>				<u>02</u>		<u>27</u>		<u>05</u>	<u>25</u>			24
25	<u>13</u>		<u>02</u>	<u>15</u>			<u>06</u>			<u>07</u>	<u>03</u>	<u>02</u>	25
26			<u>02</u>		<u>24</u>				<u>20</u>				26
27	<u>14</u>				<u>05</u>				<u>02</u>	<u>03</u>			27
28	<u>13</u>				<u>01</u>		<u>30</u>		<u>01</u>	<u>19</u>	<u>03</u>		28
29	<u>01</u>			<u>07</u>	<u>13</u>		<u>02</u>						29
30	<u>12</u>	X		<u>24</u>	<u>04</u>			<u>56</u>					30
31	<u>20</u>	X		X	<u>09</u>	X			X		X		31
TOTAL	<u>2 68</u>	<u>1 89</u>	<u>0 54</u>	<u>1 57</u>	<u>3 05</u>	<u>1 49</u>	<u>1 86</u>	<u>2 62</u>	<u>0 82</u>	<u>2 25</u>	<u>5 32</u>	<u>0 48</u>	<u>24 57</u>
Days with 01 in. or more.	<u>20</u>	<u>14</u>	<u>9</u>	<u>12</u>	<u>22</u>	<u>11</u>	<u>13</u>	<u>13</u>	<u>11</u>	<u>15</u>	<u>19</u>	<u>10</u>	<u>169</u>
Days with 04 in. or more.	<u>18</u>	<u>10</u>	<u>5</u>	<u>11</u>	<u>14</u>	<u>9</u>	<u>10</u>	<u>10</u>	<u>7</u>	<u>9</u>	<u>16</u>	<u>4</u>	<u>124</u>

Please read the Notes and Instructions Overleaf.

(Signed) Wm Bayliss

Section **A**

for the entry of Daily Observations.

2073
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

2280

Kept at Landreyn Bridgnorth
in the County of Salop
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		'02	'71				'13			'07	'14		1
2			'07	'18	'03								2
3	'06	'02	'05	'05	'02	'08							3
4	'05		'07		'14	'11	'14				'03		4
5	'05	'07	'13	'29		'18	'12					'02	5
6	'01		'10			'05		'03	'35		'82		6
7	'04		'03	'17		'19	'02	'06					7
8	'05		'02	'53				'16	'06				8
9			'08	'03				'12			'09	'04	9
10			'11	'02		'16		'03					10
11			'01	'09			'40	'09					11
12	'11		'02		'09			'01	'03				12
13	'18				'03	'23		'11	'12	'10	'12	* '08	13
14	'03				'02			'29	'87		'02	* '25	14
15					'46		'08	'64	'18	'02	'03		15
16					'16	'48		'26	'23				16
17			'03			'16		'85	'08				17
18						'66		'26	'04		'96		18
19		'29				'02		'31		'02	'24		19
20	* '20	'66			'09	'10	'03	'01	'04		'10	'31	20
21		'13			'15		'04	'31	'40	'59	'08	'42	21
22	* '17	'14	'25	'08	'01	'21	'02	'05	'18	'88	'12	'06	22
23		'04	'10			'26	'03		'38		'24	'50	23
24	'16	'01	'36	'05		'04	'09	'07	'09	'05		'22	24
25	'10	'09	'07	'06		'13			'04	'10		* '02	25
26	'27	'33	'07	'03	'26	'03	'43		'08	'04	'01		26
27	'23	'20				'04	'13			'14	'02		27
28	'22	'14	'08						'08	'02	'40		28
29			'21			'29	'01		'14	'06			29
30	'11	X	'15			'40	'07	'10	'06	'05			30
31		X	'37	X	'02	X	'04	'01	X	'02	X	* '10	31
TOTAL	2'59	2'14	2'49	1'58	1'48	3'82	1'78	4'07	3'45	2'16	3'42	2'02	YEAR'S TOTAL 31'00
Days with '01 in. or more.	17	13	22	12	13	20	16	20	19	14	16	11	193
Days with '04 in. or more.	15	10	17	9	7	18	11	16	18	10	11	8	150

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Lantsey n Bridgnorthin the County of SalopDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." Ground " Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4.6	0.2	0.1		0.1		0.8						1
2		1.0	2.9	0.3							0.9		2
3	0.3				0.2								3
4	0.4	3.7		0.4		0.5	0.8			3.4	0.2		4
5	0.6	0.7	0.2	1.1		1.8	0.4		2.6	3.3			5
6						2.3				0.3		0.4	6
7	0.2			2.3		7.9		2.4	1.1	4.2		0.2	7
8		0.2		0.3		1.6	0.5		2.4	0.2			8
9	0.4			0.3		0.8							9
10	2.6	2.0	0.2		0.9	0.8			0.8	6.5	1.8		10
11		1.4		1.2						1.2	0.9	1.7	11
12	2.4	2.9		5.9		1.2		0.4			0.5	0.7	12
13		0.1		0.3		2.1		1.4					13
14	0.7	1.5				0.5		4.9		5.8	5.2		14
15	0.6	0.6			0.7	0.7		0.5		0.2	2.5		15
16		0.9	0.8					0.2		1.8	1.7	0.9	16
17	0.7		0.3	0.2	3.8	0.3							17
18	3.8			1.0	0.6	0.6			0.3	3.0		0.7	18
19			0.8		1.5	1.6		0.5		2.4	2.5	0.8	19
20	0.9		2.3	0.6	0.2	0.4				0.4	2.2		20
21	8.0		2.1	0.6	0.1	0.4		1.4	0.6	1.1	0.6		21
22		0.2	0.6				0.2	3.6		0.2	2.8	1.0	22
23	2.8		1.5	0.6	0.3					2.8	2.3		23
24	0.4		0.4					2.1	2.2	0.9	1.7	1.1	24
25	1.8					1.2		0.2			0.9	1.2	25
26	1.6		0.3		0.9	1.1	0.2	3.7		5.4	2.9		26
27	0.2							3.2	1.4	0.7	3.8	2.9	27
28	2.5	0.2	1.7		0.1	0.8		0.2	2.0			1.8	28
29	2.2	3.5	1.2			5.9	0.3	1.4		0.8	0.2	0.4	29
30	0.4	X	2.0	0.9		0.3	6.5			0.3		3.4	30
31	2.4	X		X		X	2.7		X	0.4	X		31
TOTAL	4.05	1.91	1.74	1.60	0.94	3.28	1.24	2.61	1.34	4.53	3.35	1.72	28.31
Days with 0.1 in. or more.	23	15	16	15	12	21	9	15	9	22	18	14	189
Days with 0.4 in. or more.	20	10	11	9	6	19	6	12	8	16	16	13	146

Kept at Bantrayn Bridgnorth
in the County of Salop

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 29.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		'02		'07		'18		'07		'14		'02	I
2		'30				'02		'03			'05	'14	2
3					'01	'01	'13	'39	'36			'06	3
4				'13	'20	'34	'38			'02	'02	'35	4
5					'65	'20	'31	'27		1 '65	'28	'02	5
6	'10				'03	'39	'10	'05		'05	'11	'57	6
7					'29					'21	'28	'31	7
8		'05								'28		'52	8
9	'11	'10					'04	'02		'01	'21	'43	9
10	'03									'11	'05	'35	10
II					'40		'14				'94	'08	II
12				'07	'02	'78	'24						12
13	'05			'02	'19	'05		'07			'02	'02	13
14	'03				'18	'58			'02			'07	14
15	'15	'01			'02	'03					'36		15
16								'07					16
17	'17							'08		'03			17
18								'02			'50		18
19								'12			'23		19
20										'26	'10	'30	20
21			'10					'03					21
22	'03			'12		'09		'08			'25		22
23					'02	'04	'09			'02	'44	'43	23
24			'05	'06				'07		'70	'75	'30	24
25		'12		'05							'19	'12	25
26					'05					'04	'11	'14	26
27	'02			'21	'03		'02			'16	'24		27
28	'35			'10			'27		'04	'05	'68	'73	28
29										'04	'20	'15	29
30	'04	×					'05		'26				30
31	'25	×		×		×	'36	'19	×		×	'02	31
TOTAL	1 33	0 60	0 15	0 83	2 09	2 71	2 13	1 56	0 68	3 77	6 01	5 13	YEAR'S TOTAL 26 99
Days with "or in. or more.	12	6	2	9	13	12	12	15	4	16	21	21	143
Days with "04 in. or more.	8	4	2	8	7	9	11	11	3	12	19	17	111

FORM 1090.

REGISTER OF RAINFALL IN 1930.

2265
2280

Kept at Canterbury Road, North
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>20</u>		<u>25</u>		<u>06</u>		<u>12</u>			<u>43</u>		1
2			<u>07</u>	<u>09</u>		<u>03</u>		<u>10</u>			<u>61</u>		2
3	<u>33</u>	<u>03</u>		<u>33</u>			<u>04</u>	<u>20</u>		<u>58</u>	<u>06</u>		3
4	<u>16</u>		<u>03</u>	<u>09</u>	<u>14</u>			<u>05</u>		<u>08</u>			4
5			<u>12</u>	<u>06</u>	<u>64</u>			<u>20</u>		<u>17</u>			5
6	<u>02</u>		<u>57</u>		<u>29</u>			<u>03</u>	<u>26</u>	<u>07</u>			6
7	<u>07</u>							<u>05</u>	<u>02</u>	<u>12</u>	<u>17</u>	<u>07</u>	7
8	<u>02</u>			<u>07</u>				<u>02</u>	<u>26</u>	<u>02</u>		<u>03</u>	8
9	<u>39</u>		<u>36</u>	<u>18</u>	<u>34</u>				<u>03</u>	<u>02</u>		<u>19</u>	9
10	<u>61</u>		<u>17</u>		<u>06</u>	<u>07</u>						<u>64</u>	10
11	<u>03</u>		<u>01</u>		<u>01</u>						<u>02</u>	<u>15</u>	11
12	<u>29</u>				<u>11</u>	<u>02</u>		<u>08</u>				<u>22</u>	12
13	<u>07</u>		<u>17</u>	<u>10</u>			<u>14</u>	<u>10</u>	<u>37</u>			<u>18</u>	13
14	<u>75</u>	<u>03</u>	<u>60</u>	<u>26</u>	<u>02</u>		<u>32</u>	<u>05</u>				<u>11</u>	14
15		<u>06</u>	<u>33</u>				<u>25</u>		<u>05</u>	<u>36</u>	<u>14</u>	<u>23</u>	15
16							<u>09</u>		<u>12</u>	<u>03</u>		<u>13</u>	16
17				<u>07</u>			<u>05</u>	<u>03</u>	<u>74</u>	<u>06</u>			17
18			<u>04</u>	<u>02</u>	<u>03</u>	<u>04</u>	<u>09</u>	<u>02</u>	<u>07</u>		<u>22</u>		18
19			<u>15</u>	<u>24</u>		<u>03</u>	<u>03</u>	<u>11</u>	<u>36</u>	<u>15</u>	<u>19</u>	<u>01</u>	19
20	<u>02</u>		<u>06</u>	<u>06</u>			<u>177</u>	<u>66</u>	<u>37</u>		<u>12</u>		20
21			<u>33</u>			<u>04</u>	<u>11</u>	<u>01</u>		<u>14</u>	<u>07</u>		21
22	<u>41</u>						<u>24</u>	<u>51</u>	<u>01</u>	<u>21</u>	<u>23</u>		22
23	<u>07</u>			<u>06</u>	<u>06</u>		<u>18</u>	<u>03</u>			<u>22</u>	<u>04</u>	23
24	<u>12</u>			<u>39</u>	<u>05</u>	<u>01</u>			<u>13</u>	<u>74</u>	<u>09</u>	<u>03</u>	24
25		<u>05</u>		<u>17</u>	<u>20</u>				<u>16</u>	<u>37</u>	<u>15</u>	<u>13</u>	25
26	<u>79</u>	<u>07</u>		<u>38</u>	<u>09</u>					<u>04</u>		<u>17</u>	26
27			<u>09</u>	<u>01</u>	<u>08</u>		<u>18</u>	<u>01</u>	<u>02</u>	<u>05</u>		<u>11</u>	27
28	<u>08</u>		<u>04</u>				<u>06</u>			<u>01</u>	<u>39</u>	<u>21</u>	28
29							<u>25</u>	<u>08</u>	<u>02</u>		<u>11</u>	<u>09</u>	29
30	<u>02</u>	<u>X</u>			<u>39</u>	<u>45</u>	<u>09</u>			<u>03</u>		<u>39</u>	30
31	<u>44</u>	<u>X</u>		<u>X</u>	<u>02</u>	<u>X</u>			<u>X</u>	<u>15</u>	<u>X</u>	<u>14</u>	31
TOTAL	4'690	44	3'14	2'82	2'53	0'75	3'89	2'46	2'99	3'40	3'22	3'27	33'60
*Days with "or in. or more.	19	6	16	18	16	9	16	20	16	20	16	20	162
*Days with "04 in. or more.	14	4	14	16	12	5	15	13	11	15	15	17	151

IZATION.

BRIDENORTH
COTON HALL

Diameter of Funnel of Gauge	
Height of top of Gauge above	
" Ground	" S

THE MORNING NEWS

*An observer who does not con
following year in the space on*
Records

to read the instructions
in this form.

uld fill in section C

S DAY.

July 1st of the

Jan. 1, following.

Date	Jan.	Feb.	March	1925 - 26				Oct.	Nov.	Dec.	Date	
	in.	in.	in.					in.	in.	in.		
1	75		08		21	05		10	08	12	1	
2	09	04								62	2	
3	20	04			10		24	12	06	06	3	
4	37			13	18				10	03	4	
5	0.1	22		55	06			04	32	06	5	
6	0.1	06	03		12		29	28	-	60	6	
7		12	10		35		01	28	-	-	7	
8	04	02	06		36			75	22	-	8	
9		09	02	13	10		02	-	26	-	9	
10			06	12	02			77	-	-	10	
11		78						01	-	-	11	
12		34						02	-	72	12	
13		0.3	02	06				-	-	02	13	
14	58		05	08						-	14	
15			16					-	30	60	15	
16	03	03	05					-	13	02	16	
17		03		04			05			-	17	
18		28	17	09						-	18	
19							04	1.05	77	-	19	
20			10				07	10	34	-	20	
21		08	04				25	15	12	24	21	
22		22	13				77	-	83	72	22	
23	0.5		23	19				48	06	07	23	
24		32	08	08	05			-	07	03	24	
25		45	06	20			13	-	25	12	25	
26		06	02	13	31	03	35	14	05	52	26	
27	0.3	02		06			05	04	12	05	27	
28	0.5							-	01	14	28	
29	22	21		25	35		06	-	-	-	29	
30	0.1	X	02	30	06			-	-	04	30	
31	18	X	12	X	08	X		-	X	03	31	
TOTAL	250	3.43	1.04	2.34	2.73	08	2.87	290	4.06	388	178	259
Days with 01 in. or more.	15	4	8	13	18	2+	13	12	18	17	8	17
Days with 04 in. or more.	4	15	11	15	17	1	11	13	16	12	7	14

(Signed) E. M. Wakeman

[P.T.Ø.]

Section



for the entry

FOR OFFICIAL USE.

FORM 1090.

METEOROL

IZATION.

Register of Rainfall in 1925.

2107

Kept at Cotton Hall Bridge
in the County of Selma

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	75		08		21	05		10	08	-	12		1
2	09	04									62		2
3	20	04			10		24	12	06	-	06	-	3
4	17			13	18				10	03	14	-	4
5	0.1	22		55	06			04	32	-	06	-	5
6	0.1	06	03		12		29	-	-	-	60	-	6
7		12	10		35		01	28	-	-	-	-	7
8	0.4	0.2	06		36			75	22	-	-	01	8
9		09	02	13	10		02	-	26	-	-	06	9
10			06	12	02			77	-	-	-	25	10
11		78						01	-	-	-	04	11
12		34						02	-	12	-	03	12
13		0.3	02	06				-	-	02	-	-	13
14	56		05	08									14
15			16					-	30	60	-	-	15
16	03	0.3	05	05	04			-	13	02	-	-	16
17		0.8			04		05	-	-	-	-	-	17
18		28	17	09									18
19							04	-	1.95	77	-	78	19
20			10				07	-	10	34	-	08	20
21		08	04				28	15	12	24	-		21
22		03	13				77	-	83	72	-	67	22
23	0.5		23		19			48	06	07	-	06	23
24		32	08	08	05			-	07	03	-	05	24
25		43	06	20			19	-	26	10	-	06	25
26		06	02	13	31	03	35	14	08	53	-	05	26
27	0.3	02			06		05	04	12	05	-	03	27
28	0.5							-	01	14	-	17	28
29	22	21		25	35		06	-	-	-	15	12	29
30	0.1	X	02	30	06			-	-	04	03	12	30
31	18	X	12	X	08	X		-	X	03	X	06	31
TOTAL	230	3.45	1.09	2.04	2.73	08	2.57	2.90	4.06	388	1.78	2.59	30.25
Days with .01 in. or more.	15	20	16	15	18	24	13	12	18	17	8	17	139
Days with .04 in. or more.	4	15	11	15	17	1	11	10	16	12	7	14	139

(Signed) E. M. Wakeman [P.T.O.]

REGISTER OF RAINFALL IN 1926.

Kept at Coton Hall Bridgnorth
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	45	05			36	15			05		104	04	1
2	10	03				06			12	02	08	10	2
3	22	08	14				33	05					3
4	03	02	12		65						30		4
5	14	30	02				60		12			25	5
6		23					25		13	05	24		6
7		24		18	36		07		32	01	23	01	7
8			05		02	15	12			73	83		8
9					03	03		130			02		9
10					25	24	06	08		05	35		10
11					16	10		02		02			11
12					20	08		03	04	27	14	02	12
13	05	18			15	04		01		03	15	04	13
14	12	~~12~~		29	55	18		02		12		06	14
15	08	02		10	02			05		20	28		15
16	15	11		46		03				01	30		16
17	12	07		03		33					50		17
18	28	02		08	12		02	10			28		18
19				10			24	10			06		19
20			03	14			09				71	15	20
21	08			27			10			43	05		21
22	27	27	05				01						22
23	08	02			26				04				23
24	24				02		10		05	41			24
25	10		03	20			07		03	07	03		25
26			04	03	30				29				26
27	08			08	06		02		04	02		02	27
28	25			06			23			20			28
29				09	21		06						29
30	10	X		21	02			34					30
31	17	X		X	13	X		02	X		X		31
TOTAL	3.11	192	43	233	387	139	228	221	123	264	559	69	YEARS TOTAL 27.68 in. 168 27.68 130
Days with '01 in. or more.	20	14	7	15	19	11	15	13	11	16	18	9	
Days with '04 in. or more.	19	9	4	13	14	9	12	8	10	10	16	6	

Please read the Notes and Instructions Overleaf.

(Signed) J. Corfield for Cap. Colville T.O.

2292

NIZATION.

3.

2-22

P.M.

Bridgworth 4 miles.

Gauge in.

Ground ft. in.

Sea Level 200 ft.

the previous day.

ing at 9 a.m. on

Jan. 1, following.

Kept at

Quatt

QUATT BRIDGORTH

in the County of

SL

by

E. C. HOLRY

1923 - 30

24 A/B

Rain should be meas

An Observer who prefers n

January 1st of the following year in the space on the right of this page.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	27.				01.		10.		03				1
2		12.	20.		05.			03.	06.		06		2
3			02.		13							60	3
4			15	05.					09.	50.	01.		4
5	35.	35.	04.									15	5
6	40.	5.	15.	25.									6
7		50	10	15.						08			7
8	17		04									10.	8
9		68.			01.	04.				32.			9
10		30		33.	04.								10
11	03.			35.	04.					32.			11
12													12
13		25.								35			13
14		05.			06.	15.	15.						14
15		04	05			04.			19.			04.	15
16		69.				01.					52.		16
17		03.									08		17
18					02.			10.	35				18
19	00	02.					21.	05.		10.	06		19
20			08						30.				20
21		04						15.				50.	21
22								20.		26.			22
23		35	10.				18						23
24		18.								24		10.	24
25			10				31	25.	28.				25
26		34.		15.				02		29		27.	26
27		10.	04.		20.			13.		39.			27
28		05.	20							26.		10	28
29			10.					12				11.	29
30		X	04				28	27.		07		42	30
31		X		X		X	55		X		X	28	31
TOTAL	1.32	4.09	1.31	1.38	.56	.22	2.08	1.32	1.28	3.18	.73	2.65	20-12 YEARS TOTAL
Days with 01 in. or more	6.	17.	14	7.	98	43	7	10	7	12	54	11	109.
Days with 04 in. or more	5	15	13	7	6	2	7	8	6	12	4	10	95

REGISTER OF RAINFALL IN 1923.

Kept at Quatt House, Bridgworth
 in the County of Shropshire
 by E. C. Wolryche, Whitmore

Lat. 52° 31' Long. 2° 22'
 Time of Observation 9 AM.
 Nearest Railway Station Bridgworth 4 miles.
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 200 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	27.				01.		10.		03				1
2		12.	20.		05.			03.	06.		06		2
3			02.		13							60	3
4			18	05.					08.	50.	01.		4
5	35.	35.	04.									15	5
6	40.	35.	15.	25.									6
7		50	10	15.						08			7
8	17		04									10.	8
9		68.			01.	04.				32.			9
10		30		33.	04.								10
11	03.			35.	04.					32.			11
12													12
13		25.								35			13
14		05.			06.	15.	15.						14
15		04	05			04.			18.			04.	15
16		69.			01.						51.		16
17		03.									08		17
18					02.			10.	35				18
19	00	02.					21.	05.		10.	06.		19
20			08						30.				20
21		04						15.				50.	21
22								20.		26.			22
23		35	10.				18						23
24		18.								24		10.	24
25			10				31	25.	28.				25
26		34.		15.				02		29		27	26
27		10.	04.		20.			13.		39.			27
28		05.	20							26.		10	28
29			10.					12				11.	29
30		X	04				28	27.		07		42	30
31		X		X		X	55		X		X	28	31
TOTAL	1.32	4.09	1.21	1.38	.56	.22	2.08	1.32	1.28	3.18	.73	2.65	20.12
Days with 01 in. or more	6.	17.	14	7.	98	43	7	10	7	12	54	11	109.
Days with 04 in. or more	5	15	13	7	6	2	7	8	6	12	4	10	95

Corrd. for W. D. Nov. 8. & 9. Corrd. by gur of obs. agreed by obs.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1928-5.

Kept at Ambleton
in the County of Salop.
by E. C. HOLLYCHE-WHITMORE

Lat. Long. 2108
Time of Observation 9.9.7M
Nearest Railway Station BRIDGE NORTH.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

37

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	25	19	12	12	04					05		1
2	68		09		28	04					10		2
3	06	03		01			24	04	03		30		3
4	21				08			12			10		4
5	08			10	15				20	02	10		5
6		20		48				58	26		05		6
7		04	03		14						60		7
8		20	08		30		35	30			402	1.02	8
9	03	05	09					66	20		22	22	9
10		15		10	20			40					10
11			03	06	01			04					11
12		86									02		12
13		33								09			13
14		03	04	05								05	14
15			05										15
16				15					31			02	16
17	52	03		05					16				17
18							04						18
19		28		22	05								19
20					10		01		94	84		42	20
21			05				05		05	31			21
22		10	02				53	14	14	35			22
23		25					42		110	60			23
24	03	04		20	20			90	03	10		65	24
25		26			03			10	04	03	05	10	25
26		40	11	22			02		04	10		10	26
27		04			25	02	44	14		68		05	27
28	05				05			02		03		01	28
29	52											20	29
30	25	X		14	38		33				14	18	30
31	01	X	02	X	02	X			X		X	01	31
TOTAL	2.61	3.54	8.0	1.90	2.36	1.0	2.76	3.74	3.56	3.18	2.78	1.49	YEAR'S TOTAL
Days with 01 in. or more.	8	18	12	13	16	23	10	12	13	14	14	14	29
Days with 04 in. or more	4	15	8	12	13	2	8	11	11	9	8	8	14

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

*Rainfall at Anant*192 *5*

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Would you kindly supply the measurement made on the morning of Jan. 1, 1926? *3"*

On the return which you kindly forwarded the entries for Nov. 8 and 9 are given as 1.02 and .22. Comparison with neighbouring stations suggests that these amounts really belong to December 8 and 9.

Would you kindly examine your original record and give the correct figures in the adjoining column.

W. Parlett (Gardener)
19/6/26.

REPLY.

The returns given for Nov. 8 and 9 should have been allotted to Dec. 8 & 9th
I am very sorry for error

W. Parlett (Gardener)
for Cap Whitmore

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division



Register of Rainfall in 1926.

Kept at Bridgworth, Quatt

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

„ Ground „ Sea Level _____ ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.15	—	—	.28	.12	—	—	—	—	—	—	1
2	.05	.05	—	—	.32	.15	—	—	—	—	1.06	.04	2
3	.23	.02	—	—	—	—	—	—	.15	.01	.08	.04	3
4	—	.08	.18	—	—	—	—	—	—	—	—	—	4
5	—	.01	.10	—	.62	—	.35	.12	—	—	.30	—	5
6	.02	.18	.01	—	—	—	.50	—	.09	.06	.03	.21	6
7	.21	.05	—	—	—	—	—	—	.10	—	.36	—	7
8	—	.85	—	.15	.32	.17	—	—	.30	—	.12	—	8
9	—	.01	.04	.05	.01	—	.16	—	—	.75	.70	—	9
10	—	—	—	—	—	.21	—	.95	—	.03	.01	—	10
11	.04	—	—	—	.30	.05	.03	—	—	—	.40	—	11
12	.06	—	—	—	.04	—	—	—	—	.01	—	—	12
13	—	—	—	—	.24	.07	—	—	—	.30	.14	.02	13
14	—	—	—	—	.10	—	—	—	—	.02	.25	.03	14
15	—	.15	—	.25	.55	.04	—	—	—	.08	.08	.10	15
16	.13	—	—	—	.03	.14	—	.08	—	.21	.25	—	16
17	.21	.10	—	.60	—	—	—	—	—	—	.48	—	17
18	.30	.06	—	—	.14	—	—	.05	—	—	.32	—	18
19	—	.01	—	.10	—	—	.10	—	—	—	.23	—	19
20	—	—	—	.10	—	—	—	.04	—	—	.04	.03	20
21	—	—	—	.03	—	—	—	.10	—	—	.65	—	21
22	.08	.04	.02	.08	.08	—	—	—	—	.40	.04	—	22
23	.30	—	—	—	—	—	—	—	—	—	—	—	23
24	.08	—	—	—	.50	.02	—	—	—	—	—	—	24
25	.04	—	—	—	—	—	.17	—	.12	.38	—	—	25
26	.16	—	.03	.15	.36	—	—	—	—	.06	.02	—	26
27	—	—	.02	.05	—	—	—	—	—	—	—	—	27
28	.09	—	—	.25	.04	—	—	—	.03	.05	—	.04	28
29	.21	—	—	—	.15	—	.30	—	.01	.22	.04	—	29
30	—	X	—	.10	—	—	.03	—	—	—	—	—	30
31	.10	X	—	X	.01	X	—	.56	X	—	X	—	31
TOTAL	2.68	1.76	.40	1.91	4.09	.97	1.64	1.90	.80	2.58	5.60	.51	YEAR'S TOTAL 24.84
Days with .01 in. or more.	18	14	7	12	18	9	8	7	7	14	21	8	143
Days with .04 in. or more.	17	10	3	11	15	8	6	7	5	10	18	5	115

(Signed) G. C. Holley che D. Moore D.O.

W. Garrett for



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

2084

Kept at Quatt House. Quatt
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. 0 in.
" Ground " Sea Level 220 250 ft.

Height lowered
1929

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.10	—	—	.02	—	.01	—	.12	.14	—	1
2	.01	.02	.05	—	.04	—	—	—	—	—	—	—	2
3	.06	.02	—	.19	.03	.15	.08	—	—	—	—	—	3
4	.04	—	.10	.04	.11	.03	.07	—	—	—	.06	—	4
5	.06	.05	.11	.27	—	.18	.19	—	—	—	.05	—	5
6	.09	.01	.09	.02	.05	.05	—	—	.60	—	.93	—	6
7	.05	.15	.03	.09	—	.22	.02	.09	—	—	—	—	7
8	.03	—	.03	.61	—	—	—	.05	.06	—	.10	—	8
9	—	—	.10	—	—	—	—	.04	—	—	.03	.06	9
10	—	—	.06	.04	—	.16	—	.02	.05	—	—	—	10
11	—	—	—	.04	—	—	.47	.04	—	—	—	—	11
12	.16	—	—	—	.08	—	—	.11	—	—	—	.02	12
13	.15	—	.05	—	.02	.14	—	.09	.19	.09	.13	.07	13
14	.02	—	—	—	.04	—	—	.04	.88	—	—	.24	14
15	—	—	—	—	.50	—	—	.32	.22	—	.03	—	15
16	.03	—	—	—	.18	.60	—	.47	.26	—	—	—	16
17	—	—	—	—	—	.05	—	1.03	.07	—	—	—	17
18	—	—	—	—	—	.75	—	.25	.05	.01	.87	—	18
19	—	.30	—	—	—	.02	.02	.27	—	.06	.23	—	19
20	.15	.73	—	—	—	.08	.06	.30	.04	—	.16	.27	20
21	.04	.15	—	—	—	—	.07	.36	.48	.48	.12	.44	21
22	.03	.16	.21	.03	.05	.37	—	.10	.17	.90	.09	.07	22
23	.05	.03	.07	.01	—	.25	—	.02	.48	.03	.23	.55	23
24	.25	.02	.44	.05	—	.08	.19	.04	.17	—	—	.25	24
25	—	.08	.13	.07	—	.03	.02	—	.04	.12	—	.05	25
26	.25	.33	—	—	.27	.02	.68	—	.06	.09	—	—	26
27	.13	.30	.06	—	—	.04	.29	—	—	.15	.03	—	27
28	1.00	.20	.11	—	—	.23	—	—	.10	—	.42	—	28
29	.01	—	.17	—	—	.54	—	—	.18	.12	—	—	29
30	.13	X	.10	—	.03	.28	—	.06	.03	—	.04	—	30
31		X	.40	X	.01	X	.10	—	X	—	X	.10	31
TOTAL	2.74	2.59	2.41	1.46	1.41	4.29	2.26	3.71	4.13	2.17	3.66	2.12	YEAR'S TOTAL 32.95
Days with "01 in. or more.	21	16	19	12	13	22	13	20	19	11	17	11	194
Days with ".04 in. or more.	15	11	17	9	9	17	10	17	18	9	14	10	156

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1928.

Kept at Ruatt
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	.04	.02				.05	.02					1
2	.04	.15	.30	.02			.04				.14		2
3		.02		.03	.03								3
4	.03	.50	.04	.01			.08			.23	.02		4
5	.10	.05				.14	.03		.35	.33	.01		5
6	.03			.08		.13	.03			.04		.05	6
7				.19		.44		.24		.33			7
8		.03		.02			.04	.01		.05			8
9	.05		.03	.03					.11				9
10	.21	.26		.03	.06	.11				.63	.13	.05	10
11		.15		.12				.03	.16	.09	.10	.19	11
12	.28	.31	.02	.56		.13		.01			.04	.08	12
13		.03		.05		.24		.04					13
14	.08	.13				.05		.13		.44	.50		14
15	.09	.09			.09	.05		.04		.04	.19		15
16		.15	.11	.02	.03			.04		.29		.04	16
17	.06				.44	.03				.03			17
18	.35		.02	.09	.11	.08			.01	.20		.04	18
19			.04		.08	.09		.03		.24	.30	.13	19
20	.74		.35	.11	.02					.08	.26		20
21	.92	.02	.33	.08	.01	.06		.10	.05	.08	.11	.01	21
22			.11				.02				.33		22
23	.40		.04	.05	.04			.29		.34	.32	.08	23
24	.08								.14	.18	.15	.15	24
25	.25		.05			.05					.06	.14	25
26	.11		.03			.24	.04	.82		.35	.22	.01	26
27	.02			.03				.24	.08	.15	.24	.34	27
28	.23	.04	.14			.10		.04				.14	28
29	.24	.34	.14			.48	.03	.31	.25	.08			29
30	.03	X	.16	.04			.44			.04		.44	30
31	.14	X		X		X	.33		X	.04	X	.01	31
TOTAL	4.45	2.34	2.02	1.59	.91	2.45	1.13	2.45	1.18	4.34	3.12	1.96	YEAR'S TOTAL 24.94
Days with ".01 in. or more.	23	16	17	18	10	16	11	16	8	22	14	16	199
Days with ".04 in. or more.	19	12	12	10	6	15	4	11	4	21	15	13	148

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Quatt
in the County of Shropshire
Diameter of Funnel of Gauge ~~8~~ 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 250 ft.

any $\frac{1}{2}$ in. of 2228 2209

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	—	·04	·01	·19	—	·35	—	·19	—	·03	1
2	—	·24	—	·01	—	·10	—	·06	·02	·01	—	·17	2
3	—	·01	—	·01	·03	—	·12	·04	·43	—	·04	·07	3
4	·04	—	—	·11	·28	·34	·08	·48	·06	·06	—	·61	4
5	—	·01	—	—	·69	·17	·33	·40	—	·62	·35	·03	5
6	·11	—	—	—	·05	·31	—	·04	—	·05	·16	·60	6
7	—	—	—	—	·31	—	·04	—	—	·19	·26	·35	7
8	—	·03	—	·03	·04	—	—	·04	—	·26	—	·58	8
9	—	·05	—	—	—	—	·03	—	—	·03	·18	·46	9
10	·03	—	—	·02	—	—	—	—	—	·08	·03	·45	10
11	—	—	—	—	—	—	—	—	—	—	·14	·10	11
12	—	—	—	·10	·30	·58	·33	—	—	—	—	—	12
13	·04	—	—	·03	·18	·01	—	·09	—	—	·02	·03	13
14	·01	—	—	—	·10	·14	—	—	·02	—	—	·05	14
15	·10	·03	—	—	·25	—	—	—	—	—	·56	—	15
16	—	—	—	—	·01	·03	—	·07	—	—	·04	—	16
17	·19	—	—	—	—	—	—	—	—	·06	—	—	17
18	·01	—	—	—	—	—	—	·10	—	—	·54	—	18
19	—	—	—	—	—	—	—	·03	·01	—	·31	·03	19
20	·04	—	—	—	—	—	—	·04	·02	·26	·08	·39	20
21	·01	—	·06	—	—	·10	·02	—	—	—	—	—	21
22	·02	—	—	·08	—	·10	·02	·06	—	—	·29	—	22
23	·01	—	—	—	—	—	—	—	—	·02	·39	·43	23
24	—	·03	·03	·06	·01	—	—	·06	—	·94	·84	·26	24
25	—	—	·02	·05	—	—	—	—	—	—	·20	·36	25
26	—	·09	—	·02	·07	—	—	—	—	·03	·13	·11	26
27	·02	·05	—	·18	—	—	—	—	—	·19	·27	—	27
28	·34	—	—	·04	—	—	·33	—	—	·05	·60	·55	28
29	·04	—	—	—	—	—	—	—	·02	·03	·23	·13	29
30	·02	×	—	—	—	—	·09	—	·34	—	—	—	30
31	·42	×	—	×	—	×	·10	·21	×	—	×	·03	31
TOTAL	1·48	·56	·11	·78	2·33	2·10	1·49	2·07	·92	4·07	6·63	5·76	28·30
Days with ·01 in. or more.	18	10	3	14	14	11	11	15	8	17	21	22	164
Days with ·04 in. or more.	9	4	1	8	10	9	8	14	3	12	19	17	114

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Quadr. Bridgnorth
in the County of Salop

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.30	/	.28	/	.10	/	.10	/	/	.42	/	1
2	—	.07	.07	.09	/	/	/	.08	/	.02	.43	/	2
3	.26	.08	/	.30	/	/	.09	.17	/	.46	.10	/	3
4	/	/	.02	.24	.31	/	/	.10	/	.11	/	/	4
5	.22	/	.09	.04	.50	/	/	.05	/	.09	/	/	5
6	/	/	.46	/	.32	/	/	.01	.34	.10	/	/	6
7	.09	/	/	/	/	/	/	.10	.14	.13	.18	.08	7
8	.02	/	/	.06	/	/	/	.03	.26	/	/	.10	8
9	.50	/	.36	.15	.26	/	/	/	.02	/	/	.10	9
10	.66	/	.20	/	/	/	.02	.15	/	/	/	.55	10
11	/	/	/	.02	.03	/	.04	/	/	.03	/	.20	11
12	.30	/	/	/	.13	/	/	.04	/	/	/	.17	12
13	.12	/	.16	.18	.02	/	.15	.15	.38	/	/	.18	13
14	.90	.01	.79	.14	.02	/	.30	.02	/	.01	/	.04	14
15	/	.03	.50	/	/	/	.35	/	.02	.31	.13	.24	15
16	/	.02	/	/	/	/	.11	/	.25	.05	/	.15	16
17	.02	/	/	.08	/	/	.02	.04	.26	.08	.24	/	17
18	/	.01	.03	.02	.03	.09	.10	.03	.01	/	/	.02	18
19	/	/	.19	/	/	.04	/	.10	.44	.21	.20	/	19
20	.02	/	/	/	/	.03	1.77	.76	.34	.01	.10	/	20
21	/	/	.19	/	/	.09	.25	.02	.02	.09	.11	/	21
22	.43	/	/	/	.04	/	.20	.48	/	.22	.19	/	22
23	.07	/	/	.04	.06	.02	.17	.10	.03	.42	.19	.04	23
24	.20	/	/	.23	/	.03	/	/	.01	/	.17	.03	24
25	.02	.04	/	.18	/	/	/	/	.23	.34	.17	.12	25
26	.90	.09	/	.35	.22	/	.01	.01	/	.04	/	.29	26
27	.06	/	.10	/	.02	/	.05	.01	/	.05	/	.16	27
28	.03	/	/	/	/	/	.22	/	/	.01	.50	.30	28
29	/	/	.05	/	/	/	.30	.04	/	.02	.18	.08	29
30	.03	x	.07	/	.34	.19	.16	/	.01	.11	/	.48	30
31	.57	x	/	x	.12	x	/	.01	x	.15	x	.20	31
TOTAL	5.42	.65	3.28	2.40	2.42	.59	4.31	2.60	3.19	3.06	3.34	3.50	34.73
Days with or in. or more.	20	9	15	16	15	8	18	23	16	23	15	20	198
Days with or in. or more.	14	5	13	14	10	5	15	15	9	17	15	18	150

REG

Kept at Bromfield
in the County of S
by 7. Br

BROMFIELD
WARWICK HSE
SHROPSHIRE
1921-1930

NIZATION

2m
Bromfield 3 M.
Gauge 5 in.
e Ground 1 ft. in.
Sea Level 320 ft.
tered to the previous day.

IMPORTANT NOTE.
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the Br
sent post-free on application
Square, London, N.W. 1.

sted to add
the end of
rain gauges,
Observers,"
62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.02	.08	-	-	-	-	.30	.31	-	.06	.08	1
2	.02	-	.01	-	.03	-	-	.60	-	.04	.28	-	2
3	.02	-	.05	-	.12	.09	-	.03	-	.61	.16	-	3
4	.20	-	.02	-	-	.09	-	.20	-	-	.03	-	4
5	.01	-	.06	-	.02	-	-	.50	-	-	.40	.03	5
6	-	-	.03	-	.10	-	-	.25	-	.02	.07	-	6
7	.06	-	.01	-	.02	-	-	.01	-	-	.47	-	7
8	.05	-	-	-	.04	-	-	-	-	-	-	-	8
9	-	-	-	.16	.01	-	-	.04	.03	-	-	-	9
10	.18	-	.03	.01	.01	-	-	.78	-	.01	-	.05	10
11	.40	-	.02	-	.12	-	-	.10	.21	.01	-	-	11
12	.50	-	.03	-	.11	-	-	.12	.30	-	-	.09	12
13	.20	-	.46	.06	-	-	-	.04	.10	.11	.14	-	13
14	-	-	.45	.33	.10	-	.05	.10	.03	-	.03	.28	14
15	-	-	.07	.08	-	-	.09	.01	-	-	.09	-	15
16	.03	-	.16	.17	-	-	.01	.02	-	-	.43	-	16
17	.16	-	.07	.04	-	-	-	.04	-	.02	.01	.02	17
18	.18	-	.04	.06	-	-	-	-	-	.05	-	-	18
19	-	-	.09	-	.02	.01	-	-	-	.48	-	-	19
20	-	-	.02	-	-	-	-	-	-	.01	.04	.02	20
21	-	-	-	.13	-	-	-	.19	-	.07	.08	.10	21
22	-	-	.02	.06	-	-	-	.02	-	.22	-	.08	22
23	-	-	-	.20	-	-	-	-	.02	.27	.04	.03	23
24	-	.09	-	-	-	-	-	.01	-	-	.01	.19	24
25	-	.29	.09	.02	-	-	.45	-	-	.03	-	.02	25
26	.03	-	.13	-	-	-	-	.02	-	-	.05	.21	26
27	.02	-	.04	-	.03	.24	-	-	-	-	-	.30	27
28	-	-	.17	.01	.05	-	.04	.30	-	-	.02	.10	28
29	.11	-	.11	-	.25	-	-	.01	-	-	-	.08	29
30	.26	~~X~~	.01	-	.09	-	-	-	-	-	.43	.30	30
31	.10	~~X~~	-	~~X~~	-	~~X~~	-	.11	~~X~~	-	~~X~~	.02	31
TOTAL	2.86	.40	2.27	1.33	1.12	.43	.64	3.80	1.00	1.95	2.84	2.00	20.64
Days with .01 in. or more	19	3	25	13	16	4	5	23	7	14	19	18	166
Days with .04 in. or more	13	2	15	10	9	3	4	15	4	8	14	12	109
YEAR'S TOTAL													20.64

REGISTER OF RAINFALL IN 1921.

Kept at Bromfield
in the County of Shropshire
by F. Brayshaw

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bromfield 3 M.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.02	.08	-	-	-	-	.30	.31	-	.06	.08	1
2	.02	-	.01	-	.03	-	-	.60	-	.04	.28	-	2
3	.02	-	.05	-	.12	.09	-	.03	-	.61	.16	-	3
4	.20	-	.02	-	-	.09	-	.20	-	-	.03	-	4
5	.01	-	.06	-	.02	-	-	.50	-	-	.40	.03	5
6	-	-	.03	-	.10	-	-	.25	-	.02	.07	-	6
7	.06	-	.01	-	.02	-	-	.01	-	-	.47	-	7
8	.05	-	-	-	.04	-	-	-	-	-	-	-	8
9	-	-	-	.16	.01	-	-	.04	.03	-	-	-	9
10	.18	-	.03	.01	.01	-	-	.78	-	.01	-	.05	10
11	.40	-	.02	-	.12	-	-	.10	.21	.01	-	-	11
12	.50	-	.03	-	.11	-	-	.12	.30	-	-	.09	12
13	.20	-	.46	.06	-	-	-	.04	.10	.11	.14	-	13
14	-	-	.45	.33	.10	-	.05	.10	.03	-	.03	.28	14
15	-	-	.07	.08	-	-	.09	.01	-	-	.09	-	15
16	.03	-	.16	.17	-	-	.01	.02	-	-	.43	-	16
17	.16	-	.07	.04	-	-	-	.04	-	.02	.01	.02	17
18	.18	-	.04	.06	-	-	-	-	-	.05	-	-	18
19	-	-	.09	-	.02	.01	-	-	-	.48	-	-	19
20	-	-	.02	-	-	-	-	-	-	.01	.04	.02	20
21	-	-	-	.13	-	-	-	.19	-	.07	.08	.10	21
22	-	-	.02	.06	-	-	-	.02	-	.22	-	.08	22
23	-	-	-	.20	-	-	-	-	.02	.27	.04	.03	23
24	-	.09	-	-	-	-	-	.01	-	-	.01	.19	24
25	-	.29	.09	.02	-	-	.45	-	-	.03	-	.02	25
26	.03	-	.13	-	-	-	-	.02	-	-	.05	.21	26
27	.02	-	.04	-	.03	.24	-	-	-	-	-	.30	27
28	-	-	.17	.01	.05	-	.04	.30	-	-	.02	.10	28
29	.11	-	.11	-	.25	-	-	.01	-	-	-	.08	29
30	.26	X	.01	-	.09	-	-	-	-	-	.43	.30	30
31	.10	X	-	X	-	X	-	.11	X	-	X	.02	31
TOTAL	2.86	.40	2.27	1.33	1.12	.43	.64	3.80	1.00	1.95	2.84	2.00	YEAR'S TOTAL 20.64
Days with ".01 in. or more	19	3	25	13	16	4	5	23	7	14	19	18	166
Days with ".04 in. or more	13	2	15	10	9	3	4	15	4	8	14	12	109

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Bromfield
in the County of Shropshire
by F. Braephaw

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.23	.34	-	.05	-	.29	.01	.17	-	.15	-	1
2	.12 ^{RS}	.33	.02	-	.03	-	.20	.11	.01	.02	.03	.03	2
3	.15 ^{RS}	.10 ^{RS}	.18	.12	.12	-	.12	.14	-	.01	-	-	3
4	.02	.38	.15	-	.34	-	.13	.02	.03	.07	.12	-	4
5	.10	.02	.14	.35	.02	-	1.04	-	-	.35	.33	-	5
6	.17	-	.29	-	-	-	.03	.11	-	.02	.23	-	6
7	.10	-	.70	.10	-	-	.23	.11	-	-	.03	.02	7
8	.05	-	.35	-	-	-	.34	.10	-	.02	-	.04	8
9	.03	-	.01	-	-	.02	.02	.07	-	.03	.03	-	9
10	-	-	-	-	.02	-	-	.04	-	.01	.17	-	10
11	.03	-	-	-	.04	-	-	.02	.03	-	-	-	11
12	-	-	-	.30	-	.12	.07	.31	.92	-	-	.10	12
13	.26 ^S	-	-	.27	-	.15	.14	-	.04	-	-	.01	13
14	.03 ^S	.06	.02	.13	-	-	.21	-	.17	-	-	.33	14
15	.72 ^S	.06	-	.10	-	-	-	-	.08	-	-	.31	15
16	.13	.06	-	.08	.08	-	.09	.35	.06	-	-	.03	16
17	-	.31	-	-	.03	-	.22	-	.02	-	-	.20	17
18	.43 ^{RS}	.03	-	-	.02	-	-	-	.12	-	-	.09	18
19	-	.04	.21	-	-	-	-	-	.14	.03	.03	1.30 ^{RS}	19
20	.12	.13	-	-	-	-	-	-	.01	.03	-	.21	20
21	.14	.29	-	.06	-	-	.12	.01	-	-	-	.47	21
22	.02	.16	-	-	.14	.13	.13	.06	-	.01	-	.24	22
23	-	.05	-	.11	.02	-	.41	-	.07	-	-	.01	23
24	.02	.02	-	.10	-	.21	-	.27	-	-	-	.03	24
25	.30	.09	.10	.52	-	.03	-	.02	.22	-	.04	.05	25
26	.23	.27	.04	.27	-	.05	.05	-	.32	-	.03	.08	26
27	.25	.34	.12	.04	-	-	-	.13	.03	-	-	.25	27
28	.61	.53	.02	.04	-	.07	-	.12	.17	-	.01	.11	28
29	.02	-	-	-	-	.07	-	.01	-	-	-	.41	29
30	.23	X	.21 ^{RS}	.12	-	.09	-	.17	.24	-	.12	.05	30
31	.18	X	.02	X	-	X	.03	.10	X	.30	X	-	31
TOTAL	4.53	3.50	2.92	2.71	.91	.94	3.87	2.28	2.85	.90	1.32	4.37	31.10
Days with .01 in. or more	26	20	17	16	12	10	19	21	19	12	13	22	207
Days with .04 in. or more	19	17	12	16	6	8	16	15	13	3	7	16	148
YEARS TOTAL													

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Bromfield
in the County of Salop
by F. Braephaw

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station 4 1/2
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 320 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.04	.34	-	-	-	.02	.01	-	.05	-	.60	1
2	.27	-	.03	.01	.07	.02	.01	.05	-	.07	-	-	2
3	.05	.02	.04	-	-	-	-	-	.09	.43	.04	.13	3
4	-	-	-	.13	-	-	-	-	.02	.05	.05	.02	4
5	.21	-	.05	.25	.18	-	-	-	-	.02	.02	.02	5
6	.32	.76	.15	.24	-	.02	-	-	-	.02	-	-	6
7	.02	.60	.05	.16	-	~~.02~~	.16	-	-	.10	-	.25	7
8	.09	.09	.01	-	-	-	-	-	-	.23	.22	.02	8
9	.12	.53	-	-	.04	.02	.07	.05	-	-	.18	-	9
10	.03	.40	-	.40	.05	.03	.09	-	-	.36	-	.02	10
11	-	-	-	.38	.11	-	-	-	-	.15	-	-	11
12	-	.30	.03	.19	.06	.02	-	-	-	.38	.04	.04	12
13	.02	.42	-	.17	.05	~~.02~~	.23	-	.07	.04	.62	-	13
14	-	.02	-	.08	.19	~~.02~~	.02	.03	.06	.01	-	-	14
15	-	.11	.04	.14	.70	.03	.03	-	-	-	.40	-	15
16	-	.30	-	.03	.15	(.01)	-	.11	.08	-	.23	.03	16
17	-	.75	-	-	.03	.03	.10	.04	.51	.08	.03	.01	17
18	.06	.35	-	-	.02	.02	-	.06	.06	.11	-	-	18
19	.04	.06	-	-	.01	(.02)	.19	.03	.11	.01	-	.07	19
20	-	.24	.02	-	-	-	-	.14	.08	.36	-	.04	20
21	-	.07	-	-	-	.02	-	.09	.02	.12	-	.12	21
22	.05	.18	.09	-	.03	-	-	.03	.10	.15	-	.09	22
23	.03	.13	.14	.06	.02	.07	.17	.41	.07	.23	-	-	23
24	-	.22	-	.13	.02	.04	.07	.02	.41	.20	-	-	24
25	-	.80	-	.05	-	.06	.14	.28	.08	.15	-	.35	25
26	.02	.57	.06	.06	-	-	-	-	.02	.76	-	.14	26
27	-	.21	.22	.01	.22	.24	.24	.35	-	.28	-	.11	27
28	-	.12	.07	.14	.05	.19	.19	.06	-	.01	.03	-	28
29	-	-	.10	.02	.03	-	-	.89	.03	.12	-	.10	29
30	.02	X	.02	.03	-	-	.25	.02	-	.07	-	.12	30
31	-	X	-	X	-	X	1.05	.15	X	-	X	.33	31
TOTAL	1.41	7.29	1.46	2.71	1.43	.41	3.03	2.81	1.81	4.56	1.86	2.61	YEAR'S TOTAL 31.39
Days with 01 in. or more	16	24	17	20	19	12	17	19	16	27	11	20	218
Days with 04 in. or more	10	22	12	15	12	3	13	13	12	22	8	14	156

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at Warwick House Bromfield

in the County of Shropshire

by 7 R. R. R. R.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	.08 ^s	-	.05	.54	.08	.15	-	-	.31	.02	1 R.V.V.
2	.02	-	.09 ^s	-	.18	.02	.03	-	-	.07	.02	.06	2 W.S.
3	.03	-	.02	-	.06	-	.34	.41	-	.01	-	-	3 C
4	-	-	-	-	.01	.37	.25	.02	-	-	-	.31	4 C.W.
5	-	.06	.40	-	.11	-	.18	-	-	.15	.01	.04	5
6	-	.02	-	-	.11	.07	.02	.13	.20	.12	-	-	6
7	.06	-	-	-	.12	.10	-	-	.63	.72	-	-	7
8	.15 ^s	.03	-	-	.04	-	-	-	.26	.03	-	-	8
9	.16 ^s	.07	-	.27 ^s	.04	.20	-	-	.04	.10	-	-	9
10	.03	-	-	.20 ^s	.26	.12	-	-	.02	.31	-	-	10
11	1.15	-	-	.34 ^s	.17	.07	-	-	.03	-	.34	-	11
12	.27	-	-	.20 ^s	.05	.15	-	.26	.10	.01	.02	-	12
13	.09	-	-	.54	.05	-	.11	-	.13	-	.04	.19	13
14	-	-	-	.15	.01	-	-	.05	.13	.01	-	.12	14
15	-	.02	-	-	.02	-	.04	.06	.10	-	-	.17	15
16	.30 ^s	-	-	-	-	-	.03	.63	.15	-	-	-	16
17	.11	.08	-	-	-	.48	.50	.10	.16	-	-	.02	17
18	.13	.03	-	-	.20	-	.02	.03	-	.26	.01	.01	18
19	.10	-	-	-	.70	.25	.01	.09	.18	.20	-	-	19
20	.15	.02	-	-	.16	.12	.63	.15	.16	.24	-	-	20
21	.30	-	.02	-	.30	.05	.65	.18	.09	.74	-	-	21
22	.30	-	.33	-	.06	-	-	.10	.28	-	-	.37	22
23	.08	-	.07	.15	.03	-	.05	.05	.13	-	-	.70	23
24	.06	.04	-	.13	.21	-	.04	.03	.08	-	-	.42	24
25	.01	-	.06	.08	.06	-	.35	.02	.47	-	.21	.21	25
26	-	-	.02	.16	.04	-	.28	.02	.08	.48	.70	.56	26
27	.02	-	-	.36	-	-	.60	.02	-	.16	.04	.33	27
28	-	-	-	.15	-	.06	.58	.17	-	.04	.15	.02	28
29	-	.07	-	.54	.21	.02	-	.14	.05	.65	.44	.52	29
30	-	X	-	.60	.15	.01	-	.13	.30	.05	.18	.41	30
31	-	X	-	X	.80	X	.08	.01	X	.05	X	.20	31 1039
TOTAL	3.55	.44	1.09	3.86	6.20	2.63	4.87	2.95	3.77	4.40	2.47	4.68	YEAR'S TOTAL 40.91
Days with 01 in. or more.	20	10	9	14	27	16	21	23	22	20	13	19	215
Days with 04 in. or more	15	5	6	14	23	13	16	16	20	16	9	15	168

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Bromfield
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 320 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	.01	.12	-	.01	.15	-	.06	.03	-	.18	-	1
2	.04	.02	.01	.05	-	-	.10	-	.01	-	.49	-	2
3	.31	.04	-	-	.09	-	.16	.03	.01	-	.09	-	3
4	.05	-	-	.06	.22	-	-	.02	.01	-	.14	-	4
5	.01	.20	-	.62	.19	-	-	.05	.19	-	.02	-	5
6	-	.10	.02	.17	.21	-	.20	-	.01	-	.84	.02	6
7	-	.06	.07	-	.44	-	-	.14	-	-	.71	.06	7
8	.03	.03	.08 ^s	-	.21	-	.01	.75	.18	-	-	.17	8
9	-	.10	.03 ^s	.06	.12	-	-	.02	.19	-	.06	.02	9
10	-	.07	.07	.18	.01	-	-	1.20	-	-	-	.03	10
11	-	.86	-	-	.04	-	-	.04	.04	-	-	.02	11
12	-	.42	-	.02	-	-	-	.09	-	.07	-	-	12
13	.05	.03	.03	.04	-	-	-	-	-	.02	-	-	13
14	.35	-	.01	.06	-	-	-	-	-	-	-	-	14
15	-	-	-	.16	-	-	-	-	.56	.33	-	.05 ^s	15
16	.04	.02	-	.02	-	-	-	-	.07	.04	-	.04	16
17	-	.02	-	-	.02	-	.01	-	.04	-	-	-	17
18	-	.08	-	.18	.12	-	-	-	-	-	-	-	18
19	-	.07	-	.09	-	-	.04	-	.88	.87	-	.55 ^s	19
20	-	-	.05	-	-	-	.29	.11	.18	.30	-	.06 ^s	20
21	-	.18	-	-	-	-	.24	.16	.20	.18	-	.02 ^s	21
22	.01	.12	-	.11	-	-	.61	.15	.40	.60	-	.41 ^s	22
23	.04	.02	-	.02	.68	-	-	.03	.13	.11	-	.09 ^s	23
24	.02	.32	.02	.02	.03	-	.01	.02	.03	.11	.06	.08	24
25	-	.54	.12	-	.05	-	.30	-	.17	.08	-	.16	25
26	-	.18	-	.08	.35	-	.43	.09	.03	.71	-	.06	26
27	.02	.02	-	.02	.16	-	.09	.01	.03	.14	.04 ^s	.05 ^s	27
28	.13	.20	-	.03	.06	-	.02	.01	.02	.18	-	.13	28
29	.30	-	-	.14	.27	-	.04	-	-	-	.20	.20	29
30	.03	X	.03	.11	.03	-	-	-	-	.02	-	.19	30
31	.14	X	.15	X	.06	X	.01	-	X	.04	X	.02	31
TOTAL	2.14	3.71	.81	2.24	3.37	.15	2.56	2.98	3.41	3.80	2.23	2.43	YEAR'S TOTAL 29.83
Days with .01 in. or more.	17	24	14	21	21	1	16	18	22	16	11	21	202
Days with .04 in. or more.	11	16	7	15	16	1	11	11	13	14	10	15	140

(Signed) J. Kraschaw P.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

2090

Kept at Bromfield
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
„ Ground „ Sea Level.....320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.40	-	-	.15	.22	-	-	.07	-	1.37	.06	1
2	.11	.05	-	-	-	-	-	-	.06	.02	.06	.04	2
3	.21	.16	.13	-	-	-	-	-	-	.01	-	.02	3
4	-	.02	.11	-	.02	-	.15	-	.04	-	.53	.05	4
5	.05	.32	.02	-	.36	-	.43	.06	.03	-	.06	.15	5
6	.36	.13	-	-	.01	-	.18	-	.15	.17	.30	-	6
7	.01	.55	-	.10	.08	.20	.01	-	.10	.05	.23	.02	7
8	-	.07	.03	.11	.02	-	.02	.04	.02	.61	.44	-	8
9	-	-	.03	-	.06	.34	.06	1.25	-	.07	.03	-	9
10	-	-	.02	-	.28	.15	.05	.04	-	.04	.84	-	10
11	-	-	-	-	.04	.16	-	.03	-	.05	.02	-	11
12	-	-	-	-	.22	.06	-	.04	.07	.12	.23	.02	12
13	.06 ^s	-	-	-	.05 ^{R+S}	-	-	.03	-	.06	.12	.02	13
14	.06 ^s	.15	-	.36	.23	.03	-	.02	.05	.22	.10	.13	14
15	.03 ^s	.02	-	.26	.12	.01	-	.02	-	.23	.36	-	15
16	.35 ^s	.21	-	.48	-	.02	-	-	-	-	.62	-	16
17	.05 ^s	.13	-	.04	-	.42	-	.04	-	-	.42	.09	17
18	.53	.07	-	.01	.03	.01	.23	.10	-	-	.34	-	18
19	-	.01	.02	.04	-	-	.27	.28	.16	.02	.04	-	19
20	-	.02	.03	.05	-	-	-	.08	-	-	.68	-	20
21	.15	.03	-	.13	.06	-	.06	.01	-	.22	.09	-	21
22	.33	.05	-	.05	-	-	-	-	-	.08	.01	-	22
23	.10	.01	-	-	-	-	-	-	.04	-	-	-	23
24	.05	-	-	-	.04	-	.15	-	-	.30	-	.03	24
25	.09	-	-	.13	-	-	.01	-	.04	.26	.04	-	25
26	-	-	.04	-	.18	-	-	-	.22	-	-	-	26
27	.30	-	.03	.07	.06	-	.05	-	.05	-	-	.02	27
28	.18	-	-	.05	.07	-	.20	-	-	.34	-	-	28
29	-	-	-	.22	.19	-	.05	-	-	.01	.02	-	29
30	.18	X	-	.19	.03	-	-	.44	-	-	-	-	30
31	.17	X	-	X	.14	X	-	.01	X	-	X	-	31
TOTAL	4.02	2.40	.46	2.29	2.44	1.62	1.92	2.49	1.10	2.88	6.95	.65	29.22
Days with ".01 in. or more.	21	18	10	16	22	11	15	16	14	19	23	12	197
Days with ".04 in. or more.	19	12	3	15	17	7	12	10	12	15	19	6	148
YEAR'S TOTAL													147

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

2060
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Branfield
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

April Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.10	.03	.15	—	.07	.17	.04	—	.13	.28	—	1
2	.05	—	.19	.08	.05	—	—	—	—	—	—	—	2
3	.01	.02	.02	.08	.03	.09	.06	—	—	—	—	.02	3
4	.03	—	.05	.08	.21	.11	.14	—	—	—	.12	—	4
5	.05	.07	.26	.09	—	.20	.21	—	—	—	.19	—	5
6	.05	—	.01	.10	—	.02	.23	.02	.28	—	.50	—	6
7	.02	.10	.10	.04	—	.22	.17	.15	—	—	—	.02	7
8	.02	—	.60	—	—	.01	.01	.21	.01	—	—	—	8
9	—	—	.04	.03	—	—	—	.11	—	—	.06	.06	9
10	—	—	.04	—	—	.19	—	.02	—	.02	—	—	10
11	.01	—	.03	.10	—	—	1.03	.08	.04	—	—	—	11
12	.23	—	.01	.02	.04	—	—	.09	.05	—	—	—	12
13	.08	—	—	.01	.03	.20	—	.24	.13	.07	.03	.17 ^s	13
14	.07	.01	—	—	—	—	.02	.29	.69	—	.01	.13 ^s	14
15	— ^s	—	.02	—	.39	—	—	.43	.43	—	—	—	15
16	.08 ^s	—	—	—	.12	.59	—	.22	.24	—	—	—	16
17	.19	—	—	—	—	.08	—	.80	.08	—	.02	—	17
18	—	—	—	—	—	.60	—	.65	.03	—	1.14	—	18
19	—	.38	—	—	—	.02	—	.34	.03	.01	.42	—	19
20	.20 ^s	.42	—	—	.06	.07	.09	.28	.04	—	.22	.19 ^s	20
21	.07 ^s	.26	—	.03	.06	.02	.10	.63	.47	.73	.11	.50	21
22	.03	.18	.03	.27	.02	.33	—	.08	.21	.82	.24	.19	22
23	—	.02	—	.26	—	.29	—	—	.21	—	.22	.47	23
24	.28	.03	.04	.43	—	.02	.06	.01	.12	.09	—	.35 ^s	24
25	.27	.12	.02	.33	—	.08	.02	—	.03	.18	—	—	25
26	.18	.21	.01	.12	.18	.03	.46	—	.03	.07	—	—	26
27	.13	.27	—	.08	.01	.04	.21	—	.01	.13	.03	—	27
28	.84	.26	—	.23	—	—	.09	—	.12	—	.43	—	28
29	.11	—	—	.19	—	.40	.03	—	.30	.08	—	—	29
30	.07	X	—	.02	—	.32	.07	.11	.03	.12	.01	—	30
31	—	X	X	.54	.14	X	.03	—	X	—	X	.13 ^s	31
TOTAL	3.07	2.95	1.50	3.28	1.34	4.00	3.20	4.80	3.58	2.45	4.03	2.43	YEAR'S TOTAL
Days with .01 in. or more.	23	15	12	22	13	23	19	20	22	12	17	11	214
Days with .04 in. or more.	17	11	8	17	9	17	14	17	15	10	12	9	156

Section **A**

for the entry of Daily Observations.

2133
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bromfield

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.05	.02	-	-	-	.06	-	-	-	.02	-	1
2	.07	.19	.38	.08	.03	-	-	-	-	-	.09	.02	2
3	.02	.03	-	.04	-	-	.02	-	-	-	-	-	3
4	.02	.36	.02	-	.15	.01	.15	-	-	.28	.07	-	4
5	.11	.06	.03	-	-	.12	.04	-	.27	.29	.06	-	5
6	.01	.01	-	-	-	.42	.03	.02	.02	.05	-	.08	6
7	.02	-	-	.12	-	.36	-	.28	.08	.45	.01	.02	7
8	-	.01	-	.02	-	.30	.03	-	.15	.09	-	-	8
9	.11	~~.04~~	.04 ^s	.06	.01	.05	-	-	-	.01	-	-	9
10	.16	.20	-	.03	-	.03	-	.03	.06	.55	.14	.02 ^s	10
11	.01	.18	.04 ^s	.43	-	-	-	.06	-	.06	.04	.11	11
12	.23	.32	.02 ^s	.46	-	.14	-	.25	-	-	.06	.05	12
13	.01	.02	-	.06	-	.23	-	.19	-	-	.01	-	13
14	.11	.10	-	-	-	.11	-	.12	-	.53	.71	-	14
15	.14	.05	.03	-	.05	-	-	-	-	.02	.28	-	15
16	-	.08	.07	-	.08	-	-	-	-	.06	.35	.07	16
17	.10	.02	.06	.01	.33	.06	-	-	-	-	.03	-	17
18	.37	-	.02	.01 ^s	.03	.20	-	-	.05	.20	.03	.10	18
19	.01	-	.13	-	.09	.19	-	.05	-	.58	.31	.05	19
20	.10	-	.46	.02	.02	.03	-	.01	-	.21	.35	-	20
21	.76	-	.37	.11	.08	.06	-	.05	.07	.30	.14	-	21
22	.02	-	.02	.05	-	-	-	.52	-	-	.38	.06	22
23	.25	-	.07	.07	.06	-	-	.01	-	.33	.39	-	23
24	.04	-	.08	-	-	-	-	.26	.39	.20	.19	.14	24
25	.18	-	-	-	-	.15	-	.13	-	.02	.03	.20	25
26	.25	-	.03	-	.08	.17	.01	.37	.01	.68	.03	.37	26
27	.06	-	-	.02	-	-	-	.74	.15	.10	.14	-	27
28	.31	.02	.26	-	-	.33	-	.06	.28	-	-	.13	28
29	.20	.49	.16	-	-	.50	-	.08	.04	.11	.02	.10	29
30	.03	~~X~~	.39	-	-	.05	.48	-	-	.02	-	.30 ^{Rev.}	30
31	.24	~~X~~	.06	~~X~~	-	~~X~~	.34	-	~~X~~	.05	~~X~~	-	31
TOTAL	4.36	2.19	2.76	1.59	1.01	3.51	1.16	3.23	1.57	5.19	3.88	1.82	32.27
Days with "01 in. or more.	29	17	22	16	12	20	9	18	12	23	24	16	218
Days with "04 in. or more.	20	11	14	10	8	17	5	14	10	19	16	13	157
YEAR'S TOTAL													32.27

Kept at BROMFIELD
in the County of SHROPSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 320 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.11		.02		.15		.02		.24		.04	I
2		.24				.10		.02		.02		.19	2
3					.03		.06	.31	.60			.10	3
4				.08	.46	.02	.32			.08	.08	.50	4
5	.03				.86	.18	.33	.33		2.05	.33	.12	5
6	.06				.03	.31		.05		.05	.16	.79	6
7					.67	.06				.38	.12	.50	7
8		.02			.03	.10		.04		.29	.02	.75	8
9	.09	.03		.04						.03	.26	.48	9
10	.09			.02						.01	.09	.42	10
11		.06			.31			.03			.73	.13	11
12				RYS .14	.01	1.16	.24					.01	12
13	.02			.02	.21	.18		.07				.04	13
14	RYS .15				.28	.43			.02			.06	14
15		.03			.02	.02					RYS .20		15
16								.08					16
17	.08							.03		.13			17
18										.01	.71		18
19								.05		.02	.50	.03	19
20								.04		.19	.16	.46	20
21			.10			.06					.01		21
22	.03					.02		.08			.24	.03	22
23					.02	.03	.09				.60	.33	23
24				.02				.08		.89	.71	.40	24
25		.12	.06	.06						.01	.22	.24	25
26		.04		.06							.21	.19	26
27				.17	.01		.03			.21	.66	.01	27
28	.47			.11			.30		.03	.12	.40	.84	28
29	.03									.12	.29	.17	29
30	.02	X					.07		.39		.02	.03	30
31	.45	X		X		X	.28	.11	X		X	.01	31
TOTAL	1.52	.65	.16	.74	2.94	2.82	1.72	1.34	1.04	4.85	6.72	6.87	31.37
Days with ".01 in. or more.	12	8	2	11	13	14	9	15	4	18	22	26	154
Days with ".04 in. or more.	7	5	2	7	6	10	8	11	2	12	19	20	109

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Bromfield
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
Ground Sea Level 320 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.18	-	.39	-	.22	-	.18	-	-	.38	-	1
2	.05	.07	.05	.06	.02	-	.02	.19	-	-	.31	-	2
3	.28	.12	.02	.54	.88	-	.10	.25	-	.43	.03	-	3
4	.31	-	.06	.15	.25	-	-	.02	-	.08	-	-	4
5	.03	-	-	.06	.25	-	.02	.11	-	.08	-	-	5
6	-	.03	.86	-	.27	-	-	.03	.30	.09	-	-	6
7	.13	-	-	-	-	-	-	.01	.01	.15	.09	.09	7
8	.11	-	-	.03	-	-	-	.04	.33	.20	-	.20	8
9	.67	-	.25	.42	.21	.01	-	-	.12	-	.04	-	9
10	.92	-	.15	-	.11	.01	-	.09	-	-	-	.66	10
11	.13	-	.02	-	.04	-	.03	.02	.01	.06	.02	.10	11
12	.42	-	.02	.02	.13	-	-	.09	-	-	.01	.13	12
13	.10	-	.19	.01	.02	-	.14	.10	.57	-	-	.13	13
14	.84	.03	.37	.08	-	-	.25	.01	-	.03	-	.04	14
15	.01	.12	.07	-	-	-	.32	.04	.02	.48	.12	.54	15
16	-	-	-	-	-	-	.09	-	.14	.11	-	.16	16
17	-	-	-	.17	.05	-	.06	.06	.77	.16	-	.02	17
18	-	-	.06	-	-	.18	.06	.01	.08	.09	.22	.01	18
19	-	-	.03	.29	-	.04	.04	.07	.70	.19	.28	-	19
20	-	-	.03	-	-	.04	1.60	.72	.14	.02	.09	-	20
21	-	-	.22	-	-	.03	.09	.03	.03	.15	.11	-	21
22	.38	-	-	-	.04	-	.07	.64	.01	.13	.23	-	22
23	.04	-	-	.08	-	.02	.06	.06	.07	.01	.20	.13	23
24	.32	-	-	.22	.02	.13	.01	-	.04	.10	.27	.04	24
25	.04	.12	-	.29	-	-	.01	-	.07	.07	.21	.27	25
26	.63	.11	-	.35	.27	-	.03	-	.12	.06	.05	.11	26
27	.04	-	.08	-	-	.01	.20	-	-	.03	.02	.12	27
28	.03	-	.05	-	-	-	.15	-	-	-	.32	.26	28
29	.02	-	-	-	-	-	.28	.46	-	-	.03	.08	29
30	-	X	-	-	.46	.03	.11	.08	-	.05	-	.44	30
31	.42	X	.01	X	.14	X	-	-	X	.11	X	.19	31
TOTAL	5.92	.78	2.54	3.16	3.16	.72	3.74	3.26	3.53	2.88	3.03	3.72	36.44
*Days with or in. or more.	22	8	18	16	16	11	22	23	18	23	20	20	217
*Days with .04 in. or more.	18	6	12	13	13	5	16	15	13	19	15	18	162

40-9999

*

Thunder storm (Signed)

J. Braithwaite

[P.T.O.]

*See Instruction 2 (f) on other side.

RI

Kept at Oakly Park
in the County of Sh
by J. R. Francis

BROMFIELD
OAKLY PARK
SHROPSHIRE
1921-1930

GANIZATION.

1
2. 45. 20.
Bromfield
Rain Gauge 5 in.
Above Ground 1 ft. 0 in.
Sea Level 300 ft.
entered to the previous day.
Requested to add
at the end of
of rain gauges,
all Observers,
62, Camden
m.

Jan. 1, following.

.05 in.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.02	.06					.32	.05		.27	.06	1
2	.02				.03			.36	.02	.05			2
3			.05		.12	.08		.02		.60	.16		3
4	.22					.08		.23					4
5	.01		.08		.02			.50			.40	.04	5
6					.11					.03	.06		6
7	.10		.01		.03			.26			S.R. .40		7
8	.02				.10								8
9			.03	.25				.05					9
10	.15		.02		.02			.53				.05	10
11	.33				.13			.05	.27				11
12	.44		.05		.02			.17	.25			.10	12
13	.22 ^{S.R.}		.47	.05				.04	.07		.18		13
14			.33	.33 ^{S.R.}	.11		.05	.10	.05		.03	.30	14
15			.06	.07			.12				.09	.02	15
16	.03		.17	.18				.02			.39		16
17	.13		.07	.05				.08					17
18	.18		.04	.12						.07			18
19			.09							.42			19
20						.02							20
21				.14				.20		.06	.12	.08	21
22				.06						.25	.05		22
23				.20						.28		.12	23
24		.10		.02								.16	24
25	.03	.24					.40					.02	25
26		.05	.11										26
27			.05			.22					.05	.45	27
28			.07		.03		.06	.30			.02	.08	28
29	.13	X	.10		.24							.09	29
30	.30	X			.09						.34	.26	30
31	.12	X		X		X		.12	X		X	.02	31
TOTAL	2.45	.41	1.86	1.47	1.05	.40	.63	3.35	.71	1.76	2.56	1.85	18.78
Days with ".01 in. or more	17	4	18	11	13	4	4	17	6	8	14	15	18.80
Days with ".04 in. or more	12	3	15	10	7	3	4	15	5	7	12	12	105

REGISTER OF RAINFALL IN 1921

Kept at Oakley Park Gardens
in the County of Shropshire
by J. R. Francis

Lat. 52 22 50 N Long. 2 45 20
Time of Observation 9 a.m.
Nearest Railway Station Brownfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

4 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.05 in.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.02	.06					.32	.05		.27	.06	1
2	.02				.03			.36	.02	.05			2
3			.05		.12	.08		.02		<u>.60</u>	.16		3
4	.22					.08		.23					4
5	.01		.08		.02			.50			.40	.04	5
6					.11					.03	.06		6
7	.10		.01		.03			.26			^{S.R.} .40		7
8	.02				.10								8
9			.03	.25				.05					9
10	.15		.02		.02			.53				.05	10
11	.33				.13			.05	.27				11
12	.44		.05		.02			.17	.25			.10	12
13	^{S.R.} .22		.47	.05				.04	.07		.18		13
14			.33	^{S.R.} .33	.11		.05	.10	.05		.03	.30	14
15			.06	.07			.12				.09	.02	15
16	.03		.17	.18				.02			.39		16
17	.13		.07	.05				.08					17
18	.18		.04	.12						.07			18
19			.09							.42			19
20						.02							20
21				.14				.20		.06	.12	.08	21
22				.06						.25	.05		22
23				.20						.28		.12	23
24		.10		.02								.16	24
25	.03	.24					.40					.02	25
26		.05	.11										26
27			.05			.22					.05	.45	27
28			.07		.03		.06	.30			.02	.08	28
29	.13	~~X~~	.10		.24							.09	29
30	.30	~~X~~			.09						.34	.26	30
31	.12	~~X~~		~~X~~		~~X~~		.12	~~X~~		~~X~~	.02	31
TOTAL	2.45	.41	1.86	1.47	1.05	.40	.63	3.35	.71	1.76	2.56	1.85	YEAR'S TOTAL
Days with ".01 in. or more	17	4	18	11	13	4	4	17	6	8	14	15	18.78
Days with ".04 in. or more	12	3	15	10	7	3	4	15	5	7	12	12	105

Kept at Wakly Park Gardens,
in the County of Shropshire.
by J. R. Francis.

Lat. 52. 22. 60 N Long. 2. 45. 20
Time of Observation 9 a.m.
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
.06 in.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23	.36		.04		.30	.04	.12				1
2	.08	.24	.01		.03		.30	.10	.01		.14		2
3	.21 ^{SR}	.10	.22	.18 ^{SR}	.12		.05	.12			.10		3
4		.33 ^{SR}	.16	.04	.36		.12		.03	.06			4
5	.12		.15	.30 ^{SR}	.02		1.03			.32	.48		5
6	.16		.42				.03	.13		.02	.24		6
7	.10		.57 ^{SR}	.10			.22	.12				.03	7
8	.05		.35				.32	.06			.02		8
9	.03		.02					.18		.03			9
10					.02						.17		10
11					.04								11
12				.30		.15	.07	.28	.97			.13	12
13	.30 ^{SR}			.25		.13	.15	.02	.02				13
14	.05 ^{SR}	.07	.02	.10			.23		.19			.35	14
15	.58 ^{SR}	.06		.10			.02		.07			.34	15
16	.10 ^{SR}	.08		.05			.06	.36	.04				16
17	.07	.32			.04		.24					.20	17
18	.38 ^{SR}	.04			.02				.12			.10	18
19		.03	.22		.02				.15	.05	.03	.83 ^{SR}	19
20	.08	.13					.01			.02		.14	20
21	.17	.30		.07			.18					.48	21
22	.02	.28			.12	.11	.15	.06				.26	22
23		.05		.11			.28		.05				23
24	.03	.02	.18	.08		.20		.25				.04	24
25		.06	.10	.57		.03			.22		.02		25
26	.25	.37	.07	.33		.02	.05		.18	.02		.16	26
27	.26	.35	.12	.03				.12	.06		.05	.20	27
28	.56	.55	.02			.06		.12	.16			.15	28
29	.01	X				.17		.02				.43	29
30	.23	X	.23 ^{SR}	.10		.10		.23	.24		.10		30
31	.20	X		X		X		.13	X	.33	X		31
TOTAL	4.04	3.58	3.22	2.71	.83	.97	3.81	2.33	2.63	.85	1.35	3.84	30.16
Days with .01 in. or more	23	19	17	16	11	9	19	17	16	8	10	15	180
Days with .04 in. or more	19	17	13	15	6	7	16	15	13	4	7	14	146

REGISTER OF RAINFALL IN 1923.

Kept at Oakley Park Gardens
in the County of Shropshire
by J. R. Francis

Lat. 52. 22. 50 N Long. 2. 45. 20
Time of Observation 9 a.m.
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.03	.32					.03	.02	.01		.60	1
2	.25		.03	.02	.08			.03		.11			2
3	.06		.05	.13					.10	.44	.02	.14	3
4	.02		.03	.27						.05	.08	.04	4
5	.25		.04	.24	.20					.02	.02	.02	5
6	.37	.63	.14									.04	6
7	.02	.57	.04							.12		.26	7
8	.10	.06		.16		.02	Thunder. R. .19			.22	.23		8
9	.15	.44			.03	.02	.00	.03		.02	.18		9
10	.03	.34		.40	.02		.00			.36		.03	10
11				.36	Hail .12					.18			11
12		.32	.03	.25	.04		T. R. .17			.36		.04	12
13	.03	.36		.20	.03				.06	.04	.49		13
14		.02		.10	.20			.04	.05		.04		14
15		.12	.04	.12	.12	.15	.03	.01			.31		15
16	.05	.24		.03	.13		.02	.08	.06		.27	.04	16
17	.02	.67				.01	.09	.03	.52	.08			17
18		.32			.03		.01	.06	.03	.12	.02		18
19	.05	.04				.01	.18	.04	.12		.02		19
20		S. R. .30	.02				.01	.03	.20	.27		S. R. .08	20
21	.04	.05				.01		.10	.02	.12	.03	.10	21
22	.05	.22	.09		.03			.02	.06	.20		.08	22
23	.02	.10	.16	.04			.16	.40	.15	.22		.03	23
24		.25		.11	.03				.37	.14			24
25		.73		.03	.04		.06	.32	.08	.15		.36	25
26	.03	.64	.07				.19			.82		.22	26
27		.23	.24	.06	.22	.02	.36	.35		.32		.12	27
28		.12	.12	.13	.05	.04	.19	.08		.04	.10		28
29		X	.21	.02	.03		.02	.80		.12	.06	.14	29
30		X	.04	.02			.26		.01	.10		.06	30
31	.02	X		X		X	.05	.10	X		X	.32	31
TOTAL	1.62	6.82	1.64	2.69	1.40	.28	3.07	2.55	1.85	4.63	1.87	2.72	YEAR'S TOTAL 31.17
Days with ".01 in. or more	19	23	19	19	19	8	18	18	15	25	14	19	212
Days with ".04 in. or more	11	21	13	14	10	2	13	11	10	22	9	16	153

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Oakley Park Gardens,
in the County of Shropshire.
by J. R. Francis.

Lat. 52. 12. 50 N. Long. 2. 45. 20 W.
Time of Observation 9 a.m.
Nearest Railway Station Bromfield.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.62 ins.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.08 SR		.06	.58	.09	.16			.30		1 <u>W.R.N.</u>
2			.09 SR		.23					.08		.08	2 <u>W.R.N.</u>
3	.04		.06 SR		.07	.02	.26	.36		.02			3
4						.36	.12	.02				.33	4
5		.06	~~.36~~		.12	.02	.20			.15		.05	5
6		.02			.16	.06	~~.03~~	.15	.22 thunderston	.10			6
7	.04 SR				.12	.10			.55	.12			7
8	.13	.03			.04	.02			.29				8
9		.08		.24 SR	.08	.21			.03	.10			9
10	.03			.17 SR	.55	.14			.01	.29	.02		10
11	.04			.33 SR	.18	.12			.02		.40		11
12	.26			.18	.06	.07		.20	.09		.04		12
13	.11			.62	.05		.20					.20	13
14	.01			.12				.07	.15	SR .02		.13	14
15		.06			.02		.04	.08				.16	15
16	SR .34							.65	.12				16
17	.10	.10				.68	.50	.08	.09				17
18	.16				.18			.03	.17	.30			18
19	.10				.68 thunderston .24			.12		.12			19
20	.15	.03			.17	.08	.77	.09	.17	.26			20
21	.29		.02		.20	.04	.44	.14	.16	.58			21
22	.27		.41		.04			.07	.05	.02		.40	22
23	.07	.01	.07	.16	.03		.05	.09	.28			.82	23
24	.06	.05		.13	.22		.03	.03	.17			.38	24
25			.05	.07	.08		.38	.02	.13	.15	.30	.18	25
26	.02			.06	.03		.14		.48	.34	.44	.58	26
27				.44			.65	.03	.10	.15		.36	27
28		.04		.16		.06	.58	.18		.04	.16		28
29		.03		.56	.46 thunderston			.15	.08	.72	.52	.54	29
30		X		.61	.18			.16	.30	.03	.18	.48	30
31		X		X	2.80	X	.10	.03	X		X	.24	31
TOTAL	3.24	.51	1.14	3.85	6.81	2.83	4.87	2.91	3.66	4.19	2.36	4.93	YEAR'S TOTAL 41.30
Days with 0.1 in. or more.	19	11	8	14	25	16	17	22	21	19	9	15	196
Days with 0.1 in. or more.	15	6	4	14	22	13	15	16	18	15	8	15	164

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Oakley Park Gardens.

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 3.00 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.60 ins.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62		.15			.15		.05		.02	.18		1
2	.06			.03			.10	.02	.04		.52		2
3	.38				.10		.15				.08		3
4	.03	.06		.23	.24			.03			.15		4
5		.23		.38	.28				.22				5
6		.15	.03	.21	.22		.17				.75	.02	6
7		.10	.08		.42			.21			.12	.08	7
8	.06	.03	S.R. .09		.26			.75	.15			.20	8
9		.14	.03	.06	.15				.20		.08	.03	9
10		.10	.08	.22	.04			1.08					10
11		.92			.03			.03					11
12		.35		.03				.10					12
13	.05	.06	.02	.04									13
14	.38			.06									14
15				.17					.62	.43		S.R. .04	15
16	.04	.04								.04		.06	16
17		.03			.03				.06				17
18		.10		.32	Thunderstorm .12				.02				18
19	.03			.03					.92	.88		S.R. .52	19
20		.03	.10				.30	.12	.16	.32		.05	20
21		.22					.25	.20	.23	.18		S.R.	21
22		.14		.13			.27	.35	.56	.58		.75	22
23	.05		.02		Thunderstorm .68			.03	.13	.10			23
24		.33	.02		.04				.04	.08	.06	S.R. .28	24
25	.03	.46	.10		.02		.42		.17	.07			25
26	.03	.25	.04	.08	.42		.40	.10	.04	.76		.07	26
27		.04		.04	.08			.03	.02	.15	.04	.06	27
28	.14	.22		.03	.07		.03	.02		.19		.15	28
29	.36	X		.07	.30						.25	.22	29
30	.04	X	.03	.16	.10					.04		.20	30
31	.18	X	.18	X		X			X	.04	X		31
TOTAL	2.48	4.00	.97	2.29	3.60	.15	2.49	3.12	3.58	3.88	2.23	2.73	YEARS TOTAL 31.52
Days with .01 in. or more.	16	21	14	18	19	1	9	15	16	15	10	15	15
Days with .04 in. or more.	12	18	8	14	16	1	8	9	14	14	10	13	13

(Signed) J.R. Harris

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Oakly Park Gardens

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	.40			.17	.23			.05		1.15	.08	1
2	.08	.10							.08	.03	.06	.04	2
3	.32	.17	.18										3
4		.16	.12				.16		.04		.43	.10	4
5	.05	.10	.03		.42		.43	.05	.04	.04	.05	.11	5
6	.37	.22			.05		.21	.03	.15	.12	.34		6
7	.02	.53		.13	.12	.21	.02		.12	.04	.25	.03	7
8		.10	.04	.07	.08		.02		.02	.58	.52		8
9		.02			.05	.50	.03	1.37		.07	.03		9
10					.35	.15	.05	.03		.03	.74		10
11					.04	.16			.03	.04	.02		11
12					.24	.08		.07		.26	.22	.01	12
13	S.R. .10	.02			.05			.04		.05	.20	.04	13
14	S.R. .07	.14		.52	.26	.04		.02	.07	.22	.06	.10	14
15	S.R. .06	.03		.26	.16			.04		.17	.36		15
16	S.R. .26	.24		.54	.02			.03			.64		16
17		.15		.04		.43					.42	.09	17
18	.55	.08		.07	.02	.03	.27				.34		18
19				.08			.43	.34		.03	.24		19
20				.06				.08	.11		.68		20
21	.21		.08	.08	.04		.06			.23	.12		21
22	.38	.08		.05			.03			.07	.02		22
23	.14												23
24	.05				.07		.15			.35		.03	24
25				.16			.03		.02	.12	.05	.02	25
26	.02		.03		.20		.05		.26				26
27	.22		.03	.10	.07				.07	.08	.02		27
28	.16			.04	.06		.22			.32			28
29		X		.20	.18		.06						29
30	.22	X		.16	.02			.44					30
31	.20	X		X	.15	X		.02	X		X		31
TOTAL	4.08	2.63	.51	2.56	2.82	1.83	2.22	2.56	1.06	2.85	6.96	.65	YEARS TOTAL 30.73
Days with 0.1 in. or more.	20	16	7	16	22	9	16	13	13	19	23	11	185
Days with 0.4 in. or more.	18	13	4	16	19	8	11	8	10	16	19	7	149

Please read the Notes and Instructions Overleaf.

(Signed)

J. K. Francis

[P.T.O.]

Section **A** for the entry of Daily Observations.

2059
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Oakley Park Gardens
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....0 in.
„ Ground „ Sea Level.....300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12	.15			.07	.20	.03		.12	.26		1
2	.03		.07	.23				.03					2
3		.03	.10	.04	.12	.10	.06						3
4	.04		.11	.05	.16	.17	.15				.13		4
5	.05	.07		.27		.12	.22				.17		5
6			.10			.02	.03		.28		.54		6
7	.10		.04	.12		.22	.15	.09					7
8				.66				.15					8
9				.03				.29	.02			.13	9
10				.05		.19		.12					10
11			.16	.03				.02	.04				11
12	.16				.06		.54	.03	.07				12
13	.09				.02	.12		.09	.12	.15	.08	.18	13
14								.21	.77			.10	14
15	.07				.36			.55	.35				15
16	.02				.12	.55	.02	.38	.23		.03		16
17	.07					.03		.25	.10				17
18	.20					.65		.72	.03		1.08		18
19		.54						.67	.02		.40		19
20	.23	.36			.04	.12		.30	.04		.23		20
21	.17	.25	.05		.05	.02	.10	.29	.53	.77	.12	.74	21
22		.15	.25			.33	.12	.64	.24	.73	.29	.10	22
23	.02	.04	.48			.27		.07	.25		.24	.53	23
24	.37	.03	.37			.02		.02	.09	.08		.23	24
25	.16	.10	.34			.08	.04		.03	.14		.27	25
26	.22	.74	.10		.17	.03			.02	.07	.03		26
27	.15	.20	.20		.03	.03	.56			.15			27
28	1.25	.22	.25				.12		.32	.03	.37		28
29	.07	X	.25			.35			.15	.08			29
30	.13	X	.02			.32	.04	.10	.05	.13		.21	30
31	X	X	.44	X	.04	X	.03	.02	X		X		31
TOTAL	3.60	2.85	3.48	1.48	1.17	3.82	2.38	5.07	3.75	2.45	3.97	2.49	36.58
Days with ".01 in. or more.	20	13	18	9	11	21	15	22	21	14	14	9	154
Days with ".04 in. or more.	17	11	17	7	9	15	12	16	16	10	12	9	151

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Gaskly Park Gardens
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.07	.02	.05	—	—	.03	—	—	—	.03	—	1
2	—	.18	.35	—	—	—	—	—	—	—	.11	—	2
3	.04	.04	—	.07	.18	—	.02	—	—	—	—	—	3
4	—	.36	.02	.04	—	—	.11	—	—	.35	.07	—	4
5	.18	.06	.03	.02	—	.12	.02	—	.27	.35	.06	—	5
6	—	.03	—	—	—	.62	.01	.01	—	.04	—	.10	6
7	—	—	—	—	—	.30	—	.28	.10	.53	—	—	7
8	.03	—	—	.09	—	.32	.02	—	.22	.10	—	—	8
9	.17	—	.04 S.R.	.01	—	—	—	—	—	.03	—	—	9
10	.13	.24	—	.03	—	.05	—	—	.04	.62	.12	.08 S.R.	10
11	—	.17	—	.04	—	—	—	.09	—	.05	.03	.13	11
12	.22	.33	—	.37	—	.14	—	.24	—	—	.11	.03	12
13	—	.03	—	.48	—	.21	—	.18	—	—	.12	—	13
14	.11	.10	—	.04	—	.13	—	.15	—	.57	.72	—	14
15	.15	.04	—	—	.05	—	—	—	—	.03	.48	.03	15
16	—	—	.10	—	—	—	—	—	—	.08	.22	.12	16
17	.12	—	.06	—	.32	.05	—	—	—	—	.03	—	17
18	.37	—	.03	.01	.03	.19	—	—	—	.26	.03	.10	18
19	.02	—	.37	.03	.08	.23	—	.04	—	.50	.34	.06	19
20	.08	.02	.30	.04	—	.03	—	—	—	.22	.36	—	20
21	.79	—	.03	—	.06	.06	—	.05	.10	.34	.15	—	21
22	—	—	—	.02	—	—	—	.51	—	—	.35	.07	22
23	.23	—	—	.10	.07	—	—	—	—	.37	.45	—	23
24	.03	—	—	.04	—	—	—	.32	.45	.24	.17	.72	24
25	.16	—	—	.06	.08	.13	—	.22	—	.04	.03	.22	25
26	.28	—	.02	—	—	.21	.01	.48	—	.63	.04	—	26
27	.10	—	.04	—	—	—	—	.53	.16	.13	.15	.38	27
28	.40	—	—	—	—	.26	—	.10	.33	—	.03	.16	28
29	.04	.53	.39	—	—	.51	—	.12	.04	.08	—	.10	29
30	—	X	.03	—	—	.05	.50	—	—	.04	—	.40 S.R.	30
31	.28	X	.35	X	—	X	.43	—	X	.04	X	—	31
TOTAL	4.31	2.20	21.8	1.54	.87	3.61	1.15	3.32	1.71	5.64	4.20	2.10	32.83
Days with 01 in. or more.	22	14	16	18	8	18	9	15	9	23	20	15	190
Days with 04 in. or more.	19	11	9	12	7	17	3	14	9	21	17	13	152

J.R. Francis

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

Kept at OAKLY PARK GARDENS.

in the County of SHROPSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 300. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.09	-	-	-	.14	-	.02	-	.23	-	.04	I
2	-	.25	-	-	-	.10	-	-	-	-	-	.20	2
3	-	-	-	-	.03	-	.15	.27	.46	-	-	.11	3
4	-	-	-	.09	.45	-	.42	-	-	.08	.08	.49	4
5	.103A	-	-	-	.88	.16	.33	.26	-	1.80	.27	.12	5
6	-	-	-	-	.04	.30	-	.06	-	.82	.03	.69	6
7	-	-	-	-	.73	.04	-	-	-	.31	.28	.16	7
8	-	-	-	-	.04	.12	-	.03	-	.23	.02	1.60	8
9	.10	.02	-	-	-	-	-	-	-	.03	.24	.57	9
10	.09	-	-	.04	-	-	-	-	-	-	.23	.41	10
11	-	-	-	-	.34	-	-	-	-	-	.56	.14	11
12	-	-	-	.11	.02	1.12	.27	-	-	-	-	-	12
13	.06	-	-	-	.20	.20	-	-	-	-	-	.03	13
14	-	-	-	-	.26	.38	-	-	.02	-	-	.06	14
15	.20	-	-	-	-	.02	-	-	-	-	.16	-	15
16	-	-	-	-	-	-	-	.12	-	-	.03	-	16
17	.093A	-	-	-	-	-	-	.03	-	.17	-	-	17
18	-	-	-	-	-	-	-	-	-	-	.79	-	18
19	-	-	-	-	-	-	-	.03	.02	.13	.42	.03	19
20	-	-	-	-	-	-	-	-	-	.05	.23	.37	20
21	-	-	.10	-	-	.05	-	-	-	-	.02	-	21
22	.03	-	-	-	-	-	-	.10	-	.03	.21	-	22
23	-	-	-	-	-	-	.08	-	-	.09	.54	.36	23
24	-	-	-	-	-	-	-	.04	-	.82	.74	.42	24
25	-	-	.03	.08	-	-	-	-	-	.02	.16	.17	25
26	-	.223A	-	.05	-	-	-	-	-	-	.23	.16	26
27	-	-	-	.20	-	-	-	-	-	.20	.65	-	27
28	.47	-	-	.09	-	-	.30	.02	-	.11	.44	.84	28
29	-	X	-	-	-	-	-	-	-	.12	.29	.17	29
30	-	X	-	-	-	-	.06	-	.40	-	.01	.03	30
31	.44	X	-	X	-	X	.24	.10	X	-	X	.02	31
TOTAL	1.58	.57	.13	.66	2.99	2.63	1.25	1.08	.90	2.54	6.68	6.69	30.27
Days with ".01 in. or more.	9	4	2	7	10	11	8	12	4	17	23	23	130
Days with ".04 in. or more.	8	3	1	7	8	10	8	7	2	13	18	19	104

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Oakley Park Gardens
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 300 ft.

Rework day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.20	—	.44	—	.46	—	.15	—	—	.38	—	1
2	—	.03	.05	.05	.02	.34	—	.17	—	—	.32	—	2
3	.24	.12	.02	.62	.52	—	.09	.50	—	.44	.02	—	3
4	.32	.02	.13	.14	.18	—	—	—	—	.12	—	—	4
5	—	—	—	.07	.47	—	—	.07	—	.10	—	—	5
6	—	—	.83	—	.14	—	—	—	.33	.08	—	—	6
7	.12	—	—	—	—	—	—	.03	—	.14	—	.10	7
8	.07	—	—	.04	—	—	—	.05	.34	.19	—	.21	8
9	.71	—	.32	.42	.23	—	—	—	.10	—	.03	—	9
10	.84	—	.88 .13	—	.12	—	—	.08	—	—	—	.82	10
11	.13	—	—	—	.04	—	—	.03	—	.07	—	.07	11
12	.54	—	—	—	.14	—	—	.08	—	—	—	.12	12
13	.16	—	.25	—	—	—	.15	.07	.63	.02	—	.14	13
14	.84	—	.37	.07	.02	—	.25	.02	—	.03	.03	.03	14
15	—	.88 .25	.88 .12	—	—	—	.40	—	.04	.52	.12	.58	15
16	—	—	—	—	—	—	.11	—	.12	.08	—	.14	16
17	.02	—	—	.22	.05	—	.06	.05	.77	.15	—	—	17
18	—	—	—	—	—	.22	.05	.02	.04	.10	.23	.02	18
19	—	—	.88 .13	.32	.02	.04	—	—	.64	.18	.33	—	19
20	—	—	.03	—	.04	—	1.65	.68	.13	.03	.08	—	20
21	—	—	.22	—	—	.03	.06	.03	.03	.14	.10	—	21
22	.35	—	—	—	—	—	.06	.60	—	.14	.23	—	22
23	.04	—	—	.08	.06	—	.08	.06	.06	.02	.21	.16	23
24	.26	—	—	.30	—	.10	.02	—	.04	.08	.22	.10	24
25	.04	.07	—	.32	—	—	—	—	.06	.05	.18	.25	25
26	.63	.16	—	.36	.30	—	.07	—	—	.05	.04	.08	26
27	.05	—	.09	.03	—	—	.10	—	—	.03	—	.10	27
28	—	—	.06	—	—	—	.11	—	—	—	.32	.28	28
29	—	X	—	—	—	—	.29	.55	—	—	.05	.08	29
30	—	X	—	—	.42	—	.07	—	—	.05	—	.46	30
31	.50	X	—	X	.05	X	—	—	X	.10	X	.15	31
TOTAL	5.90	.85	2.75	3.38	2.82	1.19	3.62	3.04	3.33	3.41	2.88	3.91	36.58
*Days with or in. or more.	19.18	7.8	14.12	15.14	17.14	6.9	17.16	18.13	14.14	24.14	17.14	19.17	17.18
*Days with .04 in. or more.	18.18	5.7	12.14	14.18	14.17	5.6	16.17	13.18	14.14	19.24	14.17	17.18	12.16

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J.R. Francis

P.T.O.

REGIS

Kept at Jackfield
in the County of Shrop

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.05	—	.19	—	.04	—	.15	—	.02	1
2	—	.33	—	—	—	—	—	.02	—	—	.08	.15	2
3	—	—	—	—	.02	—	—	.22	.20	—	—	.06	3
4	—	—	—	.17	.20	.38	.45	—	—	.02	—	.52	4
5	—	—	—	—	.76	.18	.27	.27	—	1.00	.30	.04	5
6	.12	—	—	—	.06	.47	.07	.13	—	—	.01	.55	6
7	—	—	—	—	.47	—	—	—	—	.54	.30	.16	7
8	—	.13	—	.03	—	—	—	.01	—	.37	—	.40	8
9	.15	.07	—	—	—	—	.10	.01	—	—	.30	.20	9
10	.10	—	—	—	—	—	—	—	—	.14	—	—	10
11	—	—	—	—	.31	—	—	—	—	—	.88	.34	11
12	—	—	—	.08	.07	.75	.35	—	.04	—	—	—	12
13	—	—	—	—	.08	.03	—	.07	—	—	—	—	13
14	—	—	—	—	.03	.30	—	—	.02	—	—	.10	14
15	.25	—	—	—	—	.06	—	—	—	—	.26	—	15
16	—	—	—	—	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	.01	—	.02	—	—	17
18	—	—	—	—	—	—	—	.02	—	—	.35	—	18
19	—	—	—	—	—	—	—	—	—	—	.26	—	19
20	.24	—	—	—	—	—	—	—	.03	.24	.08	.40	20
21	—	—	.04	—	—	.12	—	—	—	—	—	—	21
22	—	—	—	.25	—	.06	.02	.08	—	.02	.21	—	22
23	—	—	—	—	—	—	—	—	—	.03	.33	.47	23
24	—	—	—	.04	.01	—	—	.13	—	.70	.70	—	24
25	—	—	.04	.05	—	—	—	—	—	.02	.07	.06	25
26	—	.20 snow	—	.07	.08	—	—	—	—	—	.10	.10	26
27	.08	—	—	.13	—	—	—	—	—	.17	.20	.03	27
28	.43	—	—	.17	—	—	.25	—	—	.02	.76	.74	28
29	.03	—	—	—	—	—	—	—	.23	.03	.21	.21	29
30	.02	X	—	—	—	—	.07	—	.30	—	—	—	30
31	.30	X	—	X	—	X	.42	.20	X	—	X	—	31
TOTAL	1.72	.73	.08	1.04	2.09	2.54	2.00	1.21	.82	3.47	5.50	4.55	YEAR'S TOTAL 25.75
Days with '.01 in. or more.	10	4	2	10	11	10	9	13	6	16	18	19	128
Days with '.04 in. or more.	8	4	2	9	8	9	8	7	4	9	17	17	102

Section **A**

for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Lackfield Rectory, Broseley
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.05	—	.19	—	.04	—	.15	—	.02	1
2	—	.33	—	—	—	—	—	.02	—	—	.08	.15	2
3	—	—	—	—	.02	—	—	.22	.20	—	—	.06	3
4	—	—	—	.17	.20	.38	.45	—	—	.02	—	.52	4
5	—	—	—	—	.76	.18	.27	.27	—	1.00	.30	.04	5
6	.12	—	—	—	.06	.47	.07	.13	—	—	.01	.55	6
7	—	—	—	—	.47	—	—	—	—	.54	.30	.16	7
8	—	.13	—	.03	—	—	—	.01	—	.37	—	.40	8
9	.15	.07	—	—	—	—	.10	.01	—	—	.30	.20	9
10	.10	—	—	—	—	—	—	—	—	.14	—	—	10
11	—	—	—	—	.31	—	—	—	—	—	.88	.34	11
12	—	—	—	.08	.07	.75	.35	—	.04	—	—	—	12
13	—	—	—	—	.08	.03	—	.07	—	—	—	—	13
14	—	—	—	—	.03	.30	—	—	.02	—	—	.10	14
15	.25	—	—	—	—	.06	—	—	—	—	.26	—	15
16	—	—	—	—	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	.01	—	.02	—	—	17
18	—	—	—	—	—	—	—	.02	—	—	.35	—	18
19	—	—	—	—	—	—	—	—	—	—	.26	—	19
20	.24	—	—	—	—	—	—	—	.03	.24	.08	.40	20
21	—	—	.04	—	—	.12	—	—	—	—	—	—	21
22	—	—	—	.25	—	.06	.02	.08	—	.02	.21	—	22
23	—	—	—	—	—	—	—	—	—	.03	.33	.47	23
24	—	—	—	.04	.01	—	—	.13	—	.70	.70	—	24
25	—	—	.04	.05	—	—	—	—	—	.02	.07	.06	25
26	—	.20 snow	—	.07	.08	—	—	—	—	—	.10	.10	26
27	.08	—	—	.13	—	—	—	—	—	.17	.20	.03	27
28	.43	—	—	.17	—	—	.25	—	—	.02	.76	.74	28
29	.03	—	—	—	—	—	—	—	.23	.03	.21	.21	29
30	.02	X	—	—	—	—	.07	—	.30	—	—	—	30
31	.30	X	—	X	—	X	.42	.20	X	—	X	—	31
TOTAL	1.72	.73	.08	1.04	2.09	2.54	2.00	1.21	.82	3.47	5.50	4.55	25.75
Days with .01 in. or more.	10	4	2	10	11	10	9	13	6	16	18	19	128
Days with .04 in. or more.	8	4	2	9	8	9	8	7	4	9	17	17	102

Kept at Burwarton
in the County of ...
by The Rgt Lt Col

2273.

BURWARTON HALL

1921 - 30

ORGANIZATION.

2005

2 a.m.
Burwarton
Rain Gauge 5 in.
above Ground 9 ft. 9 in.
,, Sea Level 89.4 ft.
entered to the previous day.

requested to add
it at the end of
g of rain gauges,

Jan. 1, following.

0.02 in

IMPORTANT NOTE
If an Observer prefers
the reading at 9 a.m. on
this paragraph. Full instructions for the measurement of rain
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05								.15			.13	1
2	.33		.42					.34	.05		.09	.31	2
3	.03	.24			.09			.48	.04	.02	.35		3
4			.04	.05	.05	.14		.02		1.05	.08		4
5	.45				.03	.11		.25					5
6								.71			.31	.03	6
7					.23						.68		7
8	.19				.08			.46			.24		8
9	.02				.05	.05							9
10			.11	.14	.04			.08	.02				10
11	.14				.02			.44	.02			.05	11
12	.23				.12			.33	.51				12
13	.58	.02						.14	.31			.15	13
14	.23		.44	.06					.04	.08	.08		14
15			.29	.48	.13		.26	.06	.04		.02	.29	15
16		.01	.04				.05				.03	.08	16
17			.14	.31							.55		17
18	.29			.09				.04					18
19	.28			.06						10			19
20			.35		.02	.10				.38			20
21			.06								.02		21
22				.13				.39		.03	.09	.09	22
23			.05	.04				.05		.32		.36	23
24				.06			.03			42			24
25		.08										.41	25
26	.09			.01			.34						26
27			.15									.29	27
28	.05				.11	.14		.02				.29	28
29			.13		.02		.06	.35			.04		29
30	.24		.09		.21		.02	.11				.13	30
31	.03				.09							.36	31
TOTAL	3.26	.38	2.34	1.44	1.29	.54	.79	4.30	1.24	2.40	2.64	2.96	23.88 in
Days with "01 in. or more	15	4	13	10	15	5	6	4.45	1.09	2.40	2.77	2.85	23.88 in
Days with "04 in. or more	12	2	13	9	11	5	4	1.8	.8	.8	1.4	1.4	23.88 in

Kept at Burwarton Hall.
in the County of Shropshire
by The Rgt Hon^{ble} Viscount Boyle.

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Burwarton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" " " " Sea Level 894 ft.

JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
020

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03								15			13	1
2	33		42					34	05		09	31	2
3	03	24			09			48	04	02	35		3
4			04	05	05	14		02		1.05	08		4
5	45				03	11		26					5
6								41			31	03	6
7					23						68		7
8	19				08			46			24		8
9	02				05	05							9
10			11	14	04			08	02				10
11	14				02			44	02			05	11
12	23				12			33	51				12
13	58	02						14	31			15	13
14	23		44	06					04	08	08		14
15			29	14	13		26	06	04		02	29	15
16		01	04	48			05				03	08	16
17			14	31							55		17
18	29			09				04					18
19	28			06						10			19
20			35		02	10				38			20
21			06								02		21
22				13				39		03	09	09	22
23			05	04				05		32		36	23
24				06			03			42			24
25		08										41	25
26	09			01			34						26
27			15									24	27
28	05				11	14		02				24	28
29			13		02		06	35			04		29
30	24		09		21		02	11				13	30
31	03				09							36	31
TOTAL	8.26	38	2.34	1.44	1.29	.54	.79	4.30	1.24	2.40	2.64	2.96	23.88 in
Days with .01 in. or more	3.21	4	13	10	15	5	6	4.45	1.09	2.40	2.77	2.85	23.85
Days with .04 in. or more	15	4	13	10	15	5	6	1.8	8	8	4	14	23.85
Days with .04 in. or more	12	2	13	9	11	5	4	16	8	6	10	12	23.85

AIR MINISTRY.

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Burwarton Hall

in the County of Shropshire

by Viscountess Bayne

Lat. 52.30 Long. W. 2.30

Time of Observation 8 a.m.

Nearest Railway Station Burwarton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

.07

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.62	.56		.14		.09			.25	.15	.09	1
2	.07	.22	.35		.20		.29		.29		.24	.04	2
3	.05	.58					.19					.03	3
4	.54	.15	.14	.09	.10		.09	.21			.07	.03	4
5		.41	.17		.18		.18	.04		.06			5
6	.11		.29	.39	.16		1.13			.41	.38		6
7	.21		.36				.11	.22			.18		7
8	.17		.25	.11			.21					.05	8
9	.03		.79				.42	.22		.05		.11	9
10	.09							.17			.05		10
11					.07						.15		11
12	.11				.06								12
13				.29			.04	.41	.64			.03	13
14	.34			.24		.16	.18		.24				14
15				.11			.15		.27			.36	15
16	.61	.12		.12			.14		.07			.07	16
17	.37	.15		.11	.11		.02	.36	.05			.17	17
18		.41			.03		.34					.13	18
19	.26	.04					.05	.07	.08			.08	19
20		.11	.29					~~0~~	.41			.83	20
21		.11								.05		1.54	21
22	.18	.28	.04	.09			.22					.37	22
23	.02	.16			.16	.21	.11	.18				.25	23
24				.24		.17	.46		.08			.03	24
25		.08	.28	.12				.23				.04	25
26	.43	.13	.13	.01		.05			.26			.05	26
27	.45	.17	.04	.11		.11	.17		.09		.14		27
28	.39	.39	.17	.04				.11				.52	28
29	.22	~~X~~	.08	.28		.04		.15	.12			.09	29
30		~~X~~	.02			.11						.39	30
31	.14	~~X~~	.27	~~X~~		~~X~~		.14	~~X~~		~~X~~	.23	31
TOTAL	4.81	4.13	4.23	3.15	1.37	.85	4.59	2.51	2.60	.82	1.36	5.53	35.95
Days with 01 in. or more	5.41	4.07	3.67	3.29	1.23	.94	4.50	2.51	2.60	.82	1.36	5.53	35.95
Days with 04 in. or more	21	17	16	15	10	7	20	13	12	5	8	23	168
	19	17	16	15	10	7	20	13	12	5	8	19	158

REGISTER OF RAINFALL IN 1922.

Kept at Burwanton Hall. Gardens
 in the County of Shropshire
 by Vicount Buryne

Lat. _____ Long. _____
 Time of Observation 8 a.m.
 Nearest Railway Station Burwanton
 Diameter of Funnel of Rain Gauge 6 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 894 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

.07.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.62	.56		.14	.04	.09			.25	.16	.09	1
2	.04	.22	.35		.28	.29	.24		.29		.24	.04	2
3	.05	.58	.24			.19	.19					.03	3
4	.54 ^{snow}	.15	.14	.09 ^{snow}	.18	.09	.09	.21			.07	.03	4
5		.41 ^{snow}	.14		.18	.18	.18	.04		.06			5
6	.11		.29	.39	.16	.13 ⁱⁿ	1.13 ⁱⁿ			.41	.38		6
7	.21		.36			.11	.11	.22			.18		7
8	.14		.25	.11		.21	.21					.05	8
9	.03		.79 ^{snow}			.42	.42	.22		.05		.11	9
10	.08							.17			.05		10
11					.07						.15		11
12	.11				.06								12
13				.29		.04	.04	.41	.64			.03	13
14	.34 ^{snow}			.24		.16	.18		.24				14
15				.11			.15		.24			.36	15
16	.61	.12		.12			.14		.05			.04	16
17	.34	.16		.11	.11		.02	.36	.04			.14	17
18		.41 ^{snow}			.03		.34					.13	18
19	.26	.04					.05	.07	.08			.08	19
20		.11	.29						.41			.83 ^{snow}	20
21		.11								.05		1.54 ^{snow}	21
22	.18	.28	.04	.04			.22					.37	22
23	.02	.16			.16	.21	.11	.18				.25	23
24				.24		.14	.46		.08			.03	24
25		.08	.28	.12			.23					.04	25
26	.43	.13	.13	.81 ^{snow}		.05	.17		.26			.05	26
27	.45	.14	.04	.11		.11			.09		.14		27
28	.39	.39	.14	.04				.11				.52	28
29	.22		.08	.28		.04		.15	.12			.09	29
30		X	.02			.11						.39	30
31	.14	X	.24 ^{snow}	X		X		.14	X		X	.23	31
TOTAL	4.81	4.13	4.23	3.15	1.37	.85	4.54	2.51	2.00	.82	1.36	6.58	YEAR'S TOTAL
Days with .01 in. or more	21	17	18	15	10	7	20	13	12	5	8	23	168
Days with .04 in. or more	18	14	16	15	9	7	19	13	12	5	8	19	158

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Burwinton, Lancashire
in the County of Shropshire
by Arthur Allandice

Lat. _____ Long. _____
Time of Observation 8 am.
Nearest Railway Station Burwinton one mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 89.4 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.03	.22				.03			.05			1
2	.07		.29		.11			.04		.05		.83	2
3	.29					.05			.11	.68	.05		3
4			.19						.02		.06		4
5				.05	.25	.07				.11	.02	.09	5
6	.46		.07	.26		.05				.06			6
7	.28	.56	.21	.24						.16			7
8		.75	.19	.33						.21	.16	.20	8
9	.14	.41			.04	.04	.02				.23		9
10	.05	.53		.03			.26			.53			10
11	.04	.56		.41	.08					.03		.03	11
12				.07	.12		.14			.48	.02	.03	12
13		.44	.03	.64	.05				.02	.08	.64	.03	13
14	.05	.27		.19	.25			.11	.11	.05		.05	14
15				.06	.27	.11					.27		15
16		.13	.07	.08	.14				.04		.24		16
17		.19			.05		.17	.31	.41				17
18	.13	.48						.19	.06	.14	.09		18
19		.47					.21	.05	.48	.08		.18	19
20		.03						.11	.32	.09	.11		20
21		.26	.09			.08		.11		.15		.54	21
22	.09	.03			.05			.18	.06	.16		.08	22
23		.32	.03		.15		.29	.27	.21	.17		.07	23
24		.08	.14					.04	.36	.29			24
25		.31		.14		.07	.31	.41	.07	.17		.35	25
26		.29		.09				.03		.42		.23	26
27		.73	.03	.11	.34	.24	.33	.21				.18	27
28		.28	.28		.13		.21	.05		.17			28
29				.04			.03	.91		.12		.10	29
30	.03	X		.07			.31	.02		.21		.49	30
31		X	.06	X		X	.98	.08	X		X	.40	31
TOTAL	1.70	7.15	1.90	2.81	2.03	.47	3.29	3.12	2.27	4.66	1.89	3.88	35.17
Days with 0.1 in. or more	12	21	14	16	14	7	13	17	13	24	11	17	179
Days with 0.1 in. or more	11	18	11	15	14	7	10	15	11	23	9	14	158

REGISTER OF RAINFALL IN 1925

Kept at Burwarton Gardens
in the County of Shropshire
by Arthur Allardice

Lat. 52° 30' N Long. 2° 34' W
Time of Observation 8 a.m.
Nearest Railway Station Burwarton, 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Sea Level 89 ft

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10		.05	.80	.04	.43		.14	.38	.02	RWW
2			.06		.22	.08	.04	.22				.01	W2
3	.01		.06		.06		.42	.25					3
4						.26	.08	.02				.45	4
5		.09	.52		.22		.10	.03	.03	.16		.04	5
6		.04			.14	.11	.02	.10	.36	.15			6
7	.11				.28	.09			.49	.80			7
8	.07			.05	.14	.03			.08				8
9	.15	.04		.14	.02	.20			.26	.19	.01		9
10				.32	.59	.14			.02	.24			10
11	1.00			.29	.23	.19			.01		.51		11
12	.28	.02		.28	.06	.16		.30	.23				12
13	.14			.59	.03		.02	.10	.09		.02	.19	13
14				.11				.04				.04	14
15		.08					.04	.06	.15			.26	15
16	.13						.03	.63	.12	.02			16
17	.20	.15				.28	.50	.14	.23				17
18	.14	.06			.27		.02	.04		.29	.02		18
19	.11				.32	.20		.09	.16	.10			19
20	.04				.91	.04	.66	.14	.35	.03			20
21	.35	.02	.02		.22	.11	.69	.22	.03	1.15			21
22	.45		.40	.04	.06			.16	.21			.12	22
23	.02		.15	.18	.02		.06	.09	.14			.44	23
24	.15	.14		.08	.29			.04	.13			.19	24
25			.06	.04	.06		.46	.01	.84		.12	.06	25
26	.02	.01	.16	.24	.02		.20	.10	.15	.55	.60	.54	26
27		.04		.32			.36			.22	.04	.58	27
28		.04		.31		.06	.44	.23		.03	.16		28
29	.01			.48	.08			.24	.09	.40	.26	.35	29
30	.01	X		.42	.24			.26	.46	.10	.04	.74	30
31		X		X	2.41	X	.08	.01	X		X	.30	1136 31
TOTAL	3.45	0.49	1.53	4.19	6.94	2.48	4.59	4.04	4.69	4.84	2.16	4.66	44.42
Days with .01 in. or more	5.9	3.2	4.9	10.6	4.24	15	4.19	4.25	4.22	3.16	3.11	2.16	32.4
Days with .04 in. or more	14	9	8	16	20	14	15	21	19	13	8	14	170

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Burwarton House Gardens*
in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft. *9* in.
" Ground " Sea Level *894* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67		.32		.03				.10		.18		1
2	.11	.15		.12	.12				.01		.52		2
3	.32	.07			.12		.08	.18	.04		.08		3
4	.18				.12				.01	.02	.08		4
5	.02	.23		.10	.12				.35		.03		5
6		.10	.03	.90	.31		.20				.70		6
7		.08	.11	.02	.47			.26			.27	.16	7
8	.06		.22	.16	.09			.65	.20			.46	8
9		.13	.01	.10			.04		.39			.03	9
10		.11	.08	.14				.60	.01			.06	10
11		1.14						.02	.01			.03	11
12		.27		.02				.03					12
13		.02	.05	.10						.03		.02	13
14	.04		.08	.11						.20			14
15	.41		.01	.17					.40	.60		.03	15
16	.05	.14	.01	.02					.16	.15			16
17		.03						.08	.01	.04			17
18		.18		.53	.15			.08					18
19		.23		.02					.94	1.15		.59	19
20			.26				.20	.19	.09	.43		.16	20
21		.25	.02				.41		.20	.16		.02	21
22		.08		.17			.75	.04	.65	.85		.90	22
23	.03	.11	.03		.49			.26	.15	.14		.35	23
24		.22	.02	.07	.05			.15	.02	.04	.03	.12	24
25		.43	.12	.21	.04		.19	.02	.22	.12		.15	25
26		.20	.01	.14	.26		.34		.05	.63		.08	26
27	.02	.04			.14		.12		.01	.06	.03	.02	27
28	.05	.24			.05			.02		.16		.21	28
29	.34			.13	.25						.40	.14	29
30	.05	X	.04	.12	.05							.18	30
31	.25	X	.31	X	.10	X			X	.03	X	.03	31
TOTAL	2.60	4.45	1.73	3.35	2.96	nil	2.33	2.58	4.02	4.81	2.32	3.68	34.83
Days with "01 in. or more.	15	3	2	18	4	18	9	14	21	17	10	3	184
Days with "04 in. or more.	1	2	1	1	1	—	9	10	14	14	7	13	142

(Signed) *Arthur Allanson* P.O.



Form 1090.

REGISTER OF RAINFALL IN 1926. 2097

Kept at Burwarton, Lancs.
 in the County of Shropshire
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....1 ft..... in.
 „ Ground „ Sea Level.....89.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.59	.15			.52	.21			.15		.71	.03	1
2	.15	.10				.03			.12	.01	.07	.07	2
3	.25	.10	.17					.02	.01			.03	3
4	.02	.05	.10				.32		.01		.50	.04	4
5	.04	.28	.05		.42		.56	.03	.01		.07	.19	5
6	.27	.18					.44	.19	.08	.13	.43		6
7	.04	.70	.03	.19	.25	.19	.01		.38	.04	.20		7
8	.02	.14	.12	.03	.02		.07	.02	.01	.48	.69		8
9					.05	.35	.03	1.18		.06			9
10			.02		.25	.10	.09	.27		.01	.46		10
11					.10	.31		.10		.01	.01		11
12					.28	.10		.03	.01	.30	.07	.01	12
13	.07				.35	.10		.11	.01	.02	.33	.07	13
14	.15	.13		.28	.49	.29		.04	.01	.11	.02	.15	14
15	.10	.09		.28	.04	.04		.11	.01	.25	.39	.01	15
16	.15	.20		.64		.07		.01			.33	.01	16
17	.18	.04		.05		.54		.01			.55	.06	17
18	.44	.07		.01			.07	.14			.80		18
19		.02		.15	.01		.30	.44			.02	.01	19
20	.01			.07				.10	.01		.75		20
21			.04	.06		.01	.11	.01		.33	.11	.02	21
22	.52	.10	.03	.07						.10	.02		22
23	.21	.04			.56				.01				23
24	.02				.02	.05	.25		.08	.25			24
25	.19			.20			.06		.08	.24	.04	.02	25
26				.02	.16				.25				26
27	.23	.01	.11	.03	.08		.07		.09		.01	.01	27
28	.28			.11	.03		.39		.01	.25	.01		28
29	.02			.10	.21		.08						29
30	.20	X		.25	.01			.66					30
31	.28	X		X	.07	X		.06	X		X		31
TOTAL	4.43	2.40	.67	2.54	3.92	2.39	2.85	3.53	1.34	2.59	6.59	.73	YEARS TOTAL 33.98
Days with .01 in. or more.	24	17	9	17	20	14	15	19	19	16	23	15	208
Days with .04 in. or more.	19	15	6	13	15	12	13	12	8	12	17	6	147

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

2066
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Burwarton
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level 89.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.


Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

32

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	03	17	.	.	.	43	10	01	31	30	.	1
2	.	.	.	20	03	.	.	.	.	03	.	.	2
3	02	02	07	07	01	15	05	.	.	.	.	.	3
4	02	.	15	32	20	15	14	.	.	.	.	03	4
5	07	07	12	05	.	22	20	.	.	.	05	.	5
6	07	.	11	.	.	.	.	01	39	.	10	.	6
7	12	09	.	07	.	31	25	09	.	.	90	.	7
8	04	.	07	59	.	.	.	15	01	.	.	.	8
9	.	.	03	15	.	.	.	28	.	.	05	.	9
10	.	.	27	10	.	17	.	05	.	.	.	10	10
11	01	.	12	09	.	.	26	.	.	.	.	.	11
12	22	.	05	.	04	.	11	.	.	.	.	.	12
13	28	.	04	.	.	09	.	48	27	09	10	05	13
14	04	.	.	.	17	.	05	14	1.07	.	01	45	14
15	.	.	.	02	47	.	.	73	67	.	04	.	15
16	01	.	.	.	27	64	.	45	33	.	.	.	16
17	08	01	.	.	.	.	.	93	14	.	.	01	17
18	.	.	.	.	.	104	.	57	04	04	128	.	18
19	.	35	.	.	.	02	.	17	.	05	87	.	19
20	22	67	.	.	15	14	.	61	12	.	33	.	20
21	.	16	.	.	05	.	25	43	27	66	16	90	21
22	20	21	38	.	.	42	20	46	41	125	38	20	22
23	01	05	25	.	.	27	07	.	35	.	25	54	23
24	16	03	11	01	.	.	34	26	18	05	.	40	24
25	20	17	54	01	.	16	.	.	16	27	.	14	25
26	20	.	12	02	25	15	34	.	08	10	.	.	26
27	16	35	12	.	.	05	09	.	.	05	.	.	27
28	84	34	07	.	.	.	.	.	.	19	50	.	28
29	08	.	32	.	.	15	02	.	40	07	.	.	29
30	10	X	07	.	.	43	11	14	05	06	.	.	30
31	01	X	63	X	05	X	02	.	X	.	X	14	31
TOTAL	318	257	371	170	169	456	293	605	495	321	532	296	YEAR'S TOTAL
Days with "01 in. or more.	23	14	21	13	11	17	17	18	18	14	15	11	192
Days with "04 in. or more.	18	11	20	9	9	16	15	17	16	13	14	9	167



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Burwinton, Gloucestershire
in the County of Gloucestershire

Dec 1000 by sun stn
Obs: 6 ft.
f 92644/29.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. in.
Ground Sea Level 894 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	05	19				08	12			15		1
2	16	19	42	05			02				11		2
3				05	12								3
4	03	71		03			06			15			4
5	19	11		17		14	03		32	60			5
6						05	04					10	6
7	03			17		67		47	10	52	05		7
8	27					27	07	04	40	04			8
9	04		03	03									9
10	20	32	05	05	05	12				73	26		10
11		40	04	24				02		15	12	15	11
12	32	24		51		18					10	10	12
13		18		09		21		18					13
14	13	21		01		13		39		52	47		14
15	14	05				02		03		03	45		15
16	05	21	05		03			10		11	62		16
17	11	05	04	04		03				09			17
18	49			03	60	15				31	03		18
19			15		05	38		12		35	38	48	19
20	27		33	10	17					09	12		20
21	91		49	07	07	08		04	19	39	34		21
22			05					53		10	35	02	22
23	54		19	06	05					40	42		23
24	07		10					22	20	48	27	38	24
25	23					06		04				15	25
26	37				04	29		25		96	04		26
27				04				40	18	16	50		27
28	49		06			19			26			12	28
29	34	31	49			81		13	04	11	06	05	29
30	05	X	25	05		02	56					050	30
31	27	X	12	X		X	39		X		X		31
TOTAL	602	303	305	179	118	380	125	308	169	629	484	205	YEAR'S TOTAL
Days with 01 in. or more.	24	12	17	18	9	18	8	16	8	20	19	910	3787
Days with 04 in. or more.	22	12	16	14	8	16	6	14	8	19	18	89	16162

	May 5 th	May 6 th	May 7.8.9	Year
BURWARTON HOUSE	.67	.95	1.77	35.83
Culmington Manor	.86	.01	.54	32.49
Quatt	.69	.05	.35	28.30
Colons Hall	.67	—	—	—
Suggest	x max fall for May	.05	.77	—

See Survey
quite OK on
survey.
accept.

BDH	30.83	33.98	42.83	30.07	35.83
C.M.	30.18	29.37	34.90	32.30	32.49
Colons Hall	30.25	27.68	34.88	28.61	27.95
Quatt	29.35	24.84	32.95	27.96	26.20

The high
annual reading
for Burwarton
Colons Hall
normal

REGISTER OF RAINFALL IN 1929.

Kept at *Burwarton House Gardens*
in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft. *9* in.
Ground Sea Level *894* ft.

223, 222, 2207
days - 31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		<i>.10</i>				<i>.17</i>		<i>.05</i>		<i>.14</i>			I
2		<i>.55</i>				<i>.24</i>					<i>.10</i>	<i>.23</i>	2
3								<i>.33</i>	<i>.45</i>			<i>.25</i>	3
4				<i>.28</i>	<i>.04</i>	<i>.45</i>	<i>.45</i>	<i>.08</i>		<i>.10</i>	<i>.07</i>	<i>.55</i>	4
5	<i>.02</i>				<i>.67</i>	<i>.25</i>	<i>.34</i>	<i>.32</i>		<i>1.78</i>	<i>.25</i>	<i>.11</i>	5
6	<i>.06</i>				<i>.95</i>	<i>.33</i>		<i>.08</i>		<i>.05</i>	<i>.15</i>	<i>.83</i>	6
7					<i>.70</i>	<i>.01</i>	<i>.02</i>			<i>.36</i>	<i>.24</i>	<i>.52</i>	7
8				<i>.07</i>	<i>.67</i>	<i>.05</i>				<i>.21</i>		<i>.48</i>	8
9					<i>.50</i>		<i>.04</i>	<i>.03</i>		<i>.12</i>	<i>.26</i>	<i>.89</i>	9
10				<i>.01</i>						<i>.07</i>		<i>.38</i>	10
11				<i>.01</i>	<i>.45</i>			<i>.10</i>		<i>.05</i>	<i>1.05</i>	<i>.23</i>	11
12				<i>.20</i>	<i>.15</i>	<i>.94</i>	<i>.33</i>						12
13				<i>.10</i>	<i>.25</i>	<i>.10</i>		<i>.06</i>					13
14	<i>.04</i>			<i>.10</i>	<i>.26</i>	<i>.50</i>						<i>.15</i>	14
15											<i>.47</i>		15
16								<i>.11</i>					16
17								<i>.02</i>		<i>.05</i>			17
18											<i>.49</i>		18
19								<i>.02</i>	<i>.05</i>		<i>.53</i>	<i>.03</i>	19
20											<i>.25</i>	<i>.48</i>	20
21								<i>.05</i>		<i>.50</i>	<i>.03</i>	<i>.12</i>	21
22			<i>.13</i>			<i>.12</i>		<i>.12</i>		<i>.02</i>	<i>.12</i>		22
23							<i>.26</i>				<i>1.00</i>	<i>.48</i>	23
24		<i>.01</i>				<i>.04</i>		<i>.16</i>		<i>1.15</i>	<i>.82</i>	<i>.40</i>	24
25				<i>.23</i>						<i>.03</i>	<i>.22</i>	<i>.25</i>	25
26				<i>.09</i>							<i>.28</i>	<i>.15</i>	26
27	<i>.02</i>									<i>.15</i>	<i>.32</i>		27
28	<i>.25</i>			<i>.25</i>			<i>.26</i>			<i>.11</i>	<i>.88</i>	<i>1.04</i>	28
29	<i>.10</i>			<i>.15</i>					<i>.04</i>	<i>.06</i>	<i>.28</i>	<i>.19</i>	29
30	<i>.05</i>	<i>X</i>							<i>.33</i>		<i>.03</i>		30
31	<i>.56</i>	<i>X</i>		<i>X</i>		<i>X</i>	<i>.54</i>	<i>.23</i>	<i>X</i>		<i>X</i>	<i>.03</i>	31
TOTAL	<i>1.10</i>	<i>.66</i>	<i>.13</i>	<i>1.49</i>	<i>4.57</i>	<i>3.23</i>	<i>2.22</i>	<i>1.73</i>	<i>.87</i>	<i>5.24</i>	<i>7.84</i>	<i>6.78</i>	<i>35.83</i>
Days with ".01 in. or more.	<i>8</i>	<i>3</i>	<i>1</i>	<i>12</i>	<i>10</i>	<i>12</i>	<i>8</i>	<i>15</i>	<i>4</i>	<i>17</i>	<i>21</i>	<i>21</i>	<i>131</i>
Days with ".04 in. or more.	<i>6</i>	<i>2</i>	<i>1</i>	<i>9</i>	<i>10</i>	<i>12</i>	<i>7</i>	<i>12</i>	<i>4</i>	<i>15</i>	<i>19</i>	<i>19</i>	<i>115</i>

Section

A

for the entry of Daily Observations.

2259
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Burton-on-Trent*
in the County of *Shropshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *9* ft. *9* in.,, Ground ,, Sea Level *894* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.06</i>	<i>.29</i>		<i>.48</i>		<i>.24</i>		<i>.10</i>			<i>.60</i>		1
2		<i>.04</i>	<i>.06</i>	<i>.10</i>		<i>.03</i>		<i>.22</i>			<i>.30</i>		2
3	<i>.39</i>	<i>.10</i>		<i>.50</i>			<i>.03</i>	<i>.24</i>		<i>.48</i>	<i>.10</i>		3
4	<i>.33</i>		<i>.07</i>	<i>.47</i>	<i>.12</i>			<i>.15</i>		<i>.10</i>	<i>.12</i>		4
5	<i>.07</i>		<i>.88</i>	<i>.07</i>	<i>.28</i>			<i>.13</i>		<i>.14</i>			5
6		<i>.04</i>	<i>.43</i>		<i>.45</i>		<i>.01</i>		<i>.33</i>	<i>.15</i>			6
7	<i>.14</i>							<i>.09</i>		<i>.14</i>		<i>.04</i>	7
8		<i>.03</i>					<i>.02</i>	<i>.03</i>	<i>.39</i>	<i>.15</i>			8
9	<i>.84</i>		<i>.42</i>	<i>.32</i>	<i>.36</i>			<i>.02</i>	<i>.05</i>	<i>.08</i>	<i>.04</i>	<i>.04</i>	9
10	<i>.90</i>		<i>.30</i>		<i>.13</i>	<i>.06</i>	<i>.07</i>	<i>.20</i>				<i>.50</i>	10
11	<i>.04</i>		<i>.04</i>	<i>.04</i>	<i>.06</i>					<i>.05</i>		<i>.65</i>	11
12	<i>.44</i>		<i>.06</i>		<i>.08</i>			<i>.13</i>				<i>.23</i>	12
13	<i>.14</i>		<i>.34</i>	<i>.20</i>	<i>.09</i>		<i>.09</i>	<i>.11</i>	<i>.53</i>			<i>.15</i>	13
14	<i>1.00</i>	<i>.04</i>	<i>.60</i>	<i>.10</i>	<i>.02</i>		<i>.50</i>	<i>.03</i>	<i>.03</i>	<i>.07</i>		<i>.07</i>	14
15		<i>.28</i>	<i>.92</i>				<i>.36</i>			<i>.33</i>	<i>.30</i>	<i>.28</i>	15
16	<i>.02</i>				<i>.03</i>		<i>.10</i>		<i>.33</i>	<i>.09</i>		<i>.19</i>	16
17				<i>.09</i>	<i>.07</i>				<i>.93</i>	<i>.04</i>		<i>.15</i>	17
18			<i>.03</i>	<i>.03</i>		<i>.09</i>	<i>.12</i>	<i>.05</i>	<i>.04</i>	<i>.04</i>	<i>.12</i>	<i>.03</i>	18
19			<i>.18</i>	<i>.30</i>	<i>.03</i>	<i>.05</i>		<i>.04</i>	<i>.40</i>	<i>.12</i>	<i>.18</i>		19
20			<i>.09</i>	<i>.04</i>		<i>.04</i>	<i>1.50</i>	<i>.09</i>	<i>.35</i>		<i>.26</i>		20
21	<i>.02</i>		<i>.40</i>			<i>.06</i>	<i>.35</i>	<i>.49</i>	<i>.05</i>	<i>.06</i>	<i>.12</i>		21
22	<i>.44</i>						<i>.16</i>	<i>.12</i>		<i>.15</i>	<i>.28</i>		22
23	<i>.05</i>			<i>.11</i>	<i>.04</i>		<i>.30</i>	<i>.35</i>	<i>.04</i>	<i>.07</i>	<i>.02</i>	<i>.09</i>	23
24	<i>.40</i>			<i>.25</i>	<i>.04</i>	<i>.10</i>		<i>.34</i>	<i>.04</i>	<i>.10</i>	<i>.45</i>	<i>.04</i>	24
25		<i>.03</i>		<i>.32</i>			<i>.04</i>		<i>.30</i>	<i>.15</i>	<i>.18</i>	<i>.08</i>	25
26	<i>1.10</i>			<i>.18</i>	<i>.37</i>		<i>.05</i>		<i>.02</i>	<i>.03</i>	<i>.04</i>	<i>.37</i>	26
27	<i>.04</i>	<i>.06</i>	<i>.08</i>	<i>.03</i>	<i>.04</i>	<i>.03</i>	<i>.11</i>			<i>.04</i>		<i>.25</i>	27
28	<i>.07</i>						<i>.25</i>			<i>.03</i>	<i>.42</i>	<i>.30</i>	28
29			<i>.12</i>				<i>.27</i>	<i>.07</i>		<i>.03</i>	<i>.06</i>	<i>.25</i>	29
30		<i>X</i>			<i>.15</i>	<i>.23</i>	<i>.30</i>		<i>.02</i>	<i>.12</i>		<i>.42</i>	30
31	<i>.46</i>	<i>X</i>	<i>.05</i>	<i>X</i>	<i>.22</i>	<i>X</i>	<i>.02</i>	<i>.02</i>	<i>X</i>	<i>.16</i>	<i>X</i>	<i>.30</i>	31
TOTAL	<i>6.95</i>	<i>.94</i>	<i>4.57</i>	<i>3.63</i>	<i>2.58</i>	<i>.93</i>	<i>4.59</i>	<i>3.35</i>	<i>4.14</i>	<i>2.85</i>	<i>3.59</i>	<i>4.39</i>	YEAR'S TOTAL
*Days with or in. or more.	<i>20</i>	<i>9</i>	<i>18</i>	<i>18</i>	<i>18</i>	<i>10</i>	<i>20</i>	<i>21</i>	<i>16</i>	<i>25</i>	<i>17</i>	<i>20</i>	
*Days with .04 in. or more.	<i>18</i>	<i>7</i>	<i>17</i>	<i>16</i>	<i>15</i>	<i>8</i>	<i>15</i>	<i>17</i>	<i>13</i>	<i>21</i>	<i>16</i>	<i>18</i>	

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. J. Watson

P.T.O.

Kept at Knighton
in the County of Shropshire
by A. C. Jones

CHESWARDINE
KNIGHTON RES
SHROPSHIRE
1921-1930

IMPORTANT NOTE.
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the
sent post-free on application
Square, London, N.W. 1, or to

ANIZATION.

53°-40'W
near West Drayton 6m N.W.
a Gauge 8" in.
ve Ground 1 ft. in.
Sea Level 3.5 ft.
ntered to the previous day.
sted to add
t the end of
rain gauges,
Observers,"
62, Camden
Edinburgh.

Jan. 1, following:

12

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.04	—	—	—	—	—	.24	—	—	.03	.02	1
2	.01	—	.05	—	.03	—	—	.45	.22	.04	.81	—	2
3	.03	—	—	—	.02	—	—	.09	—	1.98	.24	—	3
4	.04	—	.04	—	—	.05	—	.02	—	.03	.04	—	4
5	.04	—	—	—	.05	.03	—	.46	—	—	.18	.04	5
6	.10	—	.02	—	—	—	.02	—	—	—	.01	.02	6
7	.06	—	—	—	.07	—	—	.64	—	—	.14	—	7
8	.04	—	—	—	.08	—	—	—	—	—	—	.02	8
9	.09	—	—	.03	.03	—	—	.04	—	—	—	—	9
10	.04	—	—	.04	—	—	—	.57	—	—	—	.05	10
11	.23	—	—	—	—	—	—	.26	.07	—	—	.01	11
12	.25	—	—	—	.32	—	—	.05	.20	—	—	.10	12
13	.04	.02	.24	.40	—	—	—	—	.14	—	.02	—	13
14	—	—	.33	.27	.13	—	—	.09	.10	.06	—	.31	14
15	—	—	—	.09	—	—	—	.03	—	—	—	—	15
16	—	.04	.04	.40	—	—	.08	.04	—	—	.41	—	16
17	.05	—	.03	.08	—	—	—	.03	—	—	—	—	17
18	.50	—	.04	.36	—	—	—	—	—	—	.01	—	18
19	.04	—	.07	—	—	.11	—	—	—	.10	.03	.02	19
20	—	—	.02	—	—	.09	—	—	—	—	.01	.01	20
21	—	—	—	.06	—	—	—	.05	—	.08	.14	.08	21
22	—	—	.11	—	—	—	.02	—	—	.40	—	.27	22
23	.06	—	.04	.05	—	—	.03	—	—	.05	—	.06	23
24	—	—	—	—	—	—	—	—	—	—	—	.27	24
25	.09	.09	.02	.03	—	—	.42	—	—	—	—	—	25
26	.02	.26	.03	—	—	—	—	—	—	—	—	.22	26
27	—	—	.04	—	.04	.04	—	—	—	—	.02	.50	27
28	—	—	.15	—	.09	—	—	.90	—	—	.01	.04	28
29	.08	—	—	—	.29	—	—	—	—	—	—	.04	29
30	—	—	—	—	—	—	.04	—	—	—	.03	.32	30
31	.32	—	—	—	.06	—	.04	.03	—	.04	—	.05	31
TOTAL	2.54	.45	1.30	1.81	1.21	.35	.65	3.99	.76	2.87	2.13	2.54	YEAR'S TOTAL 20.54
Days with ".01 in. or more	21	5	16	11	12	5	4	14	5	9	16	20	144
Days with ".04 in. or more	18	4	11	9	9	4	4	13	5	8	4	14	106

Time of Observation 9 a.m.

Nearest Railway Station *Mar. bet. Dayton & N.W.*

Diameter of Funnel of Rain Gauge.....8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Sea Level 3.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

12

Records taken in Millimetres should not be entered on this form.

(65,296). Wt. 21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

H. C. Jones

REGISTER OF RAINFALL IN 1922.

Kept at Knighton Reservoir
in the County of Salop
by H.C. Jones (Engineer)
Shropshire Union Ry & Canal Co
Chester

Lat. 52° 51' 9" N Long. 2° 23' 40" W
Time of Observation 9 am
Nearest Railway Station Market Drayton 6 m NW
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " End Datum 3.51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.26	.43	.	.09	.	.20	.10	.64	.	.19	.04	1
2	.41	.19	.04	.	.03	.	.17	.01	.	.	.	.03	2
3	.03	.12	.28	.	.11	.	.07	.31	.	.02	.	.01	3
4	.	.12	.09	.	.27	.	.10	.	.	.08	.12	.	4
5	.08	.	.13	.31	.	.	.96	.	.	.02	.29	.	5
6	.23	.	.29	.03	.	.	.11	.32	.	.	.30	.03	6
7	.18	.	.41	.07	.	.	.20	.12	.	.	.01	.01	7
8	.01	.	.08	.04	.	.	.34	.62	.	.	.05	.09	8
9	.06	.	.02	.04	.	.	.12	.23	.	.	.02	.	9
10	.	.	.	.	.	.	.	.	.	.	.05	.	10
11	.06	.	.	.	.	.	.	.	.	.	.	.	11
12	.	.	.	.09	.	.12	.15	.41	.46	.	.	.	12
13	.52	.	.	.17	.	.01	.21	.01	.	.	.	.	13
14	.	.01	.	.14	.	.	.10	.	.22	.	.	.27	14
15	.55	.11	.	.10	.	.	.	.	.02	.	.	.02	15
16	.99	.10	.	.04	.15	.	.14	.58	.03	.	.	.07	16
17	.	.	.	.	.02	.	.41	.	.	.	.	.29	17
18	.21	.06	.	.	.03	.	.	.	.29	.02	.	.06	18
19	.02	.19	.11	.	.02	.	.	.	.21	.11	.	.98	19
20	.01	.03	.	.	.	.	.	.	.	.	.	1.98	20
21	.02	.05	.02	.07	.	.	.26	.08	.	.	.	.30	21
22	.01	.09	.	.	.16	.15	.03	.32	.	.	.	.10	22
23	.	.01	.	.15	.02	.04	.23	.	.	.	.	.13	23
24	.02	.	.18	.04	.	.15	.	.15	.	.	.	.04	24
25	.24	.05	.01	.45	.	.04	.	.01	.23	.	.	.07	25
26	.14	.25	.01	.13	.	.03	.13	.	.09	.01	.12	.08	26
27	.11	.48	.05	.14	.	.01	.	.14	.11	.	.04	.22	27
28	.03	.42	.	.	.	.01	.	.08	.32	.	.01	.07	28
29	.	.	.	.	.	.10	.04	.	.	.	.	.21	29
30	.10	X	.15	.03	.	.02	.	.21	.24	.	.05	.08	30
31	.32	X	.	X	.	X	.07	.15	X	.15	X	.02	31
TOTAL	4.50	2.54	2.30	2.04	.90	.68	4.07	3.88	2.89	.41	1.25	5.20	YEAR'S TOTAL
Days with .01 in. or more	24	14	16	14	10	11	20	18	12	4	12	24	188
Days with .04 in. or more	16	14	12	15	5	6	19	15	10	3	9	18	142

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Knighton Reservoir
in the County of Salop
by L. M. S. R. (S. U. Canal Section)
Lower Wharf, Chester.

Lat. 52° 51' 9" N Long. 2° 23' 40" W
Time of Observation 9 a.m.
Nearest Railway Station Market Drayton 6 m. NW.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 351 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	03	16	.	04	.	02	04	08	01	.	23	1
2	28	01	03	01	03	.	04	(10)	.	10	04	.	2
3	01	.	25	.	.	04	.	.	23	42	05	10	3
4	.	.	.	01	.	04	.	.	03	03	.	04	4
5	50	.	10	01	41	11	.	.	.	04	.	.	5
6	42	23	16	14	.	09	.	05	03	08	.	.	6
7	04	30	14	02	.	.	02	01	04	19	.	15	7
8	12	24	.	.	.	01	.	.	.	46	10	04	8
9	02	29	.	.	11	04	05	08	.	.	14	.	9
10	21	18	.	24	05	02	02	.	.	31	.	.	10
11	06	13	.	21	65	.	.	.	.	09	.	.	11
12	.	34	05	69	08	02	63	.	.	23	05	03	12
13	.	30	.	08	11	.	.	.	04	12	84	.	13
14	01	01	.	03	06	.	12	15	06	05	01	02	14
15	13	18	02	02	16	13	10	.	.	.	24	.	15
16	04	13	.	.	24	.	.	08	20	02	23	.	16
17	05	34	.	.	09	01	.	04	19	.	02	.	17
18	04	24	.	.	03	06	.	30	05	10	19	10	18
19	10	.	.	.	04	01	22	04	24	.	01	04	19
20	11	14	.	.	03	.	.	09	60	03	04	08	20
21	02	.	.	.	01	04	.	06	04	13	.	44	21
22	01	22	04	.	44	.	.	03	.	04	.	09	22
23	.	04	.	.	06	.	59	36	26	13	.	11	23
24	.	30	.	11	05	02	21	.	13	19	.	02	24
25	.	34	.	08	06	05	03	38	04	23	.	39	25
26	.	31	05	04	01	.	02	14	.	31	.	30	26
27	.	12	33	.	36	.	49	10	.	22	.	34	27
28	05	01	01	02	05	.	19	09	.	.	05	.	28
29	17	.	.	01	04	.	17	89	.	10	.	21	29
30	01	X	14	20	.	01	21	01	.	06	10	86	30
31	.	X	11	X	.	X	62	.	X	.	X	43	31
TOTAL	2.51	4.54	1.62	1.95	3.24	.79	3.45	3.04	2.35	3.42	2.20	4.11	YEAR'S TOTAL 33.91
Days with "1 in. or more	22	23	14	17	24	16	18	20	16	25	15	20	230
Days with "4 in. or more	1	19	11	9	19	9	13	14	14	21	12	14	178

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Knighton Reservoir
in the County of Salop
H. G. Jones (Engineer) L.M.S.R.
by S. U. Canal Section
Chester

Lat. 52° 51' 9" N Long. 2° 23' 40" W
Time of Observation 9 am
Nearest Railway Station Market Drayton 6 m N.W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 3.51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	08	.	05	61	15	27	.	.	24	.	1
2	03	.	03	.	03	43	02	01	.	01	02	02	2
3	.	.	13	.	04	04	09	17	.	.	.	.	3
4	.	.	.	.	16	13	02	02	.	.	.	46	4
5	.	05	39	.	22	02	14	.	07	12	.	04	5
6	.	03	.	.	19	09	.	05	29	21	.	.	6
7	02	.	.	.	17	17	02	.	25	50	.	01	7
8	.	.	.	02	08	22	.	.	10	.	.	.	8
9	14	07	.	11	02	12	.	.	85	12	.	.	9
10	02	01	.	22	09	13	.	.	03	28	.	.	10
11	30	.	.	23	16	09	.	01	.	.	29	.	11
12	06	09	.	.	05	18	.	01	05	01	.	.	12
13	14	.	.	51	04	.	.	.	19	.	.	15	13
14	.	.	.	08	.	.	.	08	01	.	.	04	14
15	.	.	.	.	02	.	02	03	10	.	.	19	15
16	01	.	.	.	.	.	.	43	06	.	.	.	16
17	13	13	.	.	.	11	32	38	21	.	.	.	17
18	13	10	.	.	17	.	14	02	.	38	.	.	18
19	02	.	.	.	13	08	01	.	10	06	.	02	19
20	15	02	.	.	26	08	70	18	23	08	.	.	20
21	52	01	.	.	08	13	52	57	01	55	.	.	21
22	37	.	26	05	.	.	.	19	13	.	02	04	22
23	07	02	20	13	01	.	08	35	26	.	.	21	23
24	09	20	02	02	23	.	02	13	09	.	.	17	24
25	.	.	.	12	14	.	28	06	28	.	04	03	25
26	08	.	.	08	01	.	10	07	21	47	44	27	26
27	.	02	.	19	.	.	40	01	.	21	06	16	27
28	02	.	.	02	.	07	65	30	.	11	05	.	28
29	01	13	.	45	04	01	06	24	01	111	10	36	29
30	.	X	.	33	33	08	01	23	35	12	06	23	30
31	.	X	.	X	191	X	07	06	X	.	X	21	31
TOTAL	231	88	111	256	463	279	382	387	388	434	132	261	YEAR'S TOTAL 3412
Days with 01 in. or more.	19	13	7	15	25	19	21	24	22	16	10	17	208
Days with 04 in. or more	12	7	5	12	20	14	14	17	18	14	8	13	157

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

2123

Kept at *Knighton Reservoir*
in the County of *Salop*

Diameter of Funnel of Gauge *8* in.

Height of top of Gauge above Ground *1* ft. — in.

Ground *351* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.53</i>	—	<i>.26</i>	—	<i>.03</i>	—	—	<i>.55</i>	<i>.02</i>	—	<i>.05</i>	—	1
2	<i>.14</i>	<i>.04</i>	—	—	—	—	—	—	<i>.08</i>	—	<i>.11</i>	—	2
3	<i>.13</i>	—	—	—	<i>.04</i>	—	<i>.05</i>	<i>.18</i>	<i>.07</i>	<i>.06</i>	<i>.06</i>	—	3
4	<i>.14</i>	—	—	<i>.03</i>	<i>.21</i>	—	—	—	<i>.13</i>	<i>.07</i>	<i>.06</i>	—	4
5	—	<i>.45</i>	—	<i>.24</i>	<i>.08</i>	—	—	<i>.17</i>	<i>.40</i>	—	<i>.10</i>	—	5
6	—	<i>.05</i>	<i>.02</i>	—	<i>.09</i>	—	<i>.64</i>	<i>.08</i>	<i>.01</i>	—	<i>.30</i>	—	6
7	—	<i>.15</i>	<i>.05</i>	—	<i>.26</i>	—	—	<i>.05</i>	<i>.03</i>	—	<i>.27</i>	<i>.03</i>	7
8	<i>.07</i>	<i>.01</i>	<i>.08</i>	—	<i>.33</i>	—	—	<i>.35</i>	<i>.26</i>	—	—	<i>.20</i>	8
9	—	<i>.14</i>	—	—	<i>.25</i>	—	<i>.04</i>	<i>.01</i>	<i>.22</i>	—	<i>.04</i>	<i>.03</i>	9
10	—	<i>.03</i>	<i>.06</i>	—	—	—	—	<i>.39</i>	<i>.02</i>	—	—	<i>.04</i>	10
11	—	<i>.85</i>	—	—	<i>.02</i>	—	—	<i>.01</i>	<i>.03</i>	—	—	<i>.02</i>	11
12	—	<i>.16</i>	—	<i>.03</i>	<i>.02</i>	—	—	<i>.08</i>	—	<i>.19</i>	—	—	12
13	—	<i>.05</i>	<i>.13</i>	<i>.11</i>	—	<i>.01</i>	—	<i>.03</i>	—	<i>.07</i>	—	<i>.03</i>	13
14	<i>.27</i>	—	<i>.05</i>	<i>.11</i>	—	—	—	—	—	<i>.01</i>	—	—	14
15	—	—	—	<i>.16</i>	—	<i>.01</i>	—	—	<i>.55</i>	<i>.48</i>	—	—	15
16	<i>.04</i>	<i>.10</i>	<i>.03</i>	<i>.10</i>	—	<i>.01</i>	—	—	<i>.24</i>	—	—	—	16
17	—	<i>.11</i>	—	—	<i>.02</i>	—	<i>.01</i>	—	<i>.03</i>	<i>.01</i>	—	—	17
18	—	<i>.26</i>	—	<i>.13</i>	<i>.18</i>	—	—	—	—	—	—	—	18
19	—	<i>.01</i>	—	—	<i>.03</i>	—	—	—	<i>.68</i>	<i>.64</i>	—	<i>.16</i>	19
20	—	—	<i>.09</i>	—	<i>.02</i>	—	<i>.10</i>	<i>.04</i>	<i>.22</i>	<i>.34</i>	—	<i>.20</i>	20
21	—	<i>.10</i>	—	—	—	—	<i>.13</i>	<i>.13</i>	<i>.20</i>	<i>.09</i>	—	<i>.01</i>	21
22	—	<i>.10</i>	—	<i>.12</i>	<i>.02</i>	—	<i>1.00</i>	<i>.10</i>	<i>.35</i>	<i>.46</i>	—	<i>.41</i>	22
23	<i>.01</i>	<i>.04</i>	<i>.06</i>	—	<i>.98</i>	—	—	—	<i>.67</i>	<i>.06</i>	—	<i>.06</i>	23
24	—	<i>.16</i>	—	—	<i>.04</i>	—	—	<i>.30</i>	<i>.01</i>	—	<i>.14</i>	—	24
25	—	<i>.28</i>	—	<i>.07</i>	<i>.07</i>	—	<i>.19</i>	—	<i>.26</i>	<i>.12</i>	—	<i>.22</i>	25
26	—	<i>.06</i>	—	<i>.07</i>	<i>.28</i>	—	<i>.22</i>	<i>.04</i>	<i>.08</i>	<i>.51</i>	<i>.04</i>	<i>.07</i>	26
27	<i>.04</i>	<i>.14</i>	<i>.02</i>	—	<i>.11</i>	—	<i>.31</i>	—	<i>.01</i>	<i>.05</i>	—	<i>.04</i>	27
28	<i>.12</i>	<i>.34</i>	<i>.05</i>	<i>.04</i>	<i>.13</i>	—	<i>.10</i>	—	<i>.01</i>	<i>.41</i>	—	<i>.25</i>	28
29	<i>.15</i>	—	<i>.08</i>	<i>.14</i>	<i>.19</i>	—	<i>.05</i>	—	—	—	<i>.34</i>	<i>.08</i>	29
30	<i>.01</i>	X	—	<i>.02</i>	<i>.02</i>	—	<i>.03</i>	—	—	—	<i>.05</i>	<i>.04</i>	30
31	<i>.36</i>	X	<i>.09</i>	X	<i>.01</i>	X	—	<i>.05</i>	X	<i>.03</i>	X	<i>.02</i>	31
TOTAL	<i>2.01</i>	<i>3.63</i>	<i>1.07</i>	<i>1.37</i>	<i>3.43</i>	<i>.03</i>	<i>2.87</i>	<i>2.56</i>	<i>4.58</i>	<i>3.60</i>	<i>1.56</i>	<i>1.91</i>	YEAR'S TOTAL <i>28.62</i>
Days with ≥1 in. or more.	<i>13</i>	<i>22</i>	<i>14</i>	<i>14</i>	<i>24</i>	<i>3</i>	<i>13</i>	<i>17</i>	<i>24</i>	<i>17</i>	<i>12</i>	<i>18</i>	<i>191</i>
Days with ≥.04 in. or more.	<i>11</i>	<i>19</i>	<i>11</i>	<i>11</i>	<i>15</i>	<i>0</i>	<i>11</i>	<i>14</i>	<i>15</i>	<i>14</i>	<i>12</i>	<i>12</i>	<i>145</i>

(Signed) *For Canal Engineer* [P.O.]
FW Massey

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at *Knoughton Reservoir*
in the County of *Salop*
Diameter of Funnel of Gauge.....*8* in.
Height of top of Gauge above Ground.....ft.....in.
" Ground.....*Ord. Datum 351*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.35</i>	<i>.11</i>	—	—	<i>.18</i>	<i>.14</i>	—	—	<i>.40</i>	—	<i>.89</i>	<i>.05</i>	1
2	<i>.07</i>	<i>.10</i>	—	—	—	<i>.02</i>	—	—	<i>.05</i>	—	<i>.04</i>	<i>.06</i>	2
3	<i>.29</i>	<i>.09</i>	<i>.24</i>	—	—	—	—	—	—	—	—	<i>.14</i>	3
4	—	<i>.02</i>	<i>.21</i>	—	—	—	<i>.08</i>	—	<i>.02</i>	—	<i>.18</i>	—	4
5	<i>.07</i>	<i>.27</i>	<i>.02</i>	—	<i>.29</i>	—	<i>.23</i>	<i>.14</i>	<i>.11</i>	—	<i>.02</i>	<i>.27</i>	5
6	<i>.24</i>	<i>.26</i>	<i>.03</i>	—	<i>.03</i>	—	<i>.07</i>	<i>.04</i>	<i>.09</i>	<i>.07</i>	<i>.24</i>	<i>.01</i>	6
7	<i>.02</i>	<i>.77</i>	—	<i>.25</i>	<i>.21</i>	<i>.22</i>	—	—	<i>.10</i>	—	<i>.17</i>	—	7
8	—	—	<i>.07</i>	<i>.01</i>	<i>.02</i>	<i>.04</i>	<i>.16</i>	—	<i>.02</i>	<i>.46</i>	<i>.48</i>	—	8
9	—	—	<i>.01</i>	—	—	<i>.13</i>	<i>.05</i>	<i>.80</i>	—	<i>.01</i>	—	—	9
10	—	—	—	—	<i>.12</i>	<i>.07</i>	<i>.03</i>	<i>.22</i>	—	<i>.04</i>	<i>.35</i>	—	10
11	—	—	—	—	<i>.01</i>	<i>.04</i>	—	<i>.06</i>	<i>.07</i>	<i>.02</i>	—	—	11
12	—	—	—	—	<i>.38</i>	<i>.17</i>	—	<i>.15</i>	<i>.05</i>	<i>.38</i>	<i>.07</i>	—	12
13	<i>.02</i>	—	—	—	<i>.34</i>	—	—	—	—	<i>.13</i>	<i>.16</i>	<i>.07</i>	13
14	<i>.02</i>	<i>.27</i>	—	<i>.26</i>	<i>.33</i>	<i>.24</i>	—	<i>.09</i>	<i>.05</i>	<i>.03</i>	<i>.09</i>	<i>.07</i>	14
15	<i>.03</i>	<i>.05</i>	—	<i>.07</i>	<i>.24</i>	<i>.67</i>	—	<i>.05</i>	—	<i>.10</i>	<i>.23</i>	<i>.01</i>	15
16	—	<i>.04</i>	—	<i>.45</i>	—	<i>.17</i>	—	—	—	—	<i>.50</i>	—	16
17	<i>.16</i>	<i>.05</i>	—	<i>.05</i>	—	<i>.04</i>	—	<i>.05</i>	—	—	<i>.36</i>	<i>.01</i>	17
18	<i>.31</i>	<i>.11</i>	—	<i>.09</i>	<i>.20</i>	—	<i>.34</i>	<i>.21</i>	—	—	<i>.18</i>	<i>.05</i>	18
19	—	—	—	<i>.02</i>	—	—	<i>.45</i>	<i>.13</i>	<i>.02</i>	—	—	—	19
20	—	—	<i>.01</i>	<i>.08</i>	—	—	—	<i>.06</i>	<i>.01</i>	—	<i>.44</i>	—	20
21	<i>.08</i>	—	<i>.02</i>	<i>.01</i>	—	—	<i>.39</i>	<i>.02</i>	—	<i>.17</i>	<i>.10</i>	—	21
22	<i>.21</i>	<i>.30</i>	<i>.01</i>	<i>.02</i>	—	—	—	—	—	—	<i>.01</i>	—	22
23	<i>.09</i>	<i>.01</i>	—	—	—	—	—	—	<i>.04</i>	—	—	—	23
24	<i>.08</i>	—	—	—	<i>.03</i>	—	<i>.10</i>	<i>.01</i>	<i>.20</i>	<i>.25</i>	—	—	24
25	<i>.11</i>	—	<i>.03</i>	<i>.14</i>	—	—	<i>.07</i>	—	<i>.06</i>	<i>.15</i>	<i>.07</i>	—	25
26	—	—	—	<i>.03</i>	<i>.24</i>	—	—	—	<i>.22</i>	—	—	—	26
27	<i>.13</i>	<i>.05</i>	—	<i>.05</i>	<i>.18</i>	—	<i>.04</i>	—	<i>.23</i>	—	—	<i>.02</i>	27
28	<i>.14</i>	—	—	<i>.01</i>	<i>.10</i>	—	<i>.31</i>	—	<i>.01</i>	<i>.14</i>	—	<i>.03</i>	28
29	<i>.02</i>	—	—	<i>.10</i>	<i>.25</i>	—	<i>.08</i>	—	—	—	—	—	29
30	<i>.16</i>	X	—	<i>.04</i>	<i>.17</i>	—	—	<i>.37</i>	—	—	—	—	30
31	<i>.15</i>	X	—	X	—	X	—	—	X	—	X	<i>.01</i>	31
TOTAL	<i>2.75</i>	<i>2.50</i>	<i>.65</i>	<i>1.68</i>	<i>3.32</i>	<i>1.95</i>	<i>2.40</i>	<i>2.40</i>	<i>1.75</i>	<i>1.95</i>	<i>4.63</i>	<i>.80</i>	YEAR'S TOTAL <i>26.78</i>
Days with ".01 in. or more.	<i>21</i>	<i>15</i>	<i>10</i>	<i>17</i>	<i>18</i>	<i>12</i>	<i>14</i>	<i>15</i>	<i>18</i>	<i>13</i>	<i>19</i>	<i>13</i>	<i>185</i>
Days with ".04 in. or more.	<i>16</i>	<i>13</i>	<i>3</i>	<i>11</i>	<i>14</i>	<i>11</i>	<i>13</i>	<i>13</i>	<i>13</i>	<i>10</i>	<i>17</i>	<i>7</i>	<i>141</i>

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

2099
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Knighton Reservoir
in the County of Salop
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level.....351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			18				05			20	42		1
2	04		11	16	03					01			2
3	07		06	02		07	04				02		3
4	25		08	12	14	05	06				09		4
5	05	11	11	20		38	09				03		5
6					13	18	10	07	33		38		6
7	10	09	05	12		15	01	01					7
8	05		01	86		02		22	05			01	8
9				16				18			06	04	9
10						08	14	15	02				10
11				11		01	56	03					11
12	06		01		11		08	58					12
13	05		11	02	03			13	25	07	19	02	13
14	02			03	15			18	62		06	26	14
15					49		18	06	10		03		15
16					17	71		28	21	02			16
17						14		59	07				17
18						67		43	05	03	78		18
19		22				15	04	30		09	17		19
20	24	28			10	17	14	29	10		16	24	20
21	04	08			11	01	09	48	21	44	10	33	21
22	10	06	16	10		12	10	12	18	98	20		22
23			14			52	01	03	08		24	30	23
24	23		36	08		14	37	20	16	03		49	24
25	18	21	28	07		24			02	40			25
26	14	26	06			07	18		06	15			26
27	18	25	08			19	25			17			27
28	40	09	16					02	02		50		28
29	02		15			09	03		30	03			29
30	02	X	05			46	02	13					30
31		X	49	X	03	X	01	02	X	02	X	03	31
TOTAL	224	165	265	203	149	462	255	450	283	264	343	172	3234
Days with "01 in. or more.	19	10	14	13	11	22	21	22	18	14	16	9	194
Days with "04 in. or more.	16	10	17	10	8	19	16	17	15	8	13	6	155

YEAR'S TOTAL

Section **A**

for the entry of Daily Observations.

2172
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Knights Reservoir
in the County of Salop

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " Ground — Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6.5	0.4	0.3	—	—	—	1.3	—	—	0.2	—	—	1
2	0.8	2.5	2.0	0.7	—	—	—	—	—	—	0.8	—	2
3	—	0.3	—	0.4	—	—	—	—	—	—	—	—	3
4	2.0	4.8	—	1.4	—	—	1.6	—	—	2.0	—	—	4
5	1.4	1.3	0.2	0.1	—	0.9	1.1	—	6.0	3.1	—	—	5
6	—	—	1.5	—	—	3.6	—	—	—	0.1	—	1.1	6
7	0.5	0.1	—	2.5	—	4.4	—	4.9	0.7	4.2	0.1	1.2	7
8	—	0.2	—	—	—	2.5	1.0	—	1.2	0.9	—	—	8
9	1.0	—	—	0.1	—	0.7	—	—	0.2	3.5	—	—	9
10	1.4	2.1	0.1	—	0.9	2.5	—	—	—	5.2	2.1	0.1	10
11	—	3.6	—	1.4	—	0.2	—	0.2	—	0.8	5.0	1.2	11
12	1.7	3.1	1.1	2.3	—	2.2	—	0.3	—	—	2.0	0.7	12
13	—	0.1	—	0.3	—	4.0	—	3.6	—	—	0.3	—	13
14	1.2	2.0	—	—	—	0.2	—	0.8	—	3.7	3.9	—	14
15	1.6	0.7	—	—	0.7	0.1	—	1.2	—	0.3	1.6	0.4	15
16	—	1.5	1.9	—	0.3	—	—	—	—	2.5	3.5	1.4	16
17	0.2	—	0.1	0.2	5.2	1.0	—	—	0.1	0.2	—	—	17
18	8.9	—	—	0.3	1.0	0.9	—	—	0.1	3.0	0.2	1.0	18
19	—	—	0.4	0.1	1.7	0.3	—	1.16	—	1.9	5.0	2.6	19
20	1.4	—	2.7	1.5	0.7	—	—	0.1	—	—	2.0	—	20
21	8.3	—	1.1	0.2	0.1	0.6	—	1.3	0.7	0.9	1.0	0.1	21
22	—	—	0.3	—	—	—	0.1	5.0	—	—	3.0	1.2	22
23	5.4	—	0.4	1.0	0.2	—	0.2	—	—	2.7	1.5	—	23
24	0.2	—	1.3	—	—	—	2.2	1.2	1.3	1.4	3.1	2.4	24
25	2.3	—	—	—	—	0.5	0.2	1.4	—	—	2.5	1.2	25
26	1.5	—	0.2	—	0.6	1.6	0.5	3.4	—	3.3	5.0	0.1	26
27	0.3	—	—	—	—	—	0.4	2.5	0.7	0.9	0.6	1.6	27
28	2.5	0.2	1.0	—	—	1.4	—	0.1	0.9	—	—	3.6	28
29	3.8	2.1	1.3	—	—	5.0	0.6	3.4	—	1.6	0.8	1.7	29
30	—	X	0.6	0.9	—	—	4.3	—	—	0.6	0.2	6.3	30
31	1.8	X	—	X	—	X	3.2	0.4	X	—	X	—	31
TOTAL	5.50	2.50	1.65	1.34	1.14	3.26	1.67	4.14	1.19	4.30	4.42	2.79	33.90
Days with "01 in. or more.	22	16	18	16	10	19	13	17	10	22	21	18	202
Days with "04 in. or more.	19	11	12	9	7	15	10	13	7	18	17	15	153
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1929.

Kept at Loughlin Reservoir
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
„ Ground „ at Station 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	03	—	03	—	15	—	30	01	35	—	02	1
2	—	30	—	—	—	02	—	03	—	—	14	11	2
3	—	—	—	—	04	11	—	46	25	—	02	08	3
4	—	01	—	20	29	03	34	07	—	12	02	42	4
5	01	—	—	—	59	19	60	61	—	1.10	37	02	5
6	08	—	—	—	04	30	05	52	—	11	07	30	6
7	—	—	—	—	31	—	—	—	—	18	36	17	7
8	—	17	—	05	02	—	—	01	—	41	—	47	8
9	30	15	—	—	—	—	11	—	—	06	31	34	9
10	05	—	—	—	—	—	05	04	—	17	01	36	10
11	—	—	—	—	35	—	01	—	—	—	1.55	05	11
12	—	—	—	01	13	43	28	—	—	—	—	03	12
13	02	—	—	—	04	02	—	04	—	—	05	10	13
14	07	—	—	—	17	40	—	—	05	—	—	09	14
15	03	—	—	—	10	02	—	—	—	—	40	—	15
16	—	—	—	—	—	—	—	07	—	—	02	—	16
17	22	—	—	01	—	—	—	12	—	06	—	—	17
18	02	—	—	—	—	—	—	02	—	—	45	—	18
19	—	—	—	—	—	—	—	—	—	02	17	07	19
20	—	—	01	—	—	—	—	—	04	44	06	16	20
21	—	—	34	—	—	09	02	04	01	01	—	—	21
22	—	—	—	11	—	11	09	28	—	—	04	—	22
23	—	—	—	—	05	—	09	13	—	03	27	56	23
24	—	03	17	02	—	07	—	27	—	88	22	28	24
25	—	07	—	07	—	—	—	—	—	—	10	05	25
26	07	01	—	16	05	—	—	—	—	06	03	07	26
27	33	—	—	17	03	—	01	02	—	31	19	04	27
28	11	—	—	04	—	—	19	13	25	12	66	54	28
29	01	—	—	—	—	—	—	—	—	13	27	24	29
30	27	X	—	—	—	—	03	—	43	—	04	06	30
31	—	X	—	X	—	X	50	15	X	—	X	08	31
TOTAL	1.59	.77	.52	.87	2.21	1.94	2.37	3.31	1.04	4.56	5.82	4.71	29.71
Days with "or in. or more.	14	8	3	11	14	13	14	19	7	18	24	25	170
Days with "or in. or more.	9	4	2	7	12	9	10	15	5	15	19	22	129

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Knighton Reservoir
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground Sea Level 351 ft.

New gauge
used from 15th July 1930
first fixed
No 670003/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	20		31		02		11			68		1
2		02						07			18		2
3	21	01		17			01	02		69	09		3
4	17		04	20	06			06		14			4
5	09		15		66			03		15			5
6		01	46		04			05	21	05			6
7	15						01	19	11	20	31	13	7
8				13				03	25	19		01	8
9	54		31	23	44	07			02		01	18	9
10	38		41	01	15		16	18				43	10
11	03		01	05	10		10	04		03	01	29	11
12	24		05	06	24			40		04		21	12
13	21		49	27	02		08	16	35			02	13
14	68	09	35	29			61	06		01		08	14
15			89				22	01		18	12	16	15
16						02	19		17	10		10	16
17			07	12	09		21	05	70	07			17
18			17	10		27	72	01	05	11	38	01	18
19			16	12		07	07	02	37	10	15		19
20			03		02	04	196	41	63		08		20
21			29		01	05	19	04	02	37	15		21
22	45					06	58	46		31	37		22
23	03			09	20	08	17	01			13	05	23
24	23			07	02				02	20	20		24
25		02		28		04			19	54	15	08	25
26	58	05		10			02		02	04		13	26
27	03		13			05	28		07	03		08	27
28	05		08				17			02	20	17	28
29			01				20	08		17	04	18	29
30		X			07	45	06	07		06		37	30
31	31	X	02	X	01	X			X	16	X	11	31
TOTAL	4.39	40	4.12	2.60	2.13	1.22	6.01	2.56	3.18	3.96	3.28	2.79	36.64
*Days with or in. or more.	18	7	19	14	15	12	20	23	15	24	17	19	206
*Days with or in. or more.	14	3	15	16	10	10	17	16	11	20	15	16	163

40-9999

*See Instruction 2 (f) on other side.

(Signed) A Turnbull [P.T.O.]

RE

Kept at Cheswardine,
in the County of Shrops
by Lt Col. R.C. Donal

MARKET DRAYTON,
CHESWARDINE HALL
1922-30

W
s
t Drayton
ge five in.
nd one ft. six in.
Level 530 ft.
the result entered to the
requested
the end of
Jan. 1, following.

IMPORTANT NOTE.—If
previous day. If an Observer p

to add the reading at 9 a.m. on 1

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers." sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.11	.47	-	-	-	.03	.04	.10	.26	-	.03	1
2	.27	.26	.03	-	.06	-	.19	.07	.82	-	.30	.04	2
3	.05	.11	.44	-	.01	-	-	.01	-	-	-	-	3
4	-	.12	.09	-	.08	-	.13	-	-	-	.08	-	4
5	.08	-	.13	-	.15	-	.13	.31	-	.15	-	-	5
6	.20	-	.20	.32	.06	-	1.03	-	-	-	.22	-	6
7	.23	-	.28	.05	-	-	.11	.31	-	-	.20	.04	7
8	-	-	.25	.09	-	-	.22	.16	-	-	-	-	8
9	.08	-	.02	.08	-	-	.40	.41	-	-	.05	.10	9
10	-	-	-	.04	-	-	.12	.19	-	-	-	-	10
11	.03	-	-	-	-	-	-	-	-	-	.09	-	11
12	-	-	-	-	-	.15	-	-	-	-	-	-	12
13	-	-	-	.12	-	-	.17	.37	.55	-	-	-	13
14	-	-	-	.12	-	-	.22	-	.06	-	-	-	14
15	1.00	.09	-	.08	-	-	.27	-	.24	-	-	.28	15
16	-	.10	-	.15	-	-	-	-	-	-	-	.03	16
17	-	-	-	.03	.14	-	.18	.50	.05	-	-	.04	17
18	.18	.05	-	-	.01	-	.39	-	-	-	-	.18	18
19	-	.15	-	-	.05	-	.03	-	.10	-	-	.05	19
20	-	.04	.09	-	-	-	-	-	.42	.10	-	-	20
21	-	.07	-	-	-	-	-	-	-	-	-	1.90	21
22	-	.06	-	.07	-	.09	-	-	-	-	-	-	22
23	-	.01	-	-	.17	-	-	.39	-	-	.03	.27	23
24	-	-	-	.10	-	.01	.26	-	-	-	-	.16	24
25	.32	-	.20	.03	-	.22	-	.15	-	-	-	.05	25
26	.13	.26	-	.44	-	.05	-	.02	.14	-	-	.05	26
27	.13	.57	.03	.10	-	.02	.14	-	.14	-	.12	.03	27
28	.03	.04	.13	.15	-	.02	-	.17	.18	-	.03	.33	28
29	-	-	.02	-	-	.02	-	.08	.26	-	-	.08	29
30	.27	X	-	-	-	.10	-	-	-	-	-	.22	30
31	.17	X	.10	X	-	X	.04	.19	X	-	X	.10	31
TOTAL	3.27	2.04	2.48	1.97	.73	.68	4.06	3.37	3.06	.51	1.12	3.98	YEAR'S TOTAL
Days with 01 in. or more	2	15	15	16	9	9	18	16	12	3	9	19	27.27
Days with 04 in. or more	2	14	11	14	7	5	16	14	12	3	7	16	159

REGISTER OF RAINFALL IN 1922.

Kept at Cheswardine, Market Drayton

in the County of Shropshire

by Lt Col. R.C. Donaldson-Hudson D.S.O.

Lat. 52.52 N Long. 2.26 W

Time of Observation 9.00 hrs

Nearest Railway Station Market Drayton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. six in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.11	.47	-	-	-	.03	.04	.10	.26	-	.03	1
2	.27	.26	.03	-	.06	-	.19	.07	.82	-	.30	.04	2
3	.05	.11	.44	-	.01	-	-	.01	-	-	-	-	3
4	-	snow .12	.09	-	.08	-	.13	-	-	-	.08	-	4
5	.08	-	.13	-	.15	-	.13	.31	-	.15	-	-	5
6	.20	-	.20	.32	.06	-	1.03	-	-	-	.22	-	6
7	.23	-	.28	.05	-	-	.11	.31	-	-	.20	.04	7
8	-	-	.25	.09	-	-	.22	.16	-	-	-	-	8
9	.08	-	.02	.08	-	-	.40	.41	-	-	.05	.10	9
10	-	-	-	.04	-	-	.12	.19	-	-	-	-	10
11	.03	-	-	-	-	-	-	-	-	-	.09	-	11
12	-	-	-	-	-	.15	-	-	-	-	-	-	12
13	-	-	-	.12	-	-	.17	.37	.55	-	-	-	13
14	-	-	-	.12	-	-	.22	-	.06	-	-	-	14
15	1.00	.09	-	.08	-	-	.27	-	.24	-	-	.28	15
16	-	.10	-	.15	-	-	-	-	-	-	-	.03	16
17	-	-	-	.03	.14	-	.18	.50	.05	-	-	.04	17
18	.18	.05	-	-	.01	-	.39	-	-	-	-	.18	18
19	-	.15	-	-	.05	-	.03	-	.10	-	-	.05	19
20	-	.04	.09	-	-	-	-	-	.42	.10	-	-	20
21	-	.07	-	-	-	-	-	-	-	-	-	1.90	21
22	-	.06	-	.07	-	.09	-	-	-	-	-	-	22
23	-	.01	-	-	.17	-	-	.39	-	-	.03	.27	23
24	-	-	-	.10	-	.01	.26	-	-	-	-	.16	24
25	.32	-	.20	.03	-	.22	-	.15	-	-	-	.05	25
26	.13	.26	-	.44	-	.05	-	.02	.14	-	-	.05	26
27	.13	.57	.03	.10	-	.02	.14	-	.14	-	.12	.03	27
28	.03	.04	.13	.15	-	.02	-	.17	.18	-	.03	.33	28
29	-	-	.02	-	-	.02	-	.08	.26	-	-	.08	29
30	.27	X	-	-	-	.10	-	-	-	-	-	.22	30
31	.17	X	.10	X	-	X	.04	.19	X	-	X	.10	31
TOTAL	3.27	2.04	2.48	1.97	.73	.68	4.06	3.37	3.06	.51	1.12	3.98	YEAR'S TOTAL 27.27
Days with 01 in. or more	2	15	15	16	9	9	18	16	12	3	9	19	159
Days with 04 in. or more	2	14	11	14	7	5	16	14	12	3	7	16	135

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Cheswardine, Market Drayton.
in the County of Shropshire.
by Lt.-Col. R. C. Donaldson-Hudson,
D. S. O.

Lat. 52.52 N. Long. 2.26 W.
Time of Observation 9.00 hrs.
Nearest Railway Station Market Drayton.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. six in.
Sea Level -530- ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
145

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.01	.11	.19	-	-	.32	-	-	-	.10	1
2	.07	.03	.15	-	.05	-	.01	-	.13	.01	-	.30	2
3	.30	-	-	-	.03	-	.06	.18	-	.07	.06	-	3
4	-	-	.30	-	-	-	-	-	.29	.47	.04	.18	4
5	-	-	-	.01	-	.06	-	-	-	.02	-	.01	5
6	.46	-	.12	.01	.43	.18	-	-	-	.05	-	-	6
7	.40	.15	.14	.17	-	.01	-	.06	.03	.07	-	-	7
8	.03	.20	.14	-	-	-	.01	.01	.03	.14	-	.21	8
9	.17	.35	.01	-	-	.01	-	-	-	.42	.09	-	9
10	-	.20	-	-	.05	.01	.05	.05	-	.34	.16	-	10
11	.19	.23	-	.25	.06	.01	.02	-	-	-	-	-	11
12	.07	.08	-	.20	.69	-	-	-	-	.09	-	-	12
13	-	.33	.04	.70	.18	.02	.44	-	-	.35	.06	-	13
14	-	.30	-	.06	.11	-	.02	-	.04	.07	.97	.04	14
15	-	-	-	.01	.07	-	.08	.04	.07	.05	-	.02	15
16	.07	.25	-	-	.23	.10	.10	-	-	-	.24	.01	16
17	-	.13	-	-	.25	-	-	.10	.18	.03	.25	-	17
18	.12	.53	-	-	.02	-	-	-	.30	-	.02	-	18
19	-	snow .04	-	-	.03	.06	-	.39	.02	.14	.13	.13	19
20	.08	-	-	-	.07	.01	.22	.05	.31	-	-	.04	20
21	.09	.19	-	-	.03	-	-	.08	.62	.05	.07	.07	21
22	-	snow	-	-	.05	.08	-	.05	.09	.07	-	.44	22
23	-	-	-	-	.62	-	-	-	.02	.10	-	.07	23
24	-	.06	-	-	.06	-	.47	.34	.22	.05	-	.09	24
25	-	.30	-	.14	.03	.01	.24	-	.20	.20	-	.04	25
26	-	.16	-	.04	.06	.04	-	.40	.09	.25	-	.38	26
27	-	.49	.03	.02	-	-	-	.18	-	.26	-	snow .28	27
28	-	.14	.25	-	.48	-	.40	.16	-	.27	-	snow .36	28
29	-	-	-	.08	.02	-	.16	.03	-	.01	.07	-	29
30	-	X	-	-	-	-	-	-	-	-	snow	-	30
31	.22	X	-	.03	-	X	.19	1.02	X	.10	X	.26	31
	-	X	.15	X	-	X	.19	-	-	.05	-	.80	33-12
TOTAL	2.27	.01	.11	.19	.32	.60	.32	.64	.64	.73	.10	.83	YEAR'S TOTAL 32.87
Days with 01 in. or more	2.27	4.34	1.34	1.83	3.81	.60	2.66	3.46	2.64	3.73	2.16	5.83	202
Days with 04 in. or more	13	21	20	11	14	23	13	17	16	26	13	4	201

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Cheswardine, Market Drayton.

in the County of Shropshire.

by Lieut.Col. R.C.Donaldson Hudson, D.S.O.

Lat. 52.52.N. Long. 2.26 W.
Time of Observation 9.00 Hrs.
Nearest Railway Station Market Drayton.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. Six in.
" " " " Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.20

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.01	Snow. .07	-	.25	1.88	.06	.08	.02	.35	-	.09	RRR
2	-	-	Snow. .13	-	.03	.45	.13	.22	-	-	.25	.01	2
3	.02	-	Snow. .05	-	.03	.36	.02	-	-	-	.03	.02	3
4	-	-	Snow. .11	-	.04	.04	.13	.16	-	.04	-	-	4
5	-	.03	-	-	.02	.12	.08	.08	-	-	-	.48	5
6	-	.02	.28	-	.20	.02	.13	-	.04	.10	-	.06	6
7	-	-	-	-	.22	.09	.01	.06	.28	.28	-	-	7
8	.03	-	-	-	.19	.15	.03	-	.29	.45	-	.02	8
9	-	-	-	.03	.07	.10	-	-	.08	.01	-	.01	9
10	.10	.05	-	Snow. .14	.02	.16	-	-	.85	.15	-	-	10
11	-	.01	-	Snow .20	.10	.23	-	-	-	.33	-	-	11
12	.29	-	-	Snow .22	.21	.10	-	.02	.03	-	.27	-	12
13	.05	.06	-	-	.04	.15	-	-	.09	.01	-	-	13
14	.14	-	-	.50	.04	-	-	-	.27	.01	-	.17	14
15	-	-	-	.12	-	-	-	.08	-	-	.02	.06	15
16	-	-	-	-	.01	-	.04	.03	.07	-	-	.17	16
17	.03	-	-	-	-	-	.02	.62	.07	-	-	-	17
18	Snow .11	.11	-	-	-	.09	.31	.44	.17	-	-	-	18
19	Snow .13	.10	-	-	.17	-	.17	.01	-	.39	-	-	19
20	.03	-	-	-	.29	.06	.02	-	.09	.05	-	.01	20
21	.15	-	-	-	.32	-	.66	.21	.25	.07	-	-	21
22	.52	.03	-	-	.09	.17	.66	.55	.02	.59	.01	-	22
23	.36	-	.28	.04	-	-	-	.39	.14	-	-	.04	23
24	.06	.02	.21	.13	.02	-	.07	.24	.25	-	-	.31	24
25	.09	.22	-	.10	.24	-	.01	.16	.03	-	-	.12	25
26	.01	-	-	.05	.12	-	.30	.05	.26	-	.01	.02	26
27	.06	-	-	.08	-	-	.09	.06	.27	.50	.48	.27	27
28	-	.02	-	.19	-	-	.50	.01	-	.20	.08	.16	28
29	.01	-	-	.01	-	.06	.63	.36	-	.06	.05	.01	29
30	.01	X	-	.60	.06	.01	.03	.22	.01	.95	.11	.42	30
31	-	X	-	X	.33	X	.01	.21	X	.09	X	.23	31 877
	.01	.07	-	.25	1.88	.06	.08	.02	.35	-	.09	.20	YEAR'S TOTAL
TOTAL	2.65	.68	1.13	2.41	3.11	4.24	4.11	4.26	3.58	4.63	1.31	2.68	34.79
Days with ".01 in. or more.	2.21	.74	1.06	2.66	4.74	2.42	4.13	4.20	3.91	4.28	1.40	2.79	34.54
	20	12	6 7	15 14	24	18	23	22	21	18 19	11 10	20	210
Days with ".04 in. or more	12 13	6 5	6 7	13 12	18	16	15	17 18	17 16	15 16	7 8	13	155



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Cheswardine, Market Drayton.
in the County of Shropshire.

Diameter of Funnel of Gauge Five in.Height of top of Gauge above Ground one ft. six in.Ground „ Sea Level 530 ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62		.24		.08	-	-	.62	.01	-	.05	-	1
2	.18	.04	-	.01	-	-	-	-	.05	-	.15	-	2
3	.16	-	-	-	.03	-	.13	.18	-	.07	.05	-	3
4	.13	-	-	.03	.21	-	-	-	.08	.06	.08	-	4
5	-	.50	-	.24	.08	-	-	.28	.32	-	.22	-	5
6	-	.04	.01	-	.13	-	.45	.02	.02	.09	.40	.04	6
7	-	.14	.02	-	.21	-	-	.05	.10	.20	.27	.02	7
8	.06	.01	-	-	.30	-	-	.65	.23	.11	-	.22	8
9	.01	.15	-	-	.32	-	.03	-	.22	.20	.05	.01	9
10	-	.08	.05	-	-	-	-	.34	.02	.07	.18	.05	10
11	-	1.03	-	-	.03	-	-	.03	.08	.11	.10	.02	11
12	-	.16	-	.02	.01	-	-	.06	.11	.20	.11	-	12
13	-	.08	.13	.07	-	.01	-	.02	.04	.23	.10	.02	13
14	.34	-	.04	.10	-	-	-	-	-	.02	.11	-	14
15	-	-	-	.13	-	.02	-	-	.54	.49	-	.02	15
16	.04	.03	.03	.08	-	.02	-	-	.08	.01	-	-	16
17	-	.13	-	-	.02	-	-	-	.03	.02	-	-	17
18	-	.21	-	.02	.16	-	.02	-	-	-	-	.04	18
19	-	.01	-	-	.05	-	-	-	.70	.65	-	.33	19
20	-	-	.11	-	-	-	.08	.10	.19	.32	-	.07	20
21	-	.12	-	-	-	-	.12	.16	.22	.09	-	Snow	21
22	-	.09	-	.14	-	-	1.18	-	.37	.48	-	.42	22
23	-	.05	.05	.01	.90	-	-	.10	.65	.04	-	.12	23
24	-	.18	.06	.02	.06	-	-	.17	.01	-	.11	-	24
25	-	.30	.05	.04	.11	-	.21	-	.31	.13	-	.15	25
26	-	.05	-	.07	.31	-	.26	.03	.07	.55	.04	.07	26
27	.02	.11	-	-	.13	-	.34	-	.01	.05	-	.06	27
28	.10	.26	-	.08	-	-	.10	-	-	.41	-	.23	28
29	.13	-	-	.10	.21	-	.02	-	-	-	.35	.07	29
30	.01	X	-	.02	.02	-	.01	-	-	-	-	.06	30
31	.49	X	.11	X	.07	X	.05	.06	X	.03	X	.02	31
TOTAL	2.29	3.77	.90	1.18	3.44	.05	3.00	2.87	4.31	3.67	1.77	2.04	29.29
Days with "01 in. or more.	13	22	12	17	21	3	14	16	22	18	11	20	189
Days with "04 in. or more.	10	19	9	10	16	-	10	12	16	14	11	14	141

(Signed) *A. J. Donaldson* [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Cheswardine, Market Drayton.

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. six in.

Ground Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.11	-	-	.20	.01	-	-	.41	-	-	.04	1
2	.12	.09	-	-	-	-	-	-	.07	-	.89	.02	2
3	.30	.09	.25	-	-	-	-	-	-	-	.05	.14	3
4	-	.02	.23	-	.01	-	.09	-	.03	-	.23	-	4
5	.06	.31	.03	-	.29	-	.28	.12	.10	-	.02	.25	5
6	.22	.31	.04	-	.02	-	.11	.03	.11	.06	.25	-	6
7	.01	.83	.01	.22	.15	.22	-	-	.05	-	.15	-	7
8	-	-	.03	.05	.03	.02	.08	-	.03	.58	.52	-	8
9	-	-	.01	-	.02	.11	.05	.92	-	.01	-	-	9
10	-	-	.01	-	.15	.09	.05	.19	-	.02	.28	-	10
11	-	-	-	-	.01	.05	-	.15	.06	.02	-	-	11
12	-	-	-	-	.37	.05	-	.18	.02	.42	.05	-	12
13	.02	-	-	-	.13	-	-	.01	-	.09	.17	.07	13
14	.02	.25	-	.28	.25	.28	-	.08	.03	.01	.02	.07	14
15	.03	.04	-	.05	.12	.49	-	.05	-	.09	.24	-	15
16	-	.02	-	.40	.01	.09	-	-	-	-	.58	.02	16
17	.11	.05	-	.03	-	.01	-	.10	-	-	.35	.07	17
18	.28	.11	-	.02	.21	-	.26	.10	-	-	.18	.01	18
19	-	-	.03	.02	-	-	.35	.30	-	.01	-	.01	19
20	-	-	-	.09	-	-	-	.05	.06	-	.53	-	20
21	.05	.01	-	.01	-	-	.20	.01	-	.20	.11	-	21
22	.21	.28	.05	.03	-	-	-	-	-	.14	.02	-	22
23	.08	.01	-	-	-	-	.01	.01	-	-	-	-	23
24	.11	-	-	-	.03	-	.13	-	.04	.23	-	-	24
25	.09	-	.02	.15	-	-	.09	-	.12	.09	.07	-	25
26	.01	-	.01	.01	.22	-	-	-	.08	-	-	-	26
27	.14	.04	-	.06	.20	-	.03	-	.23	-	-	.01	27
28	.14	-	-	.01	.10	-	.33	-	.16	.11	-	.03	28
29	.02	-	-	.07	.21	-	.08	-	.02	-	-	-	29
30	.16	X	-	.07	.11	-	-	.40	-	-	-	-	30
31	.16	X	-	X	.16	X	-	-	X	-	X	.01	31
TOTAL	2.72	2.57	.72	1.57	3.00	1.42	2.14	2.70	1.62	2.08	4.71	.75	26.00
Days with 01 in. or more.	22	16	12	17	22	11	15	16	17	15	19	13	195
Days with 04 in. or more.	16	12	4	10	15	8	13	12	12	10	16	6	134
							14						165
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

2100
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Cheswardine, Market Drayton.

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. Six in.

Ground Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	---	.01	.24	---	---	---	.07	.01	.02	.17	---	---	1
2	---	---	.09	.15	.03	---	---	---	---	.01	---	---	2
3	.11	.01	---	.02	.01	.05	.08	---	---	---	.01	.01	3
4	.24	---	.16	.10	.13	.05	.10	---	---	---	.10	---	4
5	.03	.10	.11	.16	---	.38	.05	---	---	---	.04	---	5
6	.01	.01	.02	---	.17	.21	.08	.05	.33	---	.26	.01	6
7	.08	.08	.02	.12	---	.20	.02	---	.05	---	---	.01	7
8	.03	---	.02	.63	---	---	---	.19	---	.01	---	.01	8
9	---	---	---	.18	---	---	---	.14	---	---	.03	.03	9
10	---	---	---	.01	---	.06	.12	.09	.08	---	---	---	10
11	---	---	.09	.10	.11	---	.60	.05	---	---	---	---	11
12	.07	---	---	---	---	---	.02	.38	.05	---	---	---	12
13	.08	---	---	.03	.03	---	---	.14	.22	.08	.19	.01	13
14	.02	---	---	.02	.16	---	---	.08	.68	---	.04	.17	14
15	---	---	---	---	.54	---	.15	.06	.08	.01	.02	---	15
16	---	---	---	---	.13	.73	---	.22	.14	.01	---	---	16
17	.02	---	---	---	---	.05	---	.58	.08	---	---	---	17
18	.01	---	---	---	---	.78	---	.39	.04	.04	.77	---	18
19	---	.16	---	---	---	.09	.03	.36	.10	.02	.18	---	19
20	.25	.24	---	---	.11	.14	.16	.20	.28	---	.18	.21	20
21	---	.05	---	---	.03	.02	.05	.45	.17	.46	.07	.33	21
22	.11	.05	.16	.07	---	.21	---	.10	.10	.85	.20	.01	22
23	---	.02	.14	---	---	.45	---	.02	.12	---	.25	---	23
24	.20	---	.34	.07	---	.09	.35	.23	.04	.03	---	.51	24
25	.16	.22	.16	.12	---	.24	.01	---	.06	.44	---	---	25
26	.10	.20	.05	---	---	.06	.14	---	.25	.19	---	---	26
27	.18	.24	.02	.01	---	.22	.17	---	---	.15	.01	---	27
28	.37	.07	.19	---	---	---	---	.05	.08	.01	.50	---	28
29	.01	---	.11	---	---	.12	---	---	.25	.03	---	---	29
30	.01	×	.02	---	---	.50	.05	.12	.01	.01	---	---	30
31	---	×	.55	×	.02	×	---	.02	×	.35	×	.04	31
TOTAL	2.09	1.46	2.49	1.79	1.47	4.65	2.25	3.91	3.23	2.87	2.85	1.35	YEAR'S TOTAL 30.41
Days with ".01 in. or more.	20	14	18	15	12	20	18	22	22	18	16	12	207
Days with ".01 in. or more.	12	10	13	10	7	19	14	18	20	9	12	5	149

Kept at Cheswardine, Market Drayton.
in the County of Shropshire.

Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft. six in.
" Ground " Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.76	-	.03	-	-	-	.13	-	-	-	-	-	1
2	.09	.26	.21	.07	-	-	-	-	-	-	.05	-	2
3	-	.04	-	.02	-	-	.01	-	-	-	-	-	3
4	.09	.45	-	.05	-	-	.20	-	-	.23	-	-	4
5	.15	.09	-	-	-	.09	.07	-	.60	.29	-	-	5
6	-	-	.17	-	-	.47	.02	-	-	.05	-	.08	6
7	.04	.02	-	.27	-	.30	-	.44	.07	.35	.01	.13	7
8	-	.03	-	-	-	.24	.09	-	.10	.10	-	.01	8
9	.09	-	-	-	-	.05	-	-	-	.20	-	-	9
10	.10	.26	.01	-	.03	.30	.01	-	-	.61	.19	-	10
11	-	.21	-	.20	-	.01	-	.01	-	.04	.48	.12	11
12	.21	.23	.07	.18	-	.19	-	.09	-	-	.15	.06	12
13	-	.02	-	.03	-	.33	-	.35	-	-	.01	-	13
14	.08	.28	-	-	-	.04	-	.03	-	.38	.38	-	14
15	.13	.13	-	-	.08	.01	-	.08	-	.03	.18	.06	15
16	.02	.12	.15	-	-	-	-	-	-	.26	.35	.13	16
17	-	-	-	.01	.72	.07	-	-	.01	-	-	-	17
18	.78	-	.01	-	.02	.08	-	-	-	.20	-	.11	18
19	-	-	.03	-	.18	.73	-	.33	.02	.18	.53	.30	19
20	.11	-	.24	.12	.03	-	-	.02	-	-	.25	-	20
21	.78	-	.10	.02	.01	.15	-	.10	.08	.01	.05	.01	21
22	-	-	.03	.01	.02	-	.01	.44	-	.09	.25	.12	22
23	.60	-	.05	.06	-	-	.01	-	-	.26	.16	-	23
24	.01	-	-	-	-	-	.17	.17	.11	.08	.33	.18	24
25	.27	-	.07	-	-	.14	.03	.15	-	-	.19	.08	25
26	.15	-	.03	-	.03	.14	.05	.34	-	.31	.48	.02	26
27	.02	-	-	-	-	.01	-	.42	.07	.16	.05	.14	27
28	.26	.01	.11	.01	-	.11	-	-	.10	-	-	.51	28
29	.36	.16	.15	-	-	.54	.06	.30	-	.17	.03	.10	29
30	-	X	.06	.06	-	.01	.48	-	-	.05	.01	.36	30
31	.14	X	.01	X	-	X	.36	.04	X	-	X	-	31
TOTAL	5.24	2.31	1.53	1.11	1.12	4.01	1.70	3.31	1.16	3.99	4.12	2.52	32.12
Days with "01 in. or more.	22	15	18	14	9	21	15	16	9	21	20	18	198
Days with ".04 in. or more.	19	11	11	8	3	17	9	13	7	19	16	15	147
													YEAR'S TOTAL

Section

A

for the entry of Daily Observations.

2241
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19 29 .

Kept at Cheswardine, Market Drayton.
in the County of Shropshire.

Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft Six in.
,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph:

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.03		.15		.20	.02	.38		.04	1
2		.28						.05			.18	.11	2
3					.03	.10	.01	.42	.31		.02	.10	3
4		.01		.18	.30		.30	.06		.08	.02	.41	4
5	.04	.01				.21	.37	.64		1.05	.43	.02	5
6	.05				.60	.31		.47		.11	.02	.25	6
7					.03					.21	.38	.18	7
8		.15		.05	.37			.01		.33		.54	8
9	.25	.13					.10			.08	.35	.34	9
10	.03						.03	.03		.16	.01	.28	10
11					.35			.02		.01	1.35	.02	11
12					.09	.44	.25				.01	.02	12
13					.03			.06			.05	.08	13
14	.06					.32						.15	14
15	.02				.10	.02			.04		.30		15
16								.05			.01		16
17	.21							.12		.05			17
18	.01						.01	.02		.01	.43		18
19									.05	.02	.19	.03	19
20										.33	.04	.14	20
21			.35			.10	.03	.04	.01				21
22				.10		.09	.22	.12				.02	22
23	.01				.06		.10	.22			.37	.56	23
24				.01		.06		.30		.90	.20	.21	24
25			.17	.08						.03	.10	.06	25
26		.07	.03	.06	.03					.04	.04	.04	26
27	.07			.18	.01					.32	.21	.02	27
28	.32			.02			.20	.05	.22	.14	.66	.58	28
29	.10							.01		.07	.31	.29	29
30		X					.02		.44		.02	.03	30
31	.30	X		X		X	.42	.17	X		X	.07	31
TOTAL	1.48	.65	.55	.71	2.00	1.80	2.06	3.06	1.07	4.32	5.70	4.59	YEAR'S TOTAL
Days with ".01 in. or more.	14	6	3	9	12	10	13	20	7	19	24	26	27.99
Days with ".04 in. or more.	9	4	2	6	7	9	8	15	4	15	17	19	115

REGISTER OF RAINFALL IN 1930.

Kept at Cheswardine, Market Drayton.

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. Six in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.20		.58		.07		.14			.64		1
2		.03		.01				.12			.16		2
3	.18	.01	.01	.22			.04	.04		.64	.06		3
4	.20		.03	.15	.05			.03		.08			4
5	.08		.15		.70			.04		.24			5
6	.01		.48	.01	.03			.07	.20	.04			6
7	.17	.01					.01	.26	.08	.27	.28	.16	7
8				.11	.01		.01	.03	.35	.13	.01		8
9	.55		.27	.20	.45	.05		.01	.01	.01	.01	.03	9
10	.28		.45	.01	.15	.03	.23	.55				.56	10
11	.01			.13	.06	.03	.05	.04		.04	.01	.30	11
12	.31		.03	.10	.18			.45				.13	12
13	.19		.35	.21	.01		.05	.15	.40			.01	13
14	.65	.06	.35	.35			.67	.05				.06	14
15			.20				.27			.15	.10	.20	15
16			.01			.02	.16		.16	.13		.11	16
17	.01		.05	.08	.09			.04	.78	.12			17
18			.08	.10		.32	.78	.02	.06	.01	.48		18
19			.03	.11		.08	.14	.05	.36	.09	.19		19
20					.01	.02	1.90	.45	.75		.06		20
21			.32			.06	.20	.07	.03	.39	.13		21
22	.45					.03	.57	.51		.30	.31		22
23	.02			.06	.22	.03	.14	.01	.05		.12	.03	23
24	.25			.05	.02		.01			.23	.19	.01	24
25		.02		.32					.20	.60	.17	.09	25
26	.69	.03		.08					.02	.03	.01	.17	26
27	.02		.14	.01		.03	.38		.01	.03		.10	27
28	.02		.04				.19			.02	.15	.20	28
29			.01			.39	.06		.10	.07	.19		29
30		X			.08	.36	.04	.08		.07	.01	.40	30
31	.31	X		X	.01	X			X	.21	X	.11	31
TOTAL	4.41	.36	3.10	2.69	2.07	1.13	6.21	3.07	3.46	3.93	3.18	2.86	36.47
*Days with or in. or more.	20	7	18	20	15	13	20	23	15	25	20	18	222
*Days with or more.	13	2	12	16	9	6	16	18	11	18	15	14	150

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Marrington Hall
in the County of Salop
by Hol. Sd. Price-Davies

Lat. 52.34 N Long. 3.4 W
Time of Observation 9 a.m.
Nearest Railway Station Montgomery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								-	.04	-	.08	.04	1
2								-	-	-	.02	-	2
3								.21	-	-	.18	.01	3
4								.03	.01	.09	-	-	4
5								-	-	.68	.28	-	5
6								.04	-	-	.66	-	6
7								.06	-	-	.03	.05	7
8								.12	.03	-	.01	.05	8
9								.02	-	-	.08	-	9
10								.02	-	-	-	-	10
11								-	-	-	-	-	11
12							.15	.34	.29	-	-	-	12
13							.06	-	-	-	-	-	13
14							.03	-	.25	-	.02	.35	14
15							-	-	.04	-	-	.01	15
16							.01	.26	.02	-	-	.07	16
17							.24	.01	.02	-	-	.17	17
18							-	-	.24	.06	.03	.03	18
19							-	-	.18	.17	.02	.10	19
20							.01	-	-	-	-	1.12	20
21							.33	-	-	-	-	.32	21
22							.07	.13	-	-	-	.25	22
23							.12	-	-	-	.02	.13	23
24							-	.20	-	-	-	.07	24
25							-	-	.10	-	-	.03	25
26							.05	.05	-	-	.05	.09	26
27							-	.04	.06	-	-	.19	27
28							-	.22	.02	-	-	.04	28
29							-	-	-	-	-	.26	29
30		X					-	.06	.25	-	.15	.04	30
31		X		X		X	-	.21	X	.44	X	-	31
TOTAL							imp. 1.07	2.02	1.55	1.44	1.63	3.42	YEAR'S TOTAL
Days with .01 in. or more							10	17	14	5	14	21	
Days with .04 in. or more							7	13	9	5	7	17	

2281

CHIRBURY

ION.

11 JAN 1924

Kept at Marrington Hallin the County of Salopby H. W. S. D. Price

MARRINGTON HALL

1922 - 30

5 in.

1 ft. in.

vel. 490 ft.

e result entered to the

requested

e end of

ages, and

Jan. 1, following.

IMPORTANT NOTE.—Rain previous day. If an Observer prefers to add the reading at 9 a.m. on 1st January to this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.55	.17	.	.	.	03	05	.	05	.	.25	1
2	.26	.06	.	.	10	.	.	01	.	.	.	.	2
3	.02	.07	.08	.	.	07	.	.	.13	51	.	06	3
4	-	-	.	03	.	02	.	.	.	05	07	03	4
5	.19	-	.02	11	.58	.	.	.	.	02	04	.	5
6	.22	.87	.15	32	.	.	01	.	.	.	.	.	6
7	.04	.47	.11	27	.	.	.	.	.	.13	.	.14	7
8	.15	.07	.02	.	.	05	.	08	.	25	.18	.	8
9	.11	.32	.	.	.15	.	02	.	.	04	.13	.	9
10	.08	.24	-	45	08	01	01	.	.	36	-	.	10
11	.04	.01	-	22	03	.	51	.	.	05	-	.	11
12	-	.23	.03	02	10	02	.	.	.	34	03	.	12
13	-	.28	-	07	05	.	06	.	.	10	55	03	13
14	.04	.03	-	.	07	.	02	.40	.	01	-	.	14
15	-	.07	.02	11	10	.16	06	.	.	.	36	.	15
16	-	.11	-	01	13	.	.	.16	03	04	26	.	16
17	.05	.70	-	.	03	-	.	14	32	-	-	.	17
18	-	.42	-	.	02	02	02	02	04	12	05	-	18
19	.04	.06	-	.	01	03	16	.	31	-	08	09	19
20	-	.13	-	.	.	.	.	.	28	-	02	02	20
21	-	.18	-	.	.	.	.	.18	04	50	-	04	21
22	-	.69	.03	-	.20	-	07	03	-	16	-	07	22
23	-	.06	.21	-	01	-	22	31	43	27	.	.	23
24	-	.05	-	05	-	01	15	03	.28	59	-	.	24
25	-	.29	-	06	09	06	03	25	.27	33	.	35	25
26	.04	.54	.04	06	-	.	.	03	-	73	-	25	26
27	-	.45	.05	04	59	-	42	13	-	25	-	15	27
28	.01	.23	.04	07	05	-	04	-	-	01	.12	-	28
29	-	X	.01	-	02	-	02	.98	04	.12	-	11	29
30	-	X	.05	01	-	X	14	09	-	04	03	10	30
31	.13	X	-	X	-	X	27	.14	X	-	X	.50	31
TOTAL	1.45	7.18	1.03	1.90	2.41	.45	2.26	2.24	2.17	5.07	1.92	2.19	31.06
Days with 01 in. or more	16	26	15	16	19	10	19	17	11	24	13	15	30.97
Days with 04 in. or more	13	24	9	X ¹²	13	4	11	12	10	21	10	12	20.1

REGISTER OF RAINFALL IN 1923.

Kept at Marrington Hallin the County of Salopby W. S. D. Price-DaviesLat. 52° 34' N Long. 3° 4' WTime of Observation 9Nearest Railway Station MarringtonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.55	.17	.	.	.	03	05	.	05	.	.25	1
2	.26	.06	.	.	10	.	.	01	.	.	.	.	2
3	.02	.07	.08	.	.	07	.	.	.13	51	.	06	3
4	.	.	.	03	.	02	.	.	.	05	07	03	4
5	.19	.	.02	11	.58	.	.	.	.	02	04	.	5
6	.22	.87	.15	32	.	.	01	.	.	.	.	.	6
7	.04	.47	.11	27	.	.	.	.	.	.13	.	.14	7
8	.15	.07	.02	.	.	05	.	08	.	25	.18	.	8
9	.11	.32	.	.	.15	.	02	.	.	04	.13	.	9
10	.08	.24	.	45	08	01	01	.	.	36	.	.	10
11	.04	.01	.	22	03	.	51	.	.	05	.	.	11
12	.	.23	.03	02	10	02	.	.	.	34	03	.	12
13	.	.28	.	07	05	.	06	.	.	10	55	03	13
14	.04	.03	.	.	07	.	02	.40	.	01	.	.	14
15	.	.07	.02	11	10	.16	06	.	.	.	36	.	15
16	.	.11	.	01	13	.	.	.16	03	04	26	.	16
17	.05	.70	.	.	03	.	.	14	32	.	.	.	17
18	.	.42	.	.	02	02	02	02	04	12	05	.	18
19	.04	.06	.	.	01	03	16	.	31	.	08	09	19
20	.	.13	.	.	.	.	.	.	28	.	02	02	20
21	.	.18	.	.	.	.	.	.18	04	50	.	04	21
22	.	.69	.03	.	.20	.	07	03	.	16	.	07	22
23	.	.06	.21	.	01	.	22	31	43	27	.	.	23
24	.	.05	.	05	.	01	15	03	.28	59	.	.	24
25	.	.29	.	06	09	06	03	25	.27	33	.	35	25
26	.04	.54	.04	06	.	.	.	03	.	73	.	25	26
27	.	.45	.05	04	59	.	42	13	.	25	.	15	27
28	.01	.23	.04	07	05	.	04	.	.	01	.12	.	28
29	.	.	.01	.	02	.	02	.98	04	.12	.	11	29
30	.	X	.05	01	.	.	14	09	.	04	03	10	30
31	.13	X	.	X	.	X	27	.14	X	.	X	.50	31
TOTAL	1.45	7.18	1.03	1.90	2.41	.45	2.26	2.94	2.17	5.07	1.92	2.19	31.06
Days with 01 in. or more	16	26	15	16	19	10	19	17	11	24	13	15	201
Days with 04 in. or more	13	24	9	X ¹²	13	4	11	12	10	21	10	12	151

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

Rider Dist.

Station No.

Kept at Marrington Hall
in the County of Salop
by Wol. S. D. Price-Davies

Lat. 52.34 N Long. 3.4. W
Time of Observation 9
Nearest Railway Station Montgomery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.08	—	.02	.64	.10	.03	—	.11	.37	—	1 WRR
2	—	—	.09	—	.06	.05	—	—	—	—	.05	—	2 Wot
3	.03	—	.35	—	.16	.03	.11	.33	—	.06	—	—	3
4	—	—	.54	—	.05	.27	.06	.03	.01	—	—	.25	4
5	—	—	.02	—	.13	.02	(14).09	.05	.16	.01	.11	—	5
6	—	—	—	—	.20	.19	.02	.07	1.09	.22	—	—	6
7	.02	—	—	—	.17	.02	—	—	.28	.50	—	—	7
8	.04	—	—	.02	.01	.18	—	—	.08	—	—	—	8
9	.09	.03	—	.11	.05	.18	—	—	.02	.21	—	—	9
10	.02	—	—	.16	.08	.05	—	—	—	.30	—	—	10
11	.65	—	—	.14	.10	.05	—	—	—	—	.20	—	11
12	.31	—	—	.13	.04	—	—	.17	—	—	—	.11	12
13	.15	—	—	.52	.12	—	—	.03	.10	—	—	.03	13
14	—	.02	—	.02	—	—	—	—	—	—	—	—	14
15	—	—	—	—	—	—	.02	.04	.05	—	—	.09	15
16	.15	.08	—	—	—	—	—	.43	.26	—	—	—	16
17	.11	—	—	—	.17	.08	.52	.04	.12	—	—	—	17
18	.07	—	—	—	.09	—	—	.07	—	.12	—	—	18
19	.08	.04	—	—	—	—	.02	—	.08	.04	—	—	19
20	.10	—	.01	—	.18	—	.54	.08	.15	.18	—	—	20
21	.26	—	.02	—	.07	.23	.66	.23	.07	.45	—	—	21
22	.20	—	.15	—	—	—	—	.03	.25	—	.03	.28	22
23	.02	—	.08	.08	.10	—	.03	—	.17	—	—	.40	23
24	.03	.02	—	.10	.24	—	—	.03	.10	—	—	.26	24
25	—	.02	—	.10	.01	—	.50	—	.57	—	.10	.12	25
26	.04	—	.02	.03	—	—	.20	.13	.12	.31	.65	.46	26
27	—	—	—	.22	—	—	.68	.02	—	.26	.11	.15	27
28	—	—	—	.23	—	—	1.12	.08	—	.03	.09	.04	28
29	—	.08	—	.67	.03	.05	.02	.33	.01	.45	.34	.41	29
30	—	X	—	.68	.07	.02	—	.11	.11	.02	.07	.36	30 852
31	.01	X	—	X	3.46	X	—	—	X	—	X	.27	31
TOTAL	2.40	.29	1.36	3.21	4.61	2.06	4.74	2.39	3.69	3.42	2.02	3.34	YEAR'S TOTAL 33.53
Days with ".01 in. or more.	20	7	10	15	23	15	16	20	20	16	11	15	188
Days with ".04 in. or more.	13	3	6	12	19	11	11	15	17	14	9	14	144

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

2099

Kept at Marrington Hallin the County of SalopDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." Ground " Sea Level 490 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1. following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	-	.17	-	.04	-	-	.07	.05	-	.26	.05	1
2	.22	.05	-	.07	-	-	.06	-	-	-	.49	-	2
3	.25	.07	-	-	-	-	-	.03	-	-	.07	-	3
4	.13	-	-	.10	.21	-	-	-	.13	-	.02	-	4
5	.04	.27	-	.31	.13	-	-	.41	-	.06	-	-	5
6	-	.09	-	-	.14	-	.19	-	-	-	.59	-	6
7	-	.08	.09	.14	.46	-	-	.13	-	-	.34	.08	7
8	.04	.09	.16	-	.08	-	-	.43	.37	-	-	.30	8
9	-	.16	.06	.03	.05	-	-	.02	.17	-	.05	.07	9
10	-	.06	-	.33	-	-	-	.43	-	-	-	.03	10
11	-	.94	-	-	.03	-	-	-	-	-	-	.04	11
12	-	.23	-	-	-	-	-	.09	-	.03	-	-	12
13	.06	.03	.11	.03	-	-	-	.11	-	-	-	.15	13
14	.28	-	-	.13	-	-	-	-	-	-	-	-	14
15	-	-	-	.19	-	-	-	-	-	.41	-	.05	15
16	-	.02	.02	.01	.18	-	-	-	-	.05	-	-	16
17	-	.02	-	-	.23	-	-	-	-	.04	-	-	17
18	-	.12	-	.15	-	-	-	-	-	-	-	-	18
19	-	-	-	-	-	-	.02	.07	.83	.80	-	.50	19
20	-	-	.08	-	-	-	.08	.58	.08	.20	-	.06	20
21	.02	.20	-	-	.73	-	.17	.31	.13	.09	-	-	21
22	.04	.08	-	.14	.02	-	.47	-	.34	.33	-	.83	22
23	-	-	-	-	-	-	-	.04	.06	.09	-	.27	23
24	-	.32	.06	-	.21	-	-	-	.06	.13	-	.02	24
25	-	.29	.07	-	.15	-	.94	-	.12	.10	-	.15	25
26	.04	.14	-	.22	.07	-	.26	.03	.01	.47	.04	.02	26
27	.19	.16	-	-	-	-	-	-	.03	.02	.03	-	27
28	.39	.13	-	-	-	-	.05	.01	-	.05	-	.36	28
29	.02	-	-	-	.15	-	-	-	-	-	.28	.38	29
30	-	X	-	-	.03	-	-	-	.06	.04	.05	.15	30
31	.27	X	.10	X	-	X	-	.02	X	.03	X	.16	31
TOTAL	2.68	3.55	.92	1.85	2.91	0	2.24	2.78	2.44	2.94	2.22	3.67	YEAR'S TOTAL
Days with .01 in. or more.	15	21	10	13	17	0	9	16	14	17	11	19	28.18
Days with .04 in. or more.	13	18	9	10	14	0	8	11	12	14	9	16	28.20
													162
													134

(Signed) S. P. Davis [P.T.O.]

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

2105

Kept at Marrington Hall
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 4.90 ft.

Corr for April

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.18	-	-	.18	.14	-	-	.24	-	.90	.09	1
2	.06	.15	-	-	-	.01	-	-	.02	-	.10	.10	2
3	.22	.05	-	-	-	-	-	-	-	-	-	-	3
4	-	-	-	-	-	-	.12	-	.06	-	.38	.15	4
5	.03	.08	.29	-	.95	-	.25	.05	.08	-	.17	-	5
6	.17	-	.02	-	.02	-	.35	-	.33	.12	.37	-	6
7	.01	.60	.06	.11	.04	.24	-	-	-	-	.27	.08	7
8	-	.04	-	.10	.05	.04	.06	-	-	.48	.45	-	8
9	-	-	-	-	.04	.32	.03	1.02	-	.05	.83	-	9
10	-	-	-	-	.08	-	.11	.14	-	.03	.02	-	10
11	-	-	-	-	.05	.16	-	-	.08	.05	.05	-	11
12	-	-	-	-	.15	-	-	.15	.05	.62	.41	-	12
13	.07	.10	-	-	.21	-	-	-	-	.18	.20	.07	13
14	.03	.10	-	.25	.24	-	-	.06	.11	.08	.23	.25	14
15	-	.07	-	-	-	.04	-	.07	-	-	-	-	15
16	.20	.06	-	.52	-	.01	-	.13	-	-	.85	-	16
17	.05	.07	-	.04	-	.35	-	-	-	-	.18	.15	17
18	.17	.02	-	.04	-	-	1.15	.10	-	-	.35	-	18
19	-	.06	-	-	-	-	.13	-	.53	-	.06	-	19
20	-	.02	-	.08	-	-	-	-	-	-	.35	-	20
21	.07	.13	.04	.04	-	-	.10	-	-	-	.05	-	21
22	.44	.02	-	.09	.15	-	-	-	-	.35	.03	-	22
23	.14	-	-	-	-	-	-	-	.08	.05	-	-	23
24	-	-	-	-	.09	-	.11	.02	.08	.35	-	-	24
25	.17	-	-	.17	-	-	-	-	-	.20	-	-	25
26	-	-	-	-	-	-	-	-	.38	.32	.02	.02	26
27	.45	-	-	.11	.08	-	-	-	.07	-	-	-	27
28	.13	-	-	-	.01	-	.05	-	-	.27	-	-	28
29	.03	-	-	.28	-	-	.31	-	-	-	-	-	29
30	.10	X	-	.10	.20	-	.06	.55	-	-	-	-	30
31	.20	X	.04	X	.04	X	-	.02	X	-	X	-	31
TOTAL	3.20	1.69	.51	1.89	2.58	1.31	2.83	2.31	2.11	2.78	6.17	.91	YEARS TOTAL
Days with ".01 in. or more.	20	15	6	12	17	9	13	11	13	12	20	8	156
Days with ".04 in. or more.	16	12	5	12	15	7	12	9	12	11	17	7	135

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

2074
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY,—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Marrington Hall, Chirbury.
in the County of Shropshire

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
" Ground " Sea Level 4.90.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.09	—	—	—	.23	—	—	.10	.26	—	1	
2	.11	—	.05	.07	.06	—	—	—	—	.04	.01	—	2	
3	—	.02	.13	—	.09	—	.02	—	—	—	—	—	3	
4	—	—	.05	.07	.28	.14	.26	—	—	—	.10	—	4	
5	.09	—	.10	.24	—	.18	.23	—	—	—	.18	—	5	
6	.02	.06	.06	—	—	—	—	.05	.07	—	.39	—	6	
7	.06	—	.07	.10	—	—	.08	—	—	—	—	—	7	
8	—	.14	.01	1.08	—	.09	—	.20	—	—	—	—	8	
9	.01	—	.05	.45	—	.02	—	.17	—	—	.07	—	9	
10	—	—	.08	—	—	.15	—	.23	—	—	—	—	10	
11	—	—	.09	—	—	—	.53	.12	.07	—	—	—	11	
12	.06	—	—	—	—	—	—	.08	.06	—	—	.02	12	
13	.15	—	.12	—	.04	—	—	.10	.07	.08	—	.12	13	
14	.06	—	—	—	—	—	—	.21	1.37	—	.03	.15	14	
15	.03	—	—	—	.30	—	—	.77	1.18	—	.03	.03	15	
16	—	—	—	—	.12	—	—	.27	.21	—	.80	—	16	
17	.07	—	—	—	—	.29	—	.77	.18	—	.41	—	17	
18	—	—	—	—	—	.23	—	.50	.02	.10	.43	—	18	
19	.12	.42	—	—	—	.72	—	.32	.09	.05	.30	—	19	
20	—	.41	—	—	.10	—	.20	.23	—	—	.27	.21	20	
21	.22	.08	—	—	.06	.16	.21	.59	.17	.30	.17	.40	21	
22	—	.12	.23	.10	—	—	.01	.04	.10	.91	—	.05	22	
23	.04	.02	.14	.03	—	.23	—	.11	—	—	—	.28	23	
24	.48	—	.36	.03	—	.37	.05	.02	.31	.16	—	.35	24	
25	.15	.11	.42	—	—	.05	.03	—	.08	.31	—	.68	25	
26	.28	.35	.13	—	.18	.13	.38	—	—	.16	—	—	26	
27	.28	.13	.01	.05	—	.04	.77	—	—	.16	—	—	27	
28	.55	.30	.13	—	—	.08	—	—	.15	—	.26	—	28	
29	.07	X	.12	—	—	.50	.02	—	.18	.13	—	—	29	
30	.19	X	.04	—	—	.25	—	.28	.08	.11	—	—	30	
31	—	X	.29	X	.07	X	.02	.01	X	—	X	.11	31	
TOTAL	3.04	2.16	2.77	2.22	1.30	3.63	3.04	5.07	2.64	4.39	2.61	3.21	2.40	YEAR'S TOTAL
Days with .01 in. or more.	20	12	22	10	10	17	15	20	17	13	15	11	18	2
Days with .04 in. or more.	17	10	20	8	10	16	10	18	16	13	12	9	15	9

Edmund Jones

Section



for the entry of Daily Observations.

AIR MINISTRY.

2147
FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1928.

Kept at *Marrington Hall*
in the County of *Salop*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" Ground " Sea Level *490* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	05	01	—	—	—	05	01	—	—	—	—	1
2	—	16	20	26	—	—	—	—	—	—	—	—	2
3	04	01	01	—	10	—	—	—	—	—	11	—	3
4	04	31	06	02	—	28	16	—	—	29	30	—	4
5	25	02	04	12	—	56	04	—	23	10	—	—	5
6	—	03	—	—	—	09	—	—	08	02	—	03	6
7	10	—	—	09	—	20	02	21	07	31	02	—	7
8	—	03	—	02	—	10	—	—	35	—	—	—	8
9	13	—	—	08	—	01	—	—	13	—	—	—	9
10	14	23	—	06	—	—	—	21	04	27	—	—	10
11	—	22	01	20	—	17	—	18	—	04	25	18	11
12	19	27	01	50	—	48	—	15	—	—	09	05	12
13	—	—	—	02	—	16	—	40	—	—	05	—	13
14	10	25	—	—	—	—	—	05	—	36	42	—	14
15	09	17	13	—	05	—	—	—	—	03	15	08	15
16	—	22	03	05	19	—	—	—	—	04	32	05	16
17	06	—	03	—	05	09	—	—	—	—	07	08	17
18	42	—	—	—	02	—	—	—	02	36	04	05	18
19	01	—	21	—	25	48	—	03	—	27	45	—	19
20	11	—	17	—	21	03	—	04	—	02	35	—	20
21	83	—	14	—	25	05	—	69	05	06	12	—	21
22	—	—	02	—	02	—	—	04	—	—	37	08	22
23	38	—	—	—	—	01	—	37	20	28	33	12	23
24	08	—	11	—	—	—	—	14	—	12	12	17	24
25	20	—	—	—	—	10	—	11	—	02	02	—	25
26	31	—	—	—	15	02	—	30	—	79	12	—	26
27	05	—	—	—	—	—	—	—	07	18	09	26	27
28	25	—	13	—	—	13	—	36	11	01	—	22	28
29	20	19	25	—	—	37	07	—	01	10	11	—	29
30	01	X	35	—	—	—	56	—	—	05	—	42	30
31	23	X	06	X	—	X	35	06	X	02	X	—	31
TOTAL	4.54	2.16	1.97	1.42	1.29	3.33	1.25	3.35	1.36	3.74	3.90	1.79	YEAR'S TOTAL 30.10
Days with 01 in. or more.	24	14	19	11	10	18	7	17	12	22	21	13	178
Days with 04 in. or more.	19	10	12	8	7	14	6	15	10	16	19	12	148

(Signed)

P.T.O.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. REGISTER OF RAINFALL IN 1929.

Kept at Marrington Hall, Chirbury, Montgomery
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level 490 ft.

*year. 3" low on Montgomery accept
August 2" low on Montgomery agrees Bishop's castle
T. Newton accept.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.08	—	.02	—	.08	—	.01	—	.20	—	.01	1
2	—	.18	—	—	—	.10	—	—	.02	.08	—	.30	2
3	—	—	—	—	—	.07	.15	.13	.26	—	—	.10	3
4	—	.01	—	.08	—	.04	.20	—	—	.02	.14	.78	4
5	—	—	—	—	.34	.21	.48	.40	—	1.40	.21	.25	5
6	.05	—	—	—	.47	.29	—	.34	—	.10	—	.85	6
7	—	—	—	.04	.03	.05	—	—	—	.10	.21	.30	7
8	—	.10	—	—	.40	—	—	—	—	.18	.56	.75	8
9	.08	.04	—	—	.01	—	—	—	—	—	.09	.41	9
10	.06	—	—	.01	—	—	—	—	—	.02	1.04	.32	10
11	—	—	—	—	.17	—	.05	.09	—	—	.03	.26	11
12	.08	.20	—	.23	—	.75	.50	—	.42	—	.02	.04	12
13	—	—	—	.01	.03	.04	—	—	—	—	—	.04	13
14	—	—	—	—	.12	.51	—	—	.03	—	.35	.03	14
15	.10	—	—	—	—	.02	—	—	—	—	—	—	15
16	—	—	—	—	—	—	—	.12	—	—	—	—	16
17	.08	—	—	—	—	—	—	—	—	.05	.42	—	17
18	—	—	—	—	—	—	—	—	—	.05	.26	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	.05	—	.04	—	.10	.04	.40	20
21	—	—	.18	—	—	—	—	—	—	.01	.24	—	21
22	.01	—	.02	—	—	—	.05	.22	—	.31	.44	.07	22
23	—	—	—	.02	—	—	.07	.17	—	—	.62	.30	23
24	—	.15	—	—	—	—	—	.16	—	.44	.27	.50	24
25	.02	.01	.07	.13	—	—	—	—	—	.03	.26	.21	25
26	—	—	—	.04	.02	—	.33	—	—	.09	.17	.07	26
27	.38	—	—	.02	—	—	—	—	—	.22	.47	.05	27
28	.03	—	—	.12	—	—	—	.03	—	.02	.35	.66	28
29	—	X	—	—	—	—	~~03~~	—	.14	.21	—	.24	29
30	—	X	—	—	—	—	.03	—	.37	—	.07	.02	30
31	.37	X	—	X	—	X	.43	.11	X	—	X	.02	31
TOTAL	12.6	7.7	2.7	7.2	1.59	2.21	2.29	1.82	1.24	3.63	6.26	6.98	YEARS TOTAL 29.04
Days with ".01 in. or more.	11	8	3	11	9	12	10	12	6	19	21	25	147
Days with ".04 in. or more.	7	6	2	6	5	11	9	10	4	14	19	21	114

2266

REGISTER OF RAINFALL IN 1923

Kept at Marrington Hall
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.50	—	.41	—	—	—	.12	—	—	.33	—	1
2	—	.05	.08	.04	—	—	.10	.08	—	—	.61	—	2
3	.35	.08	—	.44	—	—	—	.15	—	.66	—	—	3
4	.25	—	.11	.10	.21	—	.01	.03	—	.09	—	—	4
5	.10	—	.08	.04	.20	—	—	.09	—	.12	—	—	5
6	—	.02	.40	—	.25	—	—	.01	.06	.26	—	—	6
7	.17	—	—	—	.03	—	—	—	.44	.17	.16	.11	7
8	.04	—	—	.19	—	—	—	.03	—	.41	—	.11	8
9	.49	—	.16	.55	.29	—	—	—	—	.04	—	—	9
10	.66	—	.22	—	.12	.07	—	.06	—	—	—	.60	10
11	.11	—	—	.05	.12	—	—	.01	—	.07	—	.09	11
12	.17	—	—	—	.10	—	—	.11	.94	—	—	.37	12
13	.09	—	.20	.07	.02	—	.07	.04	—	—	—	.01	13
14	.60	.02	.02	.05	—	—	.28	—	—	—	—	.11	14
15	—	.14	.01	—	.01	—	.10	—	.03	.27	.28	.30	15
16	.01	—	.50	—	—	—	.05	—	.05	.09	—	.23	16
17	—	—	.18	.04	.10	—	.13	.06	.64	.13	—	—	17
18	—	—	.01	—	—	—	.05	.05	.02	.08	.21	—	18
19	—	—	.07	.19	.01	.24	.07	—	.86	.11	.11	—	19
20	.02	—	.28	—	—	.06	1.50	.60	.19	.03	.09	—	20
21	—	—	.07	.02	—	.01	.07	.01	.02	.13	.21	—	21
22	.27	—	.28	.33	—	.04	.07	.35	—	.10	.27	—	22
23	.03	—	.42	.35	.03	.07	.07	.07	—	.03	.37	—	23
24	.20	—	—	.20	.03	—	—	—	—	.09	.22	—	24
25	—	.01	—	.01	—	—	—	—	.12	.03	.11	.12	25
26	.77	.07	.07	—	.30	—	—	—	.16	.07	.03	.06	26
27	—	—	.06	—	—	—	.28	—	—	.02	—	.09	27
28	.02	—	—	—	—	—	.55	—	—	—	.27	.47	28
29	—	X	—	—	—	—	.13	.05	—	.05	.03	.10	29
30	—	X	—	—	.39	—	.05	.04	—	.05	—	.73	30
31	.42	X	—	X	.07	X	—	—	X	.35	X	.10	31
TOTAL	4.84	.89	3.22	3.08	2.29	.49	3.58	1.96	3.53	3.45	3.30	3.60	YEAR'S TOTAL 34.23
Days with "01 in. or more.	20	8	19	17	17	6	17	19	12	24	15	16	190
Days with "04 in. or more.	16	5	16	15	11	5	16	14	9	20	13	12	152

RECORD

ANIZATION.

Kept at *Green Cott*in the County of *Salop*by *J. Hopkin*

CHURCH PREEN

PREEN COTT

SHROPSHIRE

1921-1930

AM
*Preesthope*n Gauge *5* in.ve Ground *1* ft. in.Sea Level *760* ft.

entered to the previous day.

ested to add
at the end of

rain gauges,

Observers,"

62, Camden

Jan. 1, following.

0.9 inch

IMPORTANT NOTE.

If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruc
and particulars as to the
sent post-free on applicatio
Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		8					31	8		8	22	1
2	2				13			46		5	30		2
3			2		3	16				67	12		3
4	17		1			10		24			7		4
5			3		1			60			45	8	5
6			4		7			40			27		6
7	15										29		7
8	3		3		24								8
9				18	9			10					9
10	14							19		22		4	10
11	17				8			30	12			3	11
12	65		3					18	31			15	12
13	20	4	39	12					2	15	5		13
14			26	49	10			9				28	14
15			16	1			3				3	4	15
16	10		22	18				2			32		16
17	15		5	19		7							17
18	14		3										18
19			8		5	8				31			19
20													20
21			3	11		3		16		4		9	21
22			6	4			6			27	8	20	22
23				11			6			25			23
24		7											24
25	5	25	9				62					35	25
26			4			5						4	26
27	5				37	10					2	45	27
28	24		9		10		2	69					28
29			2		14			3					29
30	28			6	10						9	41	30
31	33							11		4			31
TOTAL	320	36	176	149	151	59	79	388	53	200	217	238	YEAR'S TOTAL
Days with "01 in. or more	17	3	20	10	13	7	5	15	4	9	13	13	129
Days with "04 in. or more	15	3	12	9	11	6	3	13	3	9	11	12	107

REGISTER OF RAINFALL IN 1922

Kept at Praeger Cottage, Ch. Praeger,
in the County of Salop
by J. Hopkins

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Presthope
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 760 ft. _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.9 inch

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		8					31	8		8	22	1
2	2				13			46		5	30		2
3			2		3	16				67	12		3
4	17		1			10		24			7		4
5			3		1			60			45	8	5
6			4		7			40			27		6
7	15										29		7
8	3		3		24								8
9				18	9			10					9
10	14							19		22		4	10
11	17				8			30	12			3	11
12	65		3					18	31			15	12
13	20	4	39	12					2	15	5		13
14			26	49	10			9				28	14
15			16	1			3				3	4	15
16	10		22	18				2			32		16
17	15		5	19		7							17
18	14		3										18
19			8		5	8				31			19
20													20
21			3	11		3		16		4		9	21
22			6	4			6			27	8	20	22
23				11			6			25			23
24		7											24
25	5	25	9				62					35	25
26			4			5						4	26
27	5				37	10					2	45	27
28	24		9		10		2	69					28
29			2		14			3					29
30	28			6	10						9	41	30
31	33							11		4			31
TOTAL	320	36	176	149	151	59	79	388	53	200	217	238	YEAR'S TOTAL
Days with 0.1 in. or more	17	3	20	10	13	7	5	15	4	9	13	13	129
Days with 0.4 in. or more	15	3	12	9	11	6	3	13	3	9	11	12	107

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.

Kept at Green Cottage Ch. Preen
in the County of Salop
by J. Hopkins

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station Presthoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	9	22	52		28		17		35		14	3	1
2	13	47	2				27				1	3	2
3	40	8	11		7		18	17		3	6		3
4		31	15		31					12		1	4
5	18		20	27			1.13			30	33		5
6	22		33				19	14			34		6
7	10		64				21	14	5			3	7
8	2		5	12			31	10		5		10	8
9	1					2		14					9
10											16		10
11	4												11
12				22		22	6	34	42				12
13	26			23		5	18						13
14		8					8		19			50	14
15	38	8		32					21			8	15
16	46	5			10			41	5			7	16
17		14			5		35		3			18	17
18	40	2			5		7		9			6	18
19		7	32						11	12			19
20	4	8				4					1.05		20
21		28		7			13	3			48		21
22	13	27			19	13	9	14			22		22
23		2		10			24				2		23
24	5	2	17			10		16			5		24
25	22	9	21	57		8		4	21		7		25
26	15	44		47			9		2	12	12	9	26
27	31	45	10					15	10			29	27
28	15	44		14		3		10	7			4	28
29						3						31	29
30	20		27	19		3	3	14	26		4	7	30
31	21							5		30		3	31
TOTAL	415	369	309	270	105	73	378	225	216	92	120	381	YEAR'S TOTAL 2948
Days with "01 in. or more	22	19	13	11	7	10	17	15	14	6	8	22	164
Days with "04 in. or more	20	16	12	11	7	6	16	14	13	5	7	16	142

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Green Cottage, Ch. Preen
 in the County of Salop
 by J. Hopkins

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Doerthope
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 760 ft.

2140
 9 JAN 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	8	4	22				5			4		40	1
2	13		6		12			2		10			2
3		7	13			3	2		23	53		8	3
4				8					3	3		2	4
5	22		3	20	36	4				2			5
6	20	60	13	18				2				1	6
7	1	51	12	15			22			9		19	7
8	11	16	2			11				10	15		8
9	5	40				1	6	2			19		9
10	3	19		23	4		27			36		3	10
11		2		18	21					11			11
12		23		38	5	3				40	3	2	12
13	2	29		9	3					2	69		13
14				6	6		8	19	6	4		2	14
15		9	6		7	9	2				31		15
16	5	20			8			14	3		23		16
17	2	48			3		2	6	39	3			17
18		14				6		33	2	12	6	3	18
19		8					27		14		8	15	19
20	11	9						8	24	15	3	12	20
21										11		43	21
22		33	4		9			2	5	13			22
23		6	13	8	4		11	50	35	24			23
24		16		11		1	15	6	17	50		11	24
25		36		7	5	5	8	39	30	23		25	25
26		50	2	13				6		52		20	26
27	3	15	16				90	16		49		13	27
28		5		1	39		6	44		15	13		28
29					4		2	97		16		18	29
30		X	11	3			23	9		5	7	25	30
31	3	X		X		X	34		X		X	34	31
TOTAL	1.09	520	1.23	1.98	1.66	43	2.90	36	2.01	4.58	1.97	2.96	YEAR'S TOTAL
Days with 0.1 in. or more	14	23	13	15	15	9	17	18	12	25	11	19	2964
Days with 0.4 in. or more	8	22	10	13	13	5	13	14	9	20	9	13	149

REGISTER OF RAINFALL IN 1924.

Kept at Green Cottage
in the County of Salop
by J. Hopkins

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Presthope
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 760 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			9		2	60	14	13			31		R.V. 1
2			13		12	5	2	1		29		3	W. 2
3	4		10				17	31					C 3
4						25	2					44	CH 4
5		1	36		18		21	4	19	10		8	5
6					14		3	7	26	32			6
7	4				6	9			62	74			7
8	8			2	9	1			18				8
9	6	3		16	4	13			18	25			9
10				21	15	17				34			10
11	1.16			18	12	16			5		31		11
12	1.05			17	3			35	10				12
13	9			52	6			4	42		2	17	13
14				13				9				5	14
15		10					5	1	10			19	15
16	11							43	25				16
17	13	3				44	29	21	15				17
18	12				19					14			18
19	2				48	4			12	1			19
20	18				38	17	73	4		21			20
21	28	6	17		14	12	57	8	18	98			21
22	28		9					15	24			24	22
23	12			12			5	23	19			62	23
24	13	6		8	23				17			40	24
25			5	12			42		44		16	11	25
26			4	8	7		10			49	34	47	26
27	2			19			69			19	8	41	27
28	1			9			20	36		7	6		28
29		4		41	31	5		28	2	73	29	49	29
30		X		93	18			9	24		7	25	30
31	1	X		X	277	X	4		X		X	29	31
TOTAL	386	33	103	341	576	228	373	292	410	486	164	424	YEAR'S TOTAL
Days with 01 in. or more	19	7	8	15	20	13	16	18	19	14	9	15	38.16
Days with 04 in. or more	14	4	8	14	18	12	13	16	18	13	8	24	173

REGISTER OF RAINFALL IN 1925.

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

" " " " Sea Level

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	61		22			6		5	7		11		1
2	14	4		2							41		2
3	25	2			3		14		2		3		3
4	5			9	22				5	4	12		4
5		25		45	8			3	40		2		5
6		5		3	9		43	10			48		6
7		11	4		34			6		2	21	6	7
8	6	18	19		34			49	25			13	8
9		16	2	5	12				45				9
10		4	4	16				79	3				10
11		77						2	8			4	11
12		31						9		6			12
13	3			7						3	8	3	13
14	41		2	8									14
15				21					37	64			15
16	2	7		1									16
17					2							1	17
18		38		11									18
19		6							80	73		37	19
20			15				7	24	20	32		13	20
21		16					32	25	28	12			21
22		7		16			60	32	35	33	48	61	22
23		2			50			41	16	8		15	23
24		24	13	5				3		11		6	24
25		36	10		15		27			13		11	25
26		11		34	26		16	6	2	85		4	26
27		8			20		4			12	1		27
28	21	17		13	14					17		29	28
29	36			11	22		22				13	22	29
30	1	X	8	3								18	30
31	17	X	8	X		X			X	3	X	6	31
TOTAL	232	348	107	210	271	06	225	294	353	378	156	249	YEAR'S TOTAL
Days with .01 in. or more	12	21	11	17	14	1	9	14	15	16	10	16	2829
Days with .04 in. or more	9	18	9	13	12	1	9	11	12	13	7	14	156
													128

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2106

Register of Rainfall in 1926.

Kept at Preen Cottage
in the County of Salop

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 760 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	50	23			28	21			20		67	9	1
2	9	2							6		6	3	2
3	21	7	21					2				2	3
4		2	4				32				46	5	4
5	5	19	2		56		50	5	8		8	12	5
6	26	9					23		7	16	20		6
7		65		24	26	14			17	1			7
8	1	5	10		3					57	68		8
9			1		2	29	20	80		2			9
10					15	13	9	7			59		10
11					12	5			2	3			11
12					16	6		11		42	8	2	12
13	8 10				7				7	11	39	3	13
14	8 5	17		37	82	15		4	2	9	15	15	14
15	8 6	2		3	2					19	31		15
16	8 9	2		45							79		16
17	8 13	6		6		65		4			30	2	17
18	21	3		2			35	6			58	1	18
19			4	6			16	9	10		1		19
20				5				2			56		20
21	4		3	4	2		7			26	5		21
22	43	8		6						3	2		22
23	12				3					22			23
24	17				5	6	5		10			2	24
25	8			29			4			16	2		25
26			2		15				17				26
27	27			10	8		7		3	7		2	27
28	12			11	5		33			18			28
29	1		1	23	20		4						29
30	16	X		28	5			57					30
31	13	X		X		X		7	X		X		31
TOTAL	3.29	1.70	48	2.39	3.12	1.74	2.45	1.94	1.09	2.52	6.00	58	YEAR'S TOTAL
Days with .01 in. or more.	22	14	9	13	19	9	13	12	12	15	19	12	27.30
Days with .04 in. or more.	20	9	4	13	14	9	13	10	9	11	16	4	171
													132

(Signed) J. Hopkins [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

2075

Kept at *Green Cottage*in the County of *Salop*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. in.,, Ground ,, Sea Level*760* *approx* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			7				12			21	31		1
2	7		4	23	1								2
3		1	10		1	1	2				1		3
4	3		6	8	14	12	13				9		4
5	5	6	12	35		14	26				7		5
6			5	2					47		71		6
7	5	14	5	21		30	4	3				2	7
8	3		2	62				13	4				8
9			4	19				25			5	2	9
10			4	2		17		10		1			10
11			2	2			20	5					11
12	14						1	15	6				12
13	15		7		5	54		16	20	8	4	8	13
14	2			2				3	119		2	19	14
15					38			47	39				15
16		3			15	53		30	23		1		16
17	3		2			9		81	9				17
18						82		49	1	2	132		18
19		33				14		34		2	52		19
20	15	65			9		18	26	6		30	22	20
21	12	17	2		12		13	59	20	60	21	38	21
22	5	11	30	6		23	3	3	10	89	20	5	22
23		3	14			34					25	34	23
24	31	1	31	6		1	7	16	12	9		28	24
25	30	5	27	3		17			15	17		15	25
26	22	45	3		21		35		5	8			26
27	17	26				7	21			10			27
28	59	20	6			1			9		42		28
29	4		21			29	2		51	8			29
30	14	X	9			23	2	15	6	6	4		30
31		X	28	X	7	X	2		X		X	10	31
TOTAL	266	251	241	191	123	421	181	450	402	241	457	173	YEAR'S TOTAL 3397
Days with 01 in. or more.	19	14	23	13	10	18	16	18	18	13	17	11	190
Days with 04 in. or more.	15	10	18	8	8	15	10	15	17	10	14	9	151

Please read the Notes and Instructions Overleaf.

J. Hopkins

Section **A**

for the entry of Daily Observations.

2148
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Green Cottage
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 460 approx ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	46	2	1				21	3					1
2	5	17	26	2							14		2
3		2		7	13								3
4		35		3		8	14			30			4
5	13		2	7			11		30	26	4		5
6						118							6
7	5	1		16		22		40		32			7
8				3		28	5		10	4			8
9	5			4		14			4	5			9
10	24	26	3	4	2	9		2		58	19		10
11		18	1	10				4			6	24	11
12	32	32	5	65		26		5		9			12
13		3		3				29			9		13
14	10	14				4		24		44	56		14
15	8	8			4	5		2			15	6	15
16		18	5		6					13	40	9	16
17	7	1	2	1	24								17
18	27		4	2	5	11				38	4	18	18
19			10		30	25		6		44	34		19
20	18		22			3		3		8	24		20
21	89		19	26				6	18	13	20	16	21
22		4	3			2		45			42	8	22
23	68		7	3	30					29	31		23
24	5		5					23	28	10	12	10	24
25	27					10					4	22	25
26	18		2			11		41		44	32		26
27	5			1				34	4	14		26	27
28	37		19			28		4		10		19	28
29	26	32	32			41		9		4	3	10	29
30		X	31	10			54					34	30
31	43	X	5	X		X	32		X	6	X		31
TOTAL	515	213	204	164	114	382	143	286	100	436	375	205	YEARS TOTAL
Days with "01 in. or more.	21	15	20	17	21	18	6	17	6	20	18	12	31 40
Days with "04 in. or more.	21	10	13	9	4	16	6	13	6	20	14	12	28 178
													150



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Green Cottage

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 460 ft.

days - 31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						13		5		26			1
2		24				6		3		2		30	2
3					2			38	19			8	3
4				28	44	55	18			11	4	42	4
5					64	20	42	31		163	32	15	5
6					4	40		28		3	4	46	6
7	21				44					64	9	24	7
8				6						11		52	8
9		8								3	38	41	9
10										6	4	25	10
11					30		5				90	21	11
12	34			20	6	110	45					2	12
13				2	11	9						4	13
14	5				15	28		10	4			5	14
15						4					843		15
16								6			3		16
17	821									3			17
18								18			54		18
19											35		19
20											14	41	20
21	2		21			10				31			21
22	3			3		3		9			12		22
23										11	43	41	23
24					2	3		4		82	60	45	24
25		818								2	32	11	25
26				9							25	18	26
27				10			4			20	20	3	27
28	20			9			28		22	6	50	83	28
29	31									4	25	22	29
30	2	X					11		58		3		30
31	28	X		X		X	34	16	X		X	1	31
TOTAL	164	50	21	49	231	301	188	171	103	401	606	613	YEAR'S TOTAL
Days with .01 in. or more.	10	3	1	8	10	12	8	11	4	17	21	22	127
Days with .04 in. or more.	8	3	1	6	8	10	8	10	4	12	19	19	108

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Green Cottage
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 760 app ft.

new days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	5	34		36		5		11			29		I
2		3	9			8		13			43		2
3	24	6		54			14	22		55	3		3
4	30		2	22	14					12			4
5	6		6	6	40			14		20			5
6		84	43		36				19	15			6
7	15								13	14	15	12	7
8	4			8					33	19		18	8
9	69		40	41	26			9		4			9
10	68	91818			12	10		12				41	10
11	86				1				1	5		18	11
12	25			4	11			20				28	12
13	24		20	8			9	11				16	13
14	49		850	6			24		30			8	14
15	1824	813					25	3	4	31	29	28	15
16						4	14		4	9		11	16
17			85	21	10		8	5	65	9		3	17
18			83	4		22	6	2	16	4	26	1	18
19			818	34	9	8	3	2	52	14	20		19
20			14		1	2	205	20	44	2	16		20
21			34			4	13	2	2	14	11		21
22	44						38	41		20	18		22
23	3			6	4		22	10	5		20	9	23
24	30			34	4				4	22	23		24
25		3		29	4				34	15	29	15	25
26	988106	9		26			3		1	9	3	22	26
27	5		6	1	24	4	24		3	6		12	27
28			8								23	28	28
29	3						43	21			6	15	29
30		X			1	9	31	2		30		42	30
31	34	X		X	45	X			X	12	X	20	31
TOTAL	593	89	319	340	248	46	485	223	333	344	324	344	3454
Days with "or in. or more.	208	78	168	178	163	108	168	188	174	228	168	198	194
Days with "04 in. or more.	178	58	148	164	134	98	148	138	138	218	148	178	166

RECORD

CHURCH STRETTON

S.W.

SHROPSHIRE

1921-30

ANIZATION.

2° 49' 33" W.

a.m.

Church Stretton

n Gauge 5 in.

ve Ground 1 ft. 0 in.

Sea Level 582 ft.

ntered to the previous day.

sted to add
t the end of
rain gauges,
Observers,
62, Camden

Jan. 1, following.

2275

Kept at Church St

in the County of

by Church Stretton U

per. E. J.

IMPORTANT NOTE:-
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instruct
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

R

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
21	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
1	0.40	-	0.07	-	-	-	-	0.42	0.07	-	0.08	0.09	1
2	0.04	-	-	-	0.13	-	-	0.44	-	0.09	0.39	-	2
3	-	-	0.05	-	0.06	0.14	-	-	-	0.91	0.13	-	3
4	0.15	-	-	-	-	0.25	-	0.33	-	-	0.05	-	4
5	-	-	0.03	-	0.03	-	-	0.50	-	-	0.64	-	5
6	0.04	-	0.03	-	0.16	-	-	-	-	-	0.46	0.02	6
7	0.12	-	-	-	-	-	-	0.30	-	-	0.45	-	7
8	-	-	0.05	-	0.16	0.02	-	-	-	-	-	-	8
9	-	-	-	0.19	0.11	-	-	0.12	-	-	-	-	9
10	0.19	-	0.04	-	0.06	-	-	0.15	0.04	0.15	-	0.05	10
11	0.24	-	-	-	0.15	-	-	0.39	0.14	0.02	-	-	11
12	0.45	-	-	-	0.44	-	-	0.17	0.29	-	-	0.09	12
13	0.16	-	0.36	0.12	-	-	-	0.17	0.12	0.09	0.08	-	13
14	-	-	0.60	0.35	0.08	-	0.04	0.09	0.04	-	-	0.29	14
15	-	-	0.18	0.04	-	-	0.11	-	-	-	0.09	0.03	15
16	0.07	-	0.22	0.30	-	-	0.07	0.03	-	-	0.42	-	16
17	0.28	-	0.09	0.18	-	0.04	-	0.07	-	-	-	-	17
18	0.22	-	0.03	0.11	-	-	-	-	-	0.02	-	-	18
19	-	-	0.18	-	0.03	0.03	-	-	-	0.24	-	0.03	19
20	-	-	0.02	-	-	-	-	-	-	-	0.03	-	20
21	-	-	-	0.13	-	-	-	0.08	-	0.04	0.06	0.08	21
22	-	-	0.04	0.06	-	-	0.13	-	-	0.44	0.03	0.27	22
23	-	-	-	0.03	-	-	0.11	-	-	0.35	-	0.10	23
24	-	0.12	-	-	-	-	-	-	-	-	-	0.28	24
25	0.06	0.20	0.09	-	-	-	0.60	-	-	-	-	-	25
26	-	-	0.10	-	-	0.06	-	-	-	-	-	0.19	26
27	0.05	-	0.05	-	0.23	0.16	-	-	-	-	0.06	0.45	27
28	-	-	0.12	-	0.14	-	-	0.68	-	-	-	0.06	28
29	0.24	-	0.04	-	0.14	-	-	0.05	-	-	-	0.11	29
30	0.27	~~X~~	-	-	0.15	-	-	-	-	-	0.23	0.43	30
31	0.16	~~X~~	-	~~X~~	-	~~X~~	-	0.14	~~X~~	0.02	~~X~~	-	31
99													YEAR'S TOTAL
TOTAL	3.14	0.32	2.39	1.51	2.07	0.70	1.06	4.13	0.70	2.37	3.20	2.57	24.16
Days with 01 in. or more	17.	2.	20.	10.	15.	7.	6.	17.	6.	11.	15.	16.	142
Days with 04 in. or more	17	2	16	9	13	5	6	16	6	8	13	13	124

REGISTER OF RAINFALL IN 1921.

Kept at Church Stretton (Sewage Works)in the County of Salop.by Church Stretton Urban District Councilper. E. J. Marsh, Surveyor.Lat. 52° 30' 49" Long. 2° 49' 33" W.Time of Observation 9 a.m.Nearest Railway Station Church StrettonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

2275

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
21	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
1	0.40	—	0.07	—	—	—	—	0.42	0.07	—	0.08	0.09	1
2	0.04	—	—	—	0.13	—	—	0.44	—	0.09	0.39	—	2
3	—	—	0.05	—	0.06	0.14	—	—	—	0.91	0.13	—	3
4	0.15	—	—	—	—	0.25	—	0.33	—	—	0.05	—	4
5	—	—	0.03	—	0.03	—	—	0.50	—	—	0.64	—	5
6	0.04	—	0.03	—	0.16	—	—	—	—	—	0.46	0.02	6
7	0.12	—	—	—	—	—	—	0.30	—	—	0.45	—	7
8	—	—	0.05	—	0.16	0.02	—	—	—	—	—	—	8
9	—	—	—	0.19	0.11	—	—	0.12	—	—	—	—	9
10	0.19	—	0.04	—	0.06	—	—	0.15	0.04	0.15	—	0.05	10
11	0.24	—	—	—	0.15	—	—	0.39	0.14	0.02	—	—	11
12	0.45	—	—	—	0.44	—	—	0.17	0.29	—	—	0.09	12
13	0.16	—	0.36	0.12	—	—	—	0.17	0.12	0.09	0.08	—	13
14	—	—	0.60	0.35	0.08	—	0.04	0.09	0.04	—	—	0.29	14
15	—	—	0.18	0.04	—	—	0.11	—	—	—	0.09	0.03	15
16	0.07	—	0.22	0.30	—	—	0.07	0.03	—	—	0.42	—	16
17	0.28	—	0.09	0.18	—	0.04	—	0.07	—	—	—	—	17
18	0.22	—	0.03	0.11	—	—	—	—	—	0.02	—	—	18
19	—	—	0.18	—	0.03	0.03	—	—	—	0.24	—	0.03	19
20	—	—	0.02	—	—	—	—	—	—	—	0.03	—	20
21	—	—	—	0.13	—	—	—	0.08	—	0.04	0.06	0.08	21
22	—	—	0.04	0.06	—	—	0.13	—	—	0.44	0.03	0.27	22
23	—	—	—	0.03	—	—	0.11	—	—	0.35	—	0.10	23
24	—	0.12	—	—	—	—	—	—	—	—	—	0.28	24
25	0.06	0.20	0.09	—	—	—	0.60	—	—	—	—	—	25
26	—	—	0.10	—	—	0.06	—	—	—	—	—	0.19	26
27	0.05	—	0.05	—	0.23	0.16	—	—	—	—	0.06	0.45	27
28	—	—	0.12	—	0.14	—	—	0.68	—	—	—	0.06	28
29	0.24	—	0.04	—	0.14	—	—	0.05	—	—	—	0.11	29
30	0.27	~~X~~	—	—	0.15	—	—	—	—	—	0.23	0.43	30
31	0.16	~~X~~	—	~~X~~	—	~~X~~	—	0.14	~~X~~	0.02	~~X~~	—	31
99													YEAR'S TOTAL
TOTAL	3.14	0.32	2.39	1.51	2.07	0.70	1.06	4.13	0.70	2.37	3.20	2.57	24.16
Days with 0.1 in. or more	17	2	20	10	15	7	6	17	6	11	15	16	142
Days with 0.4 in. or more	17	2	16	9	13	5	6	16	6	8	13	13	124

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Church Stretton (Sewage Works)
in the County of Salop.
by Church Stretton Urban District Council,
per E. J. Marsh, Surveyor.

Lat 52° 30' 49" Long 2° 49' 33" W.
Time of Observation 9 a.m.
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
2275

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
22													1
1	0.27	0.24	0.44	—	0.18	—	0.32	—	0.26	—	0.16	0.04	2
2	0.11	0.47	0.02	—	0.02	—	0.36	—	—	—	—	—	3
3	0.32	0.18	0.17	0.04	0.12	—	0.20	0.11	—	0.03	0.22	—	4
4	—	0.42	0.25	—	0.41	—	0.15	0.03	—	0.09	—	—	5
5	0.17	—	0.23	0.44	—	—	1.08	—	—	0.66	0.23	—	6
6	0.19	—	0.23	—	—	—	0.26	0.06	—	—	0.27	—	7
7	0.13	—	0.62	0.13	—	—	0.33	0.07	0.02	—	—	0.04	8
8	0.04	—	0.19	—	—	—	0.49	0.21	—	0.03	—	0.06	9
9	0.03	—	—	—	—	—	0.03	0.07	—	0.08	0.03	—	10
10	—	—	—	—	0.07	—	—	0.03	—	—	0.21	—	11
11	0.17	—	—	—	—	—	—	—	—	—	—	—	12
12	—	—	—	0.27	—	0.08	0.12	0.45	0.48	—	—	—	13
13	0.23	—	—	0.33	—	0.24	0.25	—	0.12	—	—	—	14
14	0.04	0.04	—	0.15	—	—	0.10	—	0.30	—	—	0.49	15
15	0.48	0.06	—	0.13	—	—	0.14	—	0.08	—	—	0.06	16
16	0.17	0.12	—	0.18	0.16	—	—	0.37	0.04	—	—	0.16	17
17	—	0.22	—	—	0.06	—	0.29	—	0.04	—	—	0.18	18
18	0.49	0.07	—	—	—	—	—	0.05	0.16	0.03	—	0.09	19
19	—	0.08	0.32	—	—	—	—	—	0.23	0.05	0.03	1.21	20
20	0.05	0.14	—	—	—	0.03	—	—	—	—	—	0.62	21
21	0.20	0.21	—	0.03	—	—	0.27	0.07	—	—	—	0.53	22
22	—	0.15	—	—	0.19	0.12	0.09	0.13	—	—	—	0.24	23
23	—	—	—	0.26	0.02	—	0.34	—	0.09	—	—	0.04	24
24	0.03	0.03	0.19	0.28	—	0.23	—	0.28	—	—	—	0.08	25
25	0.27	0.07	0.09	0.67	—	0.05	—	0.03	0.19	—	—	0.04	26
26	0.37	0.41	0.08	0.42	—	0.08	0.15	—	0.11	—	0.10	0.10	27
27	0.19	0.54	0.21	0.06	—	—	—	0.21	0.04	—	—	0.30	28
28	0.55	0.49	0.03	0.04	—	0.03	—	0.11	0.03	—	—	0.06	29
29	—	X	—	—	—	0.07	—	—	—	—	—	0.39	30
30	0.22	X	0.18	0.15	—	0.03	—	0.14	0.40	—	0.15	0.04	31
31	0.39	X	—	X	—	X	—	0.19	X	0.35	X	—	99
TOTAL	5.11	3.94	3.25	3.58	1.23	0.96	4.97	2.61	2.59	1.32	1.40	4.77	YEAR'S TOTAL
Days with "01 in. or more	23	18	15	16	9	10	18	18	16	8	9	20	180
Days with "01 in. or more	21	17	13	15	7	7	18	15	14	5	7	20	159

REGISTER OF RAINFALL IN 1923.

Kept at Church Stretton (Sewage works)
in the County of Salop.
by E. J. Marsh, Surveyor to
Church Stretton Urban District Council.

Lat. 52° 30' 49" N. Long. 2° 49' 33" W.
Time of Observation 9 a.m.
Nearest Railway Station Church Stretton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

2135
4 JAN 1924

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
2275

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
23	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	0.10	0.21	-	-	-	0.04	-	0.03	0.05	-	0.36	1
2	0.13	-	0.11	-	0.09	-	-	0.06	0.03	0.16	-	-	2
3	0.10	0.10	0.18	-	-	0.04	-	0.10	0.20	0.67	0.04	0.09	3
4	-	-	-	0.14	-	-	-	-	0.03	0.04	0.09	0.09	4
5	0.30	-	0.10	0.30	0.56	0.05	-	-	-	0.06	-	-	5
6	0.46	0.42	0.28	0.30	-	-	-	0.03	-	0.04	-	-	6
7	0.03	0.81	0.12	0.29	-	-	0.17	-	-	0.19	-	0.24	7
8	0.13	0.23	0.10	-	-	0.04	-	-	-	0.27	0.20	0.02	8
9	0.16	0.54	-	-	0.05	-	0.11	0.08	-	-	0.31	-	9
10	0.10	0.39	-	0.51	0.04	-	0.04	-	-	0.49	-	0.04	10
11	-	-	-	0.39	0.06	-	-	-	-	0.20	-	-	11
12	-	0.46	0.03	0.15	0.29	0.03	-	-	-	0.53	0.03	-	12
13	0.04	0.38	-	0.19	0.08	-	0.42	-	0.03	0.08	0.70	0.04	13
14	-	-	-	-	0.05	-	-	0.02	0.03	0.02	-	-	14
15	-	0.10	0.05	0.06	0.18	0.13	0.04	-	-	-	0.47	-	15
16	0.05	0.29	-	0.04	0.21	-	-	0.08	0.02	0.04	0.21	-	16
17	0.06	0.62	-	-	0.05	-	-	0.17	0.51	0.04	0.05	-	17
18	0.03	0.38	-	0.03	-	0.03	-	0.14	0.03	0.11	0.08	0.05	18
19	0.05	0.05	-	-	-	-	0.22	0.05	0.47	-	0.05	0.12	19
20	0.04	0.17	-	-	-	-	-	0.11	0.38	0.24	0.04	0.06	20
21	-	0.11	-	-	-	-	-	0.15	0.02	0.13	-	0.16	21
22	0.05	0.40	0.03	-	0.23	-	-	0.31	0.16	0.13	-	0.20	22
23	-	0.13	0.18	0.05	0.04	-	0.24	0.65	0.25	0.14	-	0.09	23
24	-	0.22	-	0.14	-	-	-	0.09	0.33	0.48	-	-	24
25	-	0.48	-	0.11	0.13	0.09	0.20	0.40	0.17	0.31	-	0.34	25
26	-	0.63	0.06	0.24	-	-	-	0.08	-	0.66	-	0.29	26
27	-	0.20	0.17	-	0.59	-	0.91	0.45	-	0.72	-	0.18	27
28	0.04	0.24	0.07	0.06	0.10	-	0.17	0.17	-	0.03	0.16	-	28
29	-	~~0.40~~	0.40	0.03	0.03	-	0.03	0.90	-	0.15	-	0.16	29
30	-	X	0.06	0.04	-	-	0.32	0.03	-	0.06	0.06	0.28	30
31	0.13	X	-	X	-	X	0.43	0.03	X	-	X	0.45	31
99													YEAR'S TOTAL
TOTAL	2.01	7.45	2.15	3.07	2.78	0.41	3.28	4.10	2.69	6.04	2.49	3.26	39.73
Days with 0.1 in. or more	18	23	16	18	17	7	14	21	16	27	14	19	210
Days with 0.4 in. or more	16	23	14	16	16	5	13	17	8	25	13	14	184

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Church Stretton (Sewage works)
in the County of Salop.
by E. J. Marsh.

Lat. 52° 30' 49" Long. 2° 49' 38" W.
Time of Observation 9. a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

2275

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
24	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.08	-	0.09	0.59	0.14	0.11	-	-	0.32	0.02	RRR 1
2	-	-	0.11	-	0.13	0.10	0.05	-	-	0.13	0.01	-	RRR 2
3	0.04	-	0.19	-	0.16	0.02	0.31	0.37	-	-	-	-	3
4	-	0.01	-	-	0.01	0.44	0.04	0.02	-	-	-	0.38	4
5	-	0.15	0.75	-	0.08	-	0.31	0.16	0.03	0.24	-	0.14	5
6	-	0.01	-	-	0.14	0.06	0.04	0.06	0.22	0.31	-	-	6
7	0.05	-	-	-	0.31	0.17	-	-	0.78	0.81	-	-	7
8	0.05	0.01	-	0.12	0.07	0.05	-	-	0.18	-	-	-	8
9	0.10	0.05	-	0.10	0.05	0.24	-	-	0.12	0.22	-	-	9
10	-	0.02	-	0.19	0.22	0.18	-	-	0.04	0.43	-	-	10
11	0.74	-	-	0.24	0.20	0.19	-	0.02	0.03	-	0.35	-	11
12	0.21	0.02	-	0.17	0.06	0.06	-	0.18	0.10	-	-	-	12
13	0.06	-	-	0.66	0.10	-	-	0.02	0.40	-	0.03	0.24	13
14	-	-	-	0.10	-	-	-	0.17	-	-	-	0.10	14
15	-	0.11	-	-	-	-	0.03	0.06	0.12	-	-	0.24	15
16	0.15	-	-	-	-	-	-	0.38	0.14	-	-	0.02	16
17	0.14	0.05	-	-	-	0.35	0.34	0.34	0.21	-	-	-	17
18	0.24	0.06	-	-	0.23	-	0.08	0.08	-	0.38	0.02	-	18
19	0.08	-	-	-	0.18	0.09	-	0.02	0.11	0.11	-	-	19
20	0.19	-	-	-	0.23	-	0.71	0.03	0.25	0.18	-	-	20
21	0.31	-	0.02	-	0.04	0.10	0.74	0.32	0.05	0.97	-	-	21
22	0.35	-	0.21	-	-	-	-	0.11	0.24	-	-	0.38	22
23	0.04	-	0.11	0.14	0.06	-	0.05	0.06	0.28	-	-	0.83	23
24	0.09	0.09	-	0.11	0.28	-	0.05	0.03	0.15	-	-	0.43	24
25	-	0.01	0.13	0.21	0.11	-	0.44	0.01	0.80	-	0.19	0.38	25
26	0.04	-	0.03	0.09	0.05	-	-	0.11	0.11	0.42	0.74	0.56	26
27	0.01	0.03	-	0.21	-	-	0.68	0.01	-	0.25	0.06	0.34	27
28	0.01	0.01	-	0.11	-	0.05	0.81	0.47	-	0.07	0.13	0.05	28
29	-	0.12	-	0.54	0.12	-	-	0.61	0.03	0.66	0.49	0.60	29
30	-	X	-	0.81	0.19	0.02	-	0.17	0.23	0.01	0.13	0.40	30
31	0.04	X	-	X	2.70	X	0.04	0.04	X	-	X	0.36	1123 31
49													
TOTAL	2.94	0.75	1.63	3.80	5.81	2.71	4.86	3.96	4.62	5.19	2.47	5.47	44.21
Days with 0.1 in. or more	20	15	9	15	24	16	17	26	22	15	11	17	207
Days with 0.4 in. or more	18	7	7	15	23	14	16	18	19	14	8	15	174



AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

2094

Kept at Church Stretton (Sewage Works)in the County of Shropshire.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground „ Sea Level 582 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

2275

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
25	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.71	-	0.14	-	-	0.20	-	0.03	0.05	-	0.22	0.01	1
2	0.13	0.10	0.01	0.07	-	-	0.13	-	0.02	-	0.42	-	2
3	0.27	0.08	-	-	0.08	-	0.09	0.14	0.01	-	0.06	-	3
4	0.13	0.01	-	0.15	0.28	-	-	-	0.03	0.02	0.08	-	4
5	0.03	0.26	-	0.55	0.21	-	-	0.08	0.37	-	0.03	-	5
6	-	0.16	0.04	0.02	0.16	-	0.21	0.11	-	0.02	0.91	0.02	6
7	-	0.11	0.08	0.10	0.85	-	-	0.13	-	0.02	0.48	0.07	7
8	0.08	0.05	0.12	-	0.18	-	-	0.76	0.10	-	0.02	0.33	8
9	-	0.20	0.03	0.12	0.08	-	0.01	0.04	0.58	-	0.07	0.03	9
10	0.02	0.06	0.10	0.20	-	-	-	1.04	0.01	-	-	0.04	10
11	-	0.77	-	-	0.03	-	-	-	-	-	-	0.04	11
12	-	0.46	-	-	-	-	-	0.19	-	0.08	-	-	12
13	0.04	0.03	0.05	0.11	-	-	-	-	-	0.04	-	0.04	13
14	0.37	0.02	0.02	0.10	-	-	-	-	-	-	-	-	14
15	-	-	-	0.29	-	-	-	-	0.32	0.59	-	0.08	15
16	0.05	0.09	0.02	0.02	-	-	-	-	-	0.07	-	-	16
17	-	0.07	-	-	0.04	-	0.03	-	0.03	0.03	-	0.04	17
18	-	0.25	-	0.23	0.15	-	-	-	-	-	-	-	18
19	-	0.09	-	0.03	-	-	0.06	-	0.71	0.93	-	0.76	19
20	-	-	0.13	-	-	-	0.12	0.54	0.20	0.45	-	0.12	20
21	-	0.11	0.01	-	-	-	0.30	0.33	0.28	0.12	-	-	21
22	0.03	0.19	-	0.16	-	-	0.78	0.41	0.33	0.65	0.02	0.92	22
23	0.03	0.03	0.02	-	0.57	-	0.02	0.17	0.12	0.16	-	0.28	23
24	-	0.36	0.15	0.06	0.02	-	-	-	0.02	0.05	0.08	0.04	24
25	0.02	0.45	0.32	0.24	0.48	-	0.23	0.16	0.25	0.16	-	0.19	25
26	-	0.25	-	0.12	0.39	-	0.29	0.02	0.01	0.96	0.03	0.04	26
27	0.04	0.10	-	0.01	0.27	-	0.24	-	0.03	0.12	0.03	0.02	27
28	0.16	0.19	-	0.08	0.12	-	-	-	0.03	0.14	-	0.18	28
29	0.32	X	-	-	0.25	-	0.04	-	-	-	0.54	0.27	29
30	0.02	X	0.07	0.02	-	-	-	-	-	0.02	0.03	0.16	30
31	0.29	X	0.12	X	0.03	X	-	-	X	0.05	X	0.09	31
99													
TOTAL	2.74	4.49	1.43	2.68	4.19	0.20	2.55	4.15	3.50	4.68	3.02	3.77	37.40
Days with 0.1 in. or more.	18	25	17	20	18	1	14	15	20	20	15	22	205
Days with 0.4 in. or more.	12	21	11	15	15	1	11	13	11	15	9	18	152

(Signed) W. J. Marsh P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Church Stretton (Sewage Works)
in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 582 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

2275

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
26	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.70	0.32	-	-	0.33	0.21	-	-	0.18	-	0.74	0.09	1
2	0.19	0.12	-	-	-	0.06	-	-	0.05	-	0.06	0.10	2
3	0.30	0.14	0.29	-	-	-	-	0.03	-	-	-	0.15	3
4	-	0.02	0.10	-	-	-	0.16	-	0.03	-	0.71	0.09	4
5	0.10	0.29	0.06	-	0.71	-	0.43	0.25	0.06	-	0.05	0.18	5
6	0.34	0.06	-	-	-	-	0.18	0.10	0.09	0.06	0.29	0.02	6
7	0.03	0.60	0.02	0.44	0.15	0.22	-	-	0.21	0.08	0.31	-	7
8	0.02	0.12	0.03	0.03	0.14	-	0.07	0.03	0.02	0.61	0.65	-	8
9	-	-	0.05	-	0.04	0.42	0.24	1.25	-	0.06	0.03	-	9
10	-	-	0.04	-	0.26	0.10	0.09	0.10	-	0.06	0.59	-	10
11	-	-	-	-	0.09	0.09	-	0.06	-	0.05	-	-	11
12	-	-	-	-	0.24	0.12	-	0.09	0.12	0.45	0.16	-	12
13	0.18	-	-	-	0.31	-	-	0.06	0.07	0.08	0.31	0.09	13
14	0.02	0.21	-	0.37	0.47	0.18	-	0.05	0.05	0.13	0.15	0.31	14
15	0.03	0.04	-	0.03	0.01	0.01	-	0.10	-	0.25	0.24	-	15
16	0.19	0.12	-	0.63	-	0.09	-	0.01	-	-	0.60	0.02	16
17	0.10	0.11	-	0.02	-	0.53	-	0.06	-	-	0.33	0.10	17
18	0.32	0.07	-	0.03	-	0.02	0.55	0.11	-	-	0.34	0.02	18
19	-	0.01	0.06	0.07	-	-	0.17	0.12	0.18	-	0.02	-	19
20	-	-	0.02	0.03	-	-	-	0.06	-	-	0.52	-	20
21	0.09	0.04	0.03	0.07	-	-	0.12	0.01	-	0.29	0.09	0.01	21
22	0.66	0.09	-	0.13	-	-	-	-	-	0.13	-	-	22
23	0.20	0.02	-	-	0.40	-	-	-	0.02	-	-	-	23
24	0.12	-	-	-	0.06	0.01	0.11	-	0.06	0.39	-	0.05	24
25	0.15	-	-	0.24	-	-	0.01	-	0.11	0.25	0.06	0.03	25
26	-	-	0.06	0.02	0.14	-	-	-	0.29	-	-	-	26
27	0.25	0.02	-	0.09	0.07	-	0.08	-	0.11	0.04	-	-	27
28	0.14	-	-	0.14	0.23	-	0.46	-	-	0.28	-	-	28
29	-	X	-	0.28	0.20	-	0.12	-	-	-	0.01	-	29
30	0.18	X	-	0.20	0.03	-	-	0.73	-	-	-	-	30
31	0.28	X	0.02	X	0.02	X	-	0.08	X	-	X	-	31
99													YEARS TOTAL
TOTAL	4.62	2.40	0.78	2.88	3.93	2.06	2.79	3.30	1.65	3.21	6.31	1.26	35.19
Days with 01 in. or more.	22	18	12	14	19	13	14	19	16	16	21	14	201
Days with 04 in. or more.	18	14	7	11	16	10	13	15	13	16	18	9	160

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

2070
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Church Stretton (Sewage Works)
in the County of Shropshire.

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....0.....in.
" Ground " Sea Level 582.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

2275

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
27	-	-	0.17	0.02	-	-	0.22	0.01	-	0.18	0.28	0.01	1
1	0.08	-	0.04	0.13	0.06	-	-	-	-	0.01	-	-	2
2	0.03	0.02	0.11	0.03	0.02	0.05	0.11	-	-	-	-	-	3
3	0.05	-	0.09	0.09	0.23	0.19	0.27	-	-	-	0.06	0.01	4
4	0.16	0.09	0.15	0.35	0.02	0.32	0.15	-	-	-	0.15	-	5
5	0.03	-	0.10	0.02	-	-	-	0.03	0.27	-	0.67	-	6
6	0.11	0.20	0.04	0.16	-	0.38	0.05	0.13	-	-	-	0.02	7
7	0.03	-	0.03	0.93	-	0.01	0.01	0.62	0.04	-	-	0.01	8
8	-	-	0.15	0.15	-	-	-	0.54	-	-	0.11	0.05	9
9	-	-	0.01	0.09	-	0.16	-	0.06	-	-	-	0.01	10
10	-	-	0.04	0.06	-	-	1.09	0.10	0.05	-	-	-	11
11	0.13	-	-	0.01	0.06	-	-	0.15	0.08	-	-	-	12
12	0.22	-	0.06	0.01	0.03	0.42	-	0.15	0.22	0.10	0.08	0.12	13
13	0.08	-	-	0.02	0.04	-	0.03	0.21	1.21	0.02	0.22	-	14
14	0.03	-	-	-	0.36	-	-	0.83	0.67	-	0.06	0.02	15
15	0.02	-	-	-	0.21	0.57	-	0.20	0.20	-	0.02	-	16
16	0.14	-	-	-	-	0.10	-	1.28	0.11	-	-	-	17
17	-	-	-	-	-	0.86	-	0.36	0.05	0.05	1.22	-	18
18	-	0.40	-	-	-	0.02	0.01	0.42	-	0.06	0.50	-	19
19	0.37	0.72	-	-	0.10	0.25	0.28	0.30	0.06	-	0.34	0.02	20
20	0.22	0.23	0.04	-	0.20	-	0.21	0.45	0.24	0.64	0.38	0.85	21
21	0.10	0.24	0.28	0.11	-	0.30	0.01	0.07	0.35	0.94	0.16	0.19	22
22	-	0.04	0.21	0.03	-	0.57	0.01	0.05	0.08	-	0.24	0.69	23
23	0.64	0.03	0.39	0.10	-	0.04	0.31	0.06	0.24	0.09	-	0.43	24
24	0.31	0.14	0.41	0.05	-	0.25	0.04	-	0.09	0.16	-	0.22	25
25	0.18	0.84	0.21	0.01	0.20	0.04	0.13	-	0.02	0.11	-	-	26
26	0.13	0.29	0.07	0.05	-	0.05	0.05	-	-	0.10	0.02	-	27
27	0.73	0.42	0.12	-	-	-	-	0.01	0.11	0.01	0.48	-	28
28	0.10	X	0.26	-	-	0.61	0.05	-	0.23	0.09	-	-	29
29	0.18	X	0.15	-	-	0.44	0.15	0.19	0.09	0.06	-	-	30
30	0.02	X	0.53	X	0.11	X	0.07	-	X	-	X	0.13	31
99	4.09	3.66	3.66	2.42	1.64	5.63	3.25	6.22	4.41	2.60	4.79	3.00	45.37
TOTAL	24	13	23	20	13	20	20	22	20	14	17	16	222
Days with "01 in. or more.	18	11	21	12	10	18	15	19	19	12	14	9	178
Days with "04 in. or more.													

Kept at Church Stretton (Sewage Works)
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 582 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.
2275

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
28													
1	0.37	0.04	0.03	-	0.01	-	0.09	0.01	-	-	0.02	-	1
2	0.08	0.22	0.30	0.05	0.01	-	-	-	-	-	0.15	0.01	2
3	0.02	0.03	-	0.02	0.12	-	-	-	-	-	-	-	3
4	0.02	0.24	0.03	-	-	0.04	0.18	-	-	0.24	0.11	0.01	4
5	0.13	0.03	-	0.15	-	0.21	0.05	-	0.54	0.19	0.03	-	5
6	-	-	-	-	-	0.48	0.02	-	-	0.08	-	0.10	6
7	0.03	-	-	0.16	-	0.29	-	0.44	0.04	0.45	0.02	0.01	7
8	-	0.02	-	0.03	-	0.48	0.03	-	0.06	0.14	-	-	8
9	0.03	-	0.03	0.09	-	0.04	-	-	0.06	-	-	-	9
10	0.15	0.28	-	0.05	0.03	0.05	-	0.03	0.11	0.53	0.20	0.02	10
11	0.01	0.53	0.01	0.20	-	-	-	0.14	-	0.06	0.11	0.26	11
12	0.19	0.35	0.02	0.36	-	0.21	-	0.08	-	-	0.05	0.09	12
13	-	0.02	-	0.05	-	0.31	-	0.41	-	-	0.02	-	13
14	0.08	0.24	-	-	0.01	0.12	-	0.35	-	0.63	0.63	-	14
15	0.12	0.04	0.03	0.01	0.10	0.03	-	-	0.01	0.03	0.18	0.03	15
16	0.02	0.09	0.06	0.01	0.24	-	-	-	-	0.09	0.32	0.16	16
17	0.11	0.02	0.03	0.06	0.50	0.10	-	-	-	-	0.06	-	17
18	0.45	0.01	-	0.24	0.02	0.13	-	-	0.04	0.42	0.06	0.23	18
19	0.01	-	0.15	-	0.33	0.24	-	0.04	-	0.58	0.53	0.14	19
20	0.12	0.01	0.53	0.02	0.01	0.10	-	0.02	-	0.12	0.34	-	20
21	0.89	-	0.40	0.15	0.16	0.05	-	0.01	0.11	0.20	0.24	0.02	21
22	-	0.02	0.02	0.08	-	-	-	0.83	-	-	0.43	0.15	22
23	0.38	-	0.15	0.15	0.04	-	-	0.01	0.01	0.26	0.31	0.02	23
24	0.04	-	0.05	-	-	-	-	0.20	0.28	0.08	0.23	0.18	24
25	0.19	-	-	-	-	0.11	-	0.08	-	0.02	0.02	0.25	25
26	0.26	-	0.02	-	0.09	0.09	0.01	0.39	-	0.43	0.14	-	26
27	0.09	-	0.03	0.02	-	-	0.02	0.42	0.11	0.24	0.21	0.46	27
28	0.39	0.04	0.15	-	-	0.20	0.01	0.02	0.14	-	0.04	0.23	28
29	0.34	0.53	0.25	-	-	0.46	0.08	0.09	0.01	0.10	0.02	0.15	29
30	0.05	X	0.30	-	-	0.05	0.92	-	-	0.02	-	0.38	30
31	0.34	X	0.05	X	-	X	0.38	-	X	0.04	X	-	31
99													
TOTAL	4.91	2.79	2.64	1.90	1.40	3.82	1.80	3.60	1.52	5.31	4.53	2.90	37.42
Days with "01 in. or more.	24	19	21	19	14	21	11	18	13	22	25	20	230
Days with "04 in. or more.	20	11	11	13	8	20	6	12	10	19	19	13	162

REGISTER OF RAINFALL IN 1929 .

Kept at Church Stretton (Sewage Works)
in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 582 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

2275

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
29	-	0.14	-	0.03	-	0.19	-	0.02	-	0.23	-	0.02	I
I	-	0.19	-	-	-	0.22	-	0.03	0.06	-	0.06	0.32	2
2	-	0.02	-	0.02	0.01	0.04	0.15	0.50	0.20	-	-	0.18	3
3	-	0.02	-	0.15	0.41	0.28	0.10	0.01	-	0.08	0.10	0.70	4
4	0.06	-	-	-	0.91	0.32	0.30	0.46	-	1.69	0.39	0.19	5
5	0.04	-	-	-	0.05	0.30	-	0.11	-	0.09	0.03	0.80	6
6	0.01	-	-	-	0.50	-	-	-	-	0.29	0.36	0.20	7
7	-	0.13	-	0.15	-	0.09	-	0.04	-	0.33	0.02	0.59	8
8	0.17	0.03	-	-	-	-	0.04	-	-	0.03	0.48	0.66	9
9	0.06	-	-	0.03	-	-	-	-	-	0.12	0.05	0.39	10
10	-	0.04	-	-	0.39	-	0.15	-	-	0.05	1.17	0.08	11
11	-	-	-	0.27	0.03	1.24	0.42	-	0.20	-	-	0.01	12
12	0.05	-	-	0.02	0.12	0.14	-	0.06	-	-	0.02	0.02	13
13	0.03	-	-	-	0.13	0.22	-	-	0.04	-	-	0.05	14
14	0.41	0.03	-	-	0.02	0.02	-	-	-	-	0.41	-	15
15	-	-	-	-	-	-	-	0.12	-	-	0.03	-	16
16	0.16	-	-	-	-	-	-	0.03	-	0.09	-	-	17
17	0.02	-	-	-	-	-	-	-	-	0.10	0.59	-	18
18	-	-	-	-	-	-	-	-	0.04	-	0.60	0.04	19
19	-	-	0.07	-	-	-	-	0.02	-	0.22	0.17	0.56	20
20	0.02	-	0.25	-	-	0.06	0.03	-	-	-	-	-	21
21	0.02	0.02	0.01	0.01	-	-	0.01	0.25	-	0.02	0.22	0.02	22
22	-	0.01	-	-	-	-	0.05	0.03	-	0.18	0.58	0.43	23
23	-	0.02	0.01	0.03	-	0.03	-	0.31	-	0.78	0.93	0.60	24
24	-	0.11	0.04	0.10	-	-	-	-	-	0.05	0.29	0.10	25
25	-	0.05	-	0.05	-	-	-	-	-	0.02	0.23	0.19	26
26	0.09	-	-	0.20	-	-	0.03	-	-	0.25	0.40	0.04	27
27	0.56	-	-	0.23	-	-	0.57	-	0.35	0.08	0.71	0.74	28
28	0.03	X	-	-	-	-	-	-	-	0.14	0.37	0.16	29
29	-	X	-	-	-	-	0.12	-	0.43	-	0.03	0.01	30
30	0.56	X	-	X	-	X	0.30	0.14	X	-	X	-	31
31	99												YEAR'S TOTAL
TOTAL	2.29	0.81	0.38	1.29	2.57	3.18	2.27	2.16	1.32	4.84	8.24	7.10	36.45
Days with "or in. or more.	16	13	5	13	10	13	13	15	7	20	24	25	174
Days with "04 in. or more.	10	6	3	7	7	11	10	9	7	17	19	20	126

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Church Stretton (Sewage Works)
in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 582 ft.

Latitude — 52° 30' 49"
Longitude — 2° 49' 33"
Time of Observation — 9 a.m. G.M.T.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
30													
I	0.05	0.45	-	0.44	-	0.09	0.03	0.18	-	-	0.48	-	I
2	-	0.04	0.08	0.05	-	0.01	0.07	0.12	-	-	0.76	-	2
3	0.33	0.11	-	0.41	0.06	-	-	0.27	-	0.66	0.03	-	3
4	0.21	0.04	0.10	0.23	0.26	-	-	0.08	0.01	0.09	-	-	4
5	0.09	-	0.09	0.10	0.30	-	-	0.15	-	0.19	-	-	5
6	0.01	0.02	0.65	-	0.40	-	-	-	0.21	0.22	-	-	6
7	0.18	-	-	-	0.02	-	-	-	0.02	0.30	0.08	0.14	7
8	0.10	-	-	0.10	0.02	-	-	0.06	0.39	0.29	-	0.16	8
9	0.77	-	0.63	0.61	0.25	0.04	0.02	0.02	0.01	0.02	0.03	-	9
10	0.94	-	0.19	-	0.14	0.16	0.02	0.20	-	-	0.02	0.83	10
II	0.04	-	-	0.02	0.06	-	0.01	0.03	0.02	0.08	0.01	0.22	II
12	0.22	-	0.04	0.04	0.25	0.01	-	0.11	-	-	-	0.33	12
13	0.19	-	0.22	0.13	0.04	-	0.10	0.15	0.55	-	-	0.14	13
14	0.78	0.05	0.52	0.06	0.02	-	0.41	0.04	0.03	0.01	-	0.11	14
15	-	0.27	0.13	-	-	-	0.25	0.02	0.05	0.37	0.27	0.36	15
16	0.02	-	-	-	-	0.07	0.24	-	0.19	0.07	-	0.20	16
17	0.01	-	-	0.16	0.05	-	0.09	0.06	0.84	0.12	-	0.02	17
18	-	-	0.01	0.10	-	0.16	0.14	-	0.17	0.04	0.35	-	18
19	-	-	0.03	0.30	0.03	0.10	0.14	0.05	0.86	0.11	0.25	-	19
20	-	-	0.17	0.04	-	0.02	2.03	1.02	0.37	0.06	0.22	0.01	20
21	-	-	0.45	-	-	0.06	0.03	0.04	0.04	0.10	0.14	-	21
22	0.39	-	-	-	-	0.01	0.07	0.52	-	0.28	0.33	-	22
23	0.02	-	-	0.07	0.03	0.03	0.08	0.20	0.07	0.02	0.36	0.16	23
24	0.39	-	-	0.24	0.01	-	0.01	-	0.04	0.13	0.42	0.02	24
25	-	0.09	-	0.44	0.01	-	0.02	-	0.23	0.14	0.34	0.10	25
26	0.99	0.11	-	0.22	0.78	-	0.03	-	0.01	0.13	0.09	0.26	26
27	0.05	0.01	0.07	0.02	-	0.05	0.45	-	0.01	0.08	-	0.12	27
28	0.08	-	0.05	-	-	-	0.10	-	-	0.02	0.37	0.32	28
29	-	X	-	-	-	-	0.20	0.70	-	0.03	0.08	0.20	29
30	-	X	-	-	0.55	-	0.07	0.01	-	0.07	-	0.55	30
31	0.45	X	0.01	X	0.06	X	-	-	X	0.21	X	0.65	31
99													YEAR'S TOTAL
TOTAL	6.31	1.19	3.44	3.78	3.34	0.81	4.61	4.03	4.12	3.84	4.63	4.90	45.00
* Days with or in. or more.	22	10	17	20	20	13	23	21	20	26	19	20	231
* Days with .04 in. or more.	18	8	14	18	13	8	14	17	13	21	15	17	176

40-9999

*See Instruction 2 (f) on other side

(Signed) P. Marsh

[P.T.O.]

FORM A. 1. METEOROLOGICAL
REGIS

CHURCH STREETON
WOLSTASTON

Kept at Wolstaston
in the County of Shropshire
by A. Glover

SHROPSHIRE

1921-1930

ge. in.
ind. ft. in.
Level. ft.
to the previous day.

to add
end of
auges,
vers,"
mden

Jan. 1, following.

IMPORTANT NOTE.—Rain
If an Observer prefers not to con
the reading at 9 a.m. on 1st Janua
this paragraph. Full instructions fo
and particulars as to the British I
sent post-free on application to T
Square, London, N.W. 1.

Records should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		09					52	26		06	17	1
2	04				16			48		08	38		2
3	02		12		06	13				65	10		3
4	11					27		35					4
5			07		02			58			74		5
6			03		10			01			48	03	6
7	10				02			49			41		7
8	05		05		21			02					8
9			03	15	06			15					9
10	21		03		05			44	03			05	10
11	27		01		09			45	10				11
12	41				16			10	34			10	12
13	23	02	48	13				01	05	10	10		13
14			52	46	08			14	03			27	14
15			14	03			04				02	02	15
16	05		18	17				04			33		16
17	31		10	15		01		04			02		17
18	16		08							03	05		18
19	01		14		03	04				25		02	19
20			05									03	20
21				04				05		02	12	21	21
22			15	09			32			38	03	35	22
23				08			11		03	37		07	23
24		12		01								38	24
25	08	23	11				57	02				01	25
26	02		06			13						23	26
27	03		02		23	06		02			03	30	27
28			14		12			70			01	04	28
29	26		02	02	15		06	03				13	29
30	23	X			15		01				16	53	30
31	38	X		X	35	X	04	08	X	03	X	03	31
TOTAL	3.30	37	2.62	1.33	2.04	64	1.15	4.72	.84	1.91	3.04	2.97	YEAR'S TOTAL
Days with "01 in. or more	20	3	22	11	17	6	7	21	7	9	16	19	158
Days with "04 in. or more	16	2	16	8	14	5	6	15	4	6	11	13	116

Kept at Wolstanton
in the County of Shropshire
by A. Glover

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		09					52	26		06	17	1
2	04				16			48		08	38		2
3	02		12		06	13				65	10		3
4	11					27		35					4
5			07		02			58			74		5
6			03		10			01			48	03	6
7	10				02			49			41		7
8	05		05		21			02					8
9			03	15	06			15					9
10	21		03		05			44	03			05	10
11	27		01		09			45	10				11
12	41				16			10	34			10	12
13	23	02	48	13				01	05	10	10		13
14			52	46	08			14	03			27	14
15			14	03			04				02	02	15
16	05		18	17				04			33		16
17	31		10	15		01		04			02		17
18	16		08							03	05		18
19	01		14		03	04				25		02	19
20			05									03	20
21				04				05		02	12	21	21
22			15	09			32			38	03	35	22
23				08			11		03	37		07	23
24		12		01								38	24
25	08	23	11				57	02				01	25
26	02		06			13						23	26
27	03		02		23	06		02			03	30	27
28			14		12			70			01	04	28
29	26		02	02	15		06	03				13	29
30	23	~~XX~~			15		01				16	53	30
31	38	~~XX~~		~~XX~~	35	~~XX~~	04	08	~~XX~~	03	~~XX~~	03	31
TOTAL	3.30	37	2.62	1.33	2.04	64	1.15	4.72	84	1.91	3.04	2.97	YEAR'S TOTAL
Days with 01 in. or more	20	3	22	11	17	6	7	21	7	9	16	19	24.93
Days with 04 in. or more	16	2	16	8	14	5	6	15	4	6	11	13	24.83

REGISTER OF RAINFALL IN 1922

Kept at *Church Stretton, Wolstanton*
 in the County of *Shropshire*
 by *A. Cloven*

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres—should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	33	65		22		33		08		16	04	1
2	06	61	03		04		24				03	02	2
3	53	15	19		06		28	11		02	10		3
4	01	46	11	06	39		03	02		10			4
5	15		21	31			120			34	50		5
6	15		28				32	07			63		6
7	07		47	13			32	13	01			07	7
8	04		15	03			47	33				08	8
9	03		02	01			02	10					9
10								01			17		10
11	11								01				11
12				27		19	12	49	45				12
13	45			25		17	11						13
14		11		11			12		30			46	14
15	15	05		15					02			07	15
16	24	11		07	22			34	01			05	16
17		18			02		26			07		25	17
18	46	03			07				22	08		09	18
19	02	08	32						22		03	127	19
20	01	17				11						12	20
21	26	22		05			41	05				50	21
22		43			20	08	10	26				25	22
23				14	03		19		07		01	08	23
24	07		24	15		21		16				04	24
25	22	08	06	71		10		02	19			09	25
26	39	48	02	27		02	12		20		08	10	26
27	26	85	14	02		02		18	05		01	32	27
28	53	42		12		07		15	02			08	28
29	01					09	03					54	29
30	14	~~X~~	28	30		06		11	28		08	02	30
31	22	~~X~~	~~X~~	~~X~~		~~X~~		12	~~X~~	33	~~X~~	03	31
TOTAL	475	476	317	315	125	112	467	265	213	94	180	457	3496
Days with .01 in. or more	25	17	15	18	9	11	18	17	15	6	11	22	184
Days with .04 in. or more	20	16	12	15	7	9	15	14	10	5	7	19	149
YEAR'S TOTAL													3496

REGISTER OF RAINFALL IN 1923.

Kept at Wolstantonin the County of Shropshireby A. Glover

Lat. _____

Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	13	25		03		06	03	01	04		40	1
2	27		02		11				06	16			2
3	02	12	17			03			30	61	03	07	3
4			01	31						04	10	05	4
5	23		06	35	51	05				02			5
6	30	50	23	24		02		00		01		01	6
7	05	68	12	15			08			10		25	7
8	11	15	03			11					24		8
9	12	54			05	04	14	03		20	14		9
10	18	32		45	05		10			46		02	10
11	02	08		39	13					09			11
12		33	03	20	11					46	03	04	12
13		36		16	05				04	08	78	02	13
14				08	01		02	25	02	06	01	04	14
15		08	05	06	20	09	01				48		15
16	06	19			20			15	03		26		16
17	07	34			01			18	52	04	01		17
18	01	23			01	02	01	08	03	15	07	10	18
19	03	19					20	01	31		04	11	19
20	06	14			01			04	28	17	03	03	20
21		08	02					14	07	26		36	21
22	03	31	03		14			02	05	18		10	22
23		16	23	04	04		20	35	28	27		06	23
24		18		17		04	12	14	38	49		02	24
25		37		18	13	05	03	36	35	31		36	25
26		80	04	09				05		72		34	26
27		58	22		42		73	20		82		21	27
28		21	08	05	06		05	25			11		28
29		X	09	03	03		03	70	01	31		10	29
30		X	07	04			31	06		09	14	27	30
31	11	X		X		X	58	04	X		X	46	31
TOTAL								3.08					YEAR'S TOTAL
Days with 01 in. or more	1.80	7.07	1.75	2.99	2.30	45	2.67	3.11	2.74	6.14	2.47	3.42	36.89
Days with 04 in. or more	17	24	18	17	20	9	16	20	16	25	15	22	218
	12	24	12	16	14	4	11	15	11	23	10	17	171

may 20th com by post 15.28 (note attached)

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 2284

River District

Station No.

Kept at Wooltaston

in the County of Shropshire

by Rw Alan Clow

Lat. _____ Long. _____
Time of Observation 9th in a.m.
Nearest Railway Station Leoburnwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 801 $\frac{1}{2}$ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. 2.54 in.	Feb. 2.30 in.	March 2.35 in.	April 2.26 in.	May 2.65 in.	June 2.34 in.	July 2.64 in.	August 3.34 in.	Sept. 2.66 in.	Oct. 3.86 in.	Nov. 2.83 in.	Dec. 3.35 in.	Date
1	-	-	.09	-	.06	.55	.16	.07	+	-	.35	-	1 <u>WOW</u>
2	.04	-	.13	÷	.18	.01	.01	.05	-	.27	.06	-	2 <u>WOW</u>
3	.01	-	.26	-	.01	+	.21	.30	-	.03	-	-	3
4	-	-	-	÷	+	.37	.07	.04	+	-	-	.44	4
5	-	.04	.34	-	.26	-	.35	.16	.05	.12	÷	.14	5
6	÷	+.04	-	-	.20	.04	.02	.07	.26	.28	-	-	6
7	.04	-.04	-	÷	.18	.20	÷	-	.56	.74	-	-	7
8	.08	+.04	-	.04	.12	.02	-	-	.25	-	-	÷	8
9	.01	.03	-	.13	.05	.18	-	-	.14	.28	-	-	9
10	.03	.02	-	.16	.22	.29	-	-	+	.48	÷	-	10
11	.82	.02	-	.22	.15	.13	-	+	+	-	.33	-	11
12	.20	+	-	.30	.05	.21	-	.16	.10	-	÷	-	12
13	.10	-.04	-	.63	.13	-	-	.29	.30	-	.03	.20	13
14	+	-	-	.07	+	-	-	.19	-	-	-	.07	14
15	-	.11	-	-	.03	-	.02	.06	.12	-	-	.21	15
16	.05	-.04	-	-	-	-	.05	.44	.35	-	-	-	16
17	.19	-	-	-	-	.67	.34	.15	.21	-	-	-	17
18	.20	.09	-	-	.23	-	+	.06	-	.24	÷	÷	18
19	.06	÷.04	-	-	.20	.02	+	-	.13	.03	-	.01	19
20	.14	+	÷	-	.68	÷	.93	.07	.20	.18	-	÷	20
21	.30	+	.02	-	.17	.08	1.29	.31	.07	.84	÷	÷.24	21
22	.31	-.04	.23	+	+	-	-	.10	.30	-	÷	.24	22
23	.06	÷	.11	.10	.08	÷	.10	.15	.26	-	+	.62	23
24	.05	+.03	÷	.14	.55	-	÷	+	.11	-	+	.43	24
25	-	÷.04	.05	.15	.02	-	.45	+	.56	+	.21	.35	25
26	-	+	.03	.14	.03	-	.30	.13	.08	.60	.75	.34	26
27	-	+	-	.24	÷	-	.63	÷	-	.28	.07	.37	27
28	.04	.02	÷	.21	-	.05	.55	.50	-	.05	.08	.02	28
29	+	.10	-	.60	.13	+	.02	.27	.05	.71	.45	.55	29
30	-	X	÷	.97	.22	.02	+	.15	.22	.01	.16	.54	30
31	.04	X	-	X	3.16	X	.06	.02	X	÷	X	.36	31
TOTAL	2.73	.44	1.26	4.10	6.51	2.84	5.56	3.74	4.32	5.14	2.49	4.89	YEARS TOTAL
Days with ".01 in. or more.	19	8	9	15	25	15	18	22	20	16	10	16	192
Days with ".04 in. or more	16	4	7	15	25	11	12	21	20	13	9	14	192

- indicates no rain
÷ " rain seen to fall, but no water in receiver
+ " " " " & some water under .005 in receiver

In my year's return for 1924.

I put .68 wrongly for .08 on May 20

6.51 for month of May is right.

I returned yesterday evening after being
in Hurry Home and am still not able
to move about much. Hence this bit of
paper, being within reach, I hope will be
excused in lieu of better.

*Daily amended
and the give low high reading
on day in question.*

Alan Cloves

Woblaston.

P.S. Your form is none where no there. Hence I can't
when found I will fill in. quite as.

7 500

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

2284
2101

Kept at Woblaston

in the County of Shropshire

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 800 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.60</u>	-	<u>.14</u>	-	<u>.03</u>	<u>.03</u>	-	<u>.01</u>	<u>.05</u>	-	<u>.19</u>	<u>.01</u>	1
2	<u>.19</u>	<u>.11</u>	<u>trace</u>	<u>.04</u>	-	-	<u>tr</u>	<u>.02</u>	<u>.03</u>	-	<u>.29</u>	-	2
3	<u>.26</u>	<u>.04</u>	<u>tr</u>	-	<u>.03</u>	-	<u>.11</u>	<u>.03</u>	<u>.01</u>	-	<u>.08</u>	-	3
4	<u>.22</u>	<u>.02</u>	-	<u>.10</u>	<u>.30</u>	-	-	-	<u>.07</u>	<u>trace</u>	<u>.14</u>	-	4
5	<u>.05</u>	<u>.32</u>	-	<u>.42</u>	<u>.21</u>	-	<u>tr</u>	<u>.07</u>	<u>.23</u>	-	<u>.04</u>	<u>tr</u>	5
6	<u>trace</u>	<u>.14</u>	<u>tr</u>	<u>.01</u>	<u>.12</u>	-	<u>.28</u>	<u>.01</u>	-	<u>trace</u>	<u>.81</u>	<u>tr</u>	6
7	-	<u>.13</u>	<u>.07</u>	<u>.01</u>	<u>.39</u>	-	-	<u>.16</u>	<u>.03</u>	<u>trace</u>	<u>.34</u>	<u>.10</u>	7
8	<u>.16</u>	<u>.03</u>	<u>.24</u>	-	<u>.23</u>	-	<u>tr</u>	<u>.80</u>	<u>.37</u>	-	-	<u>.39</u>	8
9	-	<u>.15</u>	<u>.01</u>	<u>.11</u>	<u>.15</u>	-	<u>tr</u>	<u>trace</u>	<u>.49</u>	-	<u>.03</u>	<u>.02</u>	9
10	-	<u>.04</u>	<u>.06</u>	<u>.35</u>	-	-	-	<u>.92</u>	<u>.01</u>	-	-	<u>.05</u>	10
11	-	<u>1.07</u>	-	-	<u>.03</u>	-	-	<u>trace</u>	<u>.02</u>	-	-	<u>.02</u>	11
12	-	<u>.41</u>	<u>tr</u>	<u>.03</u>	-	-	-	<u>.14</u>	<u>.01</u>	<u>.04</u>	-	<u>tr</u>	12
13	<u>.01</u>	<u>.06</u>	<u>.06</u>	<u>.10</u>	-	-	-	<u>tr</u>	-	<u>.04</u>	-	<u>.02</u>	13
14	<u>.33</u>	<u>.01</u>	<u>.03</u>	<u>.17</u>	-	-	-	<u>trace</u>	-	-	-	-	14
15	-	-	-	<u>.35</u>	-	-	<u>trace</u>	-	<u>.24</u>	<u>.59</u>	-	<u>.02</u>	15
16	<u>trace</u>	<u>.08</u>	<u>tr</u>	<u>.02</u>	-	<u>tr</u>	-	-	-	<u>.05</u>	-	<u>trace</u>	16
17	-	<u>.04</u>	-	-	<u>.07</u>	-	<u>trace</u>	-	<u>.02</u>	<u>.02</u>	-	<u>.04</u>	17
18	-	<u>.32</u>	-	<u>.24</u>	<u>.01</u>	-	<u>tr</u>	<u>trace</u>	-	-	-	-	18
19	-	<u>.05</u>	-	<u>.06</u>	<u>tr</u>	<u>tr</u>	<u>.02</u>	-	<u>.79</u>	<u>.77</u>	-	<u>.60</u>	19
20	<u>tr</u>	-	<u>.21</u>	-	<u>tr</u>	-	<u>.15</u>	<u>.36</u>	<u>.15</u>	<u>.41</u>	-	<u>.14</u>	20
21	-	<u>.12</u>	-	-	-	-	<u>.25</u>	<u>.12</u>	<u>.24</u>	<u>.09</u>	-	<u>tr</u>	21
22	-	<u>.09</u>	<u>tr</u>	<u>.15</u>	<u>.01</u>	-	<u>.50</u>	<u>.02</u>	<u>.42</u>	<u>.58</u>	-	<u>.50</u>	22
23	<u>.11</u>	<u>.03</u>	<u>trace</u>	<u>tr</u>	<u>.42</u>	-	-	<u>.47</u>	<u>.15</u>	<u>.18</u>	-	<u>.24</u>	23
24	-	<u>.30</u>	<u>.11</u>	<u>.11</u>	<u>trace</u>	-	-	<u>tr</u>	<u>.02</u>	<u>.10</u>	<u>.10</u>	<u>.04</u>	24
25	-	<u>.47</u>	<u>.15</u>	<u>.10</u>	<u>.16</u>	-	<u>.70</u>	-	<u>.23</u>	<u>.18</u>	-	<u>.14</u>	25
26	<u>.01</u>	<u>.31</u>	<u>tr</u>	<u>.02</u>	<u>.30</u>	<u>tr</u>	<u>.18</u>	<u>.05</u>	<u>.04</u>	<u>.84</u>	<u>.01</u>	<u>.02</u>	26
27	<u>.01</u>	<u>.04</u>	<u>tr</u>	-	<u>.30</u>	-	<u>.11</u>	<u>trace</u>	<u>trace</u>	<u>.05</u>	<u>.01</u>	<u>.07</u>	27
28	<u>.20</u>	<u>.42</u>	-	<u>.03</u>	<u>.18</u>	-	-	<u>tr</u>	<u>tr</u>	<u>.11</u>	-	<u>.25</u>	28
29	<u>.48</u>	<u>X</u>	<u>tr</u>	-	<u>.22</u>	-	<u>.14</u>	<u>tr</u>	<u>tr</u>	<u>.02</u>	<u>.34</u>	<u>.28</u>	29
30	<u>.03</u>	<u>X</u>	<u>.06</u>	-	<u>.03</u>	-	<u>tr</u>	<u>tr</u>	-	<u>.01</u>	<u>trace</u>	<u>.18</u>	30
31	<u>.36</u>	<u>X</u>	<u>.13</u>	<u>X</u>	<u>.02</u>	<u>X</u>	<u>tr</u>	<u>tr</u>	<u>X</u>	<u>.04</u>	<u>X</u>	<u>.14</u>	31
TOTAL	3.02	4.80	1.27	2.42	3.21	.03	2.44	3.18	3.62	4.12	2.38	3.27	YEAR'S TOTAL 33.76
Days with ".01 in. or more.	15	25	12	19	20	1	10	14	21	18	12	21	188
Days with ".04 in. or more.	11	21	10	13	13	0	9	9	13	15	9	15	138

(Signed)..... Alan Chvor. [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Woblaston
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level.....800 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.30	÷	-	.43	.25	-	-	.29	-	.79	.07	1
2	.05	.14	÷	-	-	.05	÷	-	.05	+	.07	.06	2
3	.31	.11	.33	-	-	-	-	.01	-	+	+	.08	3
4	-	+	.11	-	÷	-	.30	-	.02	-	.46	.09	4
5	.07	.27	.03	-	.86	-	.40	.09	.06	-	.05	.10	5
6	.38	.10	-	-	÷	-	.19	-	.10	.10	.52	-	6
7	+	.70	÷	.17	.24	.20	-	-	.28	+	.25	-	7
8	+	.10	.12	÷	.07	+	.06	.02	+	.60	.61	-	8
9	-	÷	.06	-	.05	.40	.03	.88	-	.03	+	-	9
10	-	-	.02	-	.25	.06	.09	.05	-	.05	.60	-	10
11	-	÷	+	-	.01	.20	÷	.03	.06	.04	+	-	11
12	-	÷	-	-	.23	.03	÷	.24	.02	.49	.04	-	12
13	.08	.01	-	-	.22	+	-	.04	.13	.14	.52	.05	13
14	.03	.16	-	.38	.44	.27	-	.02	.02	.01	.52	.21	14
15	.04	.10	-	.05	+	+	÷	.04	-	.29	.26	-	15
16	.22	.10	-	.48	-	.48	-	-	+	÷	.75	÷	16
17	.20	.08	-	.05	-	.40	÷	.10	+	÷	.28	.03	17
18	.29	.05	-	.02	-	-	.37	.20	-	-	.25	-	18
19	-	.01	.07	.07	÷	-	.22	.04	.30	-	.04	+	19
20	+	÷	.01	.03	-	-	+	+	÷	÷	.55	-	20
21	.03	.03	.07	.05	.04	÷	.12	+	-	.30	.09	+	21
22	.47	.09	÷	.06	-	-	÷	-	-	.05	+	+	22
23	.13	.01	÷	-	+	-	÷	.01	.02	-	-	÷	23
24	.04	-	-	-	.04	+	.14	.01	.07	.24	-	.01	24
25	.11	-	÷	.25	÷	-	.03	-	.06	.30	.03	+	25
26	+	÷	.02	.02	.15	-	-	-	.31	-	+	-	26
27	.50	.02	.02	.08	.16	-	.11	-	.05	.02	-	-	27
28	.10	-	-	.01	.12	-	.47	-	-	.23	+	-	28
29	.02	X	÷	.20	.21	-	.12	-	-	-	÷	-	29
30	.20	X	-	.23	.08	-	-	.70	-	-	-	-	30
31	.23	X	.03	X	÷	X	-	.06	X	-	X	÷	31
TOTAL	3.95	2.38	.89	2.15	3.60	2.34	2.65	2.54	1.84	2.89	6.68	.70	YEARS TOTAL
Days with ".01 in. or more.	21	18	12	16	17	10	14	17	16	15	19	9	184
Days with ".04 in. or more.	18	13	6	12	16	9	12	11	12	12	18	7	136

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

2076
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Walsley Park

in the County of Shropshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

150

2284

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	+	.11	-	-	÷	.19	+	-	.15	.26	.02	1
2	.08	-	.05	.14	.04	-	+	-	-	.03	-	÷	2
3	.01	-	.10	-	-	.02	.10	-	-	-	.03	÷	3
4	.04	-	.11	.10	.18	.11	.29	-	-	-	.21	÷	4
5	.08	.15	.14	.29	÷	.15	.15	-	-	-	.18	-	5
6	+	-	.03	+	-	+	÷	.02	.29	-	.64	-	6
7	.05	.14	.11	.08	-	.20	.05	.06	-	-	-	-	7
8	+	-	.08	.83	-	+	+	.50	.04	-	-	-	8
9	-	-	.05	.29	-	-	-	.50	-	-	.07	.04	9
10	-	-	.05	.03	-	.13	-	.58	-	-	-	+	10
11	-	-	.01	.03	-	-	.50	.06	-	-	-	-	11
12	.15	-	.01	+	.07	-	-	.34	.11	-	-	-	12
13	.18	-	.05	-	.02	.09	.01	.13	.04	.18	.03	.08	13
14	.01	-	-	+	+	-	+	.11	1.52	+	-	.38	14
15	.02	-	-	÷	.36	-	+	.48	.65	+	.02	.02	15
16	.02	-	-	-	.18	.48	-	.23	.25	-	-	-	16
17	.02	-	-	-	-	.18	-	1.35	.21	-	-	÷	17
18	-	-	-	-	-	1.06	-	.46	+	.06	1.14	÷	18
19	-	.25	-	-	-	.05	+	.44	-	.05	.36	-	19
20	.16	.53	-	-	.11	.18	.17	.22	.06	-	.22	.18	20
21	.20	.24	*	-	.02	.03	.13	.68	.20	.64	.50	.57	21
22	.03	.24	.35	.14	-	.31	.03	.08	.14	.80	.13	.06	22
23	-	.03	.25	-	-	.48	+	.01	.03	-	.29	.50	23
24	.40	.01	.33	.01	-	+	.07	.07	.12	.20	-	.56	24
25	.15	.10	.50	.05	-	.17	.02	-	.01	.21	-	.17	25
26	.35	.80	.09	÷	.25	.03	.15	-	.04	.10	-	÷	26
27	.27	.33	.01	-	-	.05	.07	-	-	.07	-	-	27
28	.67	.34	.11	-	-	.02	-	.02	.07	+	.40	-	28
29	.10	X	.31	-	-	.42	.04	-	.35	.10	-	-	29
30	.18	X	.10	-	-	.26	.05	.17	.10	.09	+	-	30
31	-	X	.37	X	.05	X	.07	-	X	-	X	.11	31
TOTAL	317	3.16	3.32	1.99	1.28	4.42	2.09	6.51	4.23	2.68	4.48	2.69	YEAR'S TOTAL
Days with ".01 in. or more.	21	12	23	11	10	20	17	21	18	13	15	12	193
Days with ".04 in. or more.	15	10	19	8	8	16	14	18	16	12	12	10	158

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Church Stretton, Walsaston
in the County of Shropshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

Feb 1/2 to high

amph
1245

150

2284
mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	05	01				14	14				02	1
2		27	45	04							19		2
3	04	02		17	09								3
4		50	02	10		03	15			28	08		4
5	22			23		10	05		37	15	03		5
6						61						04	6
7	07	01		20		44		39		34			7
8		02		02		31	01		11	18			8
9	10			02		14				02			9
10	10	31		03	02	07		02	19	55	25		10
11		55		17				15		02	11	24	11
12	23	36	04	56		16		03			06	06	12
13		03		10		30		28			04		13
14	06	21				14		35		59	89		14
15	19	08	03		08	03			02	02	24		15
16		33	04		10					09	31	08	16
17	08	03	02	07	40	02					10		17
18	37			06	04	04			05	52	02	08	18
19			14		33	24		06		46	49	16	19
20	17		46		03	03		02		07	30	03	20
21	116		37	03	11	04		08	17	17	21		21
22		03	02	06				55			61	13	22
23	69		19	05	17					39	52		23
24	13		08					25	33	16	16	15	24
25	30					15		08		09		14	25
26	37		06		06	03		66		67			26
27				01				24	09	20	14	31	27
28	62	03	19			33		05	16		09	26	28
29	30	60	53			38	04	13		11	01	18	29
30		X	59				57			07		39	30
31	52	X	08	X		X	37		X	01	X		31
TOTAL	604	343	332	192	143	359	133	348	149	516	485	227	3831
Days with "01 in. or more.	20	17	18	17	11	20	7	17	9	22	21	15	194
Days with "04 in. or more.	20	10	13	12	9	15	6	14	8	18	18	13	156

REGISTER OF RAINFALL IN 1929.

Kept at Church Stretton, Woleston
in the County of Shropshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06		03		13		01					1
2		21				17		03	02	04	02	47	2
3					03	02	18	66	24			16	3
4				13	55	66	12			04	05	75	4
5	07				78	16	62	32		177	28	22	5
6	04				01	33		26		09	04	85	6
7	07				64					27	23	48	7
8		06		05	01					26		70	8
9	09	06					02			04	71	86	9
10	06			01				01		08	11	50	10
11		07			38		08				107	31	11
12				16		101	60		42		02	04	12
13	11			01	13	07		10			01	08	13
14					09	18			05			03	14
15	13	03				07					16		15
16								10			12		16
17	21									07			17
18								02			58		18
19									07		53	02	19
20										18	13	08	20
21			23			08	02					02	21
22	01					02	01	15		02	15	02	22
23				02			13	07		11	106	48	23
24		03		06		04		23		64	82	46	24
25		09	10	08						13	42	23	25
26		05		09							40	16	26
27	01			12				03		23	34	08	27
28	55			05			25	03	13	07	61	79	28
29	03	X						01		05	27	25	29
30		X					08		50		02	01	30
31	50	X		X		X	54	25	X		X	02	31
TOTAL	1.88	.66	.33	.81	2.62	2.94	2.65	2.28	1.43	4.09	8.15	8.07	YEAR'S TOTAL
Days with 01 in. or more.	13	9	2	12	9	13	12	16	7	17	24	26	160
Days with 04 in. or more.	8 ¹⁰	7	2	8	6	11	9	9	6	16 ¹⁵	20	20	124

Section **A**

for the entry of Daily Observations.
AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Woolston
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 745 ft.

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
I	.07	.43	mid	.45	—	.07	—	.14	—	—	.43	—	I	
2	.02	.05	.06	.04	.07	.05	.03	.14	—	—	.65	—	2	
3	.48	.07	Trace	.36	—	—	.10	.14	—	.53	.03	—	3	
4	.27	—	.05	.25	.18	—	—	.01	—	.07	—	—	4	
5	.20	—	.10	.07	.43	—	—	.07	—	.27	—	—	5	
6	—	.01	.83	—	.33	—	Trace	.02	.19	.26	—	—	6	
7	.27	—	—	—	—	—	—	—	.12	.18	.12	.05	7	
8	.10	—	—	.09	.01	—	—	.01	.35	.24	Trace	.12	8	
9	1.16	—	.34	.57	.40	.05	.02	—	Trace	.05	Trace	—	9	
10	.97	—	.25	—	.26	.06	.02	.12	—	Trace	Trace	.74	10	
II	.20	—	.01	.02	.05	—	Trace	—	.02	.17	.02	.19	II	
12	.23	—	.03	.01	.12	Trace	—	.15	—	Trace	—	.50	12	
13	.17	—	.15	.12	Trace	—	.08	.08	.33	—	—	.16	13	
14	.79	.03	.25	.03	.02	Trace	1.06	Trace	.02	Trace	Trace	.06	14	
15	.01	.29	.14	—	.03	—	.26	—	—	.32	.34	.35	15	
16	—	—	—	—	—	.06	.16	—	.07	.16	—	.15	16	
17	—	—	.06	.02	.11	Trace	.09	.05	.80	.17	—	—	17	
18	—	—	.23	.13	—	.32	.09	.02	.14	.02	.25	—	18	
19	—	—	.20	.31	.03	.15	—	.01	1.02	.14	.17	—	19	
20	.02	—	.40	.01	—	.05	1.00	.86	.36	.07	.17	—	20	
21	—	—	.62	.01	—	.06	.03	.05	.02	.23	.19	—	21	
22	.35	—	—	—	—	.01	.11	.53	—	.19	.34	—	22	
23	.02	—	—	.07	—	.08	.18	.07	.11	.01	.22	.08	23	
24	.39	—	—	.35	.13	—	—	—	.11	.19	.36	.02	24	
25	—	.05	—	.38	—	—	—	—	.22	.15	.35	.12	25	
26	.67	.10	Trace	.19	.61	—	.06	—	—	.09	—	.30	26	
27	—	.02	Trace	.02	—	—	.42	—	Trace	.02	—	.11	27	
28	.06	—	.04	—	—	—	.12	—	—	Trace	.23	.45	28	
29	—	X	.07	—	—	—	.26	.34	—	.03	.05	.26	29	
30	—	X	—	—	—	—	Trace	.43	.04	—	.22	Trace	.57	30
31	.23	X	.02	X	(.49)	X	—	Trace	X	.13	X	.25	31	
TOTAL	6.69	1.06	3.85	3.50	3.27	.96	5.36	2.85	3.88	3.91	3.92	4.48	YEAR'S TOTAL 43.71	
Days with ".01 in. or more.	22	9	19	21	16	11	19	19	15	24	16	18	208	
Days with ".04 in. or more.	17	6	16	14	12	10	15	14	12	20	14	17	168	

(Signed) Amy M. Mathews

Kept at Church Stretton, Wolston
in the County of Shropshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 750 ft.

1930
Gauge moved from Rectory to Mrs Matthews garden on 1st April 1930.
2284

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	07	43		45		07		14			43		I
2	02	05	06	04	07	05	03	14			65		2
3	48	07		36			10	14		53	03		3
4	27		05	25	18			01		07			4
5	20		10	07	43			07		27			5
6		01	83		33			02	19	26			6
7	27								12	18	12	05	7
8	10			09	01			01	35	24		12	8
9	1.16		34	57	40	05	02			05			9
10	97		25		26	06	02	12				74	10
11	20		01	02	05				02	17	02	19	11
12	23		03	01	12			15				50	12
13	17		15	12			08	08	33			16	13
14	79	03	25	03	02		1.06		02			06	14
15	01	29	14		03		26			32	34	35	15
16						06	16		07	16		15	16
17			06	02	11		09	05	80	17			17
18			23	13		32	09	02	14	02	25		18
19			20	31	03	15		01	1.02	14	17		19
20	02		40	01		05	1.90	86	36	07	17		20
21			62	01		06	03	05	02	23	19		21
22	35					01	11	53		19	34		22
23	02			07		08	18	07	11	01	22	08	23
24	39			35	13				11	19	36	02	24
25		04		38					22	15	35	12	25
26	67	10		19	61		06			09		30	26
27				02			42			02		11	27
28	06	02	04				12				23	45	28
29		X	07				20	34		03	05	26	29
30		X					43	04		22		57	30
31	23	X	02	X	49	X			X	13	X	25	31
TOTAL	6.64	1.04	3.85	3.50	3.27	96	5.36	2.85	3.88	3.91	3.92	4.48	43.70
Days with .01 in. or more.	21	9	19	21	17	11	19	19	15	24	16	18	209
Days with .04 in. or more.	17	6	16	14	13	10	15	14	12	20	14	17	168

WESTLEIGH
CHURCH STRETTON
SHROPSHIRE.

ORGANIZATION.

2/.....

g. 9.9 m
n Church Stretton
Rain Gauge 5 in.
above Ground 8 ft. 8 in.
„ Sea Level 700 ft.

It entered to the previous day.

requested to add

Jan. 1, following.

Kept at West Leigh
in the County of Shropshire
by H. Cousta

1921 - 1922

IMPORTANT NOTE.—R

If an Observer prefers not to continue the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.41	trace	0.07	—	—	—	—	0.36	0.08	—	0.06	0.07	1
2	0.02	—	—	—	0.17	—	—	0.36	trace	0.08	0.31	trace	2
3	trace	—	0.06	—	0.09	0.11	—	—	—	0.97	0.12	—	3
4	0.16	—	0.02	—	trace	0.22	—	0.36	—	—	0.04	—	4
5	trace	—	0.02	—	0.02	—	—	0.52	—	—	0.63	0.01	5
6	0.01	trace	0.02	—	0.14	—	—	—	—	—	0.35	0.02	6
7	0.13	—	trace	—	trace	—	—	0.30	—	—	0.38	—	7
8	0.03	trace	0.08	—	0.18	trace	—	—	—	—	trace	—	8
9	trace	—	0.02	0.27	0.12	—	—	0.12	0.02	—	—	—	9
10	0.21	—	0.02	trace	0.03	—	—	0.15	0.02	0.08	—	0.03	10
11	0.23	—	trace	—	0.14	—	—	0.39	0.08	0.02	trace	trace	11
12	0.49	trace	0.01	—	0.43	trace	—	0.17	0.36	—	—	0.09	12
13	0.22	trace	0.34	0.14	trace	—	—	0.17	0.07	0.03	0.04	trace	13
14	trace	—	0.45	0.57	0.06	—	0.03	0.09	0.03	—	trace	0.28	14
15	—	—	0.15	0.03	—	—	0.08	—	—	trace	0.08	0.01	15
16	0.05	—	0.22	0.24	—	—	trace	0.03	—	—	0.37	trace	16
17	0.27	—	0.06	0.11	—	0.04	—	0.03	—	—	trace	trace	17
18	0.26	—	0.09	0.11	—	—	—	—	—	trace	—	trace	18
19	trace	—	0.19	—	0.02	0.02	—	—	—	0.26	—	trace	19
20	—	—	0.03	—	—	trace	—	—	—	—	0.02	0.01	20
21	trace	—	trace	0.19	—	trace	—	0.13	—	0.04	0.06	0.06	21
22	—	—	0.04	0.10	—	—	0.24	trace	trace	0.39	0.03	0.33	22
23	trace	—	—	0.04	—	—	0.14	—	0.02	0.43	trace	0.09	23
24	—	0.08	—	—	—	—	trace	—	—	trace	—	0.34	24
25	0.08	0.23	0.09	—	—	—	0.71	trace	—	—	—	0.01	25
26	trace	trace	0.05	—	—	0.06	—	0.01	—	—	—	0.18	26
27	0.04	—	0.02	—	0.25	0.16	trace	trace	—	—	0.03	0.39	27
28	trace	—	0.13	—	0.09	—	trace	0.67	—	—	0.01	0.08	28
29	0.26	X	0.02	—	0.12	—	0.02	0.03	—	—	trace	0.12	29
30	0.29	X	trace	—	0.15	—	trace	—	—	—	0.21	0.43	30
31	0.23	X	—	X	trace	X	trace	0.13	X	0.03	X	0.03	31
TOTAL	3.39	0.31	2.20	1.80	2.01	0.61	1.22	4.02	0.68	2.33	2.74	2.58	YEAR'S TOTAL 23.89
Days with "01 in. or more	18	2	23	10	15	6	6	18	8	10	16	19	151
Days with "04 in. or more	15	2	14	9	12	5	4	14	4	7	12	12	110

REGISTER OF RAINFALL IN 192/...

Kept at West Leigh Church Station
in the County of Salop
by H. Constantine

Lat. _____ Long. _____
Time of Observation 9.9 a.m.
Nearest Railway Station Church Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.41	trace	0.07	—	—	—	—	0.36	0.08	—	0.06	0.07	1
2	0.02	—	—	—	0.17	—	—	0.36	trace	0.08	0.31	trace	2
3	trace	—	0.06	—	0.09	0.11	—	—	—	0.97	0.12	—	3
4	0.16	—	0.02	—	trace	0.22	—	0.36	—	—	0.04	—	4
5	trace	—	0.02	—	0.02	—	—	0.52	—	—	0.63	0.01	5
6	0.01	trace	0.02	—	0.14	—	—	—	—	—	0.35	0.02	6
7	0.13	—	trace	—	trace	—	—	0.30	—	—	0.38	—	7
8	0.03	trace	0.08	—	0.18	trace	—	—	—	—	trace	—	8
9	trace	—	0.02	0.27	0.12	—	—	0.12	0.02	—	—	—	9
10	0.21	—	0.02	trace	0.03	—	—	0.15	0.02	0.08	—	0.03	10
11	0.23	—	trace	—	0.14	—	—	0.39	0.08	0.02	trace	trace	11
12	0.49	trace	0.01	—	0.43	trace	—	0.17	0.36	—	—	0.09	12
13	0.22	trace	0.34	0.14	trace	—	—	0.17	0.07	0.03	0.04	trace	13
14	trace	—	0.45	0.57	0.06	—	0.03	0.09	0.03	—	trace	0.28	14
15	—	—	0.15	0.03	—	—	0.08	—	—	trace	0.08	0.01	15
16	0.05	—	0.22	0.24	—	—	trace	0.03	—	—	0.37	trace	16
17	0.27	—	0.06	0.11	—	0.04	—	0.03	—	—	trace	trace	17
18	0.26	—	0.09	0.11	—	—	—	—	—	trace	—	trace	18
19	trace	—	0.19	—	0.02	0.02	—	—	—	0.26	—	trace	19
20	—	—	0.03	—	—	trace	—	—	—	—	0.02	0.01	20
21	trace	—	trace	0.19	—	trace	—	0.13	—	0.04	0.06	0.06	21
22	—	—	0.04	0.10	—	—	0.24	trace	trace	0.39	0.03	0.33	22
23	trace	—	—	0.04	—	—	0.14	—	0.02	0.43	trace	0.09	23
24	—	0.08	—	—	—	—	trace	—	—	trace	—	0.34	24
25	0.08	0.23	0.09	—	—	—	0.71	trace	—	—	—	0.01	25
26	trace	trace	0.05	—	—	0.06	—	0.01	—	—	—	0.18	26
27	0.04	—	0.02	—	0.25	0.16	trace	trace	—	—	0.03	0.39	27
28	trace	—	0.13	—	0.09	—	trace	0.67	—	—	0.01	0.08	28
29	0.26	~~X~~	0.02	—	0.12	—	0.02	0.03	—	—	trace	0.12	29
30	0.29	~~X~~	trace	—	0.15	—	trace	—	—	—	0.21	0.43	30
31	0.23	~~X~~	—	~~X~~	trace	~~X~~	trace	0.13	~~X~~	0.03	~~X~~	0.03	31
TOTAL	3.39	0.31	2.20	1.80	2.01	0.61	1.22	4.02	0.68	2.33	2.74	2.58	YEAR'S TOTAL 23.89
Days with "01 in. or more	18	2	23	10	15	6	6	18	8	10	16	19	151
Days with "04 in. or more	15	2	14	9	12	5	4	14	4	7	12	12	110

REGISTER OF RAINFALL IN 1922.

Kept at Church Stretton
 in the County of Salop
 by H. Constantine

Lat. _____ Long. _____
 Time of Observation 9.9.22
 Nearest Railway Station Church Stretton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 8 ft. 8 in.
 " " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.20	0.20	0.50	—	0.18	—	0.29	trace	0.18	—	0.12	0.03	1
2	0.10	0.61	0.01	—	0.04	—	0.35	—	trace	—	0.02	0.02	2
3	0.41	0.24	0.18	0.08	0.12	—	0.17	0.13	—	0.04	0.09	trace	3
4	0.01	0.42	0.21	0.02	0.41	—	0.18	0.02	trace	0.13	trace	—	4
5	0.14	—	0.23	0.31	—	—	1.14	trace	—	0.45	0.27	—	5
6	0.17	trace	0.24	trace	—	—	0.39	0.06	—	0.01	0.43	—	6
7	0.10	—	0.71	0.12	—	—	0.24	0.09	trace	0.03	trace	0.07	7
8	0.05	—	0.20	trace	—	0.22	0.44	0.21	—	0.04	—	0.06	8
9	0.01	—	trace	trace	—	0.09	0.02	0.07	—	—	0.01	trace	9
10	—	—	—	—	0.07	0.17	—	0.04	—	—	0.19	—	10
11	0.14	—	—	—	—	trace	—	—	—	—	—	—	11
12	trace	trace	trace	0.28	—	—	0.12	0.45	0.47	—	—	0.02	12
13	0.36	0.01	—	0.36	—	—	0.20	—	0.07	—	—	trace	13
14	0.02	0.03	—	0.12	trace	—	0.04	—	0.28	—	—	0.52	14
15	0.55	0.06	—	0.13	—	trace	0.03	—	0.05	—	—	0.07	15
16	0.21	0.10	—	0.12	0.17	—	trace	0.37	0.03	—	—	0.09	16
17	trace	0.20	—	—	0.05	0.06	0.27	—	0.03	—	—	0.17	17
18	(0.46)	0.05	—	—	0.04	—	—	0.05	0.16	0.04	—	0.06	18
19	0.01	0.14	0.47	—	trace	0.14	—	—	0.31	0.05	0.03	1.75	19
20	0.11	0.12	trace	—	—	0.01	trace	—	trace	—	—	0.26	20
21	0.11	0.24	0.04	0.04	—	0.21	0.27	0.07	—	—	—	0.47	21
22	trace	0.24	trace	—	0.16	0.26	0.10	0.13	—	0.01	—	0.25	22
23	—	0.01	—	0.34	0.02	—	0.32	—	0.12	trace	—	0.06	23
24	0.07	0.03	0.18	0.21	—	—	trace	0.28	trace	—	—	0.04	24
25	0.23	0.07	0.03	0.67	—	0.06	—	0.03	0.26	—	—	0.09	25
26	0.31	0.43	0.03	0.42	—	0.01	0.18	trace	0.11	trace	0.12	0.12	26
27	0.21	0.52	0.17	0.08	—	0.02	—	0.23	0.04	—	0.02	0.32	27
28	0.49	0.53	0.02	0.06	—	0.13	—	0.16	0.02	—	—	0.06	28
29	0.22	X	0.01	—	—	0.06	trace	trace	—	—	—	0.36	29
30	0.21	X	0.20	0.15	—	—	—	0.11	0.38	—	0.05	0.02	30
31	trace	X	trace	X	—	X	—	0.14	X	0.34	X	0.03	31
TOTAL	4.90	4.25	3.43	3.51	1.26	1.04	4.75	2.64	2.51	1.14	1.38	4.94	YEAR'S TOTAL
Days with 0.1 in. or more	25	20	17	17	10	13	18	18	15	10	11	23	35.75
Days with 0.4 in. or more	21	16	12	16	9	9	16	16	12	7	7	20	197
												18	159

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Church Stutton
in the County of Salop
by H. Constantine

Lat. — Long. —
Time of Observation 9.9. m
Nearest Railway Station Church Stutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " " Sea Level 700 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	0.09	0.21	—	0.02	—	0.05	0.01	0.05	0.04	—	0.36	1
2	0.17	trace	0.06	—	0.10	—	trace	0.02	0.02	0.11	0.01	trace	2
3	0.05	0.10	0.19	trace	—	0.04	—	—	0.24	0.57	0.08	0.08	3
4	trace	—	trace	0.18	—	—	—	—	0.03	0.04	0.11	0.05	4
5	0.24	—	0.10	0.28	0.55	0.05	—	—	—	0.06	trace	trace	5
6	0.38	0.40	0.17	0.23	—	—	—	0.02	—	0.04	—	10	6
7	0.06	0.82	0.15	0.20	—	—	0.13	trace	—	0.14	—	0.19	7
8	0.16	0.16	0.13	trace	—	0.04	—	—	—	0.22	0.23	0.02	8
9	0.12	0.58	trace	0.02	0.04	—	0.12	0.08	trace	—	0.25	—	9
10	0.18	0.36	—	0.41	0.06	—	0.10	—	—	0.45	trace	0.04	10
11	0.03	0.01	—	0.32	0.13	—	—	—	—	0.20	—	trace	11
12	trace	0.35	0.03	0.18	0.22	0.03	—	—	—	0.53	trace	0.03	12
13	0.02	0.38	trace	0.20	0.06	—	0.09	—	0.01	0.11	0.65	0.05	13
14	trace	trace	—	trace	0.07	—	0.02	0.27	0.03	0.02	trace	0.01	14
15	—	0.07	0.07	0.04	0.14	0.10	0.02	—	—	0.01	0.44	—	15
16	0.06	0.22	trace	0.02	0.24	—	0.01	0.08	0.04	trace	0.23	—	16
17	0.06	0.43	—	—	0.01	—	—	0.17	0.39	0.04	0.03	—	17
18	trace	0.28	—	—	0.01	0.03	0.22	0.14	0.05	0.14	0.10	0.08	18
19	0.02	0.07	0.02	—	trace	—	—	0.05	0.49	0.23	0.02	0.13	19
20	0.06	0.20	0.02	—	0.05	—	—	0.13	0.38	0.14	0.04	0.04	20
21	—	0.08	0.17	—	—	trace	0.02	0.15	0.01	0.14	trace	0.31	21
22	0.04	0.49	—	—	0.20	—	0.21	0.31	0.18	~~0.22~~	—	0.14	22
23	trace	0.11	0.02	0.10	0.04	—	—	0.65	0.21	0.12	—	0.05	23
24	—	0.18	—	0.10	—	0.02	0.15	0.09	0.39	0.53	—	0.02	24
25	—	0.47	—	0.11	0.08	0.05	0.06	0.48	0.19	0.27	—	0.36	25
26	0.01	0.58	0.04	0.19	—	0.01	—	0.08	trace	0.68	—	0.24	26
27	trace	0.40	0.15	—	0.56	—	1.00	0.37	—	0.69	—	0.26	27
28	0.03	0.22	0.11	0.05	0.10	—	0.07	0.14	—	0.03	0.23	—	28
29	0.01	—	0.22	0.08	0.02	—	0.02	0.75	—	0.19	trace	0.12	29
30	trace	X	0.05	0.02	—	—	0.36	0.01	—	0.05	0.02	0.26	30
31	0.14	X	trace	X	—	X	0.45	0.07	X	trace	X	0.35	31
TOTAL	1.95	7.05	1.91	2.73	2.70	0.37	3.08	4.07	2.71	5.79	2.51	3.19	YEAR'S TOTAL 38.08
Days with 01 in. or more	20	24	18	18	20	9	18	21	16	27	14	22	37.83
Days with 04 in. or more	14	23	14	15	16	5	13	17	11	24	11	18	226

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 2052

River Dist.

Station No. 3

Kept at Chavch Stutton
 in the County of Salop
 by H. Constantine

Lat. _____ Long. _____
 Time of Observation 9.9.m
 Nearest Railway Station Chavch Stutton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 8 ft. 8 in.
 " " " " Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	trace	0.12	—	0.11	0.53	0.14	0.09	—	—	0.42	trace	1 <u>WW</u>
2	—	—	0.20	—	0.18	0.03	0.04	0.02	—	0.18	0.02	—	2 <u>W</u>
3	0.01	—	0.17	—	0.18	0.02	0.37	0.30	—	trace	—	0.42	3
4	—	0.01	—	—	0.01	0.45	0.04	0.03	—	0.16	—	0.11	4
5	—	0.10	0.53	—	0.10	trace	0.28	0.20	0.03	0.13	—	—	5
6	—	0.02	—	—	0.16	0.07	0.04	0.06	0.17	0.35	—	—	6
7	0.04	—	—	—	0.31	0.15	trace	—	0.78	0.75	—	—	7
8	0.14	0.01	—	0.03	0.07	0.03	—	—	0.18	0.01	—	—	8
9	0.10	0.03	—	0.10	0.06	0.21	—	—	0.12	0.21	—	—	9
10	0.02	trace	—	0.23	0.22	0.17	—	—	0.04	0.49	—	—	10
11	0.69	—	—	0.22	0.20	0.17	—	—	0.03	—	0.33	—	11
12	0.20	0.01	—	0.26	0.06	0.06	—	0.13	0.10	—	—	—	12
13	0.06	—	—	0.71	0.10	—	trace	0.37	0.42	—	0.03	0.22	13
14	trace	—	—	0.13	—	—	—	0.14	trace	—	—	0.05	14
15	—	0.05	—	—	trace	—	0.04	0.05	0.11	—	—	0.27	15
16	0.17	—	—	—	—	0.78	trace	0.34	0.16	—	—	trace	16
17	0.11	0.04	—	—	—	—	0.35	0.31	0.19	—	—	—	17
18	0.16	0.05	—	—	0.20	—	0.04	0.04	—	0.37	trace	—	18
19	0.12	—	—	—	0.22	0.26	—	trace	0.14	0.05	—	trace	19
20	0.17	trace	0.01	—	0.12	0.08	0.80	0.04	0.26	0.15	—	trace	20
21	0.39	—	0.22	—	0.14	0.11	0.81	0.23	0.04	1.13	—	—	21
22	0.33	—	0.13	0.01	trace	—	—	0.10	0.27	—	—	0.29	22
23	0.05	—	0.01	0.11	0.03	—	0.05	0.11	0.26	—	trace	0.81	23
24	0.12	0.05	trace	0.09	0.25	—	0.02	trace	0.14	—	—	0.37	24
25	—	trace	0.06	0.19	0.05	—	0.43	—	0.65	trace	0.16	0.34	25
26	0.04	trace	0.02	0.07	0.06	—	0.12	0.11	0.12	0.53	0.69	0.48	26
27	trace	0.01	—	0.22	—	—	0.66	0.01	—	0.29	0.07	0.39	27
28	trace	0.02	—	0.17	—	0.06	0.57	0.47	—	0.09	0.12	0.03	28
29	—	0.12	—	0.49	0.15	0.01	trace	0.37	0.02	0.68	0.47	0.62	29
30	—	X	—	0.81	0.22	0.01	—	0.21	0.16	trace	0.14	0.30	30
31	trace	X	—	X	2.78	X	0.05	0.04	X	trace	X	31	31 <u>1115</u>
TOTAL	2.83	0.52	1.47	3.84	5.98	3.20	4.85	3.77	4.39	5.57	2.45	5.01	YEAR'S TOTAL 43.88
Days with "01 in. or more.	18	13	10	16	24	18	18	23	22	16	10	15	203
Days with "04 in. or more.	16	6	7	14	22	13	17	20	19	15	8	14	171

Register of Rainfall in 1925.

Kept at West Leigh Church
in the County of Salop Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 4 in.
Ground „ Sea Level 700 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.72	trace	0.12	—	0.03	0.12	—	0.04	0.04	—	0.23	trace	1
2	0.14	0.10	trace	0.04	trace	—	0.09	—	0.01	—	0.42	—	2
3	0.26	0.08	—	—	0.05	—	0.08	0.12	0.03	—	0.06	—	3
4	0.10	trace	—	0.13	0.22	—	—	trace	0.06	0.05	0.16	—	4
5	0.06	0.22	—	0.48	0.13	—	trace	0.11	0.27	—	0.03	—	5
6	trace	0.09	0.02	0.01	0.13	—	0.20	0.12	—	—	0.81	—	6
7	—	0.09	0.11	—	0.45	—	—	0.11	—	0.02	0.50	0.11	7
8	0.10	0.01	0.24	—	0.28	—	—	0.83	0.10	—	trace	0.32	8
9	trace	0.18	0.04	0.09	0.04	—	0.01	0.03	0.57	—	0.02	0.03	9
10	—	0.05	0.05	0.28	—	—	—	0.63	0.01	—	—	0.05	10
11	—	0.64	—	trace	0.02	—	—	0.01	—	—	—	trace	11
12	—	0.43	—	0.03	—	—	—	0.16	—	0.05	—	—	12
13	0.04	0.06	0.07	0.09	—	—	—	trace	—	0.03	—	0.02	13
14	0.35	trace	0.02	0.17	—	—	—	—	—	—	—	—	14
15	—	—	—	0.18	—	—	—	—	0.32	0.47	—	0.03	15
16	0.05	0.06	—	0.02	—	—	—	—	—	0.05	—	—	16
17	—	0.03	—	—	0.04	—	0.02	—	0.03	0.04	—	0.02	17
18	—	0.37	—	0.29	0.04	—	—	0.03	—	—	—	trace	18
19	—	0.03	—	0.04	—	—	0.02	—	0.68	1.02	—	0.50	19
20	—	—	0.18	—	—	—	0.11	0.39	0.19	0.45	—	0.11	20
21	trace	0.15	0.01	—	—	—	0.32	0.22	0.18	0.10	—	0.02	21
22	—	0.13	—	0.15	—	—	0.68	0.35	0.33	0.59	—	0.90	22
23	0.03	0.03	0.04	—	0.50	—	0.01	0.15	0.11	0.14	—	0.34	23
24	trace	0.33	0.08	0.07	0.02	—	—	0.02	0.01	0.06	0.06	0.03	24
25	trace	0.39	0.23	0.10	0.42	—	0.21	—	0.34	0.18	—	0.20	25
26	0.01	0.23	—	0.06	0.34	—	0.20	0.06	0.02	0.93	0.01	0.05	26
27	0.02	0.11	—	trace	0.27	—	0.13	0.02	trace	0.17	0.02	0.03	27
28	0.17	0.22	—	0.03	0.17	—	—	trace	do	0.15	—	0.24	28
29	0.28	X	0.05	—	0.25	—	0.11	—	do	Trace	0.50	0.24	29
30	0.02	X	—	0.02	trace	—	—	—	—	do	trace	0.19	30
31	0.33	X	0.12	X	0.01	X	—	—	X	0.05	X	0.13	31
TOTAL	2.68	4.03	1.35	2.28	3.41	0.12	2.19	3.40	3.30	4.55	2.82	3.56	YEARS TOTAL 33.69
Days with .01 in. or more.	16	23	15	19	19	1	14	18	18	18	12	20	193
Days with .04 in. or more.	12	19	11	14	15	1	10	13	12	16	8	13	144

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at "West Leigh" Church Station
in the County of Salop

Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 8 ft.
" Ground " Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.69	0.27	—	—	0.36	0.21	—	—	0.17	—	0.71	0.06	1
2	0.10	0.10	—	—	—	0.06	—	—	0.06	trace	0.06	0.10	2
3	0.30	0.13	0.28	—	—	—	—	0.03	trace	—	trace	0.11	3
4	trace	0.01	0.11	—	—	—	0.22	0.16	0.01	—	0.70	0.07	4
5	0.10	0.25	0.04	—	0.78	—	0.48	0.10	0.03	—	0.06	0.12	5
6	0.31	0.09	trace	—	trace	—	0.15	—	0.08	0.06	0.23	trace	6
7	0.03	0.61	0.01	0.10	0.21	0.23	trace	0.03	0.21	0.08	0.25	trace	7
8	0.02	0.13	0.03	trace	0.09	—	0.04	1.19	0.01	0.55	0.67	—	8
9	—	trace	0.05	—	0.06	0.42	0.11	0.09	—	0.06	0.01	—	9
10	—	—	0.03	—	0.22	0.10	0.12	—	—	0.06	0.72	—	10
11	—	—	trace	—	0.14	0.09	—	0.06	trace	0.05	trace	—	11
12	—	—	—	—	0.21	0.12	—	0.16	0.04	0.40	0.09	—	12
13	0.18	0.01	—	—	0.15	—	—	0.15	0.11	0.08	0.43	0.04	13
14	0.05	0.19	—	0.41	0.41	0.19	—	0.04	0.04	0.13	0.23	0.34	14
15	0.03	0.04	—	0.02	trace	0.01	—	0.08	0.01	0.23	0.78	—	15
16	0.19	0.08	—	0.44	—	0.09	—	0.01	—	trace	0.65	—	16
17	0.17	0.07	—	trace	—	0.53	—	0.03	—	—	0.38	0.10	17
18	0.30	0.11	—	0.11	—	0.02	0.33	0.10	—	—	0.34	0.01	18
19	trace	0.01	0.07	0.16	—	—	0.15	0.12	0.18	—	0.01	trace	19
20	—	trace	0.01	0.04	—	—	—	0.04	—	trace	0.56	—	20
21	0.04	0.03	0.03	0.03	0.06	—	0.08	trace	—	0.26	0.08	0.01	21
22	0.59	trace	trace	0.14	—	—	trace	—	—	0.08	trace	—	22
23	0.15	0.01	—	—	0.10	—	0.01	0.01	trace	—	—	trace	23
24	0.12	—	—	0.21	0.05	0.01	0.07	—	0.07	0.39	—	0.02	24
25	0.10	—	—	—	—	—	0.03	—	0.02	0.24	0.06	0.01	25
26	trace	—	0.04	0.02	0.16	—	—	—	0.14	—	trace	—	26
27	0.29	0.02	trace	0.07	0.08	—	0.08	—	0.04	0.01	—	—	27
28	0.15	—	—	0.09	0.10	—	0.37	—	—	0.29	—	—	28
29	0.01	—	—	0.19	0.22	—	0.08	—	—	—	—	—	29
30	0.15	X	—	0.20	0.07	—	—	0.62	—	—	—	—	30
31	0.26	X	0.01	X	—	X	—	0.14	X	—	X	—	31
TOTAL	4.33	2.16	0.71	2.23	3.47	2.08	2.32	3.16	1.22	2.97	6.52	0.99	YEARS TOTAL 32.16
Days with 0.1 in. or more.	23	18	12	15	18	13	15	19	16	16	20	12	197
Days with 0.4 in. or more.	19	12	6	12	18	10	13	14	11	15	18	8	156

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

2071
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Church Station West Leigh
in the County of Saunders

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....8 ft.

„ Ground „ Sea Level.....700 ft.

*Nov. & Dec. estimated by forwarding
shading Nov 5 6 am
Observer informed
Cable BA File 667592/26
and apper*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.11	0.01	—	—	0.31	0.02	—	0.12	0.30	—	1
2	0.05	—	0.06	0.16	0.03	—	—	—	—	0.01	trace	—	2
3	0.05	0.03	0.05	0.01	0.01	0.05	0.07	—	—	—	trace	—	3
4	0.07	trace	0.10	0.10	0.20	0.24	0.14	—	—	—	0.12	—	4
5	0.10	0.11	0.18	0.26	trace	0.37	0.29	—	—	—	0.15	—	5
6	0.02	—	0.08	trace	—	—	trace	0.03	0.25	—	0.74	—	6
7	0.07	0.19	0.07	0.06	—	0.41	0.07	0.11	—	—	trace	—	7
8	0.02	—	0.03	0.83	—	0.01	0.02	0.19	0.03	—	—	—	8
9	—	—	0.07	0.23	—	—	—	0.38	—	—	0.07	—	9
10	—	—	trace	0.04	—	0.18	—	0.12	—	—	—	—	10
11	—	—	0.05	0.06	—	—	0.57	0.08	0.04	—	—	—	11
12	—	—	trace	—	0.05	—	trace	0.18	0.02	—	—	—	12
13	0.17	—	0.05	—	0.02	0.42	—	0.16	0.13	0.17	0.03	—	13
14	0.07	—	—	0.02	0.02	—	trace	0.20	1.34	trace	—	—	14
15	0.13	—	—	0.02	0.34	—	trace	0.40	0.80	—	0.03	—	15
16	0.03	trace	—	—	0.14	0.62	—	0.40	0.23	—	trace	—	16
17	0.13	—	—	—	—	0.08	—	1.13	0.15	—	—	—	17
18	trace	—	—	—	—	0.89	—	0.56	0.04	0.04	1.35	—	18
19	—	0.27	—	—	—	0.07	trace	0.31	—	0.03	0.39	—	19
20	0.29	0.60	—	—	0.13	0.14	0.21	0.50	0.06	—	0.27	—	20
21	0.15	0.22	0.02	—	0.04	0.03	0.13	0.50	0.19	0.65	—	—	21
22	0.16	0.22	0.30	0.10	trace	0.26	0.02	0.06	0.08	0.88	—	—	22
23	trace	0.03	0.20	trace	—	0.36	—	0.01	0.19	trace	—	—	23
24	0.49	0.02	0.36	0.06	—	0.09	0.27	0.08	0.09	0.09	—	—	24
25	0.24	0.11	0.40	0.03	—	0.16	0.01	0.01	0.02	0.17	—	—	25
26	0.27	0.79	0.17	0.02	0.05	—	0.22	—	—	0.10	—	—	26
27	0.13	0.28	0.02	0.02	—	0.10	0.04	trace	0.11	0.09	—	—	27
28	0.59	0.38	0.10	—	—	trace	—	0.01	0.15	0.03	—	—	28
29	0.08	—	0.21	—	—	0.36	0.04	—	0.09	0.09	—	—	29
30	0.19	X	0.09	—	—	0.41	0.05	0.18	0.25	0.05	—	—	30
31	trace	X	0.40	X	0.14	X	0.16	trace	X	trace	X	—	31
TOTAL	3.46	3.25	3.12	2.03	1.17	5.25	2.62	5.62	4.26	2.52	(4.65) 3.45	(2.82)	40.77 36.75
Days with 0.1 in. or more.	23	13	22	17	12	20	17	23	20	14	10	—	17X...
Days with 0.4 in. or more.	19	10	19	10	8	18	14	18	17	11	8	—	152...

RECORD

CHURCH STRETTON
WATLING RD
SHROPSHIRE.

ORGANIZATION.

1921.....

Long.....

ation.....

of Rain Gauge.....in.

Gauge above Ground.....ft.....in.

,, Sea Level.....ft.

result entered to the previous day.

Jan. 1, following.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	45							41	09		06		1
2	04				18			39			34		2
3			13		06	12				11	08		3
4	15		03			22		38		1.02	10		4
5			03		02			49			39	11	5
6					12		04	04			43	02	6
7					01			43					7
8	17		10		18								8
9	01		03	28	09			12	01				9
10	21				05			12	05				10
11	27				14			39	09				11
12	43		05		38			14	37	02	07	10	12
13	25		35	14				04	08				13
14			50	55	08		04	18	05	13	14	27	14
15			17	02			08	01			39	05	15
16			22	29			01	03			02		16
17	38		07	15		07		04					17
18	29		10	05								02	18
19			22		02	06					03		19
20			04							28	08	01	20
21				11		01		13			03	08	21
22			05	11			26			05		36	22
23		01		06			16			43		11	23
24	08	15					02			41		35	24
25		21	10				66						25
26	05		10			10		03			04	19	26
27			04		31	16		02			02	46	27
28			13		12		02	69				57	28
29	27		03	11	13		03				19	16	29
30	34	~~X~~	01		07							46	30
31	16	~~X~~		~~X~~	02	~~X~~	02	16	~~X~~	04	~~X~~	04	31
TOTAL	3.65	37	2.50	1.87	1.98	.74	1.34	4.24	.74	2.49	2.41	3.36	YEAR'S TOTAL
Days with ".01 in. or more	16	3	23	11	17	7	11	22	7	9	16	17	25.59
Days with ".04 in. or more	15	2	16	10	13	6	6	16	6	8	12	14	159

REGISTER OF RAINFALL IN 1921.....

Kept at Lanchester, Shropshire
 in the County of Shropshire
 by N. T. Bowden

Lat..... Long.....
 Time of Observation.....
 Nearest Railway Station.....
 Diameter of Funnel of Rain Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 " " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	45							41	09		06		1
2	04				18			39			34		2
3			13		06	12				11	08		3
4	15		03			22		38		1.02	10		4
5			03		02			49			39	11	5
6					12		04	04			43	02	6
7					01			43					7
8	17		10		18								8
9	01		03	28	09			12	01				9
10	21				05			12	05				10
11	27				14			39	09				11
12	43		05		38			14	37	02	07	10	12
13	25		35	14				04	08				13
14			50	55	08		04	18	05	13	14	27	14
15			17	02			08	01			39	05	15
16			22	29			01	03			02		16
17	38		07	15		07		04					17
18	29		10	05								02	18
19			22		02	06					03		19
20			04							28	08	01	20
21				11		01		13			03	08	21
22			05	11			26			05		36	22
23		01		06			16			43		11	23
24	08	15					02			41		35	24
25		21	10				66						25
26	05		10			10		03			04	19	26
27			04		31	16		02			02	46	27
28			13		12		02	69				57	28
29	27		03	11	13		03				19	16	29
30	34		01		07							46	30
31	16				02		02	16		04		04	31
TOTAL	3.5.57	37	2.5.0	1.87	1.98	74	1.34	4.24	74	2.49	2.41	3.3 6	25.59
Days with 0.1 in. or more	16	3	23	11	17	7	11	22	7	9	16	17	159
Days with 0.4 in. or more	15	2	16	10	13	6	6	16	6	8	12	14	124

YEAR'S TOTAL

and by new staff of the meter

AIR MINISTRY.

FORM 1090
(formerly B.R.O. Form A.1).

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Church Stretton

in the County of Shropshire

by W. Bowden

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	22	45		40		32		17		18	03	1
2	(24)	62	02		03		10				02	02	2
3	58	25	18	07	15		22				14		3
4		60	22		37		113	15		05			4
5	15		22	33				03		13	14		5
6	18		26				44	08		48	60		6
7	11		75	12			25	10		01		07	7
8			21				48	12				07	8
9	06		01	03		02	01	08		03			9
10								01		05	20		10
11	18				02								11
12				27		10	11	53				04	12
13	40			35		12	23		46				13
14		05		12			08		01			50	14
15		06		12			05		25			07	15
16	72	10		15	19			42	05			08	16
17	24				06		27	02	04			19	17
18		07	45		04		01	01				159	18
19	49	15				07			20	03	03	02	19
20		12	05				01		33	08		50	20
21	14	25		04		16	22	04		02		25	21
22	06	21			18		11	18				07	22
23		01	20	34	02	25	34			02		09	23
24			05	25		04		26	13			07	24
25	07	10	05	70		10		03				16	25
26	22	45	17	47		02	20		25		12	31	26
27	38	50	02	09		03		15	21		02	08	27
28	22	49		05		19		04	02			39	28
29	54					07			05			05	29
30	20	X	20	15		32		02	40		09		30
31	29	X		X		X		15	X	30	X		31
TOTAL	639	425	351	365	146	149	468	242	257	120	154	465	3729
Days with "01 in. or more	21	17	17	17	10	13	20	19	14	11	10	21	190
Days with "01 in. or more	21	16	14	16	7	10	17	13	12	6	7	18	157

Kept at Church Stretton
in the County of Salop
by R. Borden, Silverdale Halling

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

43

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.09	.20	..	..	..	.05	.03	.05	.04	..	.46	1
2	.20	..	.09	.16	.10	..	.05	.02	.02	.11	.01	..	2
3	.05	.11	.20	.29	..	..	..	..	.23	.59	.07	.13	3
4	..	..	..	.25	..	..	..	..	.05	.06	.15	.04	4
5	.25	..	.10	.25	.57	.03	..	..	..	.04	.01	..	5
6	.40	.44	.17	..	..	..	..	..	..	.05	..	..	6
7	.08	.80	.19	.03	..	..	.10	..	..	.19	..	.16	7
8	.15	.18	.13	.45	..	.09	..	.04	..	.23	.23	..	8
9	.12	.64	..	.28	.05	.01	.13	..	..	.03	.24	.03	9
10	.24	.26	..	.17	.06	..	.08	.10	..	.43	..	.05	10
11	.03	.02	..	.16	.12	..	..	..	..	.20	..	..	11
12	.03	.38	..	.01	.29	..	..	..	..	.56	.02	..	12
13	.03	.37	..	.23	.09	..	.17	..	.03	.12	.64	.05	13
14	..	..	.13	..	.09	..	.03	.36	..	.03	..	..	14
15	..	.07	..	.05	.15	.12	.02	..	.06	.02	.42	..	15
16	.07	.23	..	..	.29	..	..	.13	.57	.02	.28	..	16
17	.08	.50	..	..	.06	..	..	.18	.08	..	.04	..	17
18	..	.25	..	.04	.02	..	..	.35	.56	.16	.14	.10	18
19	.05	.08	.03	..	..	..	.24	.06	.43	..	.06	..	19
20	..	.18	..	..	.04	..	..	.13	.02	.21	.04	.12	20
21	..	.07	.03	..	..	..	..	.16	.21	.18	..	.39	21
22	.10	.50	.15	..	.17	..	..	.31	.22	.12	..	.16	22
23	..	.12	..	.07	.05	..	.25	.60	.35	.18	..	.05	23
24	..	.18	..	.10	..	.05	.16	.10	.23	.51	..	..	24
25	..	.50	.05	.18	.18	.03	.08	.46	.01	.26	..	.27	25
26	..	.58	.18	.18	..	..	..	.09	..	.69	..	.25	26
27	..	.39	.10	..	.60	..	.17	.36	..	.75	..	.23	27
28	.06	.24	.27	.06	.11	..	.08	.16	..	.04	.20	..	28
29	.03	..	.06	.09	.05	..	.03	.76	..	.17	..	.27	29
30	.02	..	..	.03	..	.02	.33	.03	..	.07	.05	.23	30
31	.15	..	..	..	..	..	.43	.07	..	..	..	.43	31
TOTAL	2.15	7.18	2.08	3.08	3.09	.35	3.40	4.50	3.12	4.06	2.60	3.42	41.03
Days with ".01 in. or more	20	24	16	20	19	7	17	21	16	28	16	18	238
Days with ".01 in. or more	15	23	14	17	18	3	14	18	12	24	13	17	187
YEAR'S TOTAL													41.03

REGISTER OF RAINFALL IN 1924

Kept at Church Stratton
 in the County of Salop
 by M^r Borden

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Church Stratton
 Diameter of Funnel of Rain Gauge 6 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	..	.18	..	.06	.45	.14	.06	..	..	.42	..	WVV 1
2	..	..	.20	..	.21	.05	.05	..	..	.18	.03	..	WVV 2
3	..	..	.19	..	.01	.03	.35	.36	..	.23	..	..	C 3
4	..	..	..	..	.04	.47	.05	.04	.09	.17	..	..	WVV 4
5	.04	.15	.10	..	.01	..	.27	.23	.24	.41	..	.13	5
6	.04	.01	..	..	.08	.49	.05	.07	.56	.75	..	..	6
7	.15	..	..	..	.17	.16	..	..	.20	.62	..	..	7
8	.09	.01	..	.04	.30	.05	..	..	.17	.20	..	..	8
9	..	.06	..	.10	.11	.28	..	..	.04	.46	..	..	9
10	..	.01	..	.23	.06	.17	..	..	.12	..	..	..	10
11	.73	..	..	.25	.19	.06	..	..	.43	..	..	..	11
12	.20	.02	..	.24	.25	.05	..	.17	..	..	.33	..	12
13	.05	..	..	.69	..	..	..	.23	.13	..	.04	.23	13
14	..	..	..	.12	.11	..	..	.15	.18	..	..	.07	14
15	..	.04	..	..	..	..	.04	.09	.01	..	..	.22	15
16	.19	..	..	..	..	..	..	.36	..	..	..	..	16
17	.08	.09	..	..	..	.66	.33	.39	.15	.40	..	..	17
18	.16	..	..	..	..	..	.06	.08	.26	.07	.02	..	18
19	.10	..	..	..	.21	.26	..	..	.02	.21	..	..	19
20	.15	.07	..	..	.22	.06	.84	..	.31	1.02	..	..	20
21	.34	..	.02	..	.15	.12	.72	.25	.30	..	..	..	21
22	.37	..	.21	.01	.17	..	..	.12	.16	..	..	.37	22
23	.09	..	.16	.11	..	..	.06	.13	.71	..	..	.82	23
24	.10	.10	..	.10	.05	..	..	.01	.11	.01	..	.50	24
25	..	..	.09	.30	.27	..	.49	..	..	.50	.18	.25	25
26	.05	..	.05	.04	.06	..	.06	.11	..	.18	.68	.50	26
27	..	..	..	.20	.07	..	.64	.02	.04	.09	.08	.34	27
28	.02	.04	..	.17	..	..	.73	.48	.27	.63	.12	.84	28
29	..	.03	..	.49	.21	.08	.01	.40	..	..	.48	.62	29
30	..	X	..	.97	.26	.03	..	.18	..	..	.14	.42	30
31	.01	X	..	X	3.32	X	.06	.03	X	..	X	.28	1163 31
TOTAL	2.97	.63	1.20	4.06	6.59	3.42	4.95	4.06	4.49	6.13	2.52	4.78	YEAR'S TOTAL
Days with 01 in. or more	20	12	9	16	24	17	19	22	21	17	11	14	4580
Days with 04 in. or more	17	10	8	15	22	15	17	19	19	16	9	14	201
													178

2278
CHURCH STREETON
ST MARGARETS

2071A
FOR OFFICIAL USE.
GANIZATION.
927.

Kept at S^t Margarets
in the County of Shrop
Diameter of Funnel of Gauge.....
Height of top of Gauge above G
" Ground " Se

1927 - 30

for .005's
see end
3875/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.11	.02	—	—	.29	.02	—	.20	.30	—	1
2	.09	.03	.07	.18	.03	—	—	—	—	.01	—	—	2
3	.02	—	.10	.02	.02	—	.10	—	—	—	.01	.01	3
4	.08	—	.07	.09	.18	.20	.23	—	—	—	.12	.01	4
5	.10	.13	.19	.27	—	.30	.20	—	—	—	.15	—	5
6	.03	—	.09	.02	—	—	.01	.03	.26	—	.75	—	6
7	.02	.17	.07	.06	—	✓	.07	.10	—	—	.01	.01	7
8	.02	—	.03	.85	—	✓	.02	.25	.03	.01	—	—	8
9	—	—	.07	.23	—	—	—	.35	—	—	.08	.04	9
10	—	—	.01	.04	—	✓	—	.13	—	—	—	—	10
11	—	—	.05	.07	—	—	.63	.09	.05	—	—	—	11
12	.15	—	.01	—	.04	—	—	.19	.07	—	—	.01	12
13	.22	—	.05	—	.07	.52	—	.19	.09	✓	.03	.38	13
14	.05	—	—	.03	.03	—	—	.28	1.50	—	—	✓	14
15	.01	—	—	—	.34	—	—	.86	.64	—	.03	.03	15
16	.02	.01	—	—	.14	.60	—	.20	.24	.25	.01	—	16
17	.08	—	—	—	—	.15	—	1.23	.17	—	—	—	17
18	—	—	—	—	—	.80	—	.44	.03	✓	1.28	—	18
19	—	.30	—	—	—	.07	—	.50	—	✓	.36	—	19
20	.30	.58	—	—	.14	.15	.23	.50	.09	—	.28	.18	20
21	.25	.22	.05	—	.03	.04	.12	.46	.22	.65	.36	.68	21
22	.04	.20	.28	.10	.01	.26	.03	.06	.13	.86	.18	.10	22
23	—	.03	.21	—	—	.44	—	.06	.05	—	.28	.65	23
24	.53	.02	.39	.07	—	.03	.30	.05	.25	.09	—	.44	24
25	.22	.11	.39	.03	—	.20	.02	.01	.07	.19	—	.52	25
26	.24	.80	.19	.02	.24	.04	.22	—	—	.12	—	—	26
27	.13	.28	.02	.02	—	.05	.05	—	—	.10	—	—	27
28	.60	.36	.14	—	—	.02	—	.01	.11	.03	.50	—	28
29	.09	✓	.18	—	—	.47	.06	—	.27	.09	—	—	29
30	.19	✓	.10	—	—	.31	.08	.17	.06	.05	—	—	30
31	—	✓	.41	✓	.08	✓	.16	—	✓	—	✓	.17	31
TOTAL	3.48	3.24	3.28	2.12	1.30	5.23	2.81	5.87	4.33	2.64	4.72	3.22	YEAR'S TOTAL
Days with ".01 in. or more.	23	14	24	17	13	21	17	22	19	15	16	15	42.24
Days with ".04 in. or more.	17	10	20	10	7	18	14	19	17	12	12	9	216

Section **A** for the entry of Daily Observations.

2071 A
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at S. Margant's Church Strutton
in the County of Shropshire
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 10 1/2 ft.
Ground Sea Level 672 ft.

Return amended for .005's
observer informed see encl
SA File 823875/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.11	.02	—	—	.29	.02	—	.20	.30	—	1
2	.09	.03	.07	.18	.03	—	—	—	—	.01	—	—	2
3	.02	—	.10	.02	.02	—	.10	—	—	—	.01	.01	3
4	.08	—	.07	.09	.18	.20	.23	—	—	—	.12	.01	4
5	.10	.13	.19	.27	—	.30	.20	—	—	—	.15	—	5
6	.03	—	.09	.02	—	—	.01	.03	.26	—	.75	—	6
7	.02	.17	.07	.06	—	.58	.07	.10	—	—	.01	.01	7
8	.02	—	.03	.85	—	—	.02	.25	.03	.01	—	—	8
9	—	—	.07	.23	—	—	—	.35	—	—	.08	.04	9
10	—	—	.01	.04	—	.X1	—	.13	—	—	—	—	10
11	—	—	.05	.07	—	—	.63	.09	.05	—	—	—	11
12	.15	—	.01	—	.04	—	—	.19	.07	—	—	.01	12
13	.22	—	.05	—	.07	.52	—	.19	.09	.X	.03	.38	13
14	.05	—	—	.03	.03	—	—	.28	1.50	—	—	—	14
15	.01	—	—	—	.34	—	—	.56	.64	—	.03	.03	15
16	.02	.01	—	—	.64	.60	—	.20	.24	.25	.01	—	16
17	.08	—	—	—	—	.15	—	1.23	.17	—	—	—	17
18	—	—	—	—	—	.80	—	.44	.03	.X	1.28	—	18
19	—	.30	—	—	—	.07	—	.50	—	.X	.36	—	19
20	.30	.58	—	—	.14	.15	.23	.50	.09	—	.28	.18	20
21	.25	.22	.05	—	.03	.04	.12	.46	.22	.65	.36	.68	21
22	.04	.20	.28	.10	.01	.26	.03	.06	.13	.86	.18	.10	22
23	—	.03	.21	—	—	.44	—	.06	.05	—	.28	.65	23
24	.53	.02	.39	.07	—	.03	.30	.05	.25	.09	—	.44	24
25	.22	.11	.39	.03	—	.20	.02	.01	.07	.19	—	.52	25
26	.24	.80	.19	.02	.24	.04	.22	—	—	.12	—	—	26
27	.13	.28	.02	.02	—	.05	.05	—	—	.10	—	—	27
28	.60	.36	.14	—	—	.02	—	.01	.11	.03	.50	—	28
29	.09	X	.18	—	—	.47	.06	—	.27	.09	—	—	29
30	.19	X	.10	—	—	.31	.08	.17	.06	.05	—	—	30
31	—	X	.41	X	.08	X	.16	—	X	—	X	.17	31
TOTAL	3.48	3.24	3.28	2.12	1.30	5.23	2.81	5.87	4.33	2.64	4.72	3.22	YEAR'S TOTAL
Days with ".01 in. or more.	23	14	24	17	13	21	17	22	19	15	16	15	42.24
Days with ".04 in. or more.	17	10	20	10	7	18	14	19	17	12	12	9	216

Section **A**

for the entry of Daily Observations.

2145
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at S^r Margaret's Church Strillon

in the County of Shropshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 0 ft. 0 in.

Ground Sea Level 672 feet ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.04	.02	—	.01	—	.11	.03	—	—	.01	—	1
2	.03	.24	.33	.09	.01	—	hr:	—	—	—	.07	—	2
3	.01	.03	.01	.02	.07	—	—	—	—	—	.17	—	3
4	.02	.37	.02	.03	—	.04	.20	—	—	.29	.07	—	4
5	.18	.07	—	.13	—	.19	.06	—	✓	.20	.03	—	5
6	—	hr	—	—	—	.64	.03	hr:	—	.05	—	.12	6
7	.04	.01	—	.17	—	.31	—	.43	✓	.45	.01	—	7
8	—	.02	—	.02	—	.42	.03	—	✓	.10	—	—	8
9	.06	hr:	.03	.02	—	.08	—	—	.67x	—	—	—	9
10	.16	.37	.02	.04	hr:	.05	—	.03	✓	.47	.20	—	10
11	—	.85	.01	.20	—	—	—	.13	—	.05	.16	.20	11
12	.23	.39	.35	.45	—	.19	—	.07	—	—	.09	.13	12
13	—	.03	—	.05	—	.30	—	.21	—	.08	.05	—	13
14	.08	.22	—	—	.04	.13	—	.35	—	.58	.68	—	14
15	.18	.05	.03	—	.05	.15	—	.03	✓	.02	.22	.02	15
16	.01	.18	.05	.02	.13	—	—	—	—	.08	.36	.14	16
17	.07	.03	.05	.02	.37	.07	—	—	—	—	.04	—	17
18	.45	hr:	—	.11	.02	.12	—	—	.03	.47	.07	.18	18
19	.01	—	.16	—	.25	.26	—	.05	—	.47	.51	.05	19
20	.15	—	.57	✓	.02	.06	—	.02	—	.13	.32	—	20
21	.96	—	.41	✓	.23	.04	—	—	—	.17	.28	—	21
22	—	.03	.02	✓	hr:	—	hr:	.78	—	—	.47	.21	22
23	.43	—	.15	.58x	.10	—	—	.02	.10	.27	.65	—	23
24	.08	—	.07	↑	—	—	—	.20	.20	.08	.25	.20	24
25	.22	—	hr:	—	—	.12	—	.05	—	.03	.02	.23	25
26	.31	—	.03	—	.12	.04	—	.53	—	.75	.09	.02	26
27	.09	—	.02	✓	—	—	.01	.39	.09	.23	.22	.30	27
28	.40	.03	.15	—	—	.17	—	.06	.12	.01	.03	.29	28
29	.38	.50	.30	—	—	.50	.05	.10	—	.10	.02	.14	29
30	.02	X	.37	—	—	.04	.73	—	—	.03	—	.52	30
31	.37	X	.11	X	—	X	.35	—	X	.05	X	—	31
TOTAL	5.35	3.46	3.28	1.95	1.43	3.92	1.58	3.48	1.21	5.16	5.09	2.75	YEAR'S TOTAL 38.66
Days with '01 in. or more.	26	18	23	19	13	21	9	18	11	24	25	15	223
Days with '04 in. or more.	20	11	13	11	9	21	46	13	9	20	20	13	166

REGISTER OF RAINFALL IN 1929.

Kept at S^t Margants, Church Streeton
in the County of Shropshire
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 10½ ft.
" Ground " Sea Level 672 ft.

clap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.15	—	.03	—	.22	—	.02	—	.24	—	.01	1
2	—	.26	—	—	—	.27	—	.04	.06	.04	.03	.29	2
3	—	—	—	—	.02	.05	.09	.57	.21	—	—	.19	3
4	—	—	—	.12	.52	.44	.11	.02	—	.07	.09	.63	4
5	—	—	—	—	.75	.33	.42	.53	—	1.87	.36	.19	5
6	.12	—	—	—	.08	.29	.07	.13	—	.08	.03	.77	6
7	.05	—	—	—	.44	—	—	—	—	.25	.30	.44	7
8	—	.11	—	.07	—	.09	—	.02	—	.33	.03	.70	8
9	.20	.06	—	—	—	—	x	.01	—	.06	.60	.67	9
10	.05	—	—	.02	—	—	—	.01	—	.15	.03	.42	10
11	—	.09	—	—	.33	—	.63	.02	—	—	1.05	.08	11
12	—	—	—	.29	.01	x	x	.08	x	—	—	.02	12
13	—	—	—	.03	.13	x	—	.08	.18	—	—	.04	13
14	.01	—	—	—	.21	x	—	—	—	—	.01	.03	14
15	.30	.05	—	—	.02	1.63	—	—	—	—	.34	—	15
16	—	—	—	—	—	—	—	.12	—	—	.02	—	16
17	.18	—	—	—	—	—	—	.01	—	.06	—	—	17
18	—	—	—	—	—	—	—	.02	—	—	.49	—	18
19	—	—	—	—	—	—	—	.08	.06	—	.47	.04	19
20	—	—	.01	—	—	—	—	.01	—	.24	.19	.57	20
21	.01	—	.24	—	—	x	—	—	—	—	—	—	21
22	—	—	—	.02	.01	—	.04	.19	—	.06	.17	.02	22
23	—	.04	—	—	—	.02	.03	.05	—	.18	.59	.46	23
24	—	—	.03	.09	—	.04	—	.22	—	.78	.89	.53	24
25	—	.14	.09	.08	—	—	—	—	—	.04	.28	.15	25
26	1.27	.10	—	.07	—	—	—	—	—	.01	.32	.21	26
27	—	—	—	.18	—	—	.01	—	—	.21	.41	.02	27
28	—	—	—	.15	—	—	.46	.01	.25	.08	.65	.67	28
29	—	x	—	—	—	—	—	—	—	.15	.33	.28	29
30	—	x	—	—	—	—	.14	—	.48	—	.02	.02	30
31	x	x	—	x	—	x	.30	.18	x	—	x	.02	31
TOTAL	2.19	1.00	.37	1.15	2.52	3.38	2.30	2.34	1.24	4.90	7.70	7.47	YEAR'S TOTAL
Days with .01 in. or more.	13	9	4	12	11	14	13	21	7	19	24	26	173
Days with .04 in. or more.	9	9	2	8	7	12	11	11	6	18	17	19	129

REGISTER OF RAINFALL IN 1930 .

Kept at S^t Margaret's Church Station
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
,, Ground ,, Sea Level 672 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.06	.44	.01	.42	-	.03	-	.18	-	-	.50	-	I
2	-	.05	.06	.04	-	-	.02	.09	-	-	.78	-	2
3	.49	.10	-	.56	-	-	.07	.24	-	.65	.03	-	3
4	.20	-	.11	.20	-	-	-	.07	-	.09	-	-	4
5	.09	.03	.10	.10	.19	-	-	.18	-	.22	-	-	5
6	.01	.03	.59	~~1~~		-	-	.01	.22	.28	-	-	6
7	.23	-	-	-		-	-	-	-	.28	.10	.09	7
8	.10	-	-	.10		-	-	.03	.36	.30	-	.15	8
9	.75	-	.55	.60		.04	.02	.02	-	.04	.04	.01	9
10	.95	-	.20	-		.15	-	.22	.01	-	.02	.27	10
II	.08	-	-	.04		-	-	.03	.02	.12	.03	.26	II
12	.28	-	.07	.05	1.45	.01	-		-	-	-	.37	12
13	.21	-	.17	.09	-	.10	.37		.03	-	.13	13	
14	.65	-	.43	.04	-	.32	-		.01	-	.05	14	
15	.01	-	.18	-	-	.26	.04		.40	.33	.35	15	
16	hr:	.04	-	-	.03	.21	.09		.08	-	.24	16	
17	.01	.37	.01	.13	-	.11	2.00	.86	.12	-	.02	17	
18	-	-	.05	.06	.17	.13	.12	.03	.31	-	18		
19	-	-	.52	.28	.09	-	1.00	.12	.19	-	19		
20	-	-	.13	.04	.02	.04	2.03	.34	.06	.23	-	20	
21	-	-	.44	-	-	.07	-		.02	.16	.14	-	21
22	.42	-	-	-	-	.01	.02		-	.22	.34	-	22
23	.02	-	-	.09	.04	.02	.11	.16	.08	hr:	.30	.16	23
24	.37	-	-	.28	.03	-	.16	.04	.07	.17		.01	24
25	-	.07	-	.52	-	-	.02	-	.18	.23		.07	25
26	.96	.10	-	.28	.45	-	.04	-	.01	.14		.25	26
27	.02	.01	.06	.02	-	.05	.45	-	.01	.04		.10	27
28	.09	-	.06	-	-	-	.08	-	-	.02		.33	28
29	-	-	-	-	-	-	.17	.44	-	.06		.20	29
30	-	X	-	-	.42	-	.18	.02	-	.09		.60	30
31	.41	X	.02	X	.06	X	-	-	X	.21	X	.27	31
TOTAL	6.41	1.24	3.46	3.98	2.66	.71	4.50	3.73	3.80	4.17	4.50	4.43	43.59
Days with .01 in. or more.	22	10	19	20		7	19		17	26		20	
Days with .04 in. or more.	17	7	16	19		12	15		12	22		17	

Section **A** for the entry of
AIR MINIST
FORM 1090. **REGI**
Kept at *Trinity Hosp*
in the County of *Sar*
Diameter of Funnel of Gauge
Height of top of Gauge above G
" Ground " Se

CLUN
TRINITY HOSPITAL
SHROPSHIRE
1928 - 1929

2136A
FOR OFFICIAL USE.
AINFALL ORGANIZATION.
1928. *v1/sep/3*
published 1925
NR 1526-1927

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.55	.41	.03	—	—	.04	.46	—	—	—	—	1
2	.34	.09	—	—	—	—	.13	—	—	—	.15	—	2
3	—	.30	.29	.02	—	—	—	—	—	—	—	.14	3
4	—	.04	—	.02	.32	—	—	—	—	—	—	—	4
5	.07	.44	.05	—	—	.09	.17	—	—	—	.31	—	5
6	.21	.07	.03	.04	—	.32	.08	—	.34	—	—	—	6
7	—	—	—	—	—	.79	—	—	—	—	—	—	7
8	.09	.02	—	.13	—	.26	—	.47	.04	.26	—	.09	8
9	—	—	—	.04	—	.34	—	—	.03	.24	.12	.05	9
10	.07	—	.07	.12	—	.04	—	—	—	—	.14	.23	10
11	.26	.31	—	.05	—	—	—	—	—	.43	—	—	11
12	—	.14	.06	.49	—	—	—	.25	.16	—	.09	—	12
13	.32	.42	—	.61	—	.17	—	.17	—	—	.05	.16	13
14	—	—	—	.23	—	.40	—	.23	—	—	—	.46	14
15	.12	.18	—	—	—	.05	—	—	.10	—	.86	—	15
16	.23	.14	—	—	.24	—	—	.23	—	—	.27	—	16
17	—	.24	.05	.04	.04	—	—	.06	—	.08	.32	—	17
18	.07	—	.06	—	.07	.10	—	.15	.07	—	—	—	18
19	.33	—	.05	—	.14	.14	—	.09	—	.56	.16	—	19
20	—	—	.19	—	.04	.15	—	.14	—	.68	.37	.27	20
21	.76	.04	.63	.06	—	.08	—	—	—	.19	.62	—	21
22	.13	—	.45	.01	.10	—	—	.08	—	.24	.14	—	22
23	—	—	.07	—	—	—	—	.66	—	—	1.04	.34	23
24	.46	—	.11	—	—	—	—	.15	.14	.26	.67	—	24
25	.09	—	.08	—	—	—	—	.08	—	.25	—	—	25
26	.31	—	—	—	—	.18	.02	.48	—	—	.17	.07	26
27	.39	—	—	—	.14	.44	—	.05	—	.94	.22	—	27
28	.08	—	.03	.03	—	—	—	.29	.11	.51	.31	—	28
29	.32	—	.14	—	—	.45	—	—	.41	.34	.09	—	29
30	.22	×	.46	—	—	.41	.04	—	—	.10	—	—	30
31	—	×	.52	×	—	×	.71	.26	×	.02	×	—	31
TOTAL	5.13	2.98	3.75	1.92	1.04	4.41	1.19	4.30	1.40	5.40	6.09	1.81	YEAR'S TOTAL 39.42
Days with ".01 in. or more.	21	14	19	15	8	17	7	18	9	15	19	9	171
Days with ".04 in. or more.	21	13	17	10	8	17	6	18	8	14	19	9	160

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Trinity Hospital
in the County of Salop.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 650 ft.

Last published 1925
NR 1926-1927

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.55	.41	.03	—	—	.04	.46	—	—	—	—	1
2	.34	.09	—	—	—	—	.13	—	—	—	.15	—	2
3	—	.30	.29	.02	—	—	—	—	—	—	—	.14	3
4	—	.04	—	.02	.27	—	—	—	—	—	—	—	4
5	.07	.44	.05	—	—	.09	.17	—	—	—	.31	—	5
6	.21	.07	.03	.04	—	.32	.08	—	.34	—	—	—	6
7	—	—	—	—	—	.79	—	—	—	—	—	—	7
8	.09	.02	—	.13	—	.26	—	.47	.04	.26	—	.09	8
9	—	—	—	.04	—	.34	—	—	.03	.24	.12	.05	9
10	.07	—	.07	.12	—	.04	—	—	—	—	.14	.23	10
11	.26	.31	—	.05	—	—	—	—	—	.43	—	—	11
12	—	.14	.06	.49	—	—	—	.25	.16	—	.09	—	12
13	.32	.42	—	.61	—	.17	—	.17	—	—	.05	.16	13
14	—	—	—	.23	—	.40	—	.23	—	—	—	.46	14
15	.12	.18	—	—	—	.05	—	—	.10	—	.86	—	15
16	.23	.14	—	—	.24	—	—	.23	—	—	.27	—	16
17	—	.24	.05	.04	.04	—	—	.06	—	.08	.32	—	17
18	.07	—	.06	—	.07	.10	—	.15	.07	—	—	—	18
19	.33	—	.05	—	.14	.14	—	.09	—	.56	.16	—	19
20	—	—	.19	—	.04	.15	—	.14	—	.68	.37	.27	20
21	.76	.04	.63	.06	—	.08	—	—	—	.19	.62	—	21
22	.13	—	.45	.01	.10	—	—	.08	—	.24	.14	—	22
23	—	—	.07	—	—	—	—	.66	—	—	1.04	.34	23
24	.46	—	.11	—	—	—	—	.15	.14	.26	.67	—	24
25	.09	—	.08	—	—	—	—	.08	—	.25	—	—	25
26	.31	—	—	—	—	.18	.02	.48	—	—	.17	.07	26
27	.39	—	—	—	.14	.44	—	.05	—	.94	.22	—	27
28	.08	—	.03	.03	—	—	—	.29	.11	.81	.31	—	28
29	.32	—	.14	—	—	.45	—	—	.41	.34	.09	—	29
30	.22	×	.46	—	—	.41	.04	—	—	.10	—	—	30
31	—	×	.52	×	—	×	.71	.26	×	.02	×	—	31
TOTAL	5.13	2.98	3.75	1.92	1.04	4.41	1.19	4.30	1.40	5.40	6.09	1.81	YEAR'S TOTAL 39.42
Days with .01 in. or more.	21	14	19	15	8	17	7	18	9	15	19	9	171.
Days with .04 in. or more.	21	13	17	10	8	17	6	18	8	14	19	9	160

7/25
OK
NK

Rev. J. W. B. Thomas
(Signed)

1/25
OK
RR

REGISTER OF RAINFALL IN 1928.29.

Kept at *Unit Hospital Club*
in the County of *Sarap*.
Diameter of Funnel of Gauge *2* in.
Height of top of Gauge above Ground *—* ft. *10* in.
,, Ground ,, Sea Level *700* ft.

926176/29
d 22/10
d 23/55

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								<i>.48</i>	<i>.20</i>	<i>.42</i>			1
2						<i>.07</i>				<i>.25</i>			2
3						<i>.07</i>	<i>.01</i>					<i>.35</i>	3
4						<i>.06</i>	<i>.19</i>	<i>.51</i>	<i>.49</i>			<i>.16</i>	4
5						<i>—</i>	<i>.20</i>			<i>.13</i>	<i>.19</i>	<i>.75</i>	5
6						<i>.15</i>	<i>.51</i>	<i>.25</i>		<i>1.15</i>	<i>.17</i>	<i>.14</i>	6
7						<i>.31</i>		<i>.03</i>		<i>.11</i>		<i>1.23</i>	7
8						<i>.02</i>				<i>.27</i>	<i>.31</i>	<i>.58</i>	8
9											<i>.02</i>	<i>.98</i>	9
10											<i>.56</i>	<i>.62</i>	10
11											<i>.20</i>	<i>.70</i>	11
12											<i>1.22</i>	<i>.16</i>	12
13						<i>1.02</i>	<i>.40</i>		<i>.71</i>				13
14						<i>.07</i>						<i>.03</i>	14
15						<i>.34</i>			<i>.06</i>				15
16								<i>.19</i>			<i>.45</i>		16
17								<i>.05</i>		<i>.07</i>			17
18										<i>.03</i>			18
19											<i>.77</i>		19
20											<i>.39</i>	<i>.56</i>	20
21										<i>.24</i>		<i>.07</i>	21
22													22
23						<i>.06</i>	<i>.02</i>	<i>.17</i>			<i>.52</i>		23
24							<i>.09</i>	<i>.01</i>		<i>.33</i>	<i>.63</i>	<i>.41</i>	24
25								<i>.14</i>		<i>.45</i>	<i>.80</i>	<i>.73</i>	25
26											<i>.31</i>	<i>.26</i>	26
27											<i>.21</i>	<i>.42</i>	27
28							<i>.02</i>			<i>.39</i>	<i>.30</i>		28
29							~~<i>.44</i>~~	<i>.04</i>	<i>.24</i>	<i>.13</i>		<i>.90</i>	29
30		<i>X</i>											30
31		<i>X</i>		<i>X</i>		<i>X</i>	<i>.10</i>		<i>X</i>		<i>X</i>	<i>.01</i>	31
TOTAL						<i>2.17</i>	<i>1.98</i>	<i>1.87</i>	<i>1.70</i>	<i>4.08</i>	<i>7.05</i>	<i>9.06</i>	YEARS TOTAL <i>imp</i>
Days with ".01 in. or more.						<i>10</i>	<i>10</i>	<i>10</i>	<i>5</i>	<i>13</i>	<i>16</i>	<i>19</i>	
Days with ".04 in. or more.						<i>9</i>	<i>6</i>	<i>8</i>	<i>5</i>	<i>12</i>	<i>15</i>	<i>17</i>	

CRAVEN ARMS
NEWINGTON HSE
SHROPSHIRE
1921 - 1927

ORGANIZATION.

21.
ong. 2.50 W
9 a.m.
ion Craven Arms
f Rain Gauge 8" in.
e above Ground 1 ft. 6 in.
Sea Level 40.6 ft.
ult entered to the previous day.
requested to add
it at the end of
Jan. 1, following.

IMPORTANT NOTE.—R

If an Observer prefers not to read the reading at 9 a.m. on 1st Jan. this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	2.64	3.01	4.64	5.81	7.01	7.39	8.31	10.97	11.55		14.95	1
2	31.41	2.64	3.01	4.64	5.81	7.01	7.39	8.63	11.00	11.59	13.50	14.96	2
3	31.41	2.64	3.05	4.64	5.92	7.11	7.39	8.63	11.00	12.28	13.62	14.96	3
4	.53	2.64	3.06	4.64	5.92	7.15	7.39	8.84	11.00	12.28	13.64	14.96	4
5	.53	2.64	3.09	4.64	5.95	7.15	7.39	9.34	11.00	12.28	13.66	14.98	5
6	.58	2.64	3.09	4.64	6.05	7.15	7.39	9.34	11.00	12.28	14.24	14.98	6
7	.69	2.64	3.09	4.64	6.05	7.15	7.39	9.58	11.00	12.28	14.29	14.98	7
8	.70	2.64	3.09	4.64	6.18	7.16	7.39	9.58	11.00	12.28	14.32	14.98	8
9	.70	2.64	3.12	4.78	6.18	7.16	7.39	9.63	10.03	12.28	14.32	14.98	9
10	.93	2.64	3.12	4.78	6.18	7.16	7.39	9.75	11.03	12.34	14.32	15.01	10
11	1.11	2.64	3.13	4.78	6.29	7.16	7.59	9.92	11.16	12.34	14.32	15.01	11
12	1.66	2.64	3.13	4.78	6.57	7.16	7.39	10.01	11.43	12.34	14.32	15.10	12
13	1.78	2.64	3.48	4.84	6.57	7.16	7.39	10.05	11.54	12.44	14.33	15.11	13
14	1.79	2.64	3.94	5.08	6.64	7.16	7.43	10.15	11.55	12.44	14.34	15.35	14
15	1.79	2.64	3.99	5.10	6.64	7.16	7.58	10.15	11.55	12.44	14.37	15.36	15
16	1.80	2.64	4.14	5.32	6.64	7.16	7.61	10.16	11.55	12.44	14.52	15.36	16
17	2.00	2.64	4.17	5.39	6.64	7.17	7.61	10.16	11.55	12.44	14.52	15.37	17
18	2.11	2.64	4.29	5.57	6.64	7.17	7.61	10.16	11.55	12.46	14.52	15.37	18
19	2.11	2.64	4.30	5.57	6.65	7.19	7.61	10.16	11.55		14.55	15.38	19
20	2.11	2.64	4.30	5.57	6.65	7.19	7.61	10.16	11.55		14.55	15.38	20
21	2.11	2.64	4.30	5.67	6.65	7.19	7.61	10.32	11.55		14.57	15.40	21
22	2.11	2.64	4.30	5.73	6.65	7.19	7.63	10.32	11.55		14.60	15.56	22
23	2.11	2.64	4.30	5.81	6.65	7.19	7.63	10.32	11.55		14.60	15.62	23
24	2.11	2.65	4.30	5.81	6.65	7.19	7.63	10.32	11.55		14.60	15.73	24
25	2.14	2.97	4.38	5.81	6.65	7.19	7.99	10.32	11.55		14.60	15.74	25
26	2.14	2.97	4.48	5.81	6.65	7.19	7.99	10.33	11.55		14.60	15.92	26
27	2.15	2.97	4.51	5.81	6.72	7.39	7.99	10.33	11.55		14.65	16.12	27
28	2.15	2.97	4.60	5.81	6.72	7.39	8.02	10.85	11.55		14.65	16.14	28
29	2.26	2.97	4.64	5.81	6.89	7.39	8.02	10.86	11.55		14.65	16.18	29
30	2.47		4.64	5.81	6.92	7.39	8.02	10.86	11.55		14.89	16.35	30
31	2.56		4.64		7.01		8.02	10.94		(13.26)		16.35	31
TOTAL	2.56	.41	1.67	1.17	1.20	.38	.63	2.92	.61	(1.71)	(1.63)	1.46	16.35
Days with "01 in. or more	19	3	18	10	12	6	6	16	7	(12.3)	15	20	(144)
Days with "04 in. or more	12	2	11	9	9	3	3	13	3	(7)	7	10	(89)

Form 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921

Kept at: *Craven Arms*
in the County of *Salop.*
by *R. S. Seargent*

Lat. *52° 25' N* Long. *2° 50' W*
Time of Observation *9 a.m.*
Nearest Railway Station *Craven Arms*
Diameter of Funnel of Rain Gauge *8"* in.
Height of top of Gauge above Ground *1 ft. 6 in.*
Sea Level *406 ft.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	2.64	3.01	4.64	5.81	7.01	7.39	8.31	10.97	11.55		14.95	1
2	31 .31	2.64	3.01	4.64	5.81	7.01	7.39	8.63	11.00	11.59	13.50	14.96	2
3	31 .31	2.64	3.05	4.64	5.92	7.11	7.39	8.63	11.00	12.28	13.62	14.96	3
4	.53	2.64	3.06	4.64	5.92	7.15	7.39	8.84	11.00	12.28	13.64	14.96	4
5	.53	2.64	3.09	4.64	5.95	7.15	7.39	9.34	11.00	12.28	13.66	14.98	5
6	.58	2.64	3.09	4.64	6.05	7.15	7.39	9.34	11.00	12.28	14.24	14.98	6
7	.69	2.64	3.09	4.64	6.05	7.15	7.39	9.58	11.00	12.28	14.29	14.98	7
8	.70	2.64	3.09	4.64	6.18	7.16	7.39	9.58	11.00	12.28	14.32	14.98	8
9	.70	2.64	3.12	4.78	6.18	7.16	7.39	9.63	10.03	12.28	14.32	14.98	9
10	.93	2.64	3.12	4.78	6.18	7.16	7.39	9.75	11.03	12.34	14.32	15.01	10
11	1.11	2.64	3.13	4.78	6.29	7.16	7.39	9.92	11.16	12.34	14.32	15.01	11
12	1.66	2.64	3.13	4.78	6.57	7.16	7.39	10.01	11.43	12.34	14.32	15.10	12
13	1.78	2.64	3.48	4.84	6.57	7.16	7.39	10.05	11.54	12.44	14.33	15.11	13
14	1.79	2.64	3.94	5.08	6.64	7.16	7.43	10.15	11.55	12.44	14.34	15.35	14
15	1.79	2.64	3.99	5.10	6.64	7.16	7.58	10.15	11.55	12.44	14.37	15.36	15
16	1.80	2.64	4.14	5.32	6.64	7.16	7.61	10.16	11.55	12.44	14.52	15.36	16
17	2.00	2.64	4.17	5.39	6.64	7.17	7.61	10.16	11.55	12.44	14.52	15.37	17
18	2.11	2.64	4.29	5.57	6.64	7.17	7.61	10.16	11.55	12.46	14.52	15.37	18
19	2.11	2.64	4.30	5.57	6.65	7.19	7.61	10.16	11.55		14.55	15.38	19
20	2.11	2.64	4.30	5.57	6.65	7.19	7.61	10.16	11.55		14.55	15.38	20
21	2.11	2.64	4.30	5.67	6.65	7.19	7.61	10.32	11.55		14.57	15.40	21
22	2.11	2.64	4.30	5.73	6.65	7.19	7.63	10.32	11.55		14.60	15.56	22
23	2.11	2.64	4.30	5.81	6.65	7.19	7.63	10.32	11.55		14.60	15.62	23
24	2.11	2.65	4.30	5.81	6.65	7.19	7.63	10.32	11.55		14.60	15.73	24
25	2.14	2.97	4.38	5.81	6.65	7.19	7.99	10.32	11.55		14.60	15.74	25
26	2.14	2.97	4.48	5.81	6.65	7.19	7.99	10.33	11.55		14.60	15.92	26
27	2.15	2.97	4.51	5.81	6.72	7.39	7.99	10.33	11.55		14.65	16.12	27
28	2.15	2.97	4.60	5.81	6.72	7.39	8.02	10.85	11.55		14.65	16.14	28
29	2.26	2.97	4.64	5.81	6.89	7.39	8.02	10.86	11.55		14.65	16.18	29
30	2.47		4.64	5.81	6.92	7.39	8.02	10.86	11.55		14.89	16.35	30
31	2.56		4.64		7.01		8.02	10.94		(13.26)		16.35	31
TOTAL	2.56	.41	1.67	1.17	1.20	.38	.63	2.92	.61	(1.71)	(1.63)	1.46	YEAR'S TOTAL
Days with .01 in. or more	19	3	18	10	12	6	6	16	7	(16.3)	15	20	(144)
Days with .01 in. or more	12	2	11	9	9	3	3	13	3	(7)	7	10	(89)

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Newington House, Graven Arms.
in the County of Salop.
by R. E. Serjeantson

Lat. 52° 25' N. Long. 2° 50' W.
Time of Observation 9 am.
Nearest Railway Station Graven Arms.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

.04

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.13	.48		.10		.15		.10	.01	.10	.03	1
2	.01	.37			.02		.16	.04	.01				2
3	.12	.11	.21	.05	.11		.05	.13			.11		3
4	.01	.02	.12		.24		.11	.04		.06			4
5	.08	.31	.13	.32	.01		.90			.23	.18		5
6	.12		.23				.04	.08		.01	.09		6
7	.17		.55	.10			.18				.03		7
8	.01		.21				.38	.11	.01	.01		.10	8
9	.01						.01	.02		.02	.01		9
10						.01					.09		10
11	.02												11
12				.24		.11	.12	.27	.45				12
13	.01			.29		.11	.20		.08			.01	13
14	.13	.02		.10			.02		.23			.32	14
15	.02	.04		.09								.02	15
16	.04	.06		.06	.08			.36	.01			.02	16
17		.20			.04		.21					.17	17
18	.52	.04			.01				.09			.09	18
19		.01	.21						.16	.01	.01	.41	19
20	.06	.14				.01						1.48	20
21	.10	.20	.02	.03			.06	.02				.31	21
22		.12			.11	.14	.10	.06				.20	22
23		.02		.11	.01		.20		.07			.02	23
24		.01	.12	.15		.16		.20				.02	24
25	.33	.04	.10	.54					.13		.01	.05	25
26	.47	.31	.02	.34		.05			.07		.02	.12	26
27	.12	.39	.07	.01			.25	.13			.01	.23	27
28	.41	.49	.01	.10		.02		.13	.07			.05	28
29						.13						.33	29
30	.23	X	.17	.09			.01	.09	.21		.09	.07	30
31	.32	X	.05	X		X		.10	X	.26	X		31
TOTAL	3.36	3.03	2.70	2.62	.73	.74	3.15	1.78	1.69	.61	.75	4.05	YEAR'S TOTAL
Days with 01 in. or more	23											20	25.21
Days with 04 in. or more	24	20	16	16	10	9	18	15	14	8	12	19	181
	16	15	13	14	6	6	15	13	11	3	6	14	132

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Newington House
in the County of Salop
by R. E. Serjeantson

Lat. 52° 25' N Long. 2° 50' W
Time of Observation 9 A.M.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

0.04

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	3.49	6.87	9.09	11.81	12.64	13.33	16.33	18.21	19.81	20.61	21.19	1
2	0.06	3.86	6.87	9.09	11.83	12.44	13.49	16.37	18.22	19.81	20.51	21.19	2
3	1.12	3.97	7.08	9.14	11.94	12.44	13.54	16.50	18.22	19.81	20.62	21.19	3
4	0.01	3.99	7.20	9.14	12.18	12.44	13.65	16.54	18.22	19.87	20.62	21.19	4
5	0.08	4.27	7.33	9.46	12.19	12.44	14.55	16.54	18.22	20.10	20.80	21.19	5
6	1.12	4.39	7.56	9.46	12.19	12.44	14.59	16.62	18.22	20.11	20.89	21.19	6
7	0.17	4.56	8.11	9.56	12.19	12.44	14.77	16.62	18.22	20.11	20.92	21.19	7
8	0.01	4.57	8.32	9.56	12.19	12.44	15.15	16.73	18.23	20.12	20.92	21.29	8
9	0.01	4.58	8.32	9.56	12.19	12.44	15.16	16.75	18.23	20.14	20.93	21.29	9
10	—	4.58	8.32	9.56	12.19	12.45	15.16	16.75	18.23	20.14	21.02	21.29	10
11	0.02	4.60	8.32	9.56	12.19	12.45	15.16	16.75	18.23	20.14	21.02	21.29	11
12	—	4.60	8.32	9.80	12.19	12.56	15.28	17.02	18.66	20.14	21.02	21.29	12
13	0.01	4.61	8.32	10.09	12.19	12.67	15.48	17.02	18.76	20.14	21.02	21.30	13
14	1.13	4.74	8.32	10.19	12.19	12.67	15.50	17.02	18.99	20.14	21.02	21.62	14
15	0.02	4.76	8.32	10.28	12.19	12.67	15.50	17.02	18.99	20.14	21.02	21.64	15
16	0.04	4.80	8.32	10.34	12.27	12.67	15.50	17.38	19.00	20.14	21.02	21.66	16
17	—	4.80	8.32	10.34	12.31	12.67	15.71	17.38	19.00	20.14	21.02	21.83	17
18	5.52	4.32	8.32	10.34	12.32	12.67	15.71	17.28	19.09	20.14	21.02	21.92	18
19	1.06	4.32	8.53	10.34	12.32	12.67	15.71	17.38	19.25	20.15	21.03	22.32	19
20	1.10	4.38	8.53	10.34	12.32	12.68	15.71	17.38	19.25	20.15	21.03	23.81	20
21	—	4.48	8.55	10.37	12.32	12.68	15.77	17.40	19.25	20.15	21.03	24.82	21
22	1.13	4.48	8.55	10.37	12.43	12.82	15.87	17.46	19.25	20.15	21.03	24.32	22
23	0.02	4.48	8.65	10.48	12.44	12.82	16.07	17.46	19.32	20.15	21.03	24.34	23
24	1.13	4.48	8.67	10.63	12.44	12.98	16.07	17.66	19.32	20.15	21.03	24.36	24
25	1.47	4.81	8.77	11.17	12.44	12.98	16.07	17.66	19.45	20.15	21.04	24.41	25
26	1.41	2.28	8.79	11.51	12.44	13.03	16.07	17.66	19.52	20.15	21.06	24.63	26
27	—	2.40	8.86	11.52	12.44	13.03	16.32	17.79	19.62	20.15	21.07	24.76	27
28	4.41	2.81	8.87	11.62	12.44	13.06	16.32	17.92	19.69	20.15	21.07	24.81	28
29	2.33	2.81	8.87	11.62	12.44	13.18	16.32	17.92	19.59	20.15	21.08	25.14	29
30	3.33	3.04	9.04	11.71	12.44	13.18	16.33	18.01	19.80	20.15	21.09	25.21	30
31	3.36	3.36	9.09	12.44	12.44	16.33	18.11	19.80	20.41	20.41	25.21	25.21	31
TOTAL	3.36	3.03	2.70	2.62	7.73	7.74	3.15	1.78	1.69	0.61	0.75	4.05	YEAR'S TOTAL
Days with 01 in. or more	24	20	16	16	10	9	12	15	14	8	12	19	25.21
Days with 04 in. or more	16	15	13	14	6	6	15	13	11	3	6	14	13.82

and see attached sheet.
AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL, IN, 1923.

Kept at Craven Arms
in the County of Salop.
by R. E. Serjeantson

Lat. 52.26 Long. 2.60 W
Time of Observation 9 am
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	1.04	6.82	8.00	10.31		12.13	14.24	16.35	17.79	21.30	23.04	1
2	.17	1.04	6.83	8.00	10.31		12.13	14.26	16.35	17.79	21.30	23.04	2
3	.21	1.04	6.87	8.00	10.40		12.13	14.26	16.34	18.22	21.37	23.12	3
4	.21	1.04	6.89	8.10	10.40		12.13	14.26	16.34	18.25	21.37	23.12	4
5	.38	1.04	6.89	8.32	10.80		12.13	14.26	16.34	18.25	21.37	23.12	5
6	.64	1.76	7.11	8.65	10.80		12.13	14.26	16.34	18.27	21.37	23.14	6
7	.64	2.38	7.13	8.92	10.80	11.86	12.13	14.26	16.34	18.34	21.37	23.29	7
8	.70	2.39	7.18	8.92	10.80	11.86	12.13	14.26	16.34	18.52	21.48	23.29	8
9	.75	2.81	7.18	8.93	10.84	11.87	12.17	14.26	16.34	18.62	21.64	23.29	9
10	.79	3.07	7.18	9.27	10.86	11.87	12.22	14.26	16.34	18.85	21.64	23.30	10
11	.82	3.07	7.18	9.61	10.87	11.87	12.22	14.26	16.34	18.99	21.64	23.30	11
12	.82	3.37	7.19	9.72	10.99	11.87	12.22	14.26	16.34	19.28	21.65	23.31	12
13	.83	3.65	7.19	9.85	11.03	11.88	12.50	14.47	16.34	19.30	22.13	23.32	13
14	.83	3.65	7.19	9.92	11.09	11.88	12.51	14.49	16.34	19.31	22.13	23.32	14
15	.83	3.72	7.23	9.96	11.19	12.01	12.53	14.54	16.34	19.31	22.46	23.32	15
16	.85	4.01	7.23	9.97	11.36	12.01	12.53	14.58	16.34	19.31	22.65	23.32	16
17	.87	4.49	7.23	9.97	11.37	12.01	12.55	14.58	16.75	19.31	22.68	23.32	17
18	.87	4.77	7.23	9.97	11.39	12.81	12.65	14.60	16.77	19.31	22.69	23.37	18
19	.88	4.79	7.23	9.97	11.39	12.01	12.72	14.60	17.00	19.31	22.71	23.40	19
20	.91	4.84	7.25	9.97	11.39	12.01	12.72	14.69	17.21	19.31	22.72	23.47	20
21	.91	4.96	7.25	9.97	11.39	12.01	12.72	14.74	17.21	19.46	22.72	23.54	21
22	.94	5.22	7.31	9.97	11.46	12.01	12.72	15.75	17.22	19.58	22.72	23.56	22
23	.94	5.29	7.43	9.97	11.46	12.01	12.80	15.20	17.37	19.75	22.72	23.57	23
24	.94	5.48	7.43	10.19	11.46	12.01	12.92	15.40	17.63	19.84	22.72	23.85	24
25	.94	5.87	7.43	10.20	11.46	12.10	13.07	15.40	17.78	20.25	22.72	24.04	25
26	.95	6.31	7.47	10.26	11.46	12.11	13.07	15.41	17.78	20.71	22.72	24.15	26
27	.95	6.48	7.59	10.26	11.81	12.11	13.35	15.66	17.78	21.14	22.78	24.15	27
28	.95	6.61	7.61	10.30	11.81	12.11	13.46	15.65	17.78	21.14	22.78	24.27	28
29	.95	~~6.82~~	7.99	10.30	11.81	12.11	13.47	16.14	17.78	21.26	22.78	24.27	29
30	.95	X	8.00	10.31	11.81	12.11	13.65	16.20	17.78	21.30	22.81	24.37	30
31	.95	X	8.00	X	11.81	X	14.24	16.25	X	21.30	X	24.69	31
TOTAL	.95	5.87	7.18	2.31	1.60	.30	2.13	2.01	1.53	3.52	1.51	1.88	YEAR'S TOTAL
Days with 31 in. or more	16	22	19	17	18	87	16	16	19	20	13	18	24.69
Days with 14 in. or more													187
													128

Kept at CRAYEN ARMS.
in the County of SALOP.
by

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.09	.21	-	-	-	.02	-	-	.01	-	.23	1
2	.13	-	.01	-	-	-	-	.02	-	-	-	-	2
3	.04	-	.04	-	.09	(.03)	-	-	.09	.43	.07	.06	3
4	-	-	.02	.10	-	-	-	-	-	.03	-	-	4
5	.17	-	-	.22	.40	(.02)	-	-	-	-	-	-	5
6	.26	.72	.22	.33	-	-	-	-	-	.02	-	.02	6
7	-	.62	.02	.27	-	-	-	-	-	.07	-	.15	7
8	.06	.01	.05	-	-	-	-	-	-	.18	.11	-	8
9	.05	.42	-	.01	.04	.01	.04	-	-	-	.16	-	9
10	.04	.26	-	.34	.02	-	.05	-	-	.33	-	.01	10
11	.03	-	-	.34	.01	-	-	-	-	.14	-	-	11
12	-	.30	.01	.11	.12	-	-	-	-	.29	.01	.01	12
13	.01	.28	-	.13	.04	.01	.28	.21	-	.02	.48	.01	13
14	-	-	-	.07	.06	-	.01	.02	-	.01	-	-	14
15	-	.07	.04	.04	.10	.13	.02	.05	-	-	.33	-	15
16	.02	.29	-	.01	.17	-	-	.04	-	-	.19	-	16
17	.02	.48	-	-	.01	-	.02	-	.41	-	.03	-	17
18	-	.28	-	-	.02	-	-	.02	.02	-	.01	.05	18
19	.01	.02	-	-	-	-	.17	-	.23	-	.02	.03	19
20	.03	.05	.02	-	-	-	-	.09	.21	-	.01	.07	20
21	-	.12	-	-	-	-	-	.05	-	.15	-	.07	21
22	.03	.26	.06	-	.07	-	-	.41	.01	.12	-	.02	22
23	-	.07	.12	-	-	-	.08	.05	.15	.17	-	.01	23
24	-	.19	-	.22	-	-	.12	.20	.26	.09	-	.28	24
25	-	.39	-	.01	-	.09	.15	-	.15	.41	-	.19	25
26	.01	.44	.04	.06	-	.01	-	.01	-	.46	-	.11	26
27	-	.17	.12	-	.35	-	.28	.19	-	.43	.06	-	27
28	-	.13	.02	.04	-	-	.11	.05	-	-	-	.12	28
29	-	~~.21~~	.38	-	-	-	.01	.49	-	.12	-	-	29
30	-	~~X~~	.01	.01	-	-	.18	.06	-	.04	.03	.10	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.59	.05	~~X~~	-	~~X~~	.32	31
TOTAL	.95	5.66	1.39	2.31	1.50	.30	2.13	2.01	1.53	3.52	1.51	1.88	YEAR'S TOTAL
Days with "01 in. or more	16	22	17	17	14	7	16	17	9	20	13	19	24.69
Days with "04 in. or more	8	20	10	13	10	2	11	13	7	15	7	12	126.187

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1924.

Kept at Cranen Arms
in the County of Salop.
by R. E. Searcanton

Lat. 52. 25 N Long. 2. 50 W
Time of Observation 9 a.m.
Nearest Railway Station Cranen Arms
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 4.06 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.09		.05	.53	.04			.07	.11		R.W. 1
2	.02		.05				.33	.43					2
3						.18	.03			.01		.25	3
4		.05	.36		.07	.01	.14			.13		.06	4
5			.04		.07	.01	.02	.08	.15	.25			5
6	.03				.28	.06			.47	.64			6
7	.01	.02		.03	.03				.11				7
8	.11			.10	.02	.16			.10	.15			8
9				.15	.18	.12				.23			9
10	.73			.22	.21						.25		10
11	.19			.19	.02			.13	.12				11
12	.02			.50	.07				.15		.01	.18	12
13		.05		.06	.01			.28				.07	13
14	.01	.02					.02	.04	.14			.15	14
15	.19							.46	.07				15
16	.01	.04				.27	.34	.06	.18			.01	16
17	.27	.02			.48			.03		.33			17
18	.02				.05	.06			.13	.16			18
19	.03				.08	.02	.62	.03	.10	.09			19
20	.30		.12		.10	.17	.50	.03		.67			20
21	.23		.12	.02	.09			.02	.25			.32	21
22	.09		.03	.10			.02	.22	.23			.61	22
23	.05	.01		.11			.01	.02	.23			.40	23
24			.05	.19	.39		.31		.54	.01	.26	.18	24
25	.01			.06	.01		.10	.03	.06	.05	.48	.29	25
26		.02		.23	.01		.58	.20		.05	.04	.23	26
27				.17		.03	.62	.16		.14	.11	.12	27
28		.01		.32				.10	.08	.01	.40	.48	28
29		.02		.54	.25			.07	.09		.08	.34	9.P. 29
30	.02	X		.07	.23	.06	.04					.23	30
31		X		X	.89	X	.11		X	X	X		781 31
TOTAL	2.35	.26	.86	3.06	4.59	1.62	3.89	2.39	3.20	2.99	1.74	3.80	YEAR'S TOTAL 30.75
Days with .01 in. or more	20	10	8	17	22	12	18	18	18	16	9	15	183
Days with .04 in. or more		3	7	15	16	9	13	12	18	14	8	14	136

2039

County

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

River Dist.

Station No. 192.

Lat. 52-25' N Long. 2.50 W

Time of Observation 9 AM

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge.....8".....in.

Height of top of Gauge above Ground..... / ft. 6 in.

" " " " Sea Level 406 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	2.35	2.61	3.47	6.53	11.12	12.80	16.63	19.02	22.22	25.32	26.95	1-11-
2	0.01	2.35	2.70	3.47	6.58	11.65	12.84	16.63	19.02	22.29	25.32	26.95	2-21-
3	.03	2.35	2.75	3.47	6.58	11.65	13.17	17.06	19.02	22.29	25.32	26.95	3
4	.03	2.35	2.75	3.47	6.58	11.83	13.20	17.06	19.02	22.30	25.32	27.20	4
5	.03	2.40	3.11	3.47	6.65	11.84	13.34	17.06	19.02	22.43	25.32	27.26	5
6	.03	2.40	3.15	3.47	6.72	11.85	13.36	17.14	19.17	22.68	25.32	27.26	6
7	.06	2.40	3.15	3.47	7	11.91	13.36	17.14	19.64	23.32	25.32	27.26	7
8	.07	2.42	3.15	3.50	7.03	11.91	13.36	17.14	19.75	23.32	25.32	27.26	8
9	.18	2.42	3.15	3.60	7.05	12.07	13.36	17.14	19.85	23.47	25.32	27.26	9
10	.98	2.42	3.15	3.75	7.23	12.19	13.36	17.14	19.85	23.70	25.32	27.26	10
11	.91	2.42	3.15	3.97	7.44	12.19	13.36	17.14	19.85	23.70	25.57	27.26	11
12	1.10	2.42	3.15	4.16	7.46	12.19	13.36	17.27	19.97	23.70	25.57	27.26	12
13	1.12	2.42	3.15	4.66	7.53	12.19	13.36	17.27	20.12	23.70	25.58	27.44	13
14	1.12	2.47	3.15	4.72	7.54	12.19	13.36	17.55	20.12	23.70	25.58	27.51	14
15	1.13	2.49	3.15	4.72	7.54	12.19	13.38	17.59	20.26	23.70	25.58	27.66	15
16	1.32	2.49	3.15	4.72	7.54	12.19	13.38	18.05	20.33	23.70	25.58	27.66	16
17	1.33	2.53	3.15	4.72	7.54	12.46	13.72	18.11	20.51	23.70	25.58	27.67	17
18	1.60	2.56	3.15	4.72	8.72	12.46	13.72	18.14	20.51	24.03	25.58	27.67	18
19	1.62	2.56	3.15	4.72	8.07	12.52	13.72	18.14	20.64	24.19	25.58	27.67	19
20	1.65	2.56	3.15	4.72	8.25	12.54	14.34	18.17	20.74	24.28	25.58	27.67	20
21	1.95	2.55	3.27	4.72	8.25	12.71	14.84	18.20	20.74	24.95	25.58	27.67	21
22	2.18	2.55	3.39	4.74	8.34	12.71	14.84	18.22	20.89	24.95	25.58	27.99	22
23	2.27	2.55	3.42	4.84	8.34	12.71	14.86	18.44	21.22	24.95	25.58	28.60	23
24	2.32	2.56	3.42	4.95	8.34	12.71	14.88	18.46	21.45	24.95	25.58	29.00	24
25	2.32	2.56	3.47	5.14	8.73	12.71	15.88	18.46	21.99	24.96	25.84	29.18	25
26	2.33	2.56	3.47	5.20	8.74	12.71	15.28	18.49	22.05	25.01	26.32	29.47	26
27	2.33	2.58	3.47	5.43	8.75	12.71	15.86	18.69	22.05	25.06	26.36	29.80	27
28	2.33	2.68	3.47	5.60	8.75	12.74	16.48	18.85	22.05	25.20	26.47	29.70	28
29	2.33	2.59	3.47	5.92	8.75	12.74	16.48	18.95	22.13	25.21	26.87	30.18	29
30	2.33	X	3.47	6.46	9.	12.74	16.48	19.02	22.22	25.21	26.95	30.62	30
31	2.35	X	3.47	X	9.23	X	16.52	19.02	X	25.21	X	30.75	31
TOTAL	2.35	.24	.88	2.99	2.77	3.57	3.78	2.50	3.20	2.99	1.74	3.80	YEAR'S TOTAL
Days with '01 in. or more.	20	9	9	16	22	13	17	19	18	16	9	15	30.75
Days with '04 in. or more.													18.3

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Craven Arms
in the County of Salop

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 406 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.38

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	65	2.07	6.23	6.73	8.35	11.26	11.26	13.06	16.85	19.30	22.42	24.11	1
2	70	2.08	6.23	6.81	8.35	11.26	11.26	13.06	16.85	19.30	22.84	24.11	2
3	89	2.09	6.23	6.81	8.41	11.26	11.40	13.06	16.85	19.30	22.87	24.11	3
4	1	2.09	6.23	6.89	8.63	11.26	11.40	13.14	16.85	19.30	22.93	24.11	4
5	1	2.31	6.23	7.26	8.89	11.26	11.40	13.21	17.04	19.30	22.94	24.11	5
6	1	2.41	6.26	7.28	8.93	11.26	11.63	13.25	17.04	19.31	23.54	24.11	6
7	1	2.48	6.37	7.32	9.34	11.26	11.63	13.34	17.27	19.31	23.69	24.17	7
8	1.02	2.49	6.35	7.33	9.52	11.26	11.63	13.94	17.50	19.31	23.69	24.37	8
9	1.02	2.67	6.36	7.38	9.80	11.26	11.63	13.94	17.50	19.31	23.73	24.37	9
10	1.02	2.71	6.41	7.57	9.80	11.26	11.63	14.87	17.50	19.31	23.73	24.38	10
11	1.02	3.43	6.41	7.57	9.82	11.26	11.63	14.89	17.50	19.31	23.73	24.38	11
12	1.02	3.79	6.41	7.57	9.82	11.26	11.63	14.97	17.50	19.36	23.73	24.38	12
13	1.03	3.80	6.43	7.57	9.82	11.26	11.63	14.97	17.50	19.37	23.73	24.44	13
14	1.39	3.80	6.43	7.67	9.82	11.26	11.63	14.97	17.50	19.37	23.73	24.44	14
15	1.39	3.80	6.43	7.89	9.82	11.26	11.63	14.97	17.78	19.71	23.73	24.47	15
16	1.44	3.83	6.43	7.89	9.87	11.26	11.63	14.97	17.79	19.86	23.73	24.48	16
17	1.44	3.84	6.43	7.89	9.97	11.26	11.63	14.97	17.81	19.86	23.73	24.48	17
18	1.44	4	6.43	8.08	9.97	11.26	11.63	14.97	17.81	19.87	23.73	24.48	18
19	1.44	4.04	6.43	8.09	9.97	11.26	11.63	14.97	18.46	20.52	23.73	24.66	19
20	1.44	4.04	6.46	8.10	9.97	11.26	11.77	15.30	18.63	20.80	23.73	24.82	20
21	1.44	4.17	6.47	8.10	9.97	11.26	11.95	15.45	18.80	20.90	23.73	24.96	21
22	1.44	4.23	6.47	8.20	10	11.26	12.23	15.55	19.09	21.37	23.73	25.05	22
23	1.46	4.23	6.47	8.20	10.15	11.26	12.24	16.62	19.14	21.42	23.73	25.08	23
24	1.46	5.01	6.53	8.20	10.37	11.26	12.24	16.67	19.14	21.46	23.76	25.10	24
25	1.46	5.79	6.60	8.24	10.39	11.26	12.60	16.68	19.27	21.52	23.76	25.31	25
26	1.47	5.82	6.60	8.26	10.74	11.26	12.84	16.73	19.27	22.05	23.77	25.35	26
27	1.63	5.92	6.60	8.26	10.95	11.26	13	16.81	19.28	22.09	23.79	25.37	27
28	1.65	6.16	6.60	8.26	10.97	11.26	13	16.82	19.30	22.20	23.79	25.50	28
29	1.88		6.60	8.31	11.18	11.26	13.04	16.82	19.30	22.20	24.10	25.71	29
30	1.88	X	6.61	8.35	11.20	11.26	13.04	16.82	19.30	22.20	24.11	25.86	30
31	2.07	X	6.73	X	11.20	X	13.04	16.82	X	22.23	X	25.92	31
TOTAL	2.07	4.09	.57	1.62	2.85	.06	1.78	3.78	2.48	2.93	1.88	1.81	YEARS TOTAL 25.92
Days with .01 in. or more.	14	22	13	18	19	1	10	18	15	17	13	19	179
Days with .04 in. or more.													

(Signed)..... [Signature] [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928

Kept at Craven Arms
in the County of Salop
Diameter of Funnel of Gauge..... 50 8 in.
Height of top of Gauge above Ground..... 1 ft. 6 in.
" Ground " Sea Level 40.6 ft.

Gauge lent to G. for comparison
f 73844/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	3.12	4.53	4.89	6.90	8.69	9.82	11.92	14.98	16.00	19.36	23.75	1
2	.56	3.17	4.53	4.89	6.90	8.70	9.82	11.92	15.00	16.02	19.38	23.86	2
3	.64	3.29	4.67	4.89	6.90	8.70	9.82	11.92	15.00	16.02	19.38	23.94	3
4	.65	3.29	4.70	4.89	6.90	8.70	9.90	11.92	15.02	16.02	19.60	24.02	4
5	.69	3.59	4.71	4.89	7.31	8.70	10.41	12.01	15.06	16.02	19.86	24.04	5
6	.97	3.78	4.71	4.89	7.31	8.70	10.51	12.01	15.13	16.15	20.08	24.04	6
7	1.00	4.06	4.71	5.02	7.36	8.86	10.57	12.01	15.28	16.14	20.32	24.04	7
8	1.60	4.18	4.73	5.07	7.43	8.89	10.53	12.01	15.29	16.80	20.77	24.04	8
9	1.00	4.18	4.75	5.07	7.44	9.13	10.62	13.53	15.29	16.86	20.80	24.04	9
10	1.00	4.18	4.75	5.07	7.65	9.19	10.68	13.55	15.29	16.93	21.28	24.04	10
11	1.00	4.18	4.75	5.07	7.68	9.30	10.68	13.69	15.29	17.26	21.28	24.04	11
12	1.00	4.18	4.75	5.07	7.75	9.36	10.68	13.71	15.29	17.26	21.40	24.05	12
13	1.05	4.20	4.75	5.07	7.86	9.36	10.68	13.75	15.29	17.37	21.65	24.07	13
14	1.10	4.31	4.75	5.40	7.98	9.41	10.68	13.76	15.33	17.60	21.73	24.08	14
15	1.10	4.36	4.75	5.43	7.98	9.41	10.68	13.89	15.33	17.60	21.96	24.18	15
16	1.15	4.40	4.75	5.81	7.98	9.48	10.68	13.89	15.33	17.60	22.57	24.18	16
17	1.19	4.45	4.75	5.81	7.98	9.81	10.68	13.89	15.33	17.60	22.77	24.22	17
18	1.59	4.50	4.75	5.81	7.98	9.82	11.16	14.03	15.33	17.60	23.06	24.22	18
19	1.60	4.51	4.78	5.85	7.98	9.82	11.27	14.15	15.60	17.60	23.07	24.22	19
20	1.60	4.51	4.78	5.84	7.98	9.82	11.27	14.20	15.50	17.60	23.58	24.22	20
21	1.70	4.51	4.82	5.91	7.98	9.82	11.28	14.20	15.50	17.75	23.66	24.22	21
22	2.04	4.53	4.82	5.95	7.98	9.82	11.28	14.20	15.50	18.05	23.67	24.22	22
23	2.15	4.53	4.82	5.95	7.98	9.82	11.28	14.20	15.53	18.05	23.67	24.24	23
24	2.20	4.53	4.82	5.95	8.04	9.82	11.56	14.20	15.53	18.30	23.67	24.25	24
25	2.37	4.53	4.82	6.09	8.04	9.82	11.57	14.20	15.59	18.41	23.69	24.25	25
26	2.37	4.53	4.82	6.09	8.15	9.82	11.57	14.20	15.97	18.41	23.70	24.25	26
27	2.48	4.53	4.87	6.18	8.18	9.82	11.65	14.20	16.00	18.41	23.70	24.25	27
28	2.58	4.53	4.89	6.19	8.21	9.82	11.90	14.20	16.00	18.58	23.70	24.25	28
29	2.58	4.53	4.89	6.31	8.37	9.82	11.92	14.20	16.00	18.58	23.70	24.25	29
30	2.74	X	4.89	6.68	8.40	9.82	11.92	14.73	16.00	18.68	23.70	24.25	30
31	2.85	X	4.89	X	8.43	X	11.92	14.91	X	18.68	X	24.25	31
TOTAL	2.85	1.68	.36	1.79	1.75	1.39	2.10	2.99	1.09	2.50	5.26	.55	24.25
Days with 01 in. or more.	21	15	9	13	17	12	14	14	14	14	22	12	177
Days with 04 in. or more.	19	11	3	10	11	9	10	10	8	12	16	6	125
													YEARS TOTAL

Please read the Notes and Instructions Overleaf.

Salop 3

in the County of Salop

Height of top of Gauge above Ground.....1 ft.....6 in.

Ground " Sea Level 406 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

31

Please read the Notes and Instructions Overleaf.

1 YEAR'S TOTAL

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Hewington House, Craven Arms
in the County of Salop.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft.....13 in.
Ground Sea Level.....40.6 ft.

17.0 Loan
See spec 15A
File 73844/22
Gauge not same as last year's
adjusted from reading gauge

Jan. 1, following.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										.14	.22		1
2													2
3													3
4											.05		4
5											.11		5
6											.34		6
7													7
8													8
9											.06	.07	9
10													10
11													11
12													12
13										.10	.05	.11	13
14												.14	14
15											.02		15
16											.01		16
17													17
18										.01	1.06		18
19										.01			19
20												.02	20
21										.59		.82	21
22										.88	1.02	.24	22
23												.48	23
24										.05		.24	24
25										.14		.06	25
26										.07		.40	26
27										.10			27
28										.01	.44		28
29										.06			29
30		X								.08			30
31		X		X		X		X			X	.23	31
TOTAL	(3.05)	(2.40)	(2.35)	(1.30)	(1.15)	(3.15)	1.72	4.75	2.98	2.24	3.38	2.81	YEAR'S TOTAL (31.28)
Days with .01 in. or more.										13	?	11	
Days with .04 in. or more.													

CULMINGTON
MANOR
SHROPSHIRE

Kept at Culmington
in the County of Shropshire
by J. J. J. J.

THE MORNING

An observer who does not
following year in the space

Re

1925 - 1930

IAL USE.

County No. _____
River Dist. _____
Station No. _____

2084
Gauge regulation furze
Ground 1 ft. 4 in.
Sea Level 580 ft.

OUS DAY.
uary 1st of the

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	.12	—	.41	.05	—	.05	.05	—	.25	—	1
2	.74	.02	—	.11	—	—	—	—	.01	—	.35	—	2
3	.25	.02	—	—	.08	—	.16	.07	—	—	.07	—	3
4	.09	—	—	.20	.25	—	—	—	.01	—	.07	—	4
5	—	.24	—	.43	.15	—	—	.05	.25	—	—	—	5
6	—	.11	.03	.10	.15	—	.23	—	—	—	.64	.01	6
7	—	.07	—	—	.57	—	—	.20	—	—	.24	.08	7
8	—	.01	.16	—	.24	—	—	.66	.24	—	—	.15	8
9	—	.13	.02	.06	.18	—	—	—	.41	—	.05	.02	9
10	—	.06	.06	.18	—	—	—	1.12	—	—	—	.02	10
11	—	.79	—	—	.01	—	—	.02	—	—	—	—	11
12	—	.39	—	.01	—	—	—	.12	—	.08	—	.01	12
13	.06	.01	.02	.04	—	—	—	—	—	—	—	—	13
14	.42	—	—	.07	—	—	—	—	—	—	—	—	14
15	—	.04	—	.16	—	—	—	—	.44	.46	—	.07	15
16	.04	—	—	.01	—	—	—	—	.05	.07	—	—	16
17	—	.02	—	—	.03	—	—	—	.04	—	—	.01	17
18	—	.17	—	.25	.12	—	—	—	—	—	—	—	18
19	—	—	—	.05	—	—	.01	—	.78	.96	—	.06	19
20	—	.24	.06	—	—	—	.16	.15	.17	.35	—	.20	20
21	—	—	—	—	—	—	.22	.20	.20	.18	—	.09	21
22	—	.10	—	.15	—	—	.73	—	.41	.61	—	.40	22
23	.02	.01	—	.02	.51	—	—	1.18	.05	.08	—	.03	23
24	—	.24	.13	.01	.02	—	—	.02	.02	.04	—	.07	24
25	—	.32	.12	.06	.01	—	.32	—	.19	.09	—	.20	25
26	—	.14	—	.06	.35	—	.27	.09	—	.84	—	.06	26
27	.02	.05	—	.02	.23	—	.08	.04	.02	.05	.28	.05	27
28	.15	.16	—	.05	.04	—	—	—	.02	.19	—	.15	28
29	.32	X	—	.04	.26	—	.04	—	—	—	.20	.25	29
30	.02	X	.03	.05	.03	—	—	—	—	.02	—	.19	30
31	.18	X	.15	X	.04	X	—	—	X	.04	X	.01	31
TOTAL	2.39	3.34	.90	2.13	3.28	.05	2.22	3.97	3.36	4.06	2.35	2.13	YEAR'S TOTAL
Days with ".01 in. or more.	13	22	11	22	20	1	10	14	18	15	9	21	30.18
Days with ".04 in. or more.	10	16	7	17	14	1	9	12	13	14	9	14	17.6
													13.6

Thos. V. Shaw
Culmington Manor

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No. _____

River Dist. _____

Station No. _____

Kept at Culmington Manor
in the County of Shropshire
by Sidney Lawley-Jardener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Crown Cross
Diameter of Funnel of Rain Gauge regulation
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	.12	—	.41	.05	—	.05	.05	—	.25	—	1
2	.74	.02	—	.11	—	—	—	—	.01	—	.35	—	2
3	.25	.02	—	—	.08	—	.16	.07	—	—	.07	—	3
4	.09	—	—	.20	.25	—	—	—	.01	—	.07	—	4
5	—	.24	—	.43	.15	—	—	.05	.25	—	—	—	5
6	—	.11	.03	.10	.15	—	.23	—	—	—	.64	.01	6
7	—	.07	—	—	.57	—	—	.20	—	—	.24	.08	7
8	—	.01	.16	—	.24	—	—	.66	.24	—	—	.15	8
9	—	.13	.02	.06	.18	—	—	—	.41	—	.05	.02	9
10	—	.06	.06	.18	—	—	—	1.12	—	—	—	.02	10
11	—	.79	—	—	.01	—	—	.02	—	—	—	—	11
12	—	.39	—	.01	—	—	—	.12	—	.08	—	.01	12
13	.06	.01	.02	.04	—	—	—	—	—	—	—	—	13
14	.42	—	—	.07	—	—	—	—	—	—	—	—	14
15	—	.04	—	.16	—	—	—	—	.44	.46	—	.07	15
16	.04	—	—	.01	—	—	—	—	.05	.07	—	—	16
17	—	.02	—	—	.03	—	—	—	.04	—	—	.01	17
18	—	.17	—	.25	.12	—	—	—	—	—	—	—	18
19	—	—	—	.05	—	—	.01	—	.78	.96	—	.06	19
20	—	.24	.06	—	—	—	.16	.15	.17	.35	—	.20	20
21	—	—	—	—	—	—	.22	.20	.20	.18	—	.09	21
22	—	.10	—	.15	—	—	.73	—	.41	.61	—	.40	22
23	.02	.01	—	.02	.51	—	—	1.18	.05	.08	—	.03	23
24	—	.24	.13	.01	.02	—	—	.02	.02	.04	—	.07	24
25	—	.32	.12	.06	.01	—	.32	—	.19	.09	—	.20	25
26	—	.14	—	.06	.35	—	.27	.09	—	.84	—	.06	26
27	.02	.05	—	.02	.23	—	.08	.04	.02	.05	.28	.05	27
28	.15	.16	—	.05	.04	—	—	—	.02	.19	—	.15	28
29	.32	X	—	.04	.26	—	.04	—	—	—	.20	.25	29
30	.02	X	.03	.05	.03	—	—	—	—	.02	—	.19	30
31	.18	X	.15	X	.04	X	—	—	X	.04	X	.01	31
TOTAL	2.39	3.34	.90	2.13	3.28	.05	2.22	3.97	3.36	4.06	2.35	2.13	YEAR'S TOTAL
Days with ".01 in. or more.	13	22	11	22	20	1	10	14	18	15	9	21	30.18
Days with ".04 in. or more.	10	16	7	17	14	1	9	12	13	14	9	14	176
													136

Thos. V. Shaw
Culmington Manor

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

2095

Kept at Culvington Manor
in the County of Shropshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....580.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	.31	—	—	.17	.21	—	—	.12	—	.94	.07	1
2	.16	.06	—	—	—	—	—	—	.04	—	.05	.06	2
3	.10	.15	.14	—	—	—	—	—	—	—	—	.07	3
4	.01	.01	.10	—	—	—	.22	—	.06	—	.52	.10	4
5	.08	.28	.03	—	.40	—	.45	.10	.04	.04	.11	.12	5
6	.28	.09	—	—	—	—	.20	.03	.09	.05	.26	.01	6
7	.02	.62	—	.19	.03	.17	.01	—	.18	.02	.22	—	7
8	—	.07	.03	.05	.08	.04	—	.13	.01	.61	.47	—	8
9	—	—	.02	—	.01	.43	.05	1.29	—	.07	.01	—	9
10	—	—	—	—	.24	.09	.08	.12	—	.01	.90	—	10
11	—	—	—	—	.05	.11	—	.05	—	.05	—	—	11
12	—	—	—	—	.13	.05	—	.08	—	.32	.16	—	12
13	.07	.01	—	—	.11	—	—	.03	—	.04	.23	.06	13
14	.08	.13	—	.38	.25	.07	—	.01	.06	.13	.04	.19	14
15	.02	.05	—	.08	—	—	—	.12	—	.17	.36	—	15
16	.19	.07	—	.48	—	—	—	—	—	—	.72	.03	16
17	.01	.07	—	.01	—	.49	—	.08	—	—	.24	—	17
18	.31	.07	—	.04	.14	.06	.29	.05	—	—	.35	—	18
19	—	—	.01	.03	—	—	.23	.31	.11	—	.02	—	19
20	.01	—	—	.04	—	—	.03	.17	—	—	.55	—	20
21	.06	.04	.03	.03	.05	—	.04	.01	—	.23	.12	—	21
22	.42	.06	—	.02	—	—	—	—	—	.07	—	.02	22
23	.11	—	—	—	—	—	—	—	.04	.34	—	—	23
24	.07	—	—	—	.07	—	.39	—	.01	.15	—	.01	24
25	.06	—	—	.19	—	—	—	—	.12	—	.02	.02	25
26	.01	—	.05	—	.21	—	—	—	.24	—	—	.01	26
27	.25	—	.02	.12	.08	—	.08	—	.08	.05	.01	—	27
28	.15	—	—	.01	.04	—	.32	—	—	.22	—	—	28
29	—	—	—	.19	.21	—	.12	—	—	—	.01	—	29
30	.15	X	—	.15	.02	—	—	.56	—	—	—	—	30
31	.16	X	—	X	.03	X	—	.01	X	—	X	—	31
TOTAL	3.27	2.09	.43	2.01	2.32	1.72	2.51	3.15	1.20	2.57	6.33	.77	28.37
Days with 01 in. or more.	24	16	9	16	19	10	14	12	14	17	22	13	191
Days with 04 in. or more.	18	14	3	11	15	16	12	12	12	15	17	7	146

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Culmington Manor
in the County of Shropshire
Diameter of Funnel of Gauge standard in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level 580 ~~600~~ ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	—	—	—	.21	.33	—	.14	.27	—	1
2	—	—	.03	.11	.03	—	—	—	—	.02	—	—	2
3	.05	.07	.08	.03	.04	—	.02	—	—	—	—	—	3
4	.02	—	.07	.11	.18	.15	.17	—	—	—	.05	—	4
5	.06	—	.07	.25	—	.19	.17	—	—	—	—	—	5
6	—	.05	.10	.01	—	—	—	.01	.24	—	.79	—	6
7	.06	.13	.03	.13	—	.11	.24	.17	.01	—	—	—	7
8	.01	—	.04	.66	—	—	—	.14	—	—	—	—	8
9	—	—	.04	.07	—	—	—	.19	—	—	.06	—	9
10	—	—	—	.08	—	.16	—	.07	—	—	—	—	10
11	—	—	.03	.04	—	—	.37	.10	.04	—	—	—	11
12	.1	—	—	—	.05	—	—	.09	—	—	—	—	12
13	.07	—	.05	—	.02	—	—	.18	.19	.08	—	.20	13
14	.16	—	—	—	.05	—	—	.06	.70	—	—	.13	14
15	.02	—	—	.01	.40	—	—	.71	.50	—	.03	.02	15
16	.03	—	—	—	.10	.57	—	.24	.28	—	—	—	16
17	.18	—	—	—	—	.02	—	.76	.08	—	—	—	17
18	—	.39	—	—	—	.75	—	.34	.04	.02	.91	—	18
19	—	.43	—	—	—	—	—	.36	—	—	.38	—	19
20	.24	—	—	—	—	.10	.12	.49	.06	—	.26	.18	20
21	.20	.23	.04	—	.24	—	.13	.78	.29	.71	.15	.59	21
22	.06	.14	.24	.05	—	.34	.02	.11	.23	.80	.26	.29	22
23	—	—	.20	.02	—	.28	.02	—	.16	—	.22	.51	23
24	.33	.03	.36	.04	—	.03	.20	.04	.12	.05	—	.25	24
25	.29	.10	.18	.03	—	.12	—	—	.05	.16	—	.27	25
26	.21	.69	.09	.06	.22	.04	.30	—	—	.08	—	—	26
27	.27	.18	—	—	—	—	.19	—	—	.13	—	—	27
28	.77	.37	.26	—	—	.03	—	.01	.10	.02	.47	—	28
29	.03	—	.13	—	—	.40	.03	—	.21	.05	—	—	29
30	.09	X	.09	—	—	.29	.06	—	.03	.07	—	—	30
31	—	X	.34	X	.08	X	.02	—	X	—	X	.25	31
TOTAL	3.25	2.71	2.60	1.70	1.41	3.58	2.27	5.18	3.33	2.33	3.85	2.69	YEAR'S TOTAL
Days with ".01 in. or more.	21	12	21	16	11	16	16	20	18	13	13	10	186
Days with ".04 in. or more.	16	11	18	11	9	13	11	18	16	10	11	9	153

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Culmington Manorin the County of ShropshireDiameter of Funnel of Gauge standard sizeHeight of top of Gauge above Ground ft. in.,, Ground ,, Sea Level 600 ft.

This year we have had most of our Rainfall & bad weather when wind has been from N. NE or E. a most unusual occurrence.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.01	.	.	.	.	.09	.	.	.	.	.	1
2	.04	.11	.30	.12	.	.	.	.	.	.	.11	.	2
3	.02	.02	.08	.	.	.	.04	.	.	.	.	.	3
4	.04	.30	.	.	.	.02	.12	.	.	.31	.07	.	4
5	.	.03	.01	.13	.	.08	.03	.	.29	.30	.04	.	5
6	.	.	.	.	.	.53	.01	.	.	.03	.	.	6
7	.01	.	.	.11	.	.26	.	.43	.06	.42	.	.	7
8	.	.	.	.01	.	.17	.	.	.08	.05	.	.14	8
9	.04	.	.02	.03	.	.04	.	.	.04	.	.	.	9
10	.	.30	.	.	.	.07	.	.03	.	.41	.	.10	10
11	.19	.29	.08	.32	.	.15	.	.05	.	.07	.25	.13	11
12	.11	.04	.	.32	.	.	.	.18	.	.	.08	.04	12
13	.19	.02	.	.03	.	.25	.	.33	.	.	.	.	13
14	.11	.19	.	.	.	.10	.	.47	.	.48	.55	.	14
15	.12	.04	.	.	.	.	.	.	.	.03	.	.	15
16	.	.13	.06	.	.09	.	.	.	.	.05	.04	.10	16
17	.10	.01	.	.	.47	.	.	.	.	.	.34	.	17
18	.44	.	.	.18	.03	.17	.	.	.06	.22	.	.12	18
19	.02	.	.19	.	.30	.29	.	.06	.	.37	.38	.	19
20	.12	.	.41	.	.04	.05	.	.	.	.34	.34	.	20
21	.80	.	.38	.27	.10	.07	.	.02	.09	.27	.18	.	21
22	.	.	.01	.17	.	.	.	.64	.	.	.42	.10	22
23	.33	.	.06	.05	.	.	.	.	.	.29	.34	.	23
24	.03	.	.03	.	.	.	.	.22	.35	.10	.30	.13	24
25	.27	.	.	.19	.	.15	.	.13	.	.12	.02	.25	25
26	.15	.	.03	.	.13	.	.	.37	.	.78	.10	.	26
27	.16	.	.	.	.	.10	.03	.49	.12	.	.15	.29	27
28	.36	.	.14	.	.	.23	.	.39	.23	.01	.	.12	28
29	.23	.40	.18	.	.	.52	.02	.	.	.10	.03	.08	29
30	.03	X	.31	.	.	.01	.54	.	.	.02	.	.44	30
31	.42	X	.	X	.	X	.46	.	X	.03	X	.	31
TOTAL	4.66	2.19	2.29	1.93	1.15	3.26	1.34	3.81	1.32	4.61	3.74	2.04	YEAR'S TOTAL 32.34
Days with .01 in. or more.	25	14	16	13	7	19	9	14	9	22	18	13	179
Days with .04 in. or more.	20	9	11	10	6	17	5	12	9	17	16	13	145

Section



for the entry of Daily Observations.

2207
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Culmington Manor - Craven Arms
in the County of Shropshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level 590 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14				.16				.20		.01	1
2		.28				.07		.01				.25	2
3				.06	.01		.06	.47	.60			.13	3
4					.38	.16	.15			.07	.10	.61	4
5					.86	.20	.54	.41		2.15	.45	.25	5
6	.10				.01	.29				.06	.02	.87	6
7	.03				.52					.30	.35	.47	7
8	.15	.07		.04	.02	.07				.23		.60	8
9		.02		.01							.31	.57	9
10	.10	.04		.02							.08	.57	10
11					.30						.64	.23	11
12				.17		1.05	.40	.13	.04				12
13				.17	.15	.15							13
14					.11	.26						.05	14
15	.28	.03				.05					.22		15
16								.11		.06	.01		16
17	.11									.03	.01		17
18								.03		.07	.67		18
19									.02		.47	.04	19
20										.26	.25	.43	20
21			.14			.07	.14	.02					21
22				.01				.08		.01	.25	.03	22
23					.01					.16	.84	.35	23
24			.04	.05				.14		.71	.85	.50	24
25		.19		.08							.25	.12	25
26		.7		.06							.13	.21	26
27	.33	.03		.15			.01			.24	.47		27
28	.15			.16			.39	.01		.10	.56	.73	28
29	.03							.01	.03	.09	.36	.23	29
30		X					.10		.38			.01	30
31	.49	X	.02	X		X	.49		X		X		31
TOTAL	1.77	.87	.20	.81	2.37	2.53	2.28	1.42	1.07	4.74	7.23	7.20	32.49
Days with 0.1 in. or more.	10	9	3	11	10	11	9	11	5	16	21	22	138
Days with 0.4 in. or more.	8	6	2	8	6	11	8	6	3	14	18	19	109

Section

A

for the entry of Daily Observations.

2257
FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

Kept at Culmington Manor
in the County of Shropshire
Diameter of Funnel of Gauge regulation size
Height of top of Gauge above Ground 1 ft. 4 in.
" Ground " Sea Level 5.75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.24		.37		.31		.14			.70		1
2		.01	.05	.02				.18			.41		2
3	.3	.08		.48	.26		.22	.15		.59	.02		3
4	.3		.06	.16	.46			.05		.1			4
5	.29		.07	.08	.25			.22		.1			5
6	.09	.03	.63		.38				.30	.09			6
7	.16							.03	.02	.20	.08	.14	7
8				.06				.02	.34	.24		.2	8
9	.12		.42	.37	.15			.03	.05				9
10	.66		.25		.10			.16				.64	10
11	.79		.01		.05								11
12	.02			.04	.14			.09		.02			12
13	.31		.26	.1	.04		.18	.07	.70			.16	13
14	.13	.01	.18				.33	.02		.02			14
15	1.03	.25	.2				.20		.05	.58	.21	.35	15
16							.12		.20	.07		.16	16
17				.19	.05		.18	.05	.67	.13		.01	17
18			.04			.14	.07	.01	.01	.09	.18	.01	18
19			.07	.23	.02	.04		.12	.78	.08	.40		19
20			.05		.03		1.48	.91	.23	.09	.15		20
21			.27			.05	.10		.04	.11	.19		21
22	.46				.01		.05	.39		.18	.21		22
23	.02						.06	.06	.10	.01	.41	.09	23
24	.29			.25	.01				.07	.09	.24	.01	24
25				.26	.26		.01		.10	.05	.25	.05	25
26	.16	.14		.15	.62		.01			.08	.03	.20	26
27	.07		.08				.17			.05		.11	27
28	.05		.05				.20				.33		28
29							.15	.28		.04	.03	.09	29
30		X	.02		.37		.05	.01				.37	30
31	.32	X		X		X			X	.13	X	.25	31
TOTAL	5.57	.76	2.75	2.87	3.20	.54	3.58	2.99	3.66	3.14	3.84	3.19	YEARS TOTAL 36.09
Days with '01 in. or more.	20	7	17	14	17	4	17	20	15	23	16	16	18.6
Days with '04 in. or more.	18	4	15	13	13	4	15	14	13	20	13	13	15.5

Kept at Dorrington

DORRINGTON SCHOOL

in the County of Salby Jas. Anas

1924 - 30

4.5

m.

Dorrington

age 5 in.

ound ft. in.

Level 250 ft.

previous day.

t 9 a.m. on

Jan. 1, following.

Rain should be measured
An Observer who prefers not to
January 1st of the following year

Full instructions for the
particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'01	'00	'02	'00	'02	'57	'15	'04	'01	'03	'14	'19	RRW 1
2	'00	'00	'15	'00	'02	'06	'06	'00	'00	'13	'05	'00	1st 2
3	'00	'00	'20	'00	'01	'03	'18	'33	'00	'01	'00	'00	3
4	'00	'00	'00	'00	'01	'40	'10	'01	'00	'01	'04	'37	4
5	'00	'02	'30	'00	'10	'01	'27	'06	'03	'07	'01	'08	5
6	'03	'00	'00	'00	'08	'05	'01	'06	'00	'35	'00	'02	6
7	'00	'00	'02	'00	'06	'11	'00	'00	'44	'60	'00	'09	7
8	'04	'00	'00	'05	'08	'04	'00	'00	'29	'02	'00	'02	8
9	'08	'02	'00	'06	'03	'11	'00	'00	'17	'13	'00	'01	9
10	'04	'01	'00	'14	'16	'20	'00	'00	'01	'33	'00	'00	10
11	'92	'00	'00	'19	'12	'10	'00	'00	'01	'00	'33	'00	11
12	'20	'03	'00	'15	'03	'08	'00	'11	'10	'00	'06	'00	12
13	'10	'00	'00	'50	'09	'01	'00	'07	'02	'01	'03	'11	13
14	'00	'00	'00	'06	'00	'00	'00	'16	'21	'00	'00	'25	14
15	'01	'16	'00	'00	'01	'00	'00	'04	'09	'00	'00	'15	15
16	'05	'00	'00	'00	'00	'00	'01	'33	'10	'00	'01	'01	16
17	'11	'03	'00	'00	'00	'71	'33	'12	'17	'00	'01	'00	17
18	'10	'04	'00	'00	'22	'00	'02	'02	'06	'10	'01	'00	18
19	'08	'02	'00	'00	'21	'03	'00	'00	'12	'01	'00	'00	19
20	'12	'02	'01	'00	'21	'00	'78	'04	'15	'12	'00	'06	20
21	'28	'00	'03	'01	'08	'09	'81	'04	'35	'72	'00	'00	21
22	'21	'00	'14	'01	'00	'00	'00	'05	'30	'01	'00	'09	22
23	'10	'00	'00	'10	'07	'00	'04	'15	'31	'00	'00	'52	23
24	'02	'05	'00	'10	'35	'00	'00	'02	'08	'00	'00	'31	24
25	'06	'00	'05	'09	'02	'00	'36	'00	'32	'02	'09	'37	25
26	'01	'00	'08	'08	'01	'00	'12	'08	'07	'49	'47	'28	26
27	'03	'03	'01	'19	'00	'00	'91	'02	'01	'42	'07	'30	27
28	'02	'02	'00	'14	'00	'02	'37	'46	'01	'05	'00	'02	28
29	'00	'05	'00	'38	'15	'01	'03	'23	'03	'55	'25	'58	29
30	'00	X	'00	'83	'35	'01	'00	'08	'20	'58	'08	'42	30
31	'01	X	'00	X	3'00	X	'02	'04	X	'12	X	'31	948 31
TOTAL	2'63	'50	1'01	3'08	5'49	2'64	4'54	2'56	3'96	4'88	1'65	4'36	YEAR'S TOTAL 37'33
Days with '01 in. or more	23	13	11	17	25	19	18	23	26	23	15	22	23 5
Days with '04 in. or more	15	4	6	15	16	12	12	19	18	15	10	14	759

REGISTER OF RAINFALL IN

Kept at Dorington School
in the County of Salop
by Jas. A. Marroway

Lat. 52° 37' Long. 2° 45'
Time of Observation 9 a.m.
Nearest Railway Station Dorington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 250 ft.

3059 A

29 JAN 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'01	'00	'02	'00	'02	'57	'15	'04	'01	'03	'14	'19	RRW 1
2	'00	'00	'15	'00	'02	'06	'06	'00	'00	'13	'05	'00	W 2
3	'00	'00	'20	'00	'01	'03	'18	'33	'00	'01	'00	'00	3
4	'00	'00	'00	'00	'01	'40	'10	'01	'00	'01	'04	'37	4
5	'00	'02	'30	'00	'10	'01	'27	'06	'03	'07	'01	'08	5
6	'03	'00	'00	'00	'08	'05	'07	'06	'00	'35	'00	'02	6
7	'00	'00	'02	'00	'06	'11	'00	'00	'44	'60	'00	'09	7
8	'04	'00	'00	'05	'08	'04	'00	'00	'29	'02	'00	'02	8
9	'08	'02	'00	'06	'03	'11	'00	'00	'17	'13	'00	'01	9
10	'04	'01	'00	'14	'16	'20	'00	'00	'01	'33	'00	'00	10
11	'92	'00	'00	'19	'12	'10	'00	'00	'01	'00	'33	'00	11
12	'20	'03	'00	'15	'03	'08	'00	'11	'10	'00	'06	'00	12
13	'10	'00	'00	'50	'09	'01	'00	'07	'02	'01	'03	'11	13
14	'00	'00	'00	'06	'00	'00	'00	'16	'21	'00	'00	'05	14
15	'01	'16	'00	'00	'01	'00	'00	'04	'09	'00	'00	'15	15
16	'05	'00	'00	'00	'00	'00	'01	'33	'10	'00	'01	'01	16
17	'11	'03	'00	'00	'00	'41	'33	'12	'17	'00	'01	'00	17
18	'10	'04	'00	'00	'22	'00	'02	'02	'06	'10	'01	'00	18
19	'08	'02	'00	'00	'21	'03	'00	'00	'12	'01	'00	'00	19
20	'12	'02	'01	'00	'21	'00	'78	'04	'15	'12	'00	'06	20
21	'28	'00	'03	'01	'08	'09	'81	'04	'35	'42	'00	'00	21
22	'21	'00	'14	'01	'00	'00	'00	'05	'30	'01	'00	'09	22
23	'10	'00	'00	'10	'07	'00	'04	'15	'31	'00	'00	'52	23
24	'02	'05	'00	'10	'35	'00	'00	'02	'08	'00	'00	'31	24
25	'06	'00	'05	'09	'02	'00	'36	'00	'32	'02	'09	'37	25
26	'07	'00	'08	'08	'01	'00	'12	'08	'07	'49	'47	'28	26
27	'03	'03	'07	'19	'00	'00	'91	'02	'01	'42	'07	'30	27
28	'02	'02	'00	'14	'00	'02	'37	'46	'01	'05	'00	'02	28
29	'00	'05	'00	'38	'15	'01	'03	'23	'03	'55	'25	'58	29
30	'00	X	'00	'83	'35	'01	'00	'08	'20	'58	'08	'42	30
31	'01	X	'00	X	3'00	X	'02	'04	X	'12	X	'31	948 31
TOTAL	2'63	'50	1'01	3'08	5'49	2'64	4'54	2'56	3'96	4'88	1'65	4'36	YEAR'S TOTAL 37'33
Days with '01 in. or more	23	13	11	17	25	19	18	23	26	23	15	22	23 5
Days with '04 in. or more	15	4	6	15	16	12	12	19	18	15	10	17	159

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Dorington School
in the County of Salop

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" Ground " Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *Written re-reading all 25.6.26*
f. 699823/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'02	'02	'16	'01	'05	—	—	'04	'11	'01	'10	—	1
2	'03	'03	'01	'05	—	—	—	'01	'02	'01	'35	—	2
3	'01	'03	'01	—	'02	—	'09	—	—	—	'06	—	3
4	'01	'01	—	—	'22	'01	—	—	'08	'01	'07	—	4
5	'02	'15	'06	'45	'11	'02	'05	'08	'31	'01	'05	—	5
6	—	'20	—	'10	'14	—	'24	—	'02	'01	'58	—	6
7	—	'22	—	'03	'39	'06	—	'07	—	'01	'19	'06	7
8	'10	'03	—	—	'14	'02	—	'64	'10	'01	'01	'26	8
9	'02	'14	—	'09	'16	—	—	'01	'38	'01	'01	'03	9
10	—	'08	'20	'21	'02	—	—	'85	'02	'01	'01	'04	10
11	—	'73	'02	'02	—	—	—	'03	—	—	—	'01	11
12	—	'33	'02	'05	'01	—	—	'17	—	'06	'08	—	12
13	'01	'03	—	—	—	—	—	'03	'03	'02	—	'01	13
14	'28	'02	'05	—	—	—	—	—	'01	—	—	—	14
15	—	—	—	—	—	—	—	—	'17	'63	—	'02	15
16	'02	'07	'03	'30	—	—	—	'01	'01	'01	'01	'01	16
17	—	'05	—	—	'07	—	—	—	—	—	'02	'02	17
18	—	'39	—	—	'01	—	—	—	—	—	'01	'02	18
19	—	—	—	—	—	—	—	—	'75	'72	—	'50	19
20	—	—	'12	'01	—	—	'13	—	'12	'30	—	'11	20
21	—	—	—	—	—	—	'29	'57	'80	'08	'01	—	21
22	'04	'20	—	'17	'02	—	'58	—	'35	'80	'01	'68	22
23	'04	'01	'01	—	'25	—	'01	'18	'05	'10	—	—	23
24	—	'22	'11	'07	'02	—	—	—	'03	'04	'01	—	24
25	'01	'26	'09	'14	'05	—	'38	—	'10	'14	—	—	25
26	'01	'30	—	'04	'20	—	'14	'06	'02	'58	—	—	26
27	'01	'17	'01	—	'19	—	'10	—	'01	'03	—	'90	27
28	'13	'22	'08	'03	'18	—	—	—	—	'20	—	—	28
29	'04	—	—	'11	'01	—	'01	—	—	'01	'18	—	29
30	'04	X	'03	'07	'02	—	—	—	—	'03	'01	—	30
31	'02	X	'12	X	'04	X	—	'02	X	'03	X	—	31
TOTAL	1'00	3'81	1'13	1'95	2'32	'11	2'02	2'71	3'49	3'86	1'67	2'66	YEARS 26 1/3
Days with '01 in. or more.	19	24	17	18	22	11	11	15	21	25	19	15	21 0
Days with '04 in. or more.	4	16	9	13	14	1	9	9	12	11	9	8	12 5

(Signed)

Jas A. Narraway

[B.M.O.]

217 and 1/23

A

2110

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

in the County of.....*Salop.*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....2.....in.

Ground Sea Level 2.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

[illegible]

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed).....*Jack Kassarow*.....

[P.T.]

* * * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1924

At Dorrington SchoolIn the County of SalopRain Gauge. (Diameter of Funnel) 5 in.Height of Top above Ground 1 ft. 2 in.Height of Ground above Sea Level 250 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
	Inches.	Inches.	0.1 in. or more	0.4 in. or more
JAN.	2.76		22	14
FEB.	2.30		17	10
MAR.	3.00		23	19
APR.	2.04		18	9
MAY	1.43		13	10
JUNE	3.45		23	17
JULY	1.67		21	12
AUG.	4.75		22	18
SEPT.	3.27		21	15
OCT.	2.49		19	10
NOV.	3.68		24	14
DEC.	2.31		11	9
Total	33.15		234	154

Signature Jas A. Narraway

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Jas A. Narraway
School House, Dorington, Shrewsbury
 Hour of observation by the clock—in Winter..... 9 a.m. in Summer..... 9.9 a.m.


Nearest Railway Station Dorrington Distance 1/2 mile Direction from gauge ENearest Parish Church at Dorrington Distance 50 yds Direction from gauge SNature of objects nearest to gauge House TreeHeights of objects 25 ft. 25 ft.Distances ... 15 ft. 30 ft.Directions from gauge N S

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

A. D. Narraway, School House, Hywelton, Oswestry
Salop

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshagh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Dorrington Schoolin the County of SalopDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in.Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.04	.02	—	.01	—	.08	.02	.05	.01	.01	—	1
2	—	.27	.32	.02	—	.23	—	.02	.02	—	.19	—	2
3	.02	.02	—	.12	.21	.06	—	—	.02	—	.01	—	3
4	.03	.45	.02	.05	—	.03	.11	—	.25	.24	.08	—	4
5	.10	.03	—	.09	—	.24	.05	—	—	—	.08	—	5
6	—	—	—	.01	.02	.71	.02	.25	.24	.19	.01	.04	6
7	.02	—	—	.18	—	.37	—	.06	.03	.31	.01	—	7
8	.01	.02	—	.02	.02	.13	.02	.07	.02	.14	—	—	8
9	.09	.25	.25	.09	—	.12	—	.05	.10	.04	.02	.25	9
10	.17	.40	.25	.03	—	.08	—	.18	.04	.46	.15	.25	10
11	.25	.21	.25	.22	—	—	—	.14	.06	.19	.07	.21	11
12	.23	.21	.05	.62	—	.13	—	.02	—	—	.04	.05	12
13	.02	.01	—	.08	—	.31	—	.06	.01	.07	.02	.01	13
14	.18	.16	—	.02	—	.05	—	.17	—	.28	.52	.05	14
15	.10	.07	.01	.25	.25	.03	.25	.38	.02	.27	.15	.05	15
16	.25	.27	.05	—	.03	—	—	.25	—	.08	.27	.09	16
17	.08	.01	.01	.25	.46	.02	—	—	.01	.01	.03	.01	17
18	.33	.02	.03	.01	.06	.10	—	—	—	.44	.08	.06	18
19	.01	.25	.10	—	.32	.18	.25	.06	.07	.39	.37	.15	19
20	.17	.01	.32	—	.06	.02	—	.04	—	.09	.28	.02	20
21	.94	.01	.29	.06	.13	.04	—	—	.13	.08	.15	—	21
22	.01	.06	.02	.01	.25	—	.01	.41	—	.01	.42	.08	22
23	.45	.01	.10	.02	.11	—	.25	.24	.02	.41	.47	.01	23
24	.08	—	.09	—	—	.25	.25	.01	.37	.26	.12	—	24
25	.10	—	.01	—	—	.12	—	.04	.01	.03	.01	.25	25
26	.25	—	.03	—	.01	.06	.25	.16	.01	.40	.03	—	26
27	.05	—	—	.02	.02	—	—	—	.08	.15	.18	.11	27
28	.35	.01	.12	—	—	.31	.01	.08	.14	.02	.04	.18	28
29	.21	.43	.47	—	.05	.33	.03	.17	.25	.09	.02	.11	29
30	.10	X	.26	.09	.07	—	.39	.06	.01	.05	—	.18	30
31	.45	X	.09	X	.10	X	.26	.03	X	.01	X	.02	31
TOTAL	4.91	2.72	2.41	1.76	1.68	3.67	.98	3.51	1.49	4.96	3.80	1.63	YEAR'S TOTAL
Days with .01 in. or more.	24	25	20	19	16	22	10	21	21	27	28	18	25.0
Days with .04 in. or more.	19	11	12	10	10	18	5	17	10	20	18	13	163

REGISTER OF RAINFALL IN 1929.

Kept at Dorington School
in the County of Salop.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 250 ft.

June $\frac{1}{2}$ low. c.
July $\frac{1}{2}$ high.
Aug $\frac{1}{2}$ low

2216, 2217, 2221.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	<u>.16</u>	—	—	—	.02	tr	.06	.02	.01	.01	.23	I
2	—	.01	.01	—	.03	.04	.10	<u>.45</u>	.24	.03	.04	.14	2
3	—	.01	—	<u>.13</u>	.45	.44	.11	—	.04	<u>1.63</u>	.24	.64	3
4	—	.01	.01	—	.59	.19	.60	—	—	.07	.02	.18	4
5	.09	—	—	—	.06	.30	.06	<u>.62</u>	—	.15	.20	<u>.80</u>	5
6	<u>.52</u>	—	—	—	.44	—	.02	—	—	.11	.10	.34	6
7	.05	.05	—	.05	—	.01	—	—	—	.02	.40	.54	7
8	—	.02	—	—	tr	—	.03	—	—	.02	.09	.38	8
9	.08	.01	—	.01	—	—	tr	—	—	—	<u>.90</u>	.40	9
10	—	—	—	tr	.22	—	.02	—	—	—	.02	.26	10
11	—	—	—	.15	—	<u>.80</u>	.69	—	.29	tr	.02	.04	11
12	.11	—	—	—	.15	.05	.06	—	—	—	.01	.05	12
13	.02	—	—	.05	.03	tr	—	.15	.04	—	.04	.02	13
14	.06	—	—	.01	.02	.05	—	—	—	tr	.01	tr	14
15	—	—	—	—	—	tr	—	—	—	tr	.35	tr	15
16	—	—	—	—	—	—	tr	.08	—	tr	.01	tr	16
17	—	—	—	—	—	—	—	.01	—	.01	.66	—	17
18	.01	—	—	—	—	tr	—	.05	.01	.20	.40	tr	18
19	—	—	.02	—	—	tr	—	tr	—	.02	.09	—	19
20	.01	—	<u>.29</u>	—	tr	—	tr	tr	—	.02	.01	.24	20
21	.02	—	—	.02	—	tr	—	—	—	.09	.15	.13	21
22	.01	.03	.01	—	—	tr	.05	.18	—	.40	.85	.43	22
23	—	.02	.04	—	—	—	—	.12	—	—	.34	.21	23
24	—	.12	.05	.07	—	—	—	—	—	.08	.36	.02	24
25	—	.01	—	.10	—	—	—	—	—	.22	.20	.14	25
26	—	—	—	.03	—	—	<u>.62</u>	—	—	.05	.14	.39	26
27	.38	—	—	—	—	—	.23	—	.45	.04	.64	.23	27
28	.02	—	—	—	—	—	—	—	<u>.08</u>	.01	.10	.53	28
29	.01	—	tr.	—	—	—	.06	—	.50	tr	.02	.23	29
30	.28	×	tr.	—	—	—	.56	—	<u>.50</u>	—	tr	.02	30
31	—	×	tr.	×	.14	×	.09	.02	×	tr	×	.35	31
TOTAL	1.64	.45	.43	.62	2.13	1.90	<u>2.59</u>	<u>1.74</u>	1.34	3.18	6.42	6.94	YEAR'S TOTAL 29.44
Days with ".01 in. or more.	11	6	4	8	10	8	14	8	8	16	24	25	143
Days with ".04 in. or more.	7	3	3	6	7	7	11	7	7	11	20	22	112

REGISTER OF RAINFALL IN 1930.

Kept at Dorrington School
in the County of Salop.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 12 in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'03	'03	'08	'02	'10	'03	<u>3</u>	'01	—	—	'50	—	1
2	'01	'04	'02	'43	—	—	'05	'20	—	—	'35	—	2
3	'12	'01	'01	'09	'03	—	—	'22	~~100~~	<u>50</u>	'03	—	3
4	'13	<u>2</u>	'04	'21	'36	—	—	<u>2</u>	—	'06	'01	—	4
5	'02	'01	'05	'02	'24	—	'01	'15	—	'23	—	'03	5
6	'19	—	'02	—	'03	—	—	'06	'17	'21	'03	'09	6
7	'04	—	—	'14	—	—	—	—	'07	'18	'09	'06	7
8	'64	—	'24	'42	'43	—	<u>2</u>	'01	'35	'17	'01	'12	8
9	'92	—	'17	'01	'02	'01	<u>2</u>	'04	'01	'11	—	'03	9
10	'06	<u>2</u>	'01	'05	'03	'01	—	'05	<u>2</u>	—	—	'27	10
11	'21	—	'03	'04	'10	—	—	'07	'01	'12	—	'03	11
12	'13	—	'19	'08	—	—	'02	'11	'02	'01	'02	<u>41</u>	12
13	'36	—	'05	'05	'03	—	'25	'02	'32	—	—	'03	13
14	'02	—	'34	'01	—	—	'13	'07	'01	<u>2</u>	'01	'08	14
15	'02	'25	—	—	—	'08	'05	'03	'05	'21	'20	'20	15
16	'01	—	'03	'10	'09	'02	'03	—	'06	'43	—	'14	16
17	<u>2</u>	—	'02	'01	—	'46	'09	'02	'64	'11	—	'03	17
18	—	—	'16	'10	'06	'06	'02	'06	'02	'03	'10	'01	18
19	—	—	'13	'01	'01	—	'56	'34	'88	'08	—	—	19
20	—	—	'32	'01	<u>2</u>	'09	'05	'25	'18	'02	'20	—	20
21	'28	—	'02	—	—	'02	'10	'18	'02	'14	'15	—	21
22	'02	—	—	'04	'04	—	'09	'09	<u>2</u>	'14	'21	'02	22
23	'26	—	<u>2</u>	'29	'08	'01	'01	'24	'06	'03	'20	'20	23
24	'02	'02	—	'29	<u>04</u>	<u>4</u>	—	'01	'02	'15	'22	'21	24
25	'86	'09	—	'07	—	'01	'02	—	'42	'22	'29	'17	25
26	'05	'01	'02	'03	'12	—	'31	—	'01	'08	'01	'16	26
27	'01	—	'06	—	—	<u>2</u>	'30	—	<u>2</u>	'05	'01	'07	27
28	<u>2</u>	—	'02	<u>2</u>	'01	<u>2</u>	'24	—	<u>2</u>	'01	'12	'24	28
29	<u>2</u>	—	<u>2</u>	—	'35	—	'31	'23	—	'04	'14	'23	29
30	'32	<u>X</u>	'03	—	'06	—	'01	'03	'01	'11	'02	'29	30
31	'33	<u>X</u>	'35	<u>X</u>	'02	<u>X</u>	'02	'01	<u>X</u>	'11	<u>X</u>	—	31
TOTAL	5'26	'46	2'41	2'52	2'23	1'10	3'67	2'50	3'33	3'55	2'92	3'12	33'06
*Days with "or in. or more.	25	8	24	23	21	11	21	24	19	26	22	23	247
*Days with "04 in. or more.	16	3	13	16	12	4	13	17	11	21	13	16	155

DORRINGTON
NETLEY HALL
SHROPSHIRE.

1924 - 1926

GANIZATION.

24

3 47

9 a.m.

Dorrington

Rain Gauge 5 in.

above Ground 1 ft. 2 in.

Sea Level 350 ft.

to the previous day.

reading at 9 a.m. on

Jan. 1, following.

Kept at Netley Hall
in the County of Shropshire
by Miss J. C. Hope Esq

Rain should be measured daily
An Observer who prefers not to conf

January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	03		05	56	16	04	01	02	25		W 1
2			16		05	03	04			20	04		81 2
3		01	30		01	03	22	33		03			3
4					01	37	12	01	02			37	4
5	01	03	31		14	03	23	06	03	10	01	12	5
6					09	04	01	06	22	41			6
7	03		02		07	10			59	62			7
8	04			05	06	03			20	02			8
9	08	03		06	02	10			27	20			9
10	04			15	13	10			04	33			10
11	92			30	14	13			06		33		11
12	20	03		18	04	08		11	10		02		12
13	10			50	15			07	02	01	02	13	13
14				05	01			16	10	01	01	05	14
15	01	16		02	02		02	04	10			16	15
16	06			02			01	33	13				16
17	12	03				81	35	12	31				17
18	10	04		01	33		02	02		12	02		18
19	08	02			15	05			12	03			19
20	15	02	01		15		73	04	15	05			20
21	28		03		12	05	56	04	15	77			21
22	22		15	02	01			05	30			09	22
23	10			11	05		03	15	20			52	23
24	10	05		11	34		02	02	10			31	24
25	02		05	13	02		40		40		08	37	25
26	07		08	15	02		35	08	09	50	55	20	26
27	01		01	21			48	02		16	08	30	27
28	02	03		19		04	37	46		05	08	02	28
29		05		37	16	01	03	23	03	55	18	58	29
30		X		65	24	03		08	22	03	08	42	30
31	01	X		X	290	X	02	04	X	02	X	31	925 31
TOTAL	278		115	328								395	YEAR'S TOTAL
Days with 01 in. or more	24	13	11	19	27	18	20	23	25	21	14	15	230
Days with 04 in. or more	16	4	6	15	19	12	12	19	20	13	9	14	159

REGISTER OF RAINFALL IN 1924.

Kept at Nettley Hall
 in the County of Shropshire
 by Miss J. C. Hope Edwards

Lat. 52 35 1/2 Long. 3 27
 Time of Observation 9 a.m.
 Nearest Railway Station Doverington
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 1/2 in.
 " " " " Sea Level 350 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	03		05	56	16	04	01	02	25		W 1
2			16		05	03	04			20	04		2
3		01	30		01	03	22	33		03			3
4					01	37	12	01	02			37	4
5	01	03	31		14	03	23	06	03	10	01	12	5
6					09	04	01	06	22	41			6
7	03		02		07	10			59	62			7
8	04			05	06	03			20	02			8
9	08	03		06	02	10			27	20			9
10	04			15	13	10			04	33			10
11	92			30	14	13			06		33		11
12	20	03		18	04	08		11	10		02		12
13	10			50	15			07	02	01	02	13	13
14				05	01			16	10	01	01	05	14
15	01	16		02	02		02	04	10			16	15
16	06			02			01	33	13				16
17	12	03				81	35	12	31				17
18	10	04		01	33		02	02		12	02		18
19	08	02			15	05			12	03			19
20	15	02	01		15		73	04	15	05			20
21	28		03		12	05	56	04	15	77			21
22	22		15	02	01			05	30			09	22
23	10			11	05		03	15	20			52	23
24	10	05		11	34		02	02	10			31	24
25	02		05	13	02		40		40		08	37	25
26	07		08	15	02		35	08	09	50	55	20	26
27	01		01	21			48	02		16	08	30	27
28	02	03		19		04	37	46		05	08	02	28
29		05		37	16	01	03	23	03	55	18	58	29
30		X		65	24	03		08	22	03	08	42	30
31	01	X		X	290	X	02	04	X	02	X	31	925 31
TOTAL	278		115	328								395	YEAR'S TOTAL
Days with 01 in. or more	24	13	11	19	27	18	20	23	25	21	14	15	230
Days with 04 in. or more	16	4	6	15	19	12	12	19	20	13	9	14	159

Jan 5 1926

I send this report for what it
is worth but I fear it has been
very badly kept this year owing
to failing eye sight in Mr. Mann
who records it.

M. O. 7

-6 JAN 1926

ADDRESS MISS HOPE-EDWARDES, NETLEY HALL, SHREWSBURY.

Kept at Holly Hall
in the County of Shropshire
by Mr. Hope Edwards

Lat. 52° 58' Long. 2° 47'
Time of Observation 9 a.m.
Nearest Railway Station Wolverhampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 250 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	61	0.2	16	0.2	0.7	0.2	0.0	0.3	1.0	0.0	1.2	0.0	1
2	35	0.2	0.2	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.0	2
3	24	0.3	0.0	0.0	0.2	0.0	1.0	0.2	0.0	0.0	0.7	0.0	3
4	18	0.2	0.0	0.8	2.2	0.0	0.0	0.0	0.3	0.2	1.1	0.0	4
5	0.3	2.4	0.0	4.2	1.1	0.0	0.6	0.6	2.9	0.0	0.6	0.0	5
6	0.2	1.2	0.0	1.1	1.4	0.0	2.5	0.2	0.1	0.2	6.6	0.0	6
7	0.0	1.5	0.4	0.2	4.2	0.0	0.2	1.1	0.1	0.2	2.1	0.7	7
8	0.8	0.2	2.3	0.0	1.7	0.0	0.0	7.0	1.3	0.0	0.2	2.5	8
9	0.1	1.3	0.2	0.8	2.7	0.0	0.0	0.1	4.2	0.0	0.2	2.5	9
10	0.0	0.4	0.8	2.5	0.2	0.0	0.0	8.5	0.3	0.0	0.3	0.5	10
11	0.0	7.6	0.0	0.0	2.5	0.0	0.0	0.2	0.2	0.0	0.0	0.2	11
12	0.0	3.5	0.0	0.2	0.1	0.0	0.0	1.6	0.2	0.6	0.0	0.0	12
13	0.3	0.4	0.3	0.5	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.2	13
14	2.3	0.2	0.1	1.0	0.0	0.0	0.0	0.0	2.0	6.4	0.0	0.0	14
15	0.2	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	15
16	0.1	0.6	0.1	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	16
17	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	17
18	0.0	3.2	0.0	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	18
19	0.0	0.2	0.0	0.6	0.0	0.0	0.1	0.0	7.8	8.0	0.0	1.0	19
20	0.0	0.1	1.6	0.3	0.0	0.0	1.9	3.2	1.2	3.1	0.0	1.5	20
21	0.0	1.0	0.0	0.0	0.0	0.0	2.5	3.5	1.8	0.8	0.0	0.2	21
22	0.0	1.0	0.0	2.0	0.3	0.0	7.5	0.0	3.6	3.8	0.0	2.0	22
23	0.5	0.2	0.0	0.2	2.6	0.0	0.0	0.8	0.6	0.9	0.0	0.6	23
24	0.1	2.2	0.9	1.2	0.2	0.0	0.0	0.2	0.5	0.5	0.0	0.6	24
25	0.0	3.0	1.2	1.7	0.7	0.0	3.6	0.0	0.6	0.9	0.0	0.9	25
26	0.3	2.3	0.1	0.5	1.0	0.0	1.8	0.5	0.4	0.9	0.0	0.9	26
27	0.2	1.6	0.0	0.2	2.5	0.0	1.8	0.0	0.2	5.6	0.2	0.7	27
28	1.5	1.7	0.0	0.6	0.9	0.0	0.1	0.0	0.0	1.8	0.0	2.8	28
29	3.2	X	0.0	1.0	2.2	0.0	0.1	0.0	0.0	1.8	0.0	2.8	29
30	0.2	X	0.4	0.4	0.8	0.0	0.0	0.0	0.0	0.2	1.7	2.8	30
31	2.5	X	1.0	X	0.3	X	0.0	0.0	X	0.2	0.1	2.1	31
TOTAL	256	3.73	11.2	4.1	2.73	0.2	23.7	28.2	29.8	35.0	18.0	22.4	YEAR'S TOTAL
Days with 0.1 in. or more	20	27	15	25	23	1	4	13	16	23	15	23	28.78
Days with 0.4 in. or more	11	18	9	18	16	0	9	9	13	13	18	16	28.78

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Nelley Hall Gorington
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 1/2 in.
Ground „ Sea Level 350 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	61	2	16	2	7	2	—	3	10	—	12	—	1
2	25	2	2	6	—	—	—	—	2	—	26	—	2
3	24	3	—	—	2	—	10	2	—	—	7	—	3
4	18	2	—	8	22	—	—	—	03 24	2	11	—	4
5	3	24	—	42	11	—	6	6	29 1	—	66	—	5
6	2	12	—	11	14	—	25	2	01 1	2	6	2	6
7	—	15	4	2	42	—	2	11	01 13	2	21	7	7
8	8	2	23	—	17	—	—	70	13 42	0	2	25	8
9	01 18	13	2	8	27	—	—	1	42 3	—	3	5	9
10	—	4	8	25	2	—	—	85	03	—	5	5	10
11	—	76	—	—	25	—	—	2	02	—	—	2	11
12	—	35	—	2	1	—	—	16	02 1	6	—	—	12
13	3	4	3	5	—	—	—	2	—	4	—	2	13
14	23	2	1	10	—	—	—	—	20	64	—	—	14
15	2	—	—	15	—	—	—	—	20 2	2	—	2	15
16	1	6	1	3	—	—	—	—	02 X	1	—	—	16
17	—	6	—	—	6	—	—	—	01	—	—	3	17
18	—	32	—	15	2	—	—	—	78	80	—	2	18
19	—	2	—	6	—	—	—	—	78	—	—	10	19
20	—	1	16	3	—	—	19	32	12	31	—	15	20
21	—	10	—	—	—	—	25	35	18	8	—	2	21
22	—	10	—	20	3	—	75	08	36	38	2	20	22
23	5	2	—	2	26	—	—	8	6	9	—	8	23
24	1	22	9	12	2	—	36	02	5	5	2	6	24
25	~~28~~	30	12	17	7	—	18	00 5	4	9	—	8	25
26	3	23	1	5	10	—	18	05	2	56	2	7	26
27	2	16	—	2	25	—	1	—	—	6	2	5	27
28	15	17	—	6	22 9	—	1	—	—	18	—	28	28
29	32	~~33 4~~	—	10	22	—	—	—	—	2	17	28	29
30	2	X	04 18	34 8	8	X	10	—	29 8	2	18 1	21	30
31	25 8	X	11 2	X	27 03	X	23 7	28 22	X	35 12	X	22 4	31
TOTAL	256	373	112	241	273	02	237	282	298	351	180	224	YEAR'S TOTAL
Days with .01 in. or more.	85												2807
Days with .04 in. or more.	146												

(Signed)..... [P.T.O.]

REGISTER OF RAINFALL IN 1926.

Kept at *Ketley Hall Dorrington*
in the County of *Shropshire*
Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft. *6* in.
" Ground " Sea Level*350* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X		X			X		31
TOTAL													YEAR'S TOTAL
Days with '01 in. or more.													
Days with '04 in. or more.													

Kept at Ellesmere
in the County of Sal
by W. H. C. Jones (Eng)
Shropshire Union

ELLESMERE
SHROPSHIRE

ORGANIZATION.

21.....
ong. 2° 53' 25" N.
9 a.m.
ion Ellesmere 1 m. N.W.
f Rain Gauge 8 in.
e above Ground 1 ft. — in.
" Sea Level 367 1/4 ft.
ult entered to the previous day.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	61	—	05	—	—	—	—	34	25	—	—	12	1
2	04	—	—	—	08	—	—	22	—	17	59	—	2
3	—	—	03	—	05	02	—	02	—	22 1/4	15	—	3
4	13	—	—	—	03	—	—	23	—	03	—	—	4
5	—	—	02	02	08	—	—	41	—	—	13	09	5
6	14	—	02	—	—	—	—	—	—	—	11	03	6
7	08	—	—	—	—	—	—	35	—	—	73	—	7
8	—	—	—	—	28	—	—	16	—	—	—	—	8
9	04	—	—	13	04	—	—	—	05	—	—	—	9
10	13	—	—	—	02	—	—	38	—	21	—	07	10
11	19	—	—	—	12	—	—	29	13	—	—	—	11
12	60	—	08	—	—	02	—	14	31	—	—	12	12
13	—	—	21	21	—	—	—	—	05	10	21	—	13
14	—	—	09	29	10	—	01	13	—	—	—	—	14
15	—	—	04	—	—	—	05	—	—	—	—	20	15
16	08	—	22	19	05	—	—	13	—	—	41	—	16
17	04	—	03	08	—	—	—	04	—	—	02	—	17
18	10	—	06	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	04	04	—	—	—	18	04	02	19
20	—	—	—	—	—	01	—	—	—	—	02	03	20
21	02	—	—	04	—	—	—	03	—	08	11	15	21
22	—	—	18	04	—	—	04	—	—	58	10	14	22
23	—	—	—	—	—	—	03	—	03	11	—	—	23
24	—	34	—	—	—	—	01	—	—	—	—	20	24
25	—	—	—	—	—	—	24	—	—	—	—	15	25
26	—	—	10	—	02	03	—	—	—	—	11	18	26
27	—	—	09	—	12	—	02	04	—	—	—	12	27
28	—	—	21	—	15	—	02	55	—	—	—	08	28
29	21	—	—	—	13	—	—	03	—	—	—	04	29
30	—	X	—	—	09	—	—	—	—	—	04	30	30
31	82	X	—	X	—	X	02	—	X	09	X	—	31
TOTAL	3.29	34	1.46	1.03	1.40	1.5	1.44	3.49	82	3.82	2.80	2.64	YEAR'S TOTAL 21.41
Days with 01 in. or more	15	1	15	8	16	5	9	17	6	10	14	17	133
Days with 04 in. or more	14	1	11	4	13	1	3	14	5	9	12	14	104

ORGANIZATION.
REGISTER OF RAINFALL IN 1921

Lat. $52^{\circ}54'8''N$ Long. $2^{\circ}53'28''W$.

Time of Observation 9 a.m.

Nearest Railway Station Ellmersham 1 m N.W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 367 1/2 ft.

Kept at Ellmersham

in the County of Salop

by Mr. H. C. Jones (Engineer)
Shropshire Mineral Ry & Canal Co. Ltd.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.61	—	.05	—	—	—	—	.34	.25	—	—	.12	1
2	.04	—	—	—	.08	—	—	.22	—	.17	.59	—	2
3	—	—	.03	—	.05	.02	—	.02	—	<u>.22</u>	.15	—	3
4	.13	—	—	—	.03	—	—	.23	—	.03	—	—	4
5	—	—	.02	.02	.08	—	—	.41	—	—	.13	.09	5
6	.14	—	.02	—	—	—	—	—	—	—	.11	.03	6
7	.08	—	—	—	—	—	—	.35	—	—	.73	—	7
8	—	—	—	—	.28	—	—	.16	—	—	—	—	8
9	.04	—	—	.13	.04	—	—	—	.05	—	—	—	9
10	.13	—	—	—	.02	—	—	.38	—	.21	—	.04	10
11	.19	—	—	—	.12	—	—	.29	.13	—	—	—	11
12	.60	—	.08	—	—	.02	—	.14	.31	—	—	.12	12
13	—	—	.21	.21	—	—	—	—	.05	.10	.21	—	13
14	—	—	.09	.29	.10	—	.01	.13	—	—	—	—	14
15	—	—	.04	—	—	—	.05	—	—	—	—	.20	15
16	.08	—	.22	.19	.05	—	—	.13	—	—	.41	—	16
17	.04	—	.03	.08	—	—	—	.04	—	—	.02	—	17
18	.10	—	.06	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	.04	.04	—	—	—	.18	.04	.02	19
20	—	—	—	—	—	.01	—	—	—	—	.02	.03	20
21	.02	—	—	.04	—	—	—	.03	—	.08	.11	.15	21
22	—	—	.18	.04	—	—	.04	—	—	.58	.10	.14	22
23	—	—	—	—	—	—	.03	—	.03	.11	—	—	23
24	—	.34	—	—	—	—	.01	—	—	—	—	.20	24
25	—	—	—	—	—	—	.24	—	—	—	—	.15	25
26	—	—	.10	—	.02	.03	—	—	—	—	.11	.18	26
27	—	—	.09	—	.12	—	.02	.04	—	—	—	.72	27
28	—	—	.21	—	.15	—	.02	.55	—	—	—	.08	28
29	.21	—	—	—	.13	—	—	.03	—	—	—	.04	29
30	—	~~X~~	—	—	.09	—	—	—	—	—	.04	.30	30
31	.82	~~X~~	—	~~X~~	—	~~X~~	.02	—	~~X~~	.09	~~X~~	—	31
TOTAL	3.29	.34	1.46	1.03	1.40	.75	.44	3.49	.82	3.82	2.80	2.64	YEAR'S TOTAL 21.41
Days with ".01 in. or more	15	1	15	8	16	5	9	17	6	10	14	17	133
Days with ".04 in. or more	14	1	11	4	13	1	3	14	5	9	12	14	104

REGISTER OF RAINFALL IN 1922.

Kept at Ellesmere
 in the County of Salop
A. G. Jones (Engineer)
 by Shropshire Union Ry & Canal Co
Ellesmere

Lat. 52° 54' 8" N Long. 2° 53' 28" W
 Time of Observation 9 am
 Nearest Railway Station Ellesmere 1 m N.W.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " 367 3/4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.24	.40	.	.02	.	.21	.	.22	.	.24	.02	1
2	.11	.18	.04	.	.	.	.	.	.	.	.	.	2
3	.18	.20	.13	.	.04	.	.15	.24	.	.01	.05	.	3
4	.	.30	.	.	.17	.	.04	.	.	.05	.12	.	4
5	.05	.	.51	.26	.	.	1.07	.	.	.04	.08	.	5
6	.28	.	.18	.03	.	.	.12	.	.	.	.10	.	6
7	.05	.	.08	.09	.	.	.20	.08	.	.	.	.03	7
8	.02	.	.03	.05	.	.	.49	.48	.04	.	.	.12	8
9	.02	.	.02	.37	.	.	.	.05	.	.	.04	.	9
10	.	.	.	.	.	.02	.	.	.	.	.08	.	10
11	.	.	.	.	.	.	.	.	.	.	.	.	11
12	.	.	.	.22	.	.19	.20	.36	.53	.	.	.	12
13	.95	.	.	.34	.	.18	.19	.	.05	.	.	.	13
14	.	.03	.	.12	.	.	.04	.	.24	.	.	.38	14
15	.84	.09	.	.10	.	.	.	.	.	.	.	.04	15
16	.14	.13	.	.03	.11	.	.04	.31	.	.	.	.06	16
17	.	.08	.	.	.02	.	.08	.	.08	.	.	.	17
18	.	.05	.	.	.03	.	.	.	.11	.	.	.04	18
19	.08	.02	.06	.	.	.	.	.	.14	.22	.	.89	19
20	.	.18	.	.	.	.	.	.	.	.	.	.14	20
21	.04	.42	.	.11	.	.	.05	.	.	.	.	.68	21
22	.	.15	.	.	.21	.	.04	.13	.	.	.	.35	22
23	.	.03	.	.15	.04	.	.21	.	.	.	.	.15	23
24	.02	.	.27	.	.	.10	.	.21	.	.	.	.17	24
25	.14	.	.03	.55	.	.05	.	.	.30	.	.	.06	25
26	.11	.34	.06	.06	.	.02	.01	.	.06	.	.	.22	26
27	.09	.65	.15	.16	.	.	.	.09	.14	.	.	.29	27
28	.30	.23	.02	.	.	.	.	.21	.	.	.	.08	28
29	.	.	.	.	.	.08	.	.	.	.	.	.24	29
30	.05	X	.16	.22	.	.08	.04	.22	.15	.	.19	.03	30
31	.25	X	.	X	.	X	.04	.21	X	.24	X	.03	31
TOTAL	3.96	3.35	2.14	2.86	.67	.42	3.22	2.59	2.15	.59	.90	4.05	YEAR'S TOTAL
Days with .01 in. or more	20	14	15	16	8	8	18	12	12	5	8	20	159
Days with .04 in. or more	17	14	11	14	5	6	14	12	12	4	8	16	136

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Bellmure

in the County of Salop

by A. G. Jones (Engineer)

Lower Wharf, Chester

Lat. 52° 54' 8" N Long. 2° 53' 28" W

Time of Observation 9 am

Nearest Railway Station Bellmure 1 1/2 m N W 24

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 36 1/4 in.

" " " " " " " "

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	04	36	.	.	.	02	13	.	.	.	.	1
2	25	.	04	.	03	.	.	04	.	20	04	14	2
3	01	.	13	.	.	.	.	.	16	34	.	21	3
4	.	.	.	.	.	.	.	.	.	.	03	34	4
5	39	.	.	24	44	05	.	01	.	09	.	.	5
6	18	25	11	24	.	.	.	10	.	.	06	.	6
7	05	21	15	04	.	.	.	.	.	15	.	.	7
8	13	06	.	.	.	.	.	.	.	16	20	.	8
9	13	29	.	01	03	.	20	.	.	.	16	.	9
10	06	15	.	34	.	.	05	.	.	.	.	04	10
11	.	24	.	32	40	.	25	.	.	.	.	02	11
12	.	25	03	24	.	04	.	.	.	.	19	.	12
13	11	15	.	04	10	.	.	.	09	03	66	.	13
14	.	21	.	03	20	.	03	09	.	15	.	02	14
15	03	14	03	.	04	.	08	.	.	.	21	03	15
16	02	.	.	02	28	05	.	.	04	.	20	.	16
17	04	39	.	.	02	05	01	13	32	.	.	14	17
18	.	06	.	.	.	.	28	20	.	04	20	.	18
19	04	01	.	.	.	.	28	.	24	.	15	03	19
20	.	12	.	.	.	.	.	15	13	32	.	04	20
21	.	10	03	.	.	04	.	10	08	30	.	35	21
22	.	35	03	.	95	.	.	.	06	06	.	10	22
23	.	06	.	04	.	.	25	28	32	43	.	13	23
24	.	44	.	22	05	.	18	.	33	24	.	02	24
25	.	36	.	18	08	.	.	34	34	38	.	20	25
26	.	33	06	01	09	.	.	.	.	42	.	21	26
27	.	20	11	.	54	.	39	08	.	29	.	12	27
28	.	02	04	04	05	.	.	04	.	03	.	.	28
29	.	.	.	.	.	.	14	51	.	18	.	09	29
30	04	X	23	05	.	08	18	03	.	05	19	13	30
31	.	X	06	X	.	X	45	03	X	.	X	44	31
TOTAL	1.55	4.43	1.44	2.15	3.33	.34	2.51	2.29	2.14	4.19	2.29	3.16	YEAR'S TOTAL 29.82
Days with 01 in. or more	15	23	14	16	15	6	14	16	11	19	12	20	78
Days with 04 in. or more	12	21	10	12	12	6	11	13	11	14	11	15	151

County No

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

River Dist.

Station No.

Lat. $52^{\circ}54'8''N$ Long. $2^{\circ}53'28''W$.

Time of Observation 9 am

Nearest Railway Station *Ellesmere 1 m N.W.*

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. — in.

Old datum
Sea Level 367 3/4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			18		09	49	16	20			59		1
2			12		03	15		12			03		2
3			13		03		19	20				22	3
4					07	15	13					37	4
5			27		10	06	41		03	08		15	5
6					26	09		17	20	16			6
7					08	06	02		62	27			7
8					12	05			34	03			8
9	22				07	13			30	19			9
10				22	05	11			03	73			10
11	67			15	16	05			01		29		11
12	10			03	13	03			02				12
13	22			06	13		02		10			20	13
14				35				13		01		10	14
15				10	03		05		09			12	15
16	11							30	06				16
17	04					25	40	40	09				17
18	17	07			12					37			18
19	04				18	05		05	23				19
20	14				05	06	69	05		09			20
21	29				05		82	08	11	80			21
22	26		22					27	12			24	22
23	08	05	14	22	27		04	20	40			56	23
24		13		14	13		02	22	07			40	24
25				11	11		36	07	30		16	08	25
26			03	07			04	11	07	53	64	65	26
27				29			41	09		19		08	27
28						05	70	27		09	14	04	28
29		04		35				08	04	67	12	60	29
30		X		24	25	04	03	06	20	07	10	24	30
31	01	X		X	4 10	X		02	X		X	25	31
TOTAL	235	29	109	233	661	182	449	309	343	428	208	430	3616
Days with 11 in. or more.	13	4	7	13	23	16	17	20	21	15	9	16	174
Days with 14 in. or more	12	4	6	12	20	15	13	19	17	13	8	16	154

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Ellesmere
in the County of Salop

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground and Date 267 3/4 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. Am. 906 re shorter gauges 25.6.26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.


Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.82	.19	.20	—	—	—	—	.11	.03	—	.22	—	1
2	.29	—	—	—	—	—	—	—	.02	—	.20	—	2
3	.20	.01	—	—	.10	—	.09	.06	—	—	—	—	3
4	.20	.15	—	.12	.25	—	—	—	.10	—	.20	—	4
5	.02	.16	—	.20	.07	—	—	.60	.22	—	—	—	5
6	—	—	—	—	.20	—	.45	—	—	.10	.60	—	6
7	—	.10	.06	—	.31	—	—	.06	—	—	.40	.04	7
8	.04	.11	.07	—	.12	—	—	.50	.12	—	—	.24	8
9	—	—	.02	—	.10	—	—	—	.45	—	.10	—	9
10	—	.46	—	—	—	—	—	.20	.02	—	—	—	10
11	—	.44	—	—	.02	—	—	—	—	—	—	—	11
12	—	.23	—	.12	—	—	—	.18	—	.10	—	—	12
13	.01	—	—	.10	—	—	—	—	—	.05	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	—	—	—	—	—	—	—	.05	.47	—	.22	15
16	.24	.10	—	.11	—	—	—	—	—	—	—	—	16
17	—	.04	—	—	—	—	—	—	.05	—	—	—	17
18	—	.56	—	—	.10	—	—	—	—	—	—	.06	18
19	—	—	—	.13	.12	—	—	—	.50	.67	—	—	19
20	—	—	.17	—	—	—	—	.47	.10	.16	—	.48	20
21	—	.20	—	—	—	—	.30	.24	.15	.20	—	—	21
22	—	—	—	.19	—	—	1.30	.11	.12	.32	—	—	22
23	—	—	—	—	.20	—	—	.40	.15	.20	—	.36	23
24	—	.18	.16	.03	.38	—	—	.02	.05	—	.11	—	24
25	—	.35	.10	—	—	—	.27	—	.05	.41	—	.38	25
26	—	.02	—	.21	.59	—	.06	—	.08	.04	—	—	26
27	—	.05	—	—	.09	—	.10	—	.02	.35	—	—	27
28	.50	.20	—	.12	.30	—	.15	—	.05	—	.28	.22	28
29	.03	—	—	—	.12	—	—	—	—	—	—	.77	29
30	—	X	—	—	—	—	—	—	—	—	—	.12	30
31	—	X	.05	X	.10	X	—	—	X	—	X	—	31
TOTAL	2.35	4.15	.83	1.33	3.17	—	2.72	2.95	2.33	3.07	2.11	2.89	27.90
Days with ".01 in. or more.	10	18	8	10	17	—	8	12	19	12	8	10	132
Days with ".04 in. or more.	7	16	7	9	16	—	8	11	15	12	8	10	119

(Signed) For Canal Engineer FW Basset [P.O.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Ellesmere 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.


The number of days on which at least .01 inch fell in 1925 as reported by you seems low in comparison with neighbouring stations. Can you please say if the gauge is visited regularly every morning and the contents carefully measured. Sometimes an appreciable amount of water is deposited by dew or fog although rain may not have fallen.

H. R. Carter
25.6.26.

REPLY.

The gauge is visited regularly every morning, and the contents carefully measured -
My local Inspector is that there is very little dew, or fog at Ellesmere to record .01 inch.
I will however have this matter carefully watched in future.

A Turnbull
F.M. 16
Engineer



N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

2134

Kept at Ellesmere
 in the County of Salop
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ 36 7/4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	.12	—	—	.40	.10	—	—	.28	—	1.12	.10	1
2	.08	.18	—	—	.04	.05	.01	—	.08	—	.14	.06	2
3	.40	.05	—	—	—	—	—	—	—	—	.01	.03	3
4	—	.06	.30	—	.22	—	.06	—	.35	—	.60	.04	4
5	.09	.30	—	—	.30	—	.15	.08	.12	.01	.02	.04	5
6	.40	.20	—	—	—	—	.50	.05	.09	.05	.65	—	6
7	—	.50	—	.05	.28	.14	.01	—	.09	—	.05	.03	7
8	—	.04	.03	—	—	—	—	.03	—	.75	.30	.01	8
9	—	—	—	—	.10	.30	.03	1.38	—	.23	.03	—	9
10	—	—	—	—	.05	.02	—	.10	.01	—	.42	—	10
11	—	—	—	—	.15	.10	—	.14	—	.10	.02	.04	11
12	—	—	—	—	.20	—	—	.13	.07	.50	.22	.01	12
13	—	—	—	—	.18	—	—	.02	—	.01	.02	.04	13
14	—	.10	—	.30	.20	.10	.01	—	.03	—	.15	—	14
15	—	.40	—	—	.15	.10	—	—	—	.20	.40	—	15
16	—	.05	—	.18	—	.32	—	.01	—	—	.72	—	16
17	.20	—	—	—	—	.18	—	.28	.01	—	.20	—	17
18	.50	.07	—	.02	—	—	1.20	.04	—	.01	.26	—	18
19	—	—	—	.05	—	.01	.37	.01	.68	.01	.11	—	19
20	—	—	—	.03	—	—	.01	.28	—	.01	.28	—	20
21	—	—	—	.04	—	—	.16	—	—	.20	.02	—	21
22	.35	—	—	—	—	—	—	.01	.01	.10	.03	—	22
23	—	—	—	—	—	—	—	—	.03	—	.01	—	23
24	.16	—	—	—	.10	—	.21	.02	.17	.31	.04	—	24
25	—	—	—	.10	—	.01	—	—	.08	.02	.01	—	25
26	—	—	—	.03	.15	—	—	—	.15	.05	—	.08	26
27	.27	—	—	.04	.06	—	.04	.01	.10	.03	.01	—	27
28	.07	.10	—	—	.02	—	—	—	.05	.10	—	—	28
29	.16	—	—	.27	.20	.01	.03	—	—	.01	.02	—	29
30	.20	X	—	.05	.02	—	—	.66	—	.04	—	—	30
31	.08	X	—	X	—	X	.01	.04	X	—	X	—	31
TOTAL	3.45	2.17	.33	1.16	2.82	1.44	2.80	3.29	2.40	2.74	5.86	.48	28.94
Days with '.01 in. or more.	14	13	2	12	18	13	15	18	18	20	27	11	181
Days with '.04 in. or more.	14	13	1	9	16	9	8	11	13	12	16	7	129

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

2102
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Ellmere

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

Ground 367 3/4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			10	30	04	04	10	03		25	12	01	1
2	02		08	20	02		02			10	01	01	2
3	04		10		09	03	08			02	02		3
4	15		20	10		07	10			01	01		4
5			02	10	10	35	40			01	25		5
6	01		05	05	10	03	05		40	01	30		6
7	02	30	10	05		30	15				01		7
8	05		06	80				28	05	01	01		8
9	02		04	102				10	01	01		01	9
10							10	12	05			01	10
11				03		02	100	10			05		11
12	20			02	05		35	50		01	05		12
13	12				05			02	20	15	05		13
14							04	08	95	01	06	01	14
15	02	01		03	20		02	05	35		01		15
16	02				50	56		20	05	02	01		16
17						03		50			12		17
18						80		98		01	70		18
19	01	15	12			03		35	10		40	01	19
20	05	20				10		23	10	01	05		20
21	08	12	06		05	01	16	48	30	52	45	35	21
22	03	02	16		10	15		05	20	66	20	03	22
23	10		10	04		40		15			22	53	23
24	45		20			01		01		12		33	24
25	06	15	30			20	18		20	65		06	25
26	07	14	05	10		02	03	01	15	22	25		26
27	30	20	10		02	12	106	02	01	05	10		27
28	50	25	05			04	01	04	20	10	10		28
29	16		06	02		03	02	10	30	10			29
30		X	03			70		10	05	05			30
31	01	X	10	X	08	X		01	X		X	10	31
TOTAL	2.49	1.54	2.08	2.86	1.40	4.04	3.87	4.51	3.67	3.10	2.55	1.46	YEARS TOTAL 34.57
Days with "01 in. or more.	23	10	21	14	13	22	18	24	18	23	24	12	222
Days with "04 in. or more.	14	8	19	10	11	13	13	18	16	12	19	5	156

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

FOR OFFICIAL USE.

Kept at Collesmere

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 367 3/4 ft.

pt. Oct, how does est for previous year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	58	02	10	01	—	—	20	—	—	—	—	—	1
2	—	10	20	03	—	—	—	03	—	—	—	—	2
3	08	10	01	—	—	—	—	—	05	—	—	—	3
4	02	50	—	15	—	—	20	—	—	—	—	—	4
5	08	07	—	—	—	25	10	—	30	45	—	—	5
6	01	02	05	—	—	70	—	—	—	15	—	—	6
7	02	01	08	—	—	50	—	20	—	15	—	—	7
8	—	—	—	18	—	25	—	—	28	05	—	—	8
9	13	02	—	02	—	17	—	—	02	10	—	—	9
10	21	46	06	01	05	15	—	—	—	90	—	—	10
11	01	15	02	—	01	—	—	20	—	05	—	—	11
12	34	02	02	42	—	18	—	25	—	10	—	—	12
13	02	23	—	03	—	50	—	04	—	—	—	—	13
14	26	10	—	—	—	06	—	06	—	30	—	—	14
15	01	13	02	—	03	08	—	05	—	20	—	—	15
16	02	20	15	—	14	—	—	—	—	15	—	—	16
17	08	—	—	—	30	02	—	—	—	04	—	—	17
18	42	—	05	05	15	18	—	—	10	05	—	—	18
19	—	—	10	—	10	51	—	10	—	45	—	—	19
20	12	—	30	—	50	04	—	—	02	05	—	—	20
21	66	—	20	03	10	10	—	10	—	20	—	—	21
22	—	—	15	—	—	—	—	30	—	10	—	—	22
23	40	01	03	—	05	—	03	05	—	—	—	—	23
24	10	—	01	—	—	02	01	15	70	—	—	—	24
25	20	—	—	—	—	10	—	10	—	—	—	—	25
26	32	—	02	—	—	11	—	70	—	—	—	—	26
27	04	—	—	—	10	10	—	65	—	—	—	—	27
28	06	—	04	05	—	50	—	05	22	—	—	—	28
29	60	20	45	—	—	30	05	50	—	—	—	—	29
30	01	X	15	15	—	02	35	—	—	—	—	—	30
31	30	X	02	X	—	X	30	—	X	—	X	—	31
TOTAL	5.10	2.34	2.23	1.13	1.53	4.84	1.22	3.53	1.69	4.74	5.00	6.00	YEAR'S TOTAL
Days with .01 in. or more.	27	17	22	12	11	22	8	17	8	17	—	—	237
Days with .04 in. or more.	19	11	14	6	9	19	5	16	6	17	—	—	125

RE

SALOP, SANSAW GARDENS

Kept at.....

in the County of.....

by.....

IMPORTANT NOTE

If an Observer prefers not the reading at 9 a.m. on 1st January of the following year in the space provided for at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Gauge.....5 in.
e Ground.....ft. 10 in.
Sea Level.....ft.
tered to the previous day.

sted to add

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	—	.07	—	—	—	—	.37	.24	—	.05	.10	1
2	.05	—	—	—	.04	—	—	.33	—	.07	.52	—	2
3	.02	—	.02	—	.08	—	—	.02	—	1.43	.21	—	3
4	.03	—	.01	—	—	.05	—	.26	—	.03	.01	—	4
5	—	—	—	.02	—	—	—	.32	—	—	.28	.04	5
6	—	.01	.05	.02	.14	—	.03	.01	—	—	.01	.02	6
7	.07	.01	.02	—	—	—	—	.49	—	—	.40	—	7
8	.01	—	.08	—	.11	—	—	—	—	—	—	—	8
9	—	—	—	.09	.03	—	—	.25	.01	—	—	—	9
10	.37	.02	—	—	—	—	—	.59	.03	.04	—	.04	10
11	.15	—	—	—	.12	—	—	.33	.10	—	—	—	11
12	.34	.01	.04	—	—	—	—	.05	.28	—	—	.10	12
13	.18	.02	.19	.25	—	—	—	—	.09	.06	.29	—	13
14	—	.01	.15	.15	.05	—	—	.05	—	—	—	.20	14
15	.01	—	—	.34	—	—	.06	—	—	—	—	—	15
16	.02	.03	.04	.24	—	—	.01	.07	—	—	.27	.02	16
17	.08	—	.06	.07	—	—	—	.01	—	—	.01	—	17
18	.10	—	.04	—	—	—	—	—	—	—	—	—	18
19	.01	—	.04	—	.01	.06	—	—	—	.20	.01	.03	19
20	—	—	.01	—	—	—	—	—	—	—	—	—	20
21	.01	—	—	.04	—	—	—	.02	—	.05	.19	.11	21
22	—	.02	.16	.03	—	—	.04	—	—	.34	.05	.16	22
23	—	—	.02	—	—	—	.02	—	—	.13	—	.11	23
24	.01	.18	—	.01	—	—	—	—	.02	—	—	.33	24
25	.05	.13	.12	—	—	—	.28	—	—	—	—	.14	25
26	—	.01	.02	—	—	—	—	—	—	—	—	.20	26
27	.02	—	.03	—	.11	.11	—	.08	—	—	.08	.47	27
28	—	—	.16	—	.27	—	—	.76	—	—	.02	.07	28
29	.09	—	.02	.02	.15	—	.07	.01	—	—	—	.10	29
30	.08	—	—	—	.08	—	.04	—	—	.03	.13	.32	30
31	.64	—	—	—	—	—	.07	.17	—	—	—	.01	31
TOTAL	2.72	.45	1.35	1.28	1.19	.22	.62	4.19	.79	2.38	2.53	2.57	YEAR'S TOTAL
Days with .01 in. or more	22	11	21	12	12	3	9	19	7	10	16	19	161
Days with .04 in. or more	13	2	13	7	10	3	6	14	4	8	11	15	106

REGISTER OF RAINFALL IN 1927.....

1 2 JAN 1927

Kept at Sansaw Gardens
in the County of Shropshire
by J. Clark (Gardener)
Capt. J. D. Bibby

Lat..... Long.....
Time of Observation 9 a.m.
Nearest Railway Station Gorton, L & N W Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	—	.07	—	—	—	—	.37	.26	—	.05	.10	1
2	.05	—	—	—	.04	—	—	.33	—	.07	.52	—	2
3	.02	—	.02	—	.08	—	—	.02	—	1.43	.21	—	3
4	.03	—	.01	—	—	.05	—	.26	—	.03	.01	—	4
5	—	—	—	.02	—	—	—	.32	—	—	.28	.04	5
6	—	.01	.05	.02	.14	—	.03	.01	—	—	.01	.02	6
7	.07	.01	.02	—	—	—	—	.49	—	—	.40	—	7
8	.01	—	.08	—	.11	—	—	—	—	—	—	—	8
9	—	—	—	.09	.03	—	—	.25	.07	—	—	—	9
10	.37	.02	—	—	—	—	—	.59	.03	.04	—	.04	10
11	.15	—	—	—	.12	—	—	.33	.10	—	—	—	11
12	.34	.01	.04	—	—	—	—	.05	.28	—	—	.10	12
13	.18	.02	.19	.25	—	—	—	—	.09	.06	.29	—	13
14	—	.01	.15	.15	.05	—	—	.05	—	—	—	.20	14
15	.01	—	—	.34	—	—	.06	—	—	—	—	—	15
16	.02	.03	.04	.24	—	—	.01	.07	—	—	.27	.02	16
17	.08	—	.06	.07	—	—	—	.01	—	—	.01	—	17
18	.10	—	.04	—	—	—	—	—	—	—	—	—	18
19	.01	—	.04	—	.01	.06	—	—	—	.20	.01	.03	19
20	—	—	.01	—	—	—	—	—	—	—	—	—	20
21	.01	—	—	.04	—	—	—	.02	—	.05	.19	.11	21
22	—	.02	.16	.03	—	—	.04	—	—	.34	.05	.16	22
23	—	—	.02	—	—	—	.02	—	—	.13	—	.11	23
24	.01	.18	—	.01	—	—	—	—	.02	—	—	.33	24
25	.05	.13	.12	—	—	—	.28	—	—	—	—	.14	25
26	—	.01	.02	—	—	—	—	—	—	—	—	.20	26
27	.02	—	.03	—	.11	.11	—	.08	—	—	.08	.47	27
28	—	—	.16	—	.27	—	—	.76	—	—	.02	.07	28
29	.09	—	.02	.02	.15	—	.07	.01	—	—	—	.10	29
30	.08	X	—	—	.08	—	.04	—	—	.03	.13	.32	30
31	.64	X	—	X	—	X	.07	.17	X	—	X	.01	31
TOTAL	2.72	.45	1.35	1.28	1.19	.22	.62	4.19	.79	2.38	2.53	2.57	YEAR'S TOTAL 20.29
Days with ".01 in. or more	22	11	21	12	12	3	9	19	7	10	16	19	161
Days with ".04 in. or more	13	2	13	7	10	3	6	14	4	8	11	15	106

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Sansaw Gardens

in the County of Shropshire

by J. Clark (Gardener)

Lat. Long.
Time of Observation 9.2 a.m.
Nearest Railway Station Lorton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.33	.46	—	.17	—	.20	.16	.48	—	.10	.04	1
2	.21	.34	.01	—	.01	—	.21	.01	—	—	—	.02	2
3	.27	.12	.27	—	.12	—	.06	.31	—	.01	—	—	3
4	.01	.29	.17	—	.29	—	.09	—	—	.09	.14	—	4
5	.16	—	.08	.18	.01	—	.94	—	—	.03	.18	—	5
6	.24	—	.11	.01	—	—	.10	.07	—	—	.18	—	6
7	.11	—	.46	.10	.01	—	.23	.04	—	—	—	.02	7
8	.01	—	.08	—	—	—	.25	.26	—	—	.05	.09	8
9	—	—	.04	.10	—	—	.02	.17	—	—	.03	.01	9
10	—	—	—	—	—	.01	—	.02	—	—	.04	—	10
11	.09	—	—	—	—	—	.21	—	.01	—	—	—	11
12	—	—	—	.12	—	.19	.23	.34	.45	—	—	—	12
13	.01	—	—	.27	—	.10	—	—	.08	—	—	—	13
14	.38	.02	—	.07	—	—	.04	—	.24	—	—	.36	14
15	.38	.17	—	.09	—	—	.01	—	.07	—	—	—	15
16	—	—	—	.04	.19	—	.04	.32	—	—	—	.07	16
17	—	.11	—	—	.09	—	.16	—	.05	—	—	.18	17
18	.16	.06	—	—	.05	.03	—	.01	—	.02	—	.16	18
19	—	.12	.21	—	—	—	—	—	—	.15	.02	.71	19
20	.08	.05	—	—	—	—	—	—	.18	—	—	.79	20
21	.02	.12	—	.08	—	—	.12	—	—	—	—	.20	21
22	—	.16	—	—	.25	.09	.03	.21	—	—	—	.16	22
23	—	—	—	—	.01	—	.19	—	—	—	.04	.09	23
24	—	—	.13	.02	—	.18	—	.15	—	—	—	.06	24
25	.29	.05	.11	.58	—	.03	—	—	.15	—	—	.05	25
26	.10	.37	.01	.28	—	—	.08	.05	.04	.02	.07	.13	26
27	.15	.64	.09	.15	—	—	—	.01	.18	—	.03	.28	27
28	.06	.37	.01	—	—	.09	—	.20	.35	—	.01	.03	28
29	—	—	—	—	—	.04	.05	—	—	—	—	.20	29
30	.11	X	.20	.05	—	.03	—	.16	.25	—	.08	.07	30
31	.26	X	—	X	—	X	.17	.18	X	.18	X	—	31
TOTAL	3.20	3.32	2.44	2.14	1.20	.79	3.43	2.67	2.53	.50	.97	3.72	YEAR'S TOTAL 26.91
Days with 1 in. or more	21	16	16	15	11	10	21	18	13	7	13	21	182
Days with 1/4 in. or more	17	16	13	13	7	6	18	14	12	3	9	17	145

REGISTER OF RAINFALL IN 1923.

Kept at Sausaw Gardens
in the County of Shropshire
by J. Clark

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Linton
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 10 ft. 10 in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.07	.21	—	.07	—	—	.07	.07	.01	.01	.31	1
2	.19	—	.01	—	.08	—	.07	.05	—	.15	.01	.01	2
3	.01	.01	.14	—	—	.05	—	.01	.23	.51	.05	.08	3
4	—	—	—	—	—	—	—	—	.03	.04	.12	.03	4
5	.28	—	.07	.22	.53	.08	—	—	—	.01	—	—	5
6	.35	.17	.13	.17	—	.07	—	.08	—	—	.05	—	6
7	—	.36	.20	.08	—	—	.20	—	—	.18	—	.14	7
8	.25	.16	.06	—	—	.05	—	—	—	.13	.11	—	8
9	.05	.15	—	—	.09	.01	.04	.02	—	—	.14	.01	9
10	.14	.13	—	.34	.03	—	.16	—	—	.17	—	.02	10
11	—	.09	—	.36	.43	—	.03	—	—	.06	—	—	11
12	.06	.21	—	.51	.05	.05	—	—	—	.16	.04	.04	12
13	.01	.30	—	.14	.04	—	—	—	.03	.04	.56	.01	13
14	—	.05	—	.06	.15	.01	.03	.01	.01	.02	—	.01	14
15	.02	.13	.03	—	.06	.04	.09	—	—	.02	.18	.01	15
16	.08	.08	—	.02	.18	.04	—	.08	—	.03	.21	—	16
17	.07	.48	—	—	.04	.01	.01	.17	.26	.14	—	—	17
18	.07	.05	—	—	—	.01	—	.18	.04	—	.14	.05	18
19	.05	—	—	—	—	.02	.25	—	.13	—	.13	.07	19
20	—	.07	.05	—	.02	—	—	.08	.28	.05	.05	.08	20
21	.02	.05	.01	—	—	.01	—	.06	.10	.20	—	.38	21
22	.01	.20	—	—	.69	—	—	.30	.09	.12	—	.12	22
23	—	.06	.03	—	.07	—	.34	.33	.31	.27	—	.11	23
24	—	.34	—	.10	.02	.02	.01	.02	.29	.36	—	—	24
25	—	.34	—	.03	—	.05	—	.35	.12	.30	—	.30	25
26	.01	.20	.04	.04	—	—	—	.08	—	.35	—	.24	26
27	.01	.19	.12	—	.37	—	.41	.13	—	.29	—	.38	27
28	.03	.07	.01	.01	.04	—	.05	.09	—	—	.08	—	28
29	—	—	.30	—	.02	—	.16	.76	—	.13	—	.20	29
30	.03	X	.20	.18	—	—	.19	—	—	.03	.10	.36	30
31	—	X	.03	X	—	X	.33	.02	X	—	X	.43	31
TOTAL	1.82	3.96	1.67	2.26	2.89	.32	2.37	2.89	1.99	3.77	1.98	3.39	YEARS TOTAL 29.57
Days with 01 in. or more	21	24	17	14	19	15	16	20	14	25	16	23	224
Days with 04 in or more	12	23	11	11	15	8	12	15	11	19	14	16	167

AIR MINISTRY.

County No. _____

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

River Dist. _____

REGISTER OF RAINFALL IN 1924.

Station No. _____

Kept at Lansaw Gardens
in the County of Shropshire
by J. Clark

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Gartton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level _____ ft.

20 JAN 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.04	—	.06	.73	.11	.13	—	—	.34	.02	1 <u>KRW</u>
2	—	—	.09	—	.02	.27	.01	.01	—	.07	.08	—	2 <u>W8</u>
3	—	—	.10	—	—	.05	.07	.32	—	.04	—	—	3
4	—	—	.23	—	.02	.26	.08	.01	—	—	—	.49	4
5	—	—	.54	—	.26	.02	.21	.04	.08	.08	.02	.03	5
6	—	—	.17	—	.26	.02	—	.06	.22	.17	—	—	6
7	.01	—	.03	—	.03	.20	—	—	.93	.42	—	.02	7
8	.05	—	—	—	.06	.03	—	—	.14	—	—	—	8
9	—	.03	—	.11	.03	.16	—	—	.25	.12	—	—	9
10	.12	—	—	.15	.05	.10	—	—	.01	.46	—	—	10
11	.32	—	—	.11	.21	.08	—	—	—	—	.32	—	11
12	.05	.01	—	.01	.06	.15	—	—	.02	.01	—	—	12
13	.15	—	—	.51	.13	—	—	—	.10	—	.01	.13	13
14	—	—	—	.22	—	—	—	.10	.02	—	—	.03	14
15	—	—	—	—	—	—	.04	.04	.28	—	—	.17	15
16	.02	—	—	—	—	—	—	.65	.06	—	—	—	16
17	.12	.06	—	—	—	.42	.32	.35	.21	—	—	—	17
18	.10	.08	—	—	.17	—	.07	.04	—	.29	—	—	18
19	.03	—	—	—	.26	.14	—	—	.11	.01	—	—	19
20	.15	—	—	—	.13	.20	.73	.13	.19	.08	—	.01	20
21	.34	.02	.05	—	.04	.23	1.05	.22	.05	.76	—	—	21
22	.37	—	.19	.05	—	—	—	.08	.15	—	—	.10	22
23	.08	.01	.23	.16	.19	—	.08	.42	.11	—	—	.56	23
24	.09	.07	—	.12	.36	—	.01	.13	.03	—	—	.20	24
25	—	—	—	.09	—	—	.57	.04	.28	—	.09	.10	25
26	—	—	.29	.09	—	—	—	.01	.16	.58	.46	.25	26
27	—	—	—	.15	—	—	.47	.02	—	.23	.04	.16	27
28	—	—	—	.01	—	.06	.63	.33	—	.36	.03	.01	28
29	—	.08	—	.47	.13	—	.02	.14	.01	.65	.20	.38	29
30	—	X	—	.40	.39	.10	—	.16	.18	.09	.04	.34	30
31	.07	X	—	X	2.86	X	.02	.03	X	—	X	.19	31 <u>934</u>
TOTAL	2.08	.36	1.96	2.65	5.72	3.22	4.49	3.46	3.59	4.42	1.63	3.19	YEAR'S TOTAL 36.77
Days with "1 in. or more.	17	8	11	15	21	18	17	23	22	17	11	18	198
Days with "4 in. or more	<u>13</u>	4	10	13	17	15	<u>13</u>	18	17	15	8	12	<u>75</u> <u>155</u>

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2121

AIR MINISTRY.

Register of Rainfall in 1925.

Kept at Lawson

in the County of Shropshire

Diameter of Funnel of Gauge..... 3 in.

Height of top of Gauge above Ground ft. 10 in.

Ground „ Sea Level.....ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf. 7906-19 June 1958

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1. following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.01	.38	—	.09	—	—	.20	.03	—	.14	—	1
2	.30	.01	.01	.02	—	—	—	—	—	—	.31	—	2
3	.14	—	—	—	.01	—	.19	.05	.05	.03	.07	—	3
4	.18	—	—	—	.24	—	—	—	.06	.03	.09	—	4
5	—	.39	—	.34	.09	—	—	.24	.24	—	.06	—	5
6	—	.07	.01	—	.11	—	.90	.08	.01	—	.40	—	6
7	—	.02	.11	.06	.35	—	—	.14	—	.03	.28	.02	7
8	.06	.04	.02	—	.30	—	—	.70	.30	—	—	.28	8
9	—	.18	.05	.03	.10	—	.05	.07	.43	—	.03	.01	9
10	—	.09	.04	.01	—	—	—	.81	.02	—	—	.10	10
11	—	1.70	—	—	.02	—	—	.02	.06	—	—	.09	11
12	—	.14	—	.01	—	—	—	.11	—	.09	—	—	12
13	.01	—	.02	.01	—	—	—	.03	—	.02	—	—	13
14	.28	—	.02	.10	—	.01	—	—	—	—	—	—	14
15	—	.01	—	.15	—	.01	—	—	.20	.57	—	.03	15
16	.03	.08	—	—	—	—	—	—	.02	—	—	.03	16
17	—	.05	—	—	.02	—	—	—	.03	—	—	.05	17
18	—	.34	—	.03	.07	—	—	—	—	—	—	—	18
19	—	.24	—	—	.06	—	.02	—	.70	.57	—	.16	19
20	—	—	.15	—	—	—	—	1.03	.13	.23	—	.43	20
21	—	.18	—	—	—	—	.30	.37	.20	.03	—	—	21
22	.02	.05	—	.11	.02	—	1.20	.98	.31	.24	—	.23	22
23	—	.02	.03	.02	.42	—	.02	.11	.17	.07	—	—	23
24	—	.11	.06	.03	.02	—	—	.02	.01	—	.07	—	24
25	—	.27	.07	.24	.01	—	.32	.03	.15	.08	—	.74	25
26	.02	.03	—	.01	.30	—	.19	.02	.10	.67	.05	.08	26
27	.01	.13	—	—	.30	—	.07	—	.01	.04	—	.02	27
28	.01	.16	—	.05	.06	—	.03	—	—	.30	—	.26	28
29	.25	—	—	.04	.20	—	.04	—	—	—	.15	.23	29
30	.01	X	—	—	.08	—	—	—	—	—	.02	.04	30
31	.31	X	.06	X	.08	X	—	.09	X	.05	X	.09	31
TOTAL	2.30	4.32	1.03	1.26	2.95	.02	3.33	5.10	3.23	3.05	1.67	2.89	YEAR'S TOTAL
Days with ".01 in. or more.	15	23	14	17	22	2	12	19	21	16	12	18	191
Days with ".04 in. or more.	8	17	8	8	16	—	9	14	14	11	10	13	128

(Signed)

J. Clark

[P.T.Q.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Senate Hall - rainfall 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The total for August 1925 given on the return which you kindly sent is given as 5.10. This seems much too high compared with neighbouring stations. Have you any reason to doubt the accuracy of the observations during that month?

The values of .70 on 8th, 1.03 on 20th and .98 on 22nd seem to be too high, especially.

Adair
19/6/26

REPLY.

The total given for August is quite correct according to my records

the record of 1.03 on 20th was due to a very heavy rainstorm

I have no reason to doubt the accuracy of the observations

J. Clark
23/6/26

Accept observer's figures
but query those for 8th,
~~20th~~ & 22nd. J.C.B.

25.6.26

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Kept at Sausaw Hill Gardens
in the County of Shropshire
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft. 1.0.....in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.22	—	—	.49	.20	—	—	.22	—	.52	.15	1
2	.07	.12	—	—	—	.06	—	—	.08	—	.08	.05	2
3	.28	.05	.32	—	—	—	—	—	—	—	—	—	3
4	—	.02	.15	—	.04	—	.07	—	—	—	.28	.12	4
5	.08	.24	.07	—	.77	—	.25	.08	.10	—	.10	.17	5
6	.17	.23	—	—	.01	—	.23	.05	.08	.10	.33	—	6
7	.01	.66	—	.11	.35	.23	—	—	.16	—	.20	—	7
8	—	.05	.03	—	.02	.18	.05	—	—	.61	.59	—	8
9	—	—	.03	—	.04	.17	.10	1.22	—	.05	—	—	9
10	—	—	.01	—	.13	.05	.03	.07	—	.03	.28	—	10
11	—	—	—	—	.01	.03	—	.11	.05	.03	—	—	11
12	—	—	—	—	.25	.22	—	.12	.02	.40	.07	—	12
13	—	.02	—	—	.22	—	—	.02	—	.11	.18	.06	13
14	—	.17	—	.30	.29	.10	—	.10	.07	.02	.04	.11	14
15	—	.03	—	.07	.11	.11	—	.08	—	.15	.16	—	15
16	—	.05	—	.35	—	.12	—	—	—	—	.70	—	16
17	—	.05	—	.05	—	.24	.05	.18	—	—	.33	.13	17
18	.56	.03	—	.01	—	—	.68	.07	—	—	.46	.06	18
19	—	—	.08	—	—	—	.20	.19	.60	—	—	.02	19
20	—	.01	—	.08	—	—	—	.05	.01	—	.35	—	20
21	.05	—	.02	.07	.01	—	.28	—	—	.15	.07	—	21
22	.26	.04	.03	.01	—	.04	—	—	—	—	.01	—	22
23	.05	—	—	—	—	—	—	—	.05	—	—	—	23
24	.10	—	—	—	.12	—	.16	.01	.13	.21	—	.01	24
25	.03	—	—	.16	—	—	.01	—	.10	.15	.07	—	25
26	—	—	—	.02	.19	—	—	—	.25	—	—	—	26
27	.37	.03	—	.06	.12	—	.05	—	.25	—	—	.01	27
28	.06	—	—	.12	.33	—	.40	—	.02	.19	.05	.04	28
29	.02	—	—	.18	.25	—	.06	—	—	—	—	—	29
30	.18	X	—	.11	.10	—	—	.60	—	—	—	—	30
31	.11	X	.01	X	—	X	—	—	X	—	X	—	31
TOTAL	2.76	2.02	.75	1.70	3.85	1.75	2.62	2.95	2.19	2.20	4.87	.93	28.39
Days with "01 in. or more.	17	18	10	15	20	13	15	15	16	13	20	12	184
Days with "04 in. or more.	14	12	4	12	16	12	13	13	13	10	19	9	147
YEAR'S TOTAL													183
													147

Section

A

for the entry of Daily Observations.

2097
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at The Gardens, Sanson Hall
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.18	—	—	.01	.10	—	.01	.24	.11	—	1
2	.08	.04	.10	.18	.09	—	—	—	—	.01	—	—	2
3	.09	—	.08	.02	.01	.11	.04	—	—	—	.01	—	3
4	.15	—	.07	.13	.23	.06	.16	—	—	—	.11	—	4
5	.06	.11	.11	.17	—	.30	.24	—	—	—	.04	—	5
6	.02	—	.09	—	.04	.26	—	.05	.55	—	.51	—	6
7	.05	.13	.05	.09	—	.22	.09	—	—	—	—	—	7
8	—	—	.04	.83	—	.01	—	.24	.04	—	—	—	8
9	—	—	.03	.51	—	—	—	.10	—	—	.08	.04	9
10	—	—	.01	.05	—	.12	—	.16	.14	.02	—	—	10
11	—	—	.01	.08	—	—	.51	.09	—	—	—	—	11
12	.12	—	—	—	.13	—	.22	.87	.05	—	—	—	12
13	.15	—	.01	—	.05	—	—	.15	.33	.15	.16	—	13
14	—	—	—	.06	.04	—	—	.12	.96	.01	.04	.22	14
15	—	—	—	—	.34	—	.12	.14	.21	.04	.05	—	15
16	—	—	—	—	.14	.60	—	—	.22	.03	—	—	16
17	—	—	—	—	—	.06	—	.95	.12	—	—	—	17
18	—	—	—	—	—	.86	—	.43	.02	.06	.94	—	18
19	—	.18	.03	—	—	.03	.04	.26	.09	—	.35	—	19
20	.12	.56	—	—	.18	.15	.22	.23	.08	—	.22	—	20
21	—	.10	—	—	.15	.04	.03	.65	.16	.44	.18	.57	21
22	.18	.06	.20	.10	.01	.15	.03	.04	.19	.79	.18	.05	22
23	.04	.01	.22	.01	—	.35	—	.10	.13	—	.28	.40	23
24	.25	—	.21	.03	—	.06	.10	.21	.19	.08	—	.72	24
25	.17	.23	.19	.14	—	.20	—	.01	—	.30	—	.02	25
26	.14	.19	.09	—	.08	.05	.12	—	.03	.16	—	.14	26
27	.20	.18	—	—	—	.16	.15	—	—	.15	.02	—	27
28	.39	.11	.13	—	—	—	—	.03	.06	.04	.39	—	28
29	.08	—	.19	—	—	.25	.04	—	.24	.06	—	—	29
30	.05	X	.03	—	—	.34	.08	.15	.05	.08	.03	—	30
31	—	X	.38	X	.06	X	.02	—	X	.01	X	—	31
TOTAL	2.34	1.90	2.45	2.40	1.55	4.39	2.31	4.98	3.87	2.67	3.70	2.16	YEAR'S TOTAL
Days with ".01 in. or more.	18	12	22	14	14	22	18	21	21	18	18	8	206
Days with ".04 in. or more.	17	11	16	11	12	19	15	19	19	13	15	7	174

Section



for the entry of Daily Observations.

2170
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Sansaw Gardens, Clive,

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 ft. 0 in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.09	.06	—	—	—	.15	.02	—	—	—	—	1
2	.11	.15	.27	.06	—	—	—	—	—	—	.05	—	2
3	—	—	—	.08	—	—	.05	—	—	—	—	—	3
4	.08	.34	.04	.05	—	—	.16	—	—	.15	—	.01	4
5	.08	.09	.05	.22	—	.16	.06	—	.35	.23	.01	—	5
6	—	—	.14	—	—	.59	.05	.05	—	—	—	.08	6
7	.07	—	—	.25	—	.46	—	.27	.04	.33	—	.03	7
8	—	—	—	—	—	.45	.10	—	.16	.16	—	—	8
9	.08	—	—	.03	—	.01	—	—	.05	.11	—	—	9
10	.10	.29	—	—	.05	.23	—	—	.02	.72	.21	—	10
11	—	.30	—	.22	—	.02	—	.11	—	.14	.16	.23	11
12	.24	.27	—	.25	—	.20	—	.12	—	—	.15	.08	12
13	—	.02	—	.04	—	.35	—	.10	—	—	.05	—	13
14	.12	.14	—	—	—	.12	—	.06	.03	.40	.41	—	14
15	.09	.13	.08	—	.05	.15	—	.14	—	.03	.09	.09	15
16	—	.18	.18	—	—	—	—	—	—	.20	.40	.12	16
17	.06	—	—	—	.24	.01	—	—	—	—	—	—	17
18	.58	—	—	.12	.06	.15	—	—	.12	.17	.05	.11	18
19	—	—	.08	—	.15	.08	—	.09	—	.17	.48	.26	19
20	.15	—	.35	.02	.20	.03	—	.06	.08	—	.27	—	20
21	.82	—	.33	—	—	.09	—	.08	.17	.13	.12	.01	21
22	—	.04	.04	—	.02	—	.04	.38	—	—	.36	.12	22
23	.43	—	.08	.10	.03	—	.11	.01	.02	.16	.18	—	23
24	.05	—	.02	—	—	—	.02	.38	.40	.06	.24	.16	24
25	.31	—	—	—	—	.22	—	.18	—	.08	.12	.15	25
26	.15	—	.04	—	.07	.06	—	.45	—	.24	.38	.01	26
27	.05	—	—	—	.01	—	.01	.54	.08	.14	.22	.25	27
28	.27	—	.08	—	—	.23	—	—	.11	—	.05	.39	28
29	.46	.27	.15	—	—	.29	.08	.33	—	.15	.05	.10	29
30	.01	×	.20	.16	—	.01	.44	.07	—	.16	—	.28	30
31	.35	×	—	×	—	×	.43	—	×	.02	×	—	31
TOTAL	5.11	2.31	2.19	1.60	.88	3.91	1.70	3.44	1.63	3.95	4.05	2.48	YEAR'S TOTAL 33.25
Days with ".01 in. or more.	23	13	17	13	10	21	13	19	13	21	21	18	202
Days with ".04 in. or more.	22	12	16	11	7	16	11	17	10	19	20	14	175

REGISTER OF RAINFALL IN 1929 .

Kept at *The Gardens, Lunsan, Clive*
in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	—	—	·19	—	·12	—	·30	—	·05	1
2	—	·15	—	·06	—	·04	·01	·04	·03	·02	·14	·16	2
3	—	—	—	·04	·04	·08	·05	·60	·45	—	—	·15	3
4	—	·03	—	·26	·32	·13	·30	·08	·02	·04	·06	·39	4
5	·03	—	—	—	·44	·29	·35	·37	—	1·15	·18	·08	5
6	·05	—	—	—	·13	·27	·02	·25	—	·09	·08	·43	6
7	·05	—	—	—	·43	·01	—	—	—	·20	·20	·24	7
8	—	·20	—	·07	·01	·01	—	·04	—	·37	—	·58	8
9	·24	·12	—	—	—	—	·08	—	—	·05	·43	·40	9
10	·10	—	—	—	—	—	—	·01	—	·17	·04	·40	10
11	—	—	—	—	·29	—	—	—	—	—	1·11	·02	11
12	—	—	—	·06	·21	·50	·28	—	·38	—	·05	·03	12
13	·04	—	—	·01	·07	·05	—	·08	—	—	·09	·17	13
14	·04	—	—	—	·11	·15	—	—	·07	—	—	·07	14
15	·09	—	—	—	·02	·06	—	—	—	—	·28	—	15
16	—	—	—	—	—	·02	—	·11	—	·02	·01	—	16
17	·18	—	—	—	—	—	—	·11	—	—	—	—	17
18	·08	—	—	—	—	—	—	·02	—	—	·40	—	18
19	·01	—	—	—	—	—	—	—	·02	—	·22	·03	19
20	—	—	—	—	—	—	—	—	·13	·11	·06	·30	20
21	—	—	·42	—	—	·15	—	not taken { ·12 }	—	—	—	—	21
22	·02	—	—	—	—	·09	·44		—	—	·02	·02	22
23	·01	·10	—	—	·04	—	—	·08	—	·11	·40	·45	23
24	—	·01	·06	—	—	—	—	·23	—	·73	·30	·34	24
25	—	—	·05	·10	—	—	—	—	—	—	·13	·13	25
26	—	—	—	·12	·01	—	—	—	—	·04	·10	·06	26
27	·02	—	—	·16	·09	—	·08	—	—	·22	·19	·08	27
28	·35	—	—	·11	—	—	·19	·12	·16	·10	·76	·61	28
29	·05	—	—	—	—	—	—	·05	—	·11	·21	·31	29
30	·03	×	—	—	—	—	·10	—	·54	—	·15	·03	30
31	·20	×	—	×	—	×	·23	·13	×	—	×	—	31
TOTAL	1·59	·62	·53	·99	2·21	2·04	2·13	2·56	1·80	3·83	5·61	5·53	YEAR'S TOTAL 29·44
Days with ·01 in. or more.	18	7	3	10	14	15	12	18	9	17	24	25	172
Days with ·04 in. or more.	12	4	3	9	11	12	10	16	6	15	22	20	140

Kept at Lansaw
in the County of Shropshire
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground Two ft. Zero in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.29	—	.33	—	.03	—	.15	—	—	.78	—	I
2	—	.05	.02	.09	—	—	—	.22	—	—	.47	—	2
3	.25	.05	—	.34	—	—	.16	.16	—	.85	.04	—	3
4	.10	—	.08	.20	.03	—	—	.12	.04	.10	—	—	4
5	.16	—	.15	—	.60	—	—	.08	—	.12	—	—	5
6	—	—	.49	—	.04	—	—	.07	.27	.18	—	—	6
7	.20	—	.01	—	—	—	—	—	—	.26	.15	.15	7
8	.03	—	—	.14	—	—	—	.03	.35	.23	—	.07	8
9	.69	—	.23	.45	.61	.10	—	—	.04	.01	.02	—	9
10	.46	—	.18	.05	.20	.02	—	.23	—	—	—	.73	10
11	.05	—	.04	.02	.05	.09	—	.08	.14	.07	.05	.28	11
12	.31	—	.12	—	.18	—	—	.10	—	—	—	.19	12
13	.16	—	.39	.14	.01	—	.11	.10	.42	.01	—	.02	13
14	.72	.05	.19	.11	—	—	.30	.04	.02	—	—	.11	14
15	.01	.12	.45	—	—	—	.17	.07	—	.14	.18	.35	15
16	.01	—	.01	—	—	.01	.14	—	.17	.11	—	.23	16
17	.03	—	.02	.21	.08	—	.15	.10	.51	.14	—	—	17
18	—	—	.06	.05	.05	.43	.31	.02	.05	.01	.37	.03	18
19	—	—	.23	.19	—	.12	—	1	.78	.13	.19	—	19
20	—	—	.16	.01	—	.12	1.22	.42	.27	.02	.13	—	20
21	—	—	.32	—	—	.09	.13	.08	.01	.22	.13	—	21
22	.34	—	—	—	—	—	.23	.54	—	.26	.35	—	22
23	.02	—	—	.12	.06	.11	.12	.10	.05	.04	.15	.06	23
24	.34	—	—	.28	.10	.05	—	—	.05	.62	.20	—	24
25	—	.03	—	.28	—	.08	—	—	.40	.64	.12	.09	25
26	.92	.11	—	.35	.11	—	.03	—	—	.09	.05	.16	26
27	.04	—	.17	.01	—	—	.26	—	.07	.06	—	.12	27
28	.02	—	.04	—	—	—	.29	—	—	.02	.10	.31	28
29	—	—	—	—	—	—	.23	.09	—	.05	.03	.20	29
30	—	×	—	—	.10	.01	.16	.10	—	.17	—	.68	30
31	.35	×	.02	×	.19	×	—	—	×	.28	×	.16	31
TOTAL	5.31	.70	3.38	3.37	2.41	1.26	4.01	2.90	3.64	4.83	3.51	3.94	39.26
* Days with or in. or more.	22	7	21	19	15	13	16	22	18	26	18	18	215
* Days with .04 in. or more.	15	6	17	16	13	9	15	20	16	21	16	16	180

Kept at School House,
in the County of Shro

Diameter of Funnel of Gauge.
Height of top of Gauge above G
" Ground " 8

HADNALL SCH
SHROPSHIRE
1928
1929
1930

2167A
FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1928.
New record
~~1928~~
NALL SCHOOL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.05	.11	-	-	-	.12	.05	-	-	.10	-	1
2	.17	.18	.23	.03	-	-	.03	-	-	.7	-	.02	2
3	.04	.01	-	.11	-	-	.05	-	-	-	.02	-	3
4	.03	.18	-	.06	-	-	.14	-	-	.07	.05	.01	4
5	.05	.22	.05	.10	-	.17	.08	-	.42	.32	-	.01	5
6	.02	-	-	-	-	-	.06	.04	-	-	-	.08	6
7	.05	.01	-	.25	-	.58	-	.27	.02	-	-	.02	7
8	-	-	-	.02	-	.26	.08	-	.18	.14	-	.04	8
9	.05	.01	.02	.03	-	.05	-	-	-	.03	-	-	9
10	.07	.20	-	.02	.05	.27	-	-	.05	.55	.21	-	10
11	.01	.25	-	.16	-	-	-	.09	-	.29	.13	.17	11
12	.29	.10	-	.25	-	.17	-	.15	-	.02	.12	.07	12
13	.01	.21	-	.04	-	.32	-	.14	-	-	.11	-	13
14	.10	.14	-	-	-	.09	-	.08	-	.39	.23	.04	14
15	.10	.05	.03	-	.04	.14	-	.16	.02	.04	.02	.06	15
16	.01	.22	.21	-	-	-	-	-	-	.14	.43	-	16
17	.03	-	.03	-	.13	.02	-	-	-	.04	-	.07	17
18	.76	.01	-	.08	-	.10	-	-	.07	.14	.03	.20	18
19	-	-	.05	-	.20	.11	-	.07	-	.17	.48	.05	19
20	.15	-	.36	.02	.02	-	-	.90	.06	.04	.04	-	20
21	.82	-	.30	.02	.04	.09	-	.11	.60	.10	.30	.02	21
22	.02	.03	.04	-	-	-	.03	.36	-	.03	.18	.10	22
23	.37	-	.06	.07	.05	.01	.07	.03	.01	.11	.30	.01	23
24	.05	-	.02	-	-	-	.02	.32	.39	.20	.24	.08	24
25	.25	-	-	-	-	.23	-	.35	-	.05	.08	.14	25
26	.73	-	.02	-	.05	.10	-	.61	-	.22	.18	.02	26
27	.03	-	.03	-	-	-	.02	.52	.05	.17	.45	.23	27
28	.23	-	.03	-	-	.24	.03	-	.09	.18	-	.30	28
29	.47	.19	.16	-	-	.26	.04	.35	.02	.04	.05	.09	29
30	-	X	.14	.10	-	.02	-	.06	-	.08	.02	.25	30
31	.31	X	.05	X	-	X	-	.01	X	.02	X	-	31
TOTAL	5.45	2.15	1.94	1.36	.58	3.23	.77	4.67	1.98	3.57	3.86	2.08	31.58
Days with .01 in. or more.	28	17	19	16	8	19	13	20	13	25	22	23	223
Days with .04 in. or more.	20	12	12	10	7	16	8	18	9	21	18	16	167

Section



for the entry of

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at School House, Hadnall, N. Shrewsbury
in the County of Shropshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 3 ft. in.
" Ground " Sea Level 252 ft.

HADNALL SCHOOL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.05	.11	-	-	-	.12	.05	-	-	.10	-	1
2	.17	.18	.23	.03	-	-	.03	-	-	-	-	.02	2
3	.04	.01	-	.11	-	-	.05	-	-	-	.02	-	3
4	.03	.18	-	.06	-	-	.14	-	-	.07	.05	.01	4
5	.05	.22	.05	.10	-	.17	.08	-	.42	.32	-	.01	5
6	.02	-	-	-	-	-	.06	.04	-	-	-	.08	6
7	.05	.01	-	.25	-	.58	-	.27	.02	-	-	.02	7
8	-	-	-	.02	-	.26	.08	-	.18	.14	-	.04	8
9	.05	.01	.02	.03	-	.05	-	-	-	.03	-	-	9
10	.07	.29	-	.02	.05	.27	-	-	.05	.55	.21	-	10
11	.01	.25	-	.16	-	-	-	.09	-	.29	.13	.17	11
12	.24	.10	-	.25	-	.17	-	.15	-	.02	.12	.07	12
13	.01	.21	-	.04	-	.32	-	.14	-	-	.11	-	13
14	.10	.14	-	-	-	.09	-	.08	-	.39	.23	.04	14
15	.10	.05	.03	-	.04	.14	-	.16	.02	.04	.02	.06	15
16	.01	.22	.21	-	-	-	-	-	-	.14	.43	-	16
17	.03	-	.03	-	.13	.02	-	-	-	.04	-	.07	17
18	.76	.01	-	.08	-	.10	-	-	.07	.14	.03	.20	18
19	-	-	.05	-	.20	.11	-	.07	-	.17	.48	.05	19
20	.15	-	.36	.02	.02	-	-	.90	.06	.04	.04	-	20
21	.82	-	.30	.02	.04	.09	-	.11	.60	.10	.30	.02	21
22	.02	.03	.04	-	-	-	.03	.36	-	.03	.18	.10	22
23	.37	-	.06	.07	.05	.01	.07	.03	.01	.11	.30	.01	23
24	.05	-	.02	-	-	-	.02	.32	.39	.20	.24	.08	24
25	.25	-	-	-	-	.23	-	.35	-	.05	.08	.14	25
26	.73	-	.02	-	.05	.10	-	.61	-	.22	.18	.02	26
27	.03	-	.03	-	-	-	.02	.52	.05	.17	.45	.23	27
28	.23	-	.03	-	-	.24	.03	-	.09	.18	-	.30	28
29	.47	.19	.16	-	-	.26	.04	.35	.02	.04	.05	.09	29
30	-	X	.14	.10	-	.02	-	.06	-	.08	.02	.25	30
31	.31	X	.05	X	-	X	-	.01	X	.02	X	-	31
TOTAL	5.45	2.15	1.94	1.36	.58	3.23	.77	4.67	1.98	3.57	3.86	2.08	YEAR'S TOTAL 31.58
Days with '01 in. or more.	28	17	19	16	8	19	13	20	13	25	22	23	223
Days with '04 in. or more.	20	12	12	10	7	16	8	18	9	21	18	16	167

REGISTER OF RAINFALL IN 1929 .

Kept at School House, Hadnall,
in the County of Shropshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 3 ft. - in.
,, Ground ,, Sea Level 252 ft.

7 inches too low.
Letter to Home re leak
Consistent
on fault mechanical gauge.
Encl. FA No. 856590/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.01	-	-	-	.16	-	.06	-	.34	-	.19	I
2	-	.09	-	.05	.03	.03	-	.57	.02	.21	-	.06	2
3	-	-	-	.01	.02	.03	.02	-	-	-	-	.08	3
4	-	.01	-	-	-	.10	.16	.02	-	-	-	.27	4
5	.01	-	-	-	.21	.32	.16	.50	-	-	.17	-	5
6	-	-	-	.01	.03	-	.34	.37	-	.04	.04	.10	6
7	.03	-	-	-	.09	-	-	.05	-	.14	.10	.40	7
8	.06	.15	-	-	.01	.01	-	-	-	.22	-	.44	8
9	.19	.05	-	-	.35	-	-	.30	-	-	.29	.28	9
10	.04	-	-	-	.46	-	.04	-	-	.09	.03	.25	10
11	-	-	-	-	.28	-	-	.10	-	-	.70	.01	11
12	-	-	-	-	.09	.34	.34	-	.25	-	-	.02	12
13	.02	-	-	-	.01	.02	-	-	-	-	.03	-	13
14	.05	-	-	-	.12	.14	-	-	-	-	-	-	14
15	.06	-	-	-	-	-	-	.16	-	-	-	-	15
16	-	-	-	-	-	.02	-	-	-	-	-	-	16
17	-	-	-	-	-	-	-	.08	-	-	-	-	17
18	.20	-	-	-	-	-	-	.02	-	-	.19	-	18
19	-	-	-	-	-	-	-	-	-	-	.15	-	19
20	-	-	-	-	-	-	-	-	-	.09	.05	-	20
21	-	-	.24	-	-	-	-	.02	-	-	-	.21	21
22	.02	-	.01	-	-	.12	.08	.05	-	-	.02	-	22
23	-	.03	-	-	.01	-	.16	-	-	.04	.22	.36	23
24	-	.01	.05	-	-	-	-	.17	-	.69	.19	.17	24
25	-	-	-	-	-	-	-	-	-	-	.10	.28	25
26	-	.14	-	.06	-	-	-	-	-	.07	.12	.03	26
27	.02	.02	.02	.07	.03	-	-	.02	-	.16	.43	-	27
28	.16	-	.01	.10	-	-	-	.02	-	.06	-	.32	28
29	.02	-	-	.06	-	-	-	.02	.15	.05	-	.17	29
30	.01	X	-	-	-	-	.04	.02	.30	-	-	.01	30
31	.09	X	-	X	-	X	.20	.12	X	-	X	-	31
TOTAL	.98	.51	.33	.36	1.74	1.29	1.54	2.67	.42	2.20	2.83	3.65	18.52
Days with .01 in. or more.	15	9	5	7	14	11	10	19	3	13	16	19	141
Days with .04 in. or more.	8	4	2	5	7	6	9	12	2	13	13	15	96
YEAR'S TOTAL													18.52

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at **HARDWICKE HAONALL**
in the County of **SHROPSHIRE**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. in.
Ground Sea Level **273** ft.

906 sent by post on 28 for Dec 15/30
18 for Dec 12
18 for Dec 13
28
12/5/31
OK
1929
WD until Nov. Dec is OK.
Sept 2-1" high
228
228
228

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02	.38				.24					.40		I
2	.07	.23		.31				.12			1.02		2
3		.05		.02				.31			.09		3
4	.23	.03	.20				.13	.06	.04	.95			4
5	.10		.04	.16				.20		.04			5
6	.15		.22		.60			.26	.15	.11			6
7		.02	.45		.02			.06	.10	.26		.04	7
8	.22		.25							.22			8
9	.04			.23	.12				.73	.31		.10	9
10	.68		.17	.40	.73	.03		.23			.03		10
II	.40				.18	.06						.22	II
12	.04		.02	.02	.03			.03	.13			.18	12
13	.25		.08	.05	.43			.12	.05			.03	13
14	.08		.40	.12	.07			.08	.35			.09	14
15	.72		.75				.42	.01	.03		.07	.35	15
16		.15	.25	.02	.01		.13		.23		.28	.23	16
17			.02				.10		.09	.11	.28		17
18	.02		.02	.22	.06				.61			.03	18
19				.17		.54	.51		.25	.04	.71		19
20			.30	.17		.10	.18	.03	.30	.21	.17		20
21			.20			.07	1.39	.09	.61	.01			21
22						.08	.09	.43		.08	.34		22
23	.32					.02	.21	.53		.42	.38	.06	23
24	.02			.11	.05	.04	.13		.07	.19	.29		24
25	.36			.12	.04	.04			.04	.65	.37	.09	25
26				.45	.01				.41	.29	.43	.16	26
27	.94	.10		.35	.09		.03		.02	.63		.12	27
28			.13	.05			.05			.03		.31	28
29			.02			.03	.62	.09			.18	.20	29
30		X					.22	.10		.03		.68	30
31	.38	X		X	.09	X	.12		X	.04	X	.16	31
TOTAL	4.66	.96	3.52	2.97	2.24	1.28	4.33	2.73	4.21	4.40	4.26	3.75	YEAR'S TOTAL
*Days with or in. or more.	18	76	17	17	167	110	15	17	18	1920	1413	17	185
*Days with or in. or more.	1816	84	13	14	1213	87	14	15	16	1617	1312	1615	156

Section **A** for the entry of Daily

FORM 1090.

METEOROLOGICAL

Register

Kept at Donnington Wood
in the County of Sal

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

" Ground " Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

LILLESHELL
DONNINGTON WOOD SCH.
SHROPSHIRE.
1925-1927

FOR OFFICIAL USE.

ANIZATION.

Excessive no. of days
(to be entered as 01)
not to read the instructions
in this form.

should fill in section C

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	—	.05	.02	.10	—	—	—	—	—	—	.18	1
2	.25	.11	.03	.12	—	—	—	—	.22	—	—	.01	2
3	.35	.01	.41	—	—	—	—	.09	.04	.01	.12	.03	3
4	.15	.02	—	.03	—	—	—	.06	.05	—	.11	.03	4
5	—	—	—	—	.12	—	.28	—	.03	.03	.08	—	5
6	.30	—	—	.07	.20	—	—	—	—	.02	.04	—	6
7	—	.17	—	.34	.04	—	—	—	.38	.01	.29	—	7
8	—	.08	—	—	.11	—	.61	—	.02	—	—	.02	8
9	—	.03	.06	.02	.45	—	.01	—	.01	—	—	.03	9
10	.03	—	.20	—	.07	—	.01	.03	.25	—	.52	.18	10
11	—	.08	.02	.04	.11	—	.03	.05	.37	—	.11	.02	11
12	—	.01	.03	—	—	—	—	.45	.02	—	.40	.03	12
13	—	<u>1.26</u>	—	—	.04	—	—	—	.04	.01	.03	—	13
14	—	.23	—	.04	.01	—	—	—	.01	.10	.03	—	14
15	—	—	—	.03	.01	.01	—	—	.01	.03	—	.04	15
16	.34	—	.02	.09	—	—	—	—	—	—	—	—	16
17	—	.02	.07	.25	—	—	—	—	.55	.12	—	.03	17
18	—	.05	.02	.05	—	—	—	—	.08	—	—	.02	18
19	—	.21	—	—	.03	—	—	—	.01	—	—	.01	19
20	—	.24	—	—	.17	—	.01	—	.01	—	—	—	20
21	.01	.02	—	.02	.20	—	.01	—	.86	.73	—	.28	21
22	—	.04	—	—	.02	—	.13	.14	.12	.25	—	.38	22
23	—	.03	.05	—	—	—	.21	—	.19	.08	—	—	23
24	—	.22	.01	.85	—	—	1.12	—	.36	.28	—	.38	24
25	—	.03	—	.11	.09	—	.01	—	.13	—	—	.12	25
26	—	.26	.20	.17	—	—	—	—	.01	—	—	—	26
27	—	.32	.09	.05	.09	—	.18	—	.16	.05	—	—	27
28	—	.08	—	.02	.02	—	.22	—	.19	.45	—	—	28
29	.08	X	—	—	.07	—	.28	—	.15	.11	—	—	29
30	.04	X	—	.04	.32	—	.05	.02	.01	—	—	.09	30
31	.06	X	—	X	.10	X	.33	.12	X	—	X	.06	31
TOTAL	1.98	3.50	1.26	2.36	2.37	.01	3.49	.96	4.28	2.28	1.73	1.94	YEARS TOTAL 26.09
Days with .01 in. or more.	11	22	14	19	21	1	16	8	27	15	10	19	183
Days with .04 in. or more.	9	14	8	13	16	0	10	6	17	9	8	9	119

(Signed) Walter Perry. P.T.O.

Section

A

for the entry of Daily

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Donnington Wood Boys School
in the County of Salop.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 300 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	—	.05	.02	.10	—	—	—	—	—	—	.18	1
2	.25	.11	.03	.12	—	—	—	—	.22	—	—	.01	2
3	.35	.01	.41	—	—	—	—	.09	.04	.01	.12	.03	3
4	.15	.02	—	.03	—	—	—	.06	.05	—	.11	.03	4
5	—	—	—	—	.12	—	.28	—	.03	.03	.08	—	5
6	.30	—	—	.07	.20	—	—	—	—	.02	.04	—	6
7	—	.17	—	.34	.04	—	—	—	.38	.01	.29	—	7
8	—	.08	—	—	.11	—	.61	—	.02	—	—	.02	8
9	—	.03	.06	.02	.45	—	.01	—	.01	—	—	.03	9
10	.03	—	.20	—	.07	—	.01	.03	.25	—	.52	.18	10
11	—	.08	.02	.04	.11	—	.03	.05	.37	—	.11	.02	11
12	—	.01	.03	—	—	—	—	.45	.02	—	.40	.03	12
13	—	1.26	—	—	.04	—	—	—	.04	.01	.03	—	13
14	—	.23	—	.04	.01	—	—	—	.01	.10	.03	—	14
15	—	—	—	.03	.01	.01	—	—	.01	.03	—	.04	15
16	.34	—	.02	.09	—	—	—	—	—	—	—	—	16
17	—	.02	.07	.25	—	—	—	—	.55	.12	—	.03	17
18	—	.05	.02	.05	—	—	—	—	.08	—	—	.02	18
19	—	.21	—	—	.03	—	—	—	.01	—	—	.01	19
20	—	.24	—	—	.17	—	.01	—	.01	—	—	—	20
21	.01	.02	—	.02	.20	—	.01	—	.86	.73	—	.28	21
22	—	.04	—	—	.02	—	.13	.14	.12	.25	—	.38	22
23	—	.03	.05	—	—	—	.21	—	.19	.08	—	—	23
24	—	.22	.01	.85	—	—	1.12	—	.36	.28	—	.38	24
25	—	.03	—	.11	.09	—	.01	—	.13	—	—	.12	25
26	—	.26	.20	.17	—	—	—	—	.01	—	—	—	26
27	—	.32	.09	.05	.09	—	.18	—	.16	.05	—	—	27
28	—	.08	—	.02	.02	—	.22	—	.19	.45	—	—	28
29	.08	X	—	—	.07	—	.28	—	.15	.11	—	—	29
30	.04	X	—	.04	.32	—	.05	.02	.01	—	—	.09	30
31	.06	X	—	X	.10	X	.33	.12	X	—	X	.06	31
TOTAL	1.98	3.50	1.26	2.36	2.37	.01	3.49	.96	4.28	2.28	1.73	1.94	26.09
Days with ".01 in. or more.	11	22	14	19	21	1	16	8	27	15	10	19	183
Days with ".04 in. or more.	9	14	8	13	16	0	10	6	17	9	8	9	119

(Signed) Walter Perry. [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

2124

Kept at Dormington Wood Boys' School
in the County of Salop

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....6 in.
" Ground " Sea Level.....300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.03	.03	—	.12	.14	—	—	.71	.06	0	—	1
2	.12	.25	—	—	.08	.01	—	—	.02	.03	—	—	2
3	.06	.13	—	—	.28	.14	—	—	.38	—	1.05	—	3
4	.04	.09	.01	—	—	.02	—	—	.09	—	.05	—	4
5	.02	.08	.18	—	—	—	—	—	.09	.01	.03	—	5
6	.04	.02	.14	—	—	—	.07	—	—	—	.13	.05	6
7	.08	.12	—	—	.52	.24	.25	—	.04	—	.04	.19	7
8	.27	.32	—	—	.06	—	.08	—	.08	.07	.12	.02	8
9	.02	.6	.02	.12	.29	.21	.01	.07	.1	.02	.54	.01	9
10	—	.01	.18	.16	.02	.08	.05	.12	—	.35	.56	.01	10
11	.02	—	.03	—	.04	—	.03	.1	—	.12	.34	—	11
12	—	—	.02	—	.20	—	—	.18	—	.11	.36	—	12
13	—	—	.01	—	.09	—	—	.06	—	.03	.01	—	13
14	—	.02	—	—	.17	.18	—	.07	.03	.38	.12	.02	14
15	.04	.14	—	—	.18	.03	—	—	—	.12	.18	.05	15
16	.12	.10	—	.20	.65	.03	—	—	.03	.03	.22	.11	16
17	.24	.03	—	.05	.28	.04	—	—	—	.08	.25	—	17
18	.19	.12	—	.29	.01	—	—	—	—	—	.65	—	18
19	.26	—	—	.02	—	—	—	—	—	—	.37	.01	19
20	.02	—	—	.05	.02	—	.39	.02	—	—	.03	.02	20
21	.19	—	—	.04	—	—	.11	.04	—	—	.42	.04	21
22	—	—	—	.08	—	—	.18	—	—	.03	.32	.01	22
23	.09	—	.01	.04	—	—	.19	—	—	—	.06	.02	23
24	.06	.11	—	.06	—	—	.18	—	—	—	.03	—	24
25	.28	.04	.10	—	—	—	—	—	.04	—	—	—	25
26	.40	.01	—	—	.03	.07	.03	—	.21	.56	—	—	26
27	.07	—	.03	.18	—	—	—	.01	.25	.11	.03	.01	27
28	.01	—	—	.04	.21	—	—	—	.19	.02	—	—	28
29	.18	—	.01	.06	.07	—	—	—	.08	—	—	—	29
30	.18	X	.01	.03	.15	—	.28	—	.04	.25	.04	.02	30
31	.06	X	—	X	.04	X	—	—	X	0	X	—	31
TOTAL	3.14	2.22	.78	1.42	3.51	1.19	1.85	.67	2.38	2.38	5.95	.59	26.08
Days with 0.1 in. or more.	26	18	14	15	21	12	13	9	16	18	24	15	201
Days with 0.4 in. or more.	21	12	4	13	17	8	10	7	13	11	19	5	140
													YEARS TOTAL

Please read the Notes and Instructions Overleaf.

(Signed)

W. H. H. H.

[P.T.O.]

Kept at Downington Lane School
in the County of Leeds
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

Particulars as before

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.13	-	-	-	.09	.81	.01	.12	.16	-	1
2	-	.02	.11	.18	.03	-	.01	.02	-	.01	.01	-	2
3	.24	.01	.04	.01	.02	.09	.04	-	-	.01	-	-	3
4	.12	.03	.09	.11	.18	.08	.09	-	-	.01	.02	-	4
5	.01	-	.12	.27	-	.31	.10	-	-	-	.07	-	5
6	-	.04	.03	.02	-	.14	.02	.03	.28	-	.90	-	6
7	.02	.10	.07	.09	-	.24	-	.22	.01	-	.01	-	7
8	-	.01	.08	.61	-	.03	.01	.35	.03	.01	-	-	8
9	-	-	-	.04	-	-	-	.33	-	.01	.06	.04	9
10	.02	-	-	.02	-	.08	.13	.81	.03	.01	-	.01	10
11	-	-	.09	.09	-	-	.50	.32	.01	-	.02	-	11
12	.22	-	.05	-	.16	-	.01	.23	.02	-	-	.03	12
13	.01	-	.08	.01	.03	.03	-	.09	.17	.07	.11	.03	13
14	.02	.02	-	.01	.09	-	-	.03	.88	-	.04	.34	14
15	-	-	-	-	.43	-	.08	.09	.34	.01	.04	-	15
16	.03	.03	-	-	.09	.52	.01	-	.21	.01	.01	-	16
17	-	-	-	-	.01	.10	-	.93	.06	-	-	-	17
18	-	-	-	-	-	.51	-	.57	.04	.03	1.05	-	18
19	-	.01	-	-	-	.04	-	.25	.02	.02	.19	-	19
20	.28	.71	-	-	.15	.14	.10	.26	.04	-	.18	.35	20
21	.02	.13	-	-	.14	.01	.13	.27	.15	.58	.16	.48	21
22	-	.11	.21	.08	.01	.21	.09	.04	.12	.85	.20	.02	22
23	.25	.02	.10	-	-	.30	-	.07	.12	.02	.28	.05	23
24	.22	.02	.41	.06	-	.08	.11	-	.21	.11	.01	.03	24
25	.23	.12	.18	.05	-	.15	.01	.03	.02	.33	.01	.01	25
26	.20	.32	.09	-	.03	.08	.27	.02	.04	.12	.01	.01	26
27	.33	.22	.05	-	-	.15	.11	.03	.01	.11	.02	-	27
28	.18	.18	.18	-	-	.01	.01	.03	.03	.02	.38	-	28
29	.08	-	.15	-	-	.19	.04	.01	.27	.03	.01	-	29
30	.61	X	.01	-	-	.43	.01	.11	.05	.02	.02	-	30
31	.02	X	.54	X	.05	X	-	.17	X	.01	X	-	31
TOTAL	3.11	2.10	2.81	1.65	1.42	3.92	1.97	6.04	3.17	2.52	3.97	1.40	YEARS TOTAL 34.08
Days with ".01 in. or more.	20	18	21	15	14	23	22	26	25	23	25	12	244
Days with ".04 in. or more.	12	9	19	10	8	19	14	17	15	8	14	5	150

Kept at LUDLOW, Spring
in the County of Shrop
by Alfred A. Barnes

LUDLOW
SPRING FIELD
SHROPSHIRE
1921-1930

1996
JAN 1922
IZATION.

42° 39' W
G.M.T.
LOW
ge 5 in.
ound 1 ft. in.
Level 302 ft.
to the previous day.
to add
end of
gauges,
ervers,"
lamden
burgh.

Jan. 1, following.

IMPORTANT NOTE.—Rain

If an Observer prefers not to continue the reading at 9 a.m. on 1st January, this paragraph. Full instructions for and particulars as to the British sent post-free on application to Square, London, N.W. 1, or to THE

Records

Date	Jan.	Feb.	March	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	—	.07	—	—	—	—	.27	.12	—	.07	.05	1
2	.01	—	—	—	.01	—	—	.26	.01	.06	.25	—	2
3	.01	—	.05	—	.11	.09	—	—	—	.62	.18	—	3
4	.26	—	.01	—	—	.07	—	.26	—	—	.02	—	4
5	—	—	.04	—	.01	—	—	.52	—	—	.29	.01	5
6	.01	—	.07	—	.15	—	—	—	—	—	.07	—	6
7	.11	—	.01	—	.04	—	—	.36	—	—	.38	—	7
8	.01	—	.01	—	.06	—	—	—	—	—	—	—	8
9	—	—	.03	.29	.02	—	—	.06	.01	—	—	—	9
10	.13	—	—	—	—	—	—	.36	—	—	—	.06	10
11	.29	—	—	—	.10	—	—	.11	.30	—	—	—	11
12	.46	.01	.06	—	.01	—	—	.27	.30	—	—	.10	12
13	.17	—	.42	.04	—	—	—	.06	.08	.08	.10	—	13
14	—	—	.43	.35	.10	—	.04	.09	.05	—	.02	.28	14
15	—	—	.04	.05	—	—	.15	—	—	—	.05	—	15
16	.03	—	.16	.19	—	—	—	—	—	—	.33	—	16
17	.11	—	.07	.03	—	—	—	.02	—	—	—	—	17
18	.18	—	.04	.10	—	—	—	—	—	.11	—	—	18
19	—	—	.08	—	—	—	—	—	—	.37	—	.02	19
20	—	—	.01	—	—	.01	—	—	—	—	.02	.01	20
21	—	—	—	.12	—	—	—	.23	—	.04	.08	.10	21
22	—	—	—	.05	—	—	.01	.01	—	.42	.04	.15	22
23	—	—	—	.15	—	—	.01	—	—	.28	—	.04	23
24	—	.10	—	.05	—	—	—	—	—	—	—	.20	24
25	.03	.30	.01	—	—	—	.38	—	—	—	—	—	25
26	.01	—	.12	—	—	.13	—	—	—	—	—	.19	26
27	.01	—	.02	—	—	.08	—	—	—	—	.03	.30	27
28	—	—	.06	—	.01	—	.03	.42	—	—	.01	.05	28
29	.19	X	.08	—	.23	—	—	—	—	—	—	.07	29
30	.29	X	—	—	.13	—	—	—	—	—	.25	.22	30
31	.12	X	—	X	—	X	—	.14	X	—	X	—	31
TOTAL	2.76	0.41	1.89	1.42	0.98	0.38	0.62	3.44	0.87	1.98	2.19	1.85	YEAR'S TOTAL 18.79
Days with ".01 in. or more	20	3	22	11	13	5	6	16	7	8	17	16	144
Days with ".04 in. or more	12	2	15	10	8	4	3	14	5	8	12	13	106

REGISTER OF RAINFALL IN 192

IZATION.

Kept at LUDLOW, Spring Field (Daily)

in the County of Shropshire

by alfred A. Barnes CE. F.R. Met. Soc.

Lat. 52° 22' 2" Long. 2° 42' 39" W

Time of Observation 9 am GMT.

Nearest Railway Station LUDLOW

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 302 in.

Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	—	.07	—	—	—	—	.27	.12	—	.07	.05	1
2	.01	—	—	—	.01	—	—	.26	.01	.06	.25	—	2
3	.01	—	.05	—	.11	.09	—	—	—	.62	.18	—	3
4	.26	—	.01	—	—	.07	—	.26	—	—	.02	—	4
5	—	—	.04	—	.01	—	—	.52	—	—	.29	.01	5
6	.01	—	.07	—	.15	—	—	—	—	—	.07	—	6
7	.11	—	.01	—	.04	—	—	.36	—	—	.38	—	7
8	.01	—	.01	—	.06	—	—	—	—	—	—	—	8
9	—	—	.03	.29	.02	—	—	.06	.01	—	—	—	9
10	.13	—	—	—	—	—	—	.36	—	—	—	.06	10
11	.29	—	—	—	.10	—	—	.11	.30	—	—	—	11
12	.46	.01	.06	—	.01	—	—	.27	.30	—	—	.10	12
13	.17	—	.42	.04	—	—	—	.06	.08	.08	.10	—	13
14	—	—	.43	.35	.10	—	.04	.09	.05	—	.02	.28	14
15	—	—	.04	.05	—	—	.15	—	—	—	.05	—	15
16	.03	—	.16	.19	—	—	—	—	—	—	.33	—	16
17	.11	—	.07	.03	—	—	—	.02	—	—	—	—	17
18	.18	—	.04	.10	—	—	—	—	—	.11	—	—	18
19	—	—	.08	—	—	—	—	—	—	.37	—	.02	19
20	—	—	.01	—	—	.01	—	—	—	—	.02	.01	20
21	—	—	—	.12	—	—	—	.23	—	.04	.08	.10	21
22	—	—	—	.05	—	—	.01	.01	—	.42	.04	.15	22
23	—	—	—	.15	—	—	.01	—	—	.28	—	.04	23
24	—	.10	—	.05	—	—	—	—	—	—	—	.20	24
25	.03	.30	.01	—	—	—	.38	—	—	—	—	—	25
26	.01	—	.12	—	—	.13	—	—	—	—	—	.19	26
27	.01	—	.02	—	—	.08	—	—	—	—	.03	.30	27
28	—	—	.06	—	.01	—	.03	.42	—	—	.01	.05	28
29	.19	X	.08	—	.23	—	—	—	—	—	—	.07	29
30	.29	X	—	—	.13	—	—	—	—	—	.25	.22	30
31	.12	X	—	X	—	X	—	.14	X	—	X	—	31
TOTAL	2.76	0.41	1.89	1.42	0.98	0.38	0.62	3.44	0.87	1.98	2.19	1.85	YEAR'S TOTAL 18.79
Days with ".01 in. or more	20	3	22	11	13	5	6	16	7	8	17	16	144
Days with ".01 in. or more	12	2	15	10	8	4	3	14	5	8	12	13	106

REGISTER OF RAINFALL IN 1922.

Kept at LUDLOW, Spring Field (Daily)in the County of Shropshireby Alfred A. Barnes C.E. F.R. Met. Soc.Lat. 52° 22' 2" Long. 2° 42' 39" WTime of Observation 9 a.m. G.M.T.Nearest Railway Station LUDLOWDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.20	.30	—	.01	—	.42	—	.13	—	.20	—	1
2	.08	.34	.01	—	.01	—	.27	.08	—	—	.02	.01	2
3	.19	.09	.38	.16	.09	—	.18	.08	—	—	.13	—	3
4	.01	.36	.09	.13	.31	—	.18	—	.01	.04	—	—	4
5	.15	—	.26	.19	—	—	.95	—	—	.49	.56	—	5
6	.17	—	.31	—	—	—	.01	.16	—	—	.20	—	6
7	.06	—	.47	.08	—	—	.19	.13	—	—	.01	.02	7
8	.04	—	.29	—	—	—	.19	.08	—	—	.01	.08	8
9	.03	—	—	—	—	.01	—	.07	—	.02	.01	—	9
10	—	—	—	—	.01	—	—	.02	—	—	.15	—	10
11	.01	—	—	—	.04	—	—	.02	.03	—	—	—	11
12	—	—	—	.18	—	.20	.06	.30	.65	—	—	.02	12
13	.28	—	—	.29	—	.03	.14	—	—	—	—	—	13
14	.03	.06	.01	.08	—	—	.11	—	.18	—	—	.29	14
15	.56	.05	—	.06	—	—	—	—	.05	—	—	.24	15
16	.08	.07	—	.03	.10	—	.05	.39	.03	—	—	.02	16
17	—	.44	—	—	.01	—	.20	—	.01	—	—	.15	17
18	.28	.05	—	—	.01	—	—	—	.08	—	—	.11	18
19	.02	.04	.22	—	—	—	—	—	.16	.08	.01	1.57	19
20	.04	.10	—	—	—	—	.05	—	—	.01	—	.27	20
21	.10	.40	.01	.04	—	—	.15	.01	—	—	—	.34	21
22	—	.17	—	—	.12	.18	.11	.03	—	—	—	.19	22
23	—	.02	—	.11	—	—	.16	—	.12	—	—	—	23
24	.07	.02	.16	.06	—	.21	—	.28	—	—	—	.04	24
25	.18	.03	.06	.51	—	.05	—	—	.24	—	—	.05	25
26	.15	.37	.04	.26	—	.01	.04	—	.07	.01	.01	.03	26
27	.25	.40	.13	.01	—	—	—	.08	.08	—	.03	.30	27
28	.48	.60	.03	.03	—	.04	—	.16	.10	—	—	.09	28
29	—	~~—~~	—	—	—	.05	—	—	—	—	—	.29	29
30	.26	~~—~~	.21	.11	—	.06	—	.13	.27	—	.08	.02	30
31	.27	~~—~~	.01	~~—~~	—	~~—~~	.05	.17	~~—~~	.26	~~—~~	.01	31
TOTAL	3.83	3.81	2.99	2.33	0.71	0.84	3.51	2.19	2.21	0.91	1.42	4.14	28.89
Days with .01 in. or more	25	19	18	17	10	10	19	17	16	7	13	21	192
Days with .04 in. or more	20	16	13	14	5	7	18	13	12	4	6	14	142

REGISTER OF RAINFALL IN 1923.

Kept at LUDLOW: Springfield (Daily)in the County of Shropshireby Alfred A. Barnes, C.E. F.R.Met.Soc.Lat. 52° 21' 2" Long. 2° 42' 39" WTime of Observation 9 a.m. G.M.T.Nearest Railway Station LUDLOWDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in." " " " Sea Level 302 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	.22	—	—	—	.01	.01	—	.01	—	.65	1
2	.20	—	.02	.02	.07	—	—	.02	—	.10	—	—	2
3	.04	—	.05	—	—	.01	—	—	.06	.38	.02	.12	3
4	—	—	—	.09	—	—	—	—	—	.03	.06	.03	4
5	.28	—	.05	.28	.24	—	—	—	—	.02	.04	.01	5
6	.37	.38	.14	.27	—	.01	—	—	—	.02	—	—	6
7	—	.62	.04	.10	—	—	.07	—	—	.09	—	.19	7
8	.08	.12	.01	—	—	.01	—	—	—	.22	.20	—	8
9	.15	.30	—	—	.07	.03	.12	.03	—	—	.16	—	9
10	.01	.25	—	.27	.04	—	.05	—	—	.38	—	.02	10
11	.01	—	—	.32	.09	—	—	—	—	.15	—	—	11
12	—	.35	.03	.30	.04	.01	.01	—	—	.35	.01	.04	12
13	.01	.31	—	.17	.05	—	.13	—	.07	.04	.69	.02	13
14	—	—	—	.16	.10	—	.01	.01	.06	—	.01	—	14
15	—	.09	.04	.11	.11	.14	.02	—	—	—	.35	—	15
16	.04	.14	—	.02	.11	—	—	.10	.07	—	.25	.01	16
17	.03	.42	—	—	.03	.01	.04	.04	.54	.05	—	—	17
18	—	.37	—	—	.02	—	.01	.11	.01	.14	.01	—	18
19	.03	.06	—	—	—	—	.18	.05	.11	—	—	.07	19
20	—	.13	.01	—	—	—	—	.03	.19	.18	.02	.04	20
21	.01	.14	—	—	—	.01	—	.09	.01	.09	—	.12	21
22	.04	.21	.08	—	.03	—	—	.01	.07	.19	.01	.07	22
23	—	.08	.13	.02	.02	—	.19	.35	.11	.18	—	.02	23
24	—	.17	—	.11	.04	—	.10	—	.26	.05	—	—	24
25	—	.51	—	.03	.01	.05	.14	.30	.05	.16	—	.33	25
26	.02	.49	.04	.01	—	—	—	—	—	.75	—	.22	26
27	—	.22	.21	—	.19	—	.36	.32	—	.40	—	.12	27
28	—	.10	.07	.10	.01	—	.18	.10	—	—	.04	—	28
29	—	X	.07	.02	.01	—	.01	.60	—	.11	—	.08	29
30	—	X	.02	.04	—	—	.41	—	—	.14	.03	.14	30
31	—	X	—	X	—	X	.83	.07	X	—	X	.35	31
TOTAL	1.38	5.47	1.23	2.44	1.28	0.28	2.87	2.24	1.61	4.23	1.90	2.65	YEAR'S TOTAL
Days with 01 in. or more	16	22	17	19	19	9	19	17	13	24	15	20	27.58
Days with 04 in. or more	9	21	12	13	12	2	13	11	11	20	8	14	210

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at LUDLOW: Spring Field (Daily)

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 302 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70	-	.11	-	.01	.11	-		.04		.15		1
2	.06	.02	-	.04	-	-	.21	.11	.01		.54		2
3	.35	.03	-	-	.07	-	.02		.01		.09		3
4	.03	-	-	.04	.31	-	-		.01		.15	.43	4
5	-	.18	-	.63		-	-	.05	.18	.01	.01		5
6	-	.12	.02	.04	.15	-	.23	-	-		.61		6
7	-	.09	.04	-	.31	-	-	.21	.15		.16		7
8	.05	.01	.14	-	.29	-	.01	.52			-		8
9	-	.12	.03		.11	-	-	-	.18		.05	-	9
10	-	.06	.03		-	-	-	.76	-		-	.01	10
11	-	.89	-	.38	.02	-	-	.03	.01		-	-	11
12	-	.23	-		-	-	-	.14	-	.09	-	-	12
13	.05	.02	.01		-	-	-	-	-		-	.05	13
14	.45	-	.01		-	-	-	-	-		-	-	14
15	-	-	-	.15	.1	-	-	-	.59	.35	-	-	15
16	.04	.02	-	-	-	-	-	-			-	-	16
17	-	-	-	.02	.02	-	-	-	.06		-	.03	17
18	-	.09	-	.25	.10	-	-	.02	.02	.93	-		18
19	-	.04	-	.02	.01	-	-	-	.83		-	.53	19
20	-	-	.03	-	-	-	.29	.23	.31	.34	-		20
21	-	.20	-	-	-	-	.24	.18	.26	.79	-		21
22	-	.09	-	.12	-	-	.68	.11	.82		-		22
23	.05	.02	-	.02	.63	-	-	.03	.06	.09	-		23
24	-	.28	-	.02	.06	-	-	-	.18	.14	.03		24
25	.01	.47	.11	.04	-	-	.28	-			-	1.62	25
26	.01	.18	.03	.05	.33	-	.38	.11	.01	.77	-		26
27	.01	.02	-	.02	.16	-	.10	-		.06	-		27
28	.10	.22	-	.01	.05	-	-	.02	-	.25	-		28
29	.34	-	-	.15	.40	-	-	-	-	-	.25		29
30	.02	X	.02	.19	.12	-	.01	-	-	.03	-	.24	30
31	.15	X	.16	X		X	-	-	X	.04	X	-	31
TOTAL	2.42	3.40	0.74	2.19	3.15	0.11	2.45	2.52	3.73	3.89	2.04	2.91	29.55
Days with .01 in. or more.	16	22	13	18	18	11	11	14	18	15	10	7	161
Days with .04 in. or more.	11	15	5	10	14	1	8	10	10	11	8	5	112

June 2 to July 1 = 30 Days of Drought. (Signed) Alfred A. Barnes C.F. [P.T.O.]

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at LUDLOW; Springfield (Daily)in the County of Shropshireby Alfred A. Barnes C.E.; F.R.Met.Soc.Lat. 52° 22' 2" N Long. 2° 42' 39" WTime of Observation 9 a.m. G.M.T.Nearest Railway Station LUDLOWDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. - in." " " " Sea Level 302 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.09	—	.04	.55	.08	.24	—	—	.30	.01	1 <u>RHR</u>
2	.01	—	.08	—	.21	.01	.02	—	—	.07	.01	.05	2 <u>W</u>
3	.02	—	.06	—	.06	—	.43	.36	—	—	—	—	3
4	—	—	—	—	—	.28	.11	—	—	—	—	.41	4
5	—	.04	<u>.44</u>	—	.12	—	.07	—	—	.17	—	.05	5
6	—	—	—	—	.15	.05	.03	.12	.28	.05	—	—	6
7	.04	—	—	—	.12	.08	—	—	.56	.71	—	—	7
8	.12	—	—	—	.02	—	—	—	.32	—	—	—	8
9	.13	<u>.07</u>	—	.19	.03	.19	—	—	.02	.11	—	—	9
10	.03	.01	—	.17	.48	.17	—	—	.01	.36	—	—	10
11	<u>1.11</u>	—	—	.28	.17	.04	—	—	.05	—	.50	—	11
12	.23	—	—	.23	.04	.19	—	.05	.10	—	—	—	12
13	.08	—	—	<u>.62</u>	.04	—	.12	—	.26	—	.02	.19	13
14	—	—	—	.09	—	—	—	.06	—	—	.01	.08	14
15	—	.06	—	—	—	—	.06	.07	.14	—	—	.15	15
16	.30	—	—	—	—	—	.01	<u>.60</u>	.16	—	—	—	16
17	.09	.05	—	—	—	<u>1.05</u>	.58	.15	.07	—	—	—	17
18	.18	.03	—	—	.20	—	—	.01	—	.33	—	—	18
19	.09	—	—	—	.35	.35	.03	.06	.19	.10	—	—	19
20	.16	—	—	—	.19	.05	<u>.79</u>	.05	.30	.22	—	—	20
21	.31	—	.01	—	.17	.04	.50	.17	.11	.46	—	—	21
22	.33	—	.31	—	.03	—	—	.12	.29	—	—	.34	22
23	.05	—	.11	.16	.01	—	.03	.10	.22	—	—	.70	23
24	.10	.03	—	.19	.21	—	.01	.01	.11	—	.01	.19	24
25	—	—	.06	.07	.07	—	.34	.01	<u>.57</u>	.02	.17	.12	25
26	.01	—	.01	.15	.02	—	.03	.01	.14	.45	<u>.57</u>	.59	26
27	.01	—	—	.20	—	—	.68	.01	—	.14	—	.48	27
28	.01	.03	—	.18	—	.03	.68	.26	—	.05	.09	—	28
29	—	.02	—	.54	.62	—	—	.23	.08	<u>.95</u>	.39	<u>.72</u>	29
30	—	<u>X</u>	—	.58	.22	—	—	.17	.20	.06	.14	.48	30
31	.01	<u>X</u>	—	<u>X</u>	<u>4.34</u>	<u>X</u>	.17	—	<u>X</u>	—	<u>X</u>	.24	31
TOTAL	3.43	0.34	1.17	3.65	7.91	3.08	4.77	2.86	4.18	4.25	2.21	4.80	YEAR'S TOTAL
Days with ".01 in. or more.	23	9	9	14	24	14	20	21	21	16	11	16	42.65
Days with ".04 in. or more.	15	4	7	14	19	12	13	16	19	15	7	15	198
													156

1083

14 Aug: 50 30 Aug:

25 Jan: 15 days

19 24: 0.30 in: in 30 days

19 24: 0.30 in: absolute drought

14 Aug: 50 30 Aug:

25 Jan: 15 days

19 24: 0.30 in: in 30 days

19 24: 0.30 in: absolute drought

14 Aug: 50 30 Aug:

25 Jan: 15 days

19 24: 0.30 in: in 30 days

19 24: 0.30 in: absolute drought

14 Aug: 50 30 Aug:

REGISTER OF RAINFALL IN 1926.

2088

Kept at *Will Crest Ludlow*
in the County of *Shropshire*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *400' approx* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.59	0.23	-	-	0.11	0.19	-	-	0.07	-	0.93	-	1
2	0.05	0.14	-	-	0.15	-	-	-	-	0.06	0.10	-	2
3	0.27	0.17	0.14	-	-	-	-	-	-	-	-	-	3
4	-	-	0.13	-	-	-	0.11	-	-	-	0.56	-	4
5	0.05	0.27	0.01	-	-	-	0.42	0.05	-	-	-	-	5
6	0.30	0.14	-	-	0.42	-	0.30	-	0.25	0.23	0.36	0.28	6
7	-	0.59	-	0.09	0.10	0.20	0.05	-	-	-	0.23	-	7
8	-	0.07	0.03	0.11	0.04	-	-	0.03	-	0.62	0.56	-	8
9	-	-	8.82	-	0.03	0.32	-	-	-	0.05	-	-	9
10	-	-	-	-	0.20	0.17	0.02	1.10	-	0.07	0.82	-	10
11	-	-	-	-	0.20	0.19	-	0.07	-	-	-	-	11
12	-	-	-	-	0.23	-	-	0.05	-	-	0.24	-	12
13	-	-	-	-	-	-	-	-	-	-	0.17	0.17	13
14	-	0.20	-	0.32	0.43	0.03	-	0.11	0.08	0.70	0.02	-	14
15	0.18	0.03	-	0.10	0.11	-	-	-	-	-	0.42	-	15
16	0.29	-	0.37	-	-	-	-	0.13	-	-	0.56	-	16
17	0.35	0.15	-	-	-	0.43	-	-	-	-	0.35	0.08	17
18	0.20	0.07	-	0.14	0.01	0.02	0.13	0.15	-	-	0.45	-	18
19	-	-	0.01	-	-	-	0.20	0.25	-	0.02	0.07	-	19
20	-	-	-	-	-	-	0.25	0.07	-	-	0.55	-	20
21	-	-	-	0.12	-	-	-	-	0.09	0.16	0.11	-	21
22	0.53	0.06	-	-	-	-	-	-	-	-	-	-	22
23	0.16	-	-	-	-	-	0.15	-	-	-	-	-	23
24	0.14	-	-	-	0.10	-	-	-	-	0.32	-	0.03	24
25	-	-	-	0.19	-	-	-	-	0.04	0.10	0.06	0.02	25
26	-	-	-	-	0.15	-	-	-	0.30	-	-	-	26
27	0.14	-	0.08	0.11	0.06	-	0.08	-	0.10	-	-	-	27
28	0.11	-	-	0.03	0.04	-	0.27	-	-	0.32	-	-	28
29	-	-	-	0.15	0.23	-	0.10	-	-	-	0.04	-	29
30	0.13	X	-	-	-	-	-	0.40	-	-	-	-	30
31	0.16	X	-	X	0.08	X	-	-	X	-	X	-	31
TOTAL	3.36	2.41	0.42	1.73	2.69	1.55	2.08	2.41	0.93	2.65	6.60	0.58	27.41
Days with 0.1 in. or more.	15	13	7	11	18	8	12	11	7	14	19	5	140
Days with 0.4 in. or more.	15	12	3	10	16	6	11	10	7	13	18	3	124

Please read the Notes and Instructions overleaf.

C. J. Marston

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Ludlow (Cuthbert)
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
,, Ground ,, Sea Level 399 ft.

formerly called Gravel Hill
days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0.23	0.20			0.16			1
2	0.05				0.05	0.18					0.26		2
3				0.67	0.03	0.14	0.09						3
4	0.03			x	0.13	0.09	0.10						4
5			0.76	x		0.14	0.22						5
6	0.05							x	0.27				6
7	0.07			1.22		0.14	0.14	1.80			0.70		7
8		0.12	0.12	x			0.01	x					8
9	0.05		0.04	x					0.02			0.07	9
10				x		0.17		x					10
11			0.13	x			0.24	y					11
12	0.03			0.12	0.09			y					12
13			0.03		0.03	0.24		x	0.17				13
14							0.03	y	0.84	0.06			14
15	x				0.37			x	0.56		0.05		15
16					0.16	0.54		x	0.22				16
17								0.71	0.08				17
18						0.75		0.50	0.02		0.83		18
19		0.42						0.27			0.50		19
20	x				0.03	0.11	0.12	0.27	0.08		0.25	1.00	20
21					0.03		0.18	0.75	0.38	0.62	0.07		21
22		0.67	0.05			0.33		0.09	0.21	0.68	0.37	0.35	22
23	0.84		0.37	0.03		0.30			0.24				23
24	x		0.15	0.04		0.01	0.04		0.10	0.07		1.13	24
25	0.22		0.32			0.08				0.12			25
26	0.63		0.33				0.36			0.09			26
27		0.89	0.11		0.14	0.05	0.15			0.18			27
28	1.60				0.06	0.39	0.53		0.10		0.40		28
29			0.29			0.25		0.10	0.40				29
30		x				0.34	0.05		0.04	0.19			30
31		x		x	0.05	x	0.02		x		x	0.17	31
TOTAL	3.57	2.10	2.70	2.08	1.73	3.91	2.48	4.49	3.73	2.17	3.43	2.72	34.55
Days with "01 in. or more.													
Days with "04 in. or more.													

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Southcot

Kept at Ludlow

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

Ground Sea Level 399 ft.

date

REGISTER OF RAINFALL IN 1928.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.50	-	0.07	-	0.03	-	-	-	-	-	-	-	1
2	0.08	0.19	0.28	0.08	-	-	0.02	-	-	-	0.12	-	2
3	-	-	0.54	0.08	0.18	-	0.14	-	-	-	-	-	3
4	0.02	0.50	-	-	-	-	0.03	-	-	0.25	-	-	4
5	0.09	0.06	-	-	-	0.18	-	-	0.25	0.28	-	-	5
6	-	-	-	-	-	0.46	-	-	-	-	0.11	0.11	6
7	-	-	-	-	-	0.66	-	+	-	0.56	-	-	7
8	-	-	-	-	-	0.16	0.03	-	0.31	0.05	-	-	8
9	0.03	-	-	-	-	0.10	-	-	-	0.03	-	-	9
10	0.27	0.24	0.04	-	-	-	-	-	-	0.63	0.14	-	10
11	-	0.14	-	0.46	-	-	-	+	-	0.05	0.04	0.21	11
12	0.25	0.32	-	0.44	-	-	-	0.78	-	-	0.18	0.09	12
13	-	0.03	0.09	0.02	-	-	-	+	-	-	-	-	13
14	0.13	-	-	-	-	0.50	-	+	-	0.58	0.80	-	14
15	0.11	0.04	-	-	-	-	-	-	-	-	0.24	-	15
16	-	0.05	+	-	-	-	-	-	-	0.11	0.42	0.09	16
17	0.10	-	0.04	-	0.26	0.04	-	-	-	-	0.05	-	17
18	0.41	-	-	-	0.14	0.16	-	-	0.03	0.23	-	0.12	18
19	-	-	0.09	-	0.10	0.21	-	+	-	0.24	0.26	0.06	19
20	0.11	-	0.30	0.09	-	-	-	-	-	0.60	0.33	-	20
21	0.83	-	0.33	0.07	0.04	0.09	-	0.03	0.08	+	0.19	-	21
22	-	-	0.11	-	-	-	-	0.56	-	-	0.23	-	22
23	0.37	-	+	0.13	0.10	-	-	-	-	0.45	0.51	-	23
24	-	-	0.11	-	-	-	-	0.37	0.43	0.33	0.18	0.24	24
25	0.18	-	-	-	-	0.13	-	-	-	0.02	0.02	0.22	25
26	0.33	-	-	-	0.07	0.25	-	0.64	-	0.48	0.7	-	26
27	0.05	-	-	-	-	-	0.02	0.33	0.16	0.12	0.10	0.38	27
28	0.31	-	-	-	-	0.22	-	0.05	0.28	-	-	0.20	28
29	0.08	0.43	0.33	-	-	0.60	-	0.16	-	0.12	0.02	0.10	29
30	0.03	×	0.37	-	-	0.04	0.50	-	-	0.04	-	0.46	30
31	0.21	×	0.06	×	-	×	0.38	-	×	-	×	-	31
TOTAL	4.49	2.00	2.76	1.37	0.92	3.80	1.12	2.92	1.54	5.27	4.04	2.28	YEAR'S TOTAL 32.51
Days with 0.1 in. or more.	21	10	-15	8	8	15	7	-14	7	20	18	12	155
Days with 0.04 in. or more.	18	9	-14	7	7	15	3	-12	6	0.18	16	12	137

REGISTER OF RAINFALL IN 1929 .

Kept at *Southcot Ludlow*
in the County of *Shropshire*

Diameter of Funnel of Gauge. *5* in.
Height of top of Gauge above Ground. *1* ft. *-* in.
,, Ground ,, Sea Level *299* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	0.07	-	0.02	-	0.16			-	0.24	-	-	I
2	-	0.24	-	-	-	0.12			-	-	-	0.30	2
3	-	-	-	-	0.02	-	x		0.26	-	-	0.08	3
4	-	-	-	0.04	0.49	0.02	x 0.42		-	0.03	0.08	0.50	4
5	-	-	-	-	0.67	0.18	x		-	1.54	0.30	0.07	5
6	-	-	-	-	0.04	0.27		x	-	-	0.10	0.60	6
7	0.11	-	-	-	0.59	0.07	-		-	0.20	0.29	0.40	7
8	-	0.02	-	-	-	0.11	-		-	0.27	-	0.73	8
9	0.10	0.03	-	-	-	-	-		-	0.03	0.28	0.53	9
10	0.04	-	-	0.03	-	-	0.02	1.10	-	0.02	0.05	0.40	10
11	-	0.07	-	0.01	0.33	-	8 -		-	-	0.74	0.11	11
12	-	-	-	0.15	0.04	0.98	0.25		-	-	-	0.02	12
13	0.03	-	-	0.03	0.14	0.10	-		-	-	-	0.02	13
14	-	-	-	-	0.28	0.69	-		0.02	-	-	0.04	14
15	0.12	0.04	-	-	-	-	-		-	-	0.28	-	15
16	-	-	-	-	-	-	-	x	-	-	-	-	16
17	0.10	-	-	-	-	-	-	✓	-	0.10	-	-	17
18	-	-	-	-	-	0.03	-		-	0.05	0.78	-	18
19	-	-	-	-	-	-	-	✓	0.01	0.01	0.60	-	19
20	-	-	-	-	-	-	-		-	0.26	-	0.30	20
21	0.02	-	0.11	-	-	0.06	0.01		-	-	x 2.42		21
22	0.02	-	-	0.01	-	-	0.03	0.06	-	0.03	x 0.42		22
23	-	-	-	-	0.02	0.01	0.02	-	-	0.05	0.46	x	23
24	-	-	0.01	0.02	-	0.03	-	0.06	-	0.94	0.67	x	24
25	-	-	0.04	0.05	-	-	-	-	-	-	0.21	x 2.10	25
26	-	0.13	-	0.02	-	-	-	-	-	-	0.23	x	26
27	0.03	-	-	0.15	-	-	-	-	-	0.18	0.43		27
28	0.32	-	-	0.09	-	-	0.40	-	0.03	0.15	0.52	x	28
29	0.04	-	-	-	-	-	-	-	-	0.11	0.24	x	29
30	0.03	x	-	-	-	-	0.11	-	0.46	-	-	J	30
31	0.29	x	-	x	-	x	0.20	0.10	x	-	x	0.02	31
TOTAL	1.25	0.60	0.16	0.62	2.62	2.83	1.96	1.32	0.78	4.21	6.68	6.27	29.30
Days with "or in. or more.	13	7	3	12	10	14	17	-11	5	17	19	-22	144
Days with "04 in. or more.	8	5	2	5	8	10	7	-7	2	12	19	-18	103
YEAR'S TOTAL													

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Andover (Hill Crest)
in the County of Salisbury
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 350 ft.

2251
769.763/27
2251

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	14		57				23			34		1
2		14	04		02			26			29		2
3	22	12		47	08		07	26		47	03		3
4	30		04	14	15			03		08			4
5	03		08		29			05		09			5
6			68					03	32				6
7								09		18		11	7
8				14				03	45	22	04	07	8
9	25		32	37	47						07		9
10	63				13			07				91	10
11	86		10		04			03		05	03	14	11
12	03			03	14			08				19	12
13	36		19				12	07	60			13	13
14	12	05	26		03		29					39	14
15	90	18	04				38				18	16	15
16						1.18	07		16			02	16
17	02				04		04	06	68				17
18				20				05		1.23	28		18
19			15	37	02	05	20	05	65		33		19
20						05	1.64	57	14		10		20
21			22			03	07	03	03		19		21
22	49					02	07	56			14		22
23							11	04	06		15	12	23
24	04					16			04		26		24
25	23	05		04					06		31	09	25
26	03	12		19	35		02			06	03	27	26
27	50		07	42			14			03		14	27
28	07		07	41			07			01	30	28	28
29							16	66			04	08	29
30		X				05	07	02		05		52	30
31	37	X	03	X	43	X			X	15	X	14	31
TOTAL	5.50	80	2.34	3.35	2.19	1.54	3.42	3.15	3.19	2.62	3.05	3.76	34.91
*Days with .01 in. or more.	19	7	14	12	13		16	21	11		18	14	
*Days with .04 in. or more.	15	7	13	11	10		15	18	10		14	16	

Kept at **KNOWBURY**
in the County of **S**

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING

An observer who does not observe the falling water in the space on the right of this paragraph.

KNOWBURY SCH
LUDLOW
SHROPSHIRE
1926

Circ A
RAINFALL ORGANIZATION.
L IN 1926

FOR OFFICIAL USE.

2088A
Temp 3
3 in high. Letter to
re suggesting a least
see encl 7A file 745840/27
over says gauge sound
E PREVIOUS DAY.

Jan. 1, following

January 1st of the following

Occur in July and Aug. divided by ref.

to maps.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03?	.14	.01	/	/	.16	/	/	/	/	/	/	1
2	.2	.06	/	/	/	.27	/	/	.05	/	.53	.07	2
3	/	.065	/	/	.44	/	/	/	.17	/	.08	/	3
4	.15	.2	.17	/	/	/	/	/	/	.03	/	/	4
5	.06	.15	.06	/	/	/	.3	/	/	/	.4	/	5
6	/	/	/	/	1.24	/	.42	/	.15	.01	/	/	6
7	.16	1.07	/	/	.03	/	.36	/	.31	.12	/	.30	7
8	/	/	.02	/	/	.21	/	2.44	/	.02	.65	/	8
9	/	.11	.07	/	/	/	.1	/	.03	/	.72	/	9
10	/	/	/	/	.13	.4	/	/	/	/	.14	/	10
11	/	/	/	/	.29	.25	/	/	/	/	/	/	11
12	/	/	/	.14	.03	/	.06	/	/	/	.48	/	12
13	/	/	/	/	.19	/	/	/	.05	/	.04	/	13
14	.08	.23	/	/	.11	.22	/	/	/	/	/	/	14
15	/	/	/	.12	/	.12	/	/	.04	/	.5	.19	15
16	.26	.02	/	.53	/	.02	3.6	/	/	/	.32	/	16
17	/	.19	/	/	.38	.05	/	/	/	/	.082	/	17
18	/	.19	/	/	/	.53	/	.15	1.73	.25	/	/	18
19	.37	.08	/	.48	.05	/	/	/	/	.58	/	/	19
20	/	/	/	.03	/	/	/	.11	1.04	.025	/	/	20
21	/	/	.04	/	/	/	/	/	/	/	/	/	21
22	.1	/	.02	.17	/	.015	1.16	/	.47	.1	/	/	22
23	.78	.05	/	.03	/	/	/	/	/	/	/	/	23
24	.02	/	/	/	/	/	/	.06	/	.02	/	/	24
25	.02	/	/	/	/	/	/	/	.17	/	/	/	25
26	/	/	.3	/	/	/	/	/	/	/	/	/	26
27	/	/	/	.35	/	/	.01	.34	/	/	/	/	27
28	.13	/	.15	.12	/	/	/	.05	/	/	/	/	28
29	.21	X	.08	/	/	/	/	.5	/	/	/	/	29
30	/	X	.12	/	/	/	/	/	/	.09	/	/	30
31	.17	X	X	.27	X	/	.63	X	/	X	.25	/	31
TOTAL	2.84	2.555	.43	3.11	3.90	2.245	(2.40)	(3.34)	(1.29)	3.005	5.84	.85	YEAR'S TOTAL?
Days with ".01 in. or more.	15	13	7	11	13	11	/	/	11	9	15	4	X
Days with ".04 in. or more.	12	12	4	9	11	9	/	/	10	6	14	4	X

Please read the Notes and Instructions Overleaf.

Joe Barber

Section

A

for the ent

Circ A

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926

Kept at KNOWBURY Sch. Ludlow.

in the County of SALOP.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level 908 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Occur in July and Aug. divided by ref.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

to maps

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03?	.14	.01	—	—	.16	—	—	—	—	—	—	1
2	.2	.06	—	—	—	.22	—	—	.05	—	.53	.07	2
3	—	.065	—	—	.44	—	—	—	.17	—	.08	—	3
4	.15	.2	.17	—	—	—	—	—	—	.03	—	—	4
5	.06	.15	.06	—	—	—	.3	—	—	—	.4	—	5
6	—	—	—	—	1.24	—	.42	—	.15	.04	—	—	6
7	.16	1.07	—	—	.03	—	.36	—	.31	.12	—	.30	7
8	—	—	.02	—	—	.21	—	—	.02	.65	—	—	8
9	—	.11	.07	—	—	—	.1	—	.03	.72	—	—	9
10	—	—	—	—	.13	.4	—	—	—	.14	—	—	10
11	—	—	—	—	.29	.25	—	—	—	—	—	—	11
12	—	—	—	.14	.03	—	.06	—	—	—	.48	—	12
13	—	—	—	—	.19	—	—	—	.05	—	.04	—	13
14	.08	.23	—	—	.11	.22	—	—	—	—	—	—	14
15	—	—	—	.12	—	.12	—	—	.04	—	.5	.19	15
16	.26	.02	—	.53	—	.02	—	3.6	—	—	.32	—	16
17	—	.19	—	—	.38	.05	—	—	—	—	.082	—	17
18	—	.19	—	—	—	.53	—	.15	—	1.73	.25	—	18
19	.37	.08	—	.48	.05	—	—	—	—	—	.58	—	19
20	—	—	—	.03	—	—	—	.11	.104	.025	—	—	20
21	—	—	—	.04	—	—	—	—	—	—	—	—	21
22	.1	—	.02	.17	—	.015	—	—	—	.47	.1	—	22
23	.78	.05	—	.03	—	—	—	—	—	—	—	—	23
24	.02	—	—	—	—	—	—	—	.06	—	.02	—	24
25	.02	—	—	—	—	—	—	—	—	.17	—	—	25
26	—	—	—	.3	—	—	—	—	—	—	—	—	26
27	—	—	—	—	.35	—	—	.01	.34	—	—	—	27
28	.13	—	—	.15	.12	—	—	—	.05	—	—	—	28
29	.21	X	.08	—	—	—	—	—	—	.5	—	—	29
30	—	X	—	.12	—	—	—	—	—	—	.09	—	30
31	.17	X	—	X	.27	X	—	.63	X	—	X	.25	31
TOTAL	2.84	2.555	.43	3.11	3.90	2.245	(2.40)	(3.34)	(1.29)	3.005	5.84	.85	YEAR'S TOTAL 31.812
Days with .01 in. or more.	15	13	7	11	13	11	—	—	11	9	15	4	X
Days with .04 in. or more.	12	12	4	9	11	9	—	—	10	6	14	11	X

Please read the Notes and Instructions Overleaf.

Included
in BR 1926

Point total
with

? "d"
and

RE

ASHFORD

ASHFORD HALL
LUDLOW
SHROPSHIRE

L ORGANIZATION.

1921

Long

tion

Station

Level of Rain Gauge in.

Gauge above Ground ft. in.

" " Sea Level ft.

Result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38		8					30	9		10	7	1
2	1							27	4	5	22		2
3	2		5		8	8		27		57	22		3
4	27							36					4
5			4		2			53			31		5
6	1		6		11						9		6
7	10				3			27			43		7
8	2				4								8
9	1			22				4					9
10	10							61				8	10
11	33				8			10	47				11
12	32		8					10	27			10	12
13	15		34	6				5	11				13
14			28	36	9		3		6	9	32		14
15	1		3	7	16		13			8			15
16	2		5	17				2			35		16
17	16		5	2				2					17
18	20		8	10						12			18
19			8							50		6	19
20										1		3	20
21				6				17		5	8	17	21
22			2	12						26		10	22
23				24						33			23
24													24
25	4	23	7				34			1			25
26			6										26
27	2		0		3								27
28			17		3	15		33					28
29	17	X	7		18								29
30	32	X			6					37			30
31	14	X						11	X		X		31
TOTAL	2.83	0.40	1.60	1.42	0.83	0.21	0.53	32.8	1.01	2.42	1.91	(1.87)	(18.31)
Days with 0.1 in. or more	21	2	18	10	12	2	4	15	6	12	9	(16)	(128)
Days with 0.4 in. or more	13	2	15	9	8	2	2	13	5	10	9	(12)	(100)

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1921

ASHFORD HALL

Kept at

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38		8					30	9		10	7	1
2	1							27	1	5	22		2
3	2		5		8	6				57	22		3
4	27							36					4
5			4		2			53			81	9	5
6	1		6		11						9		6
7	10				3			27			43		7
8	2				4								8
9	1			22				4					9
10	10							61				8	10
11	38				8			10	47				11
12	32		6					10	27			10	12
13	15		34	6				5	18				13
14			28	36	9		3		6	9	11	32	14
15	1		3	7	(broken)		13			8			15
16	2		5	17				2			85		16
17	16		5	2				2					17
18	20		6	10						12			18
19			6							50		6	19
20										1		3	20
21				6				17		5	8	17	21
22			2	12						26		10	22
23				21						33			23
24												20	24
25	4	28	7				24			1			25
26			6										26
27	2		0		3								27
28			17		3	15		33					28
29	17	X	7		18							(60)	29
30	32	X			6					37			30
31	14	X		X		X		11	X		X		31
TOTAL	283	040	160	142	083	021	053	328	101	242	191	(187)	(1831)
Days with 01 in. or more	21	2	18	10	12	2	4	15	6	12	9	(16)	(128)
Days with 04 in. or more	13	2	15	9	8	2	2	13	5	10	9	(12)	(100)

Kept at TOTTERTON
in the County of SHROPSHIRE
Diameter of Funnel of Gauge
Height of top of Gauge above G
" Ground " Sea

TOTTERTON
LYDBURY NORTH
SHROPSHIRE

ORGANIZATION. 2088

requested to read the instructions
filling in this form.
should fill in section C

1925-~~1929~~1930

THE MORNING M

VIOUS DAY.

Jan. 1, following.

An observer who does not con... should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.72		0.15	0.13	0.06	0.11			0.04		0.15	0.02	1
2	0.16	0.02							0.02		0.40		2
3	0.20	0.03	0.01		0.05		0.16	0.07			0.05		3
4	0.10	0.20		0.13	0.25				0.03		0.14		4
5	0.03	0.02		0.40	0.18			0.08	0.15		0.01		5
6		0.10	0.03		0.18		0.18			0.04	0.75		6
7		0.10	0.06	0.01	0.31			0.15	0.01		0.10	0.05	7
8	0.08	0.06	0.11		0.15			0.55	0.17		0.09	0.32	8
9		0.20	0.07	0.03	0.06		0.01	0.02 0.62	0.33			0.03	9
10		0.05	0.07	0.33				0.89	0.01				10
11		0.70			0.02							0.07	11
12		0.50		0.01				0.13		0.06			12
13	0.02	0.02	0.05	0.05								0.14	13
14	0.38	0.01	0.02	0.09									14
15				0.20					0.20	0.35		0.08	15
16		0.05		0.02	0.15					0.05			16
17		0.03			0.15								17
18		0.11		0.07									18
19	0.02	0.05		0.04			0.03	0.01	0.79	0.80		0.60	19
20			0.11		0.03		0.08	0.29	0.15	0.46		0.06	20
21		0.20					0.25	0.32	0.16	0.07		0.01	21
22		0.07		0.16	0.02		0.58	0.27	0.31	0.50		0.50	22
23	0.03	0.01			0.76		0.02	1.10	0.04	0.19			23
24	0.01	0.19	0.08	0.02	0.05		0.10	0.03		0.04	0.07		24
25		0.29	0.17	0.03			0.25	0.10	0.14	0.09		0.25	25
26		0.19		0.09	0.28	0.01	0.29	0.03	0.04	0.65		0.05	26
27	0.05	0.06			0.25		0.14			0.15	0.07	0.03	27
28	0.16	0.15			0.09				0.02	0.08		0.28	28
29	0.39			0.03	0.20						0.25	0.32	29
30	0.02	X	0.03		0.02				0.01	0.06	0.01	0.20	30
31	0.22	X		X		X	0.03		X		X	0.08	31
TOTAL	2.54	3.41	.96	1.84	3.26	.12	2.12	4.04	2.62	3.59	2.09	3.03	YEARS TOTAL
Days with "01 in. or more.	16	25	13	18	20	2	13	15	18	15	12	18	183
Days with "04 in. or more.	9	18	9	11	16	1	9	11	12	15	10	14	135

(Signed) L. J. A. Whitaker [P.T.O.]

Section



for the entry

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2088

Register of Rainfall in 1925.

Kept at Totton Lydney North.
in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 3 in.
" Ground " Sea Level 750 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. I, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.72		0.15	0.13	0.06	0.11			0.04		0.15	0.02	1
2	0.16	0.02							0.02		0.40		2
3	0.20	0.03	0.01		0.05		0.16	0.07			0.05		3
4	0.10	0.20		0.13	0.25				0.03		0.14		4
5	0.03	0.02		0.40	0.18			0.08	0.15		0.01		5
6		0.10	0.03		0.18		0.18			0.04	0.75		6
7		0.10	0.06	0.01	0.31			0.15	0.01		0.10	0.05	7
8	0.03	0.06	0.11		0.15			0.55	0.17		0.09	0.32	8
9		0.20	0.07	0.03	0.06		0.01	0.02	0.33			0.03	9
10		0.05	0.07	0.33				0.89	0.01				10
11		0.70			0.02							0.07	11
12		0.50		0.01				0.13		0.06			12
13	0.02	0.02	0.05	0.05								0.14	13
14	0.38	0.01	0.02	0.09									14
15				0.20					0.20	0.35		0.08	15
16		0.05		0.02	0.15					0.05			16
17		0.03			0.15								17
18		0.11		0.07									18
19	0.02	0.05		0.04			0.03	0.01	0.79	0.80		0.60	19
20			0.11		0.03		0.08	0.29	0.15	0.46		0.06	20
21		0.20					0.25	0.32	0.16	0.07		0.01	21
22		0.07		0.16	0.02		0.58	0.27	0.31	0.50		0.50	22
23	0.03	0.01			0.76		0.02	0.10	0.04	0.19			23
24	0.01	0.19	0.08	0.02	0.05		0.10	0.03		0.04	0.07		24
25		0.29	0.17	0.03			0.25	0.10	0.14	0.09		0.25	25
26		0.19		0.09	0.28	0.01	0.29	0.03	0.04	0.65		0.05	26
27	0.05	0.06			0.25		0.14			0.15	0.07	0.03	27
28	0.16	0.15			0.09				0.02	0.08		0.28	28
29	0.39			0.03	0.20						0.25	0.32	29
30	0.02	X	0.03		0.02				0.01	0.06	0.01	0.20	30
31	0.22	X		X		X	0.03		X		X	0.08	31
TOTAL	2.54	3.41	.96	1.84	3.26	.12	2.12	4.04	2.62	3.59	2.09	3.03	29.62
Days with ".01 in. or more.	16	25	13	18	20	2	13	15	18	15	12	19	185
Days with ".04 in. or more.	9	18	9	11	16	1	9	11	12	15	10	14	135

(Signed) E. J. A. Whitaker [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

2098

Kept at Tottenham Lydney Hall
in the County of Shropshire

Diameter of Funnel of Gauge 4.50 in.
Height of top of Gauge above Ground 5 ft.
" Ground " Sea Level 7.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Oct and Nov. corr. for uneven.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.35	0.25			0.37	0.28			0.18		0.60	0.10	1
2	0.06	0.10							0.05		0.02	0.06	2
3	0.20	0.12										0.02	3
4	0.04		0.20	0.01			0.07		0.03		0.40	0.10	4
5		0.10	0.11		0.35		0.38	0.08	0.05		0.05	0.15	5
6	0.25	0.05	0.04				0.25	0.06	0.08	0.06	0.29		6
7		0.68		0.07	0.02	0.26			0.13	0.02	0.28		7
8		0.07	0.03	0.12	0.07		0.05	0.04	0.02	0.55	0.34		8
9	0.03		0.03		0.15	*	0.10	0.04		0.11	0.02		9
10					0.02	*	0.08	1.06		0.02	0.62		10
11					0.07	*		0.15	0.01	0.05	0.01	0.02	11
12					0.15	x		0.05	0.05	0.35	0.05	0.02	12
13	0.08				0.11	x		0.04		0.15	0.35	0.02	13
14	0.03	0.10		0.40	0.10	*		0.03	0.08	0.26	0.10	0.12	14
15		0.05				*		0.09		0.50	0.10	0.02	15
16	0.23	0.05		0.61		*				0.45	0.24		16
17		0.05		0.02		*		0.06		0.22		0.06	17
18	0.20	0.07		0.09			0.86	0.10	0.25	0.42			18
19			0.03				0.30	0.14		0.10			19
20			0.01					0.02		0.02		0.01	20
21	0.02		0.02	0.18		1.20	0.07	0.01		0.10	0.10		21
22	0.41	0.14						0.70	0.05	0.02	0.20		22
23	0.12				0.12				0.02		0.20		23
24	0.11				0.18	*			0.01		0.20	0.02	24
25	0.10			0.17			0.09		0.11	0.05	0.02	0.02	25
26	0.28		0.04	0.02	0.13				0.38	0.01			26
27			0.03	0.07	0.03		0.06		0.22				27
28	0.12			0.04			0.31						28
29				0.55	0.25		0.04				0.20		29
30	0.14	X		0.23									30
31	0.19	X		X		X			X		X		31
TOTAL	2.96	1.83	.54	2.58	2.12	1.74	2.65	2.67	1.72	2.83	5.02	.74	YEAR'S TOTAL
Days with "01 in. or more.	19	13	10	14	15	13	13	16	17	19	21	14	184
Days with "04 in. or more.	16	13	4	11	12	12	13	13	12	14	17	6	143

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Tottenham Hall
in the County of Shropshire
Diameter of Funnel of Gauge.....4.50 in.
Height of top of Gauge above Ground.....1 ft.....6 in.
" Ground " Sea Level 700 ft.

days.
390

For Auth. Obs. notified (D2)
and agreed 13 5/3/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

File 831167/28

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.03	0.10					0.06		0.17	0.20		1
2	0.05		0.04	0.08						0.03	0.01		2
3	0.03	0.03	0.03		0.04	0.03					0.05	0.01	3
4	0.04		0.08		0.01	0.15	0.18						4
5	0.07	0.05	0.08	0.28		0.15	0.02				0.20	0.01	5
6	0.03		0.10		0.25		0.24	0.06	0.34		0.25	0.01	6
7	0.06	0.10	0.06	0.15	0.02	0.19	0.43	0.05		0.01			7
8			0.07	0.55			0.01	0.18	0.01	0.01			8
9			0.02	0.10			0.19	0.60			0.09		9
10				0.07		0.20	0.01	0.08					10
11			0.02	0.11			0.29	0.07					11
12	0.11			0.02			0.06	0.15	0.06				12
13	0.17		0.03			0.07		0.09	0.23	0.06	0.10	0.25	13
14	0.12			0.02	0.03		0.03	0.13	0.73		0.01	0.10	14
15	0.02			0.01	0.26			0.70	0.43		0.04	0.02	15
16						0.47		0.38	0.25		0.01		16
17	0.19					0.21		1.07	0.10				17
18					0.12	0.85		0.76	0.04	0.03	1.15	0.18	18
19		0.40				0.02		0.20			.78		19
20	0.12	0.43			0.14		0.30	0.37	0.07		.15		20
21	0.18	0.15	0.02		0.08		0.19	0.45	0.20	0.78	.22	0.57	21
22	0.06	0.15	0.25	0.11			0.01	0.13	0.21	0.87	.15	0.20	22
23		0.03	0.16	0.07				0.01	0.05		.15	0.33	23
24	0.40	0.02	0.16	0.07			0.19	0.02	0.13	0.08		0.23	24
25	0.19	0.11	0.35				0.03		0.08	0.16		0.09	25
26	0.27	0.45	0.11	0.05	0.17		0.12		0.01	0.13			26
27	0.09	0.25	0.15	0.02	0.01		0.80			0.10			27
28	0.51	0.19						0.02	0.09	0.03	.40		28
29	0.10	X	0.19				0.04		0.27	0.06			29
30	0.15	X	0.07			2.00	0.04	0.16	0.07	0.09	.01		30
31	0.02	X	0.33	X	0.05	X	0.05	0.01	X	0.01	X	0.11	31
TOTAL			2.42						3.37	2.54	3.97	2.11	YEARS TOTAL
Days with "01 in. or more.	38	14	21	15	12	17	20	23	19	16	13	13	210
Days with "04 in. or more.	18	10	16	11	8	15	14	19	17	10	14	8	160

Please read the Notes and Instructions Overleaf.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1928.

Kept at TOTTERTON, LYDBURY NORTH
in the County of SHROPSHIRE
by Edith Lilian Ingham

Lat. _____ Long. _____
Time of Observation 8 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Total
Days

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.31	0.04	0.04	0.03	0.02		0.05	0.01			0.01		1
2	0.09	0.15	0.25								0.07		2
3					0.18						0.15		3
4	0.08	0.32	0.05			0.08	0.11			0.24			4
5	0.18			0.10		0.33	0.05		0.37	0.12	0.08		5
6	0.01	0.04		0.10		0.65				0.12			6
7	0.04			0.08				0.33	0.03	0.38			7
8	0.03	0.02				1.03	0.02		0.18	0.13		0.06	8
9			0.09	0.10		0.15				0.01		0.02	9
10	0.23	0.23	0.05	0.03				0.03	0.09	0.30	0.14	0.04	10
11	0.01	0.29	0.02	0.35				0.18		0.09	0.11	0.22	11
12	0.29	0.30	0.03	0.45				0.03			0.05	0.05	12
13		0.02		0.05		0.05		0.26			0.04		13
14	0.06	0.18		0.03				0.25		0.44	0.65		14
15	0.12		0.03		0.05			0.01		0.02	0.14	0.01	15
16		0.20		0.02	0.08					0.05		0.05	16
17	0.05	0.02	0.05	0.02	0.38						0.05		17
18	0.29				0.06					0.47		0.08	18
19	0.02		0.07	0.01	0.25			0.06		0.40	0.45		19
20	0.09		0.45							0.12	0.35	0.05	20
21	0.75		0.33	0.02		0.95		0.03	0.16	0.12	0.15		21
22			0.05	0.01				0.65			0.40	0.07	22
23	0.30		0.10	0.01	0.12			0.02	0.17	0.26	0.30		23
24	0.10		0.03					0.26		0.28	0.26	0.15	24
25	0.15					0.13		0.10		0.03	0.05	0.23	25
26			0.02		0.11	0.10		0.76		0.52	0.05		26
27	0.06		0.08				0.03	0.35	0.11	0.21	0.18	0.08	27
28	0.27		0.22			0.15		0.04	0.20	0.01	0.01	0.28	28
29	0.17	0.36	0.25			0.41	0.02	0.16		0.07	0.05	0.16	29
30		~~0.08~~				0.07	0.76					0.42	30
31	0.40	~~0.08~~		~~0.08~~		~~0.07~~	0.37		~~0.07~~	0.04	~~0.04~~		31
TOTAL	4.10	2.17	2.29	1.35	1.19	4.10	1.41	3.53	1.31	4.43	3.94	1.97	YEAR'S TOTAL 31.79
Days with 0.1 in. or more	24	13	20	16	9	12	8	18	8	23	22	16	189
Days with 0.4 in. or more	20	10	15	6	8	12	5	12	7	19	20	14	148

Kept at TOTTERTON
in the County of SALOP

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 700 (about)

4000 Totals
year 5-8" low of 2211. 2206. 2205.
bet 2" low. 0
bee 3" low at Bishop's Cleeve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		0.08		0.05	0.01	0.10		0.02		0.15		0.2	I
2		0.20				0.10		0.01			0.1	0.25	2
3					0.01	0.03	0.13	0.40	0.43			0.8	3
4				0.06	0.33	0.09	0.13	0.28		0.05	0.8	4.0	4
5	0.05				0.80	0.21	0.49			1.25	0.25	0.15	5
6					0.08			0.10		0.7	0.5	0.30	6
7	0.02									0.19	0.28	0.35	7
8		0.06		0.03	0.40	0.38		0.02		0.47	0.2	0.60	8
9	0.08						0.03	0.01		0.5	0.40	0.70	9
10		0.05		0.02	0.01						0.12	0.47	10
11		0.16		0.01	0.29						0.95	0.16	11
12				0.15			0.58		0.40		0.2	0.3	12
13				0.02	0.10			0.08				0.3	13
14					0.14				0.05			0.3	14
15	0.16	0.05									0.30		15
16							0.08			0.2			16
17	0.06						0.04			0.6			17
18							0.01			0.8	0.35		18
19	0.02										0.5	0.2	19
20								0.04		0.18	0.25	0.27	20
21	0.02		0.22			1.27	0.02	0.20		0.1		0.1	21
22				0.01		0.09	0.08			0.1	0.20	0.1	22
23		0.02			0.01	0.1	0.05	0.03		0.26	0.55	0.40	23
24		0.02		0.01		0.3		0.12	0.02	0.37	0.50	0.35	24
25		0.12	0.05	0.08						0.3	0.20	0.20	25
26				0.08							0.15	0.15	26
27	0.02			0.12			0.05			0.16	0.17		27
28	0.24			0.12			0.40	0.06	0.26	0.8	0.45	0.60	28
29							0.06			0.10	0.28	0.26	29
30	0.02	X							0.39		0.2	0.2	30
31	0.38	X		X		X	0.35	0.25	X		X	0.3	31
TOTAL	1.07	.76	.27	.76	2.18	2.31	2.31	1.75	1.55	3.59	5.65	6.09	28.29
Days with .01 in. or more.	11	9	2	13	11	13	12	17	5	19	20	26	162
Days with .04 in. or more.	6	7	2	7	7	10	9	11	5	15	19	17	115

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930

Kept at TOTTERTON LYDBURY NORTH
in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 700 ft. (about)

annual total 400
written re low values 941.21
observer says gauge is overbalanced
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.22		.23		.03							1
2		.02	.08				.03	.12		.01	.40		2
3	.85	.11		.45	.05		.05	.42		.70	.47		3
4	.10	.02	.08	.27	.06			.19		.08			4
5	.10		.07	.08	.25			.03		.10			5
6		.02	.54		.30			.22	.19	.17		.02	6
7	.10		.30						.03	.23	.15	.15	7
8	.05		.25	.16					.40	.40	.01		8
9	.60		.02	.60	.15	.03	.01	.07	.02			.13	9
10	.10				.08	.25	.01	.09			.02	.88	10
11	.65				.06		.07	.02	.02	.11		.15	11
12	.20			.03	.10			.18				.20	12
13	.18		.22	.06			.06	.07	.58			.25	13
14	.75		.82	.02			.30	.01	.02	.01		.06	14
15	.02	.18	.10	.10			.18		.05	.25	.26	.35	15
16			.01	.07	.02		.21		✓	.11		.15	16
17			.05	.05	.05		.08	.07	✓	.15		.03	17
18			.07		.01		.06		✓	.03	.16		18
19				.28				.02	✓	.07	.15		19
20			.10	.04	.02		1.71	.62	✓	.05	.19		20
21			.25	.01		.37	.16	.03	✓	.10	.10		21
22	.30						.05	.50	✓	.15	.25		22
23	.02			.03	.02		.03	.12	✓	.01	.20	.06	23
24	.20			.33	.01	.17			✓	.12	.26	.02	24
25	.11	.03		.37			.01		2.50	.01	.30	.05	25
26	.26	.08		.10	.16		.04		.06	.08	.03	.20	26
27	.07	.02	.09			.06	.20		.01	.04		.09	27
28	.03		.03				.20				.16	.50	28
29							.14	.71		.02	.02	.15	29
30		X			.35		.10	.02		.04		.31	30
31	.31	X		X	.20	X	.04		X	.15	X	.18	31
TOTAL	4.58	.70	3.08	3.28	1.89	.91	3.74	3.51	3.88	3.19	3.13	3.38	35.27
*Days with or in. or more.	21	9	17	19	17	6	22	19	19	25	17	20	211
*Days with or in. or more.	18	4	14	15	12	4	17	14	14	19	13	17	161

40-9999

*See Instruction 2 (f) on other side.

(Signed) B. J. B. Shilake [P.T.O.]

Kept at Madeley
in the County of Salop
by Madeley C.F.S.

MADELEY
G. OF E. SCHOOL
SHROPSHIRE

1922

ORGANIZATION.

1922.

Long. 2° 27'

9 a.m.

on Madeley Marketof Rain Gauge 12 in.e above Ground 1 ft. 0 in.,, Sea Level 387 ft.

(Time) and the result entered to the

is earnestly requested

ed for it at the end of

Jan. 1, following.

IMPORTANT NOTE.—Rainfall should be entered on the previous day. If an Observer prefers to add the reading at 9 a.m. on 1st of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		37	32		15						09		1
2		13	02		T		40						2
3			07		07		07			01		01	3
4		40	20		25		08			04			4
5				16			88			21	29		5
6		60	18	T			02				24		6
7			28								T		7
8			28				48				04	12	8
9	69		T	13						01			9
10	02										05		10
11	05					05							11
12				14		05	02		37				12
13						04	21						13
14									35			23	14
15	6LS	01					40						15
16	15S	11			14				04				16
17		12			T		35					20	17
18	29								15	03		0X	18
19		14	13						12	05			19
20						06						88	20
21			T				52					40	21
22	14				24	08							22
23		25		33							T		23
24			09	T									24
25				45					19	T			25
26	45	05	10	19		16	07		05		11		26
27			14	07		01			08				27
28		95	T	02		T			13				28
29						02	01					50	29
30		X	12						40		09	60	30
31		X		X		X			X	12	X	80	31
TOTAL	240	313	193	149	85	47	351	240	188	47	91	362	YEAR'S TOTAL
Days with 01 in. or more	8	11	12	8	5	8	13	6	10	7	7	10	105
Days with 04 in. or more	7	10	11	7	5	6	10	6	10	4	7	8	93

REGISTER OF RAINFALL IN 1922.

Kept at Madeley
in the County of Salop

by Madeley C.E. Schools
Mr. Shaw, Head teacher

Lat. 52° 38' Long. 2° 27'
Time of Observation 9 a.m.
Nearest Railway Station Madeley Market
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 387 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		37	32		15						09		1
2		13	02		T		40						2
3			07		07		07			01		01	3
4		40	20		25		08			04			4
5				16			88			21	29		5
6		60	18	T			02				24		6
7			28								T		7
8			28				48				04	12	8
9	69		T	13						01			9
10	02										05		10
11	05					05							11
12				14		05	02		37				12
13						04	21						13
14									35			23	14
15	61.5	01					40						15
16	15.5	11			14				04				16
17		12			T		35					20	17
18	29								15	03		01	18
19		14	13						12	05			19
20						06						25	20
21			T				52					40	21
22	14				24	08							22
23		25		33							T		23
24			09	T									24
25				45					19	T			25
26	45	05	10	19		16	07		05		11		26
27			14	07		01			08				27
28		95	T	02		T			13				28
29						02	01					50	29
30		X	12						40		09	60	30
31		X		X		X			X	12	X	80	31
TOTAL	240	313	193	149	85	47	351	240	188	47	91	362	YEAR'S TOTAL
Days with 01 in. or more	8	11	12	8	5	8	13	6	10	7	7	10	105
Days with 04 in. or more	4	10	11	7	5	6	10	6	10	4	7	8	93

Shropshire Education Committee.

C of E

SCHOOL.

Madley

Salop.

10 May

1923.

Dear Sir,

I hesitated to send in my return of Rainfall because my August figures were not altogether reliable as during the holiday the work had to be delegated to a boy. The rainfall during that month was only taken 3 times. I have therefore only put in the total. I am enclosing the figures as recorded by me which I hope may be of some use.

Yours faithfully
Harold R Shaw.

MUCH WENLOCK

IZATION.

2021
JAN 1922

Kept at Willy Park
in the County of Shropshire
by J. P. ...

WILLY PARK GDNS

30
m. 3 1/2 m.
uge 5 in.
round 3 ft. in.
a Level 49.2 ft.
d to the previous day.

to add
e end of
gauges,
servers,"
Camden
linburgh.

Jan. 1, following.

SHROPSHIRE

1921-1930

IMPORTANT NOTE.—Rain

If an Observer prefers not to con-
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application to
Square, London, N.W. 1, or to THE

Record

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	-	.10	-	-	-	-	.07	-	.07	.22		1
2	.04	-	-	-	.16	-	-	-	.01	.47	-		2
3	-	-	-	-	.02	.22	-	.37	-	.81	.15	-	3
4	.17	-	.02	-	-	.12	-	.22	-	.01	.04	-	4
5	-	-	.03	.02	-	-	-	.15	-	-	.21	.10	5
6	.10	-	.02	-	.07	-	-	.47	-	.03	.24	-	6
7	.01	-	.03	-	.04	-	-	-	-	-	.20	-	7
8	.03	-	-	-	.03	-	-	.37	-	-	-	-	8
9	-	-	-	.12	.13	-	-	-	-	-	-	-	9
10	.15	-	-	-	-	-	-	.08	-	.03	-	.05	10
11	.20	-	-	-	.10	-	-	.45	.12	-	-	.01	11
12	.37	-	-	-	-	-	-	.24	.28	-	-	.02	12
13	.06	.03	.40	.16	-	-	-	.17	.02	.10	.04	-	13
14	.07	-	.15	.37	.12	-	-	.03	.05	-	-	.21	14
15	.02	-	-	.13	-	-	.04	-	-	-	.01	-	15
16	-	-	.04	.30	-	-	.01	-	-	-	.37	-	16
17	.08	-	.05	.07	-	-	-	.05	-	-	.01	-	17
18	.08	-	.03	.05	-	-	-	-	-	.05	-	-	18
19	-	-	.08	-	.05	.12	-	-	-	.26	-	-	19
20	-	-	-	-	-	.02	-	-	-	-	.04	-	20
21	-	-	-	.12	-	-	-	.44	-	.07	.07	.13	21
22	-	-	.26	.08	-	-	-	-	-	.19	.01	.18	22
23	-	-	-	-	-	-	-	-	.01	.21	-	-	23
24	-	.05	-	.01	-	-	.02	-	-	-	-	.45	24
25	.03	.25	.05	.05	-	-	-	.02	-	-	-	.06	25
26	-	-	.02	-	.38	-	.37	-	-	-	-	.15	26
27	.06	-	.02	-	-	.08	-	-	-	-	.02	.26	27
28	-	-	.10	-	.06	-	-	.38	-	-	.01	-	28
29	.12	-	.04	-	.10	-	.05	.03	-	-	-	.04	29
30	.20	X	-	-	.07	-	-	-	-	-	.17	.30	30
31	.14	X	-	X	-	X	-	.15	X	.04	X	-	31
TOTAL	2.22	.33	1.44	1.62	1.33	.56	.57	3.42	.55	1.81	2.13	2.28	YEAR'S TOTAL
Days with 0.1 in. or more	19	3	17	12	13	5	5	16	6	12	17	14	18.20
Days with 0.1 in. or more	15	2	10	10	11	4	3	12	4	8	12	13	Inches 139 104

2021
JAN 1922

Kept at Witley Park Gardens
in the County of Wiltshire
by J. Penson

Lat. 51-30 Long. 2-30
Time of Observation 9 a.m.
Nearest Railway Station Ambridge 3 1/2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 49.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	-	.10	-	-	-	-	-	.07	-	.07	.22	1
2	.04	-	-	-	.16	-	-	-	-	.01	.47	-	2
3	-	-	-	-	.02	.22	-	.37	-	.81	.15	-	3
4	.17	-	.02	-	-	.12	-	.22	-	.01	.04	-	4
5	-	-	.03	.02	-	-	-	.15	-	-	.21	.10	5
6	.10	-	.02	-	.07	-	-	.47	-	.03	.24	-	6
7	.01	-	.03	-	.04	-	-	-	-	-	.20	-	7
8	.03	-	-	-	.03	-	-	.37	-	-	-	-	8
9	-	-	-	.12	.13	-	-	-	-	-	-	-	9
10	.15	-	-	-	-	-	-	.08	-	.03	-	.05	10
11	.20	-	-	-	.10	-	-	.45	.12	-	-	.01	11
12	.37	-	-	-	-	-	-	.24	.28	-	-	.02	12
13	.06	.03	.40	.16	-	-	-	.17	.02	.10	.04	-	13
14	.07	-	.15	.57	.12	-	-	.03	.05	-	-	.21	14
15	.02	-	-	.13	-	-	.04	-	-	-	.01	-	15
16	-	-	.04	.30	-	-	.01	-	-	-	.37	-	16
17	.08	-	.05	.07	-	-	-	.05	-	-	.01	-	17
18	.08	-	.03	.05	-	-	-	-	-	.05	-	-	18
19	-	-	.08	-	.05	.12	-	-	-	.26	-	-	19
20	-	-	-	-	-	.02	-	-	-	-	.04	-	20
21	-	-	-	.12	-	-	-	.44	-	.07	.07	.13	21
22	-	-	.26	.08	-	-	-	-	-	.19	.01	.18	22
23	-	-	-	-	-	-	-	-	.01	.21	-	-	23
24	-	.05	-	.01	-	-	.02	-	-	-	-	.45	24
25	.03	.25	.05	.05	-	-	-	.02	-	-	-	.06	25
26	-	-	.02	-	.38	-	.39	-	-	-	-	.15	26
27	.06	-	.02	-	-	.08	-	-	-	-	.02	.26	27
28	-	-	.10	-	.06	-	-	.38	-	-	.01	-	28
29	.12	-	.04	-	.10	-	.05	.03	-	-	-	.04	29
30	.20	X	-	-	.07	-	-	-	-	-	.17	.30	30
31	.14	X	-	X	-	X	-	.15	X	.04	X	-	31
TOTAL	2.22	.33	1.44	1.62	1.33	.56	.57	3.42	.55	1.81	2.13	2.28	18.20
Days with .01 in. or more	19	3	17	12	13	5	5	16	6	12	17	14	Inches 139
Days with .04 in. or more	15	2	10	10	11	4	3	12	4	8	12	13	104

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

AIR MINISTRY.
REGISTER OF RAINFALL IN 1922

Kept at The Gardens Willey Park
in the County of Worcester
by J. P. Smith

Lat. 52.30 Long. 2.30
Time of Observation 9.27
Nearest Railway Station Iron Bridge 9.4.18
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.20	.36	—	.21	—	.20	—	.36	—	.16	.03	1
2	.15	.27	.02	—	—	—	.23	—	—	—	—	.02	2
3	.28	.09	.11	—	.05	—	.08	.22	—	.03	—	.01	3
4	—	.30	.15	—	.40	—	.23	—	—	.06	.02	—	4
5	.12	—	.16	.20	.02	—	1.02	—	—	.18	.30	—	5
6	.21	—	.24	—	—	—	.14	.23	—	—	.38	—	6
7	.07	—	.63	.12	—	—	.18	.17	—	—	—	.02	7
8	—	—	.17	.01	—	—	.50	.15	—	.02	.03	.13	8
9	.03	—	.02	.03	—	—	—	.15	—	.02	—	—	9
10	—	—	—	—	—	.06	—	.01	—	—	.08	—	10
11	.05	—	—	—	.03	—	—	—	—	—	—	—	11
12	—	—	—	.16	—	.09	.03	.38	.42	—	—	—	12
13	.39	—	—	.32	—	.07	.18	.02	.02	—	—	—	13
14	—	—	—	.04	—	—	.05	—	.34	—	—	.25	14
15	.66	.12	—	.08	—	—	.04	—	.08	—	—	.05	15
16	.63	.12	—	.09	.13	—	.03	.24	.03	—	—	.04	16
17	.02	.15	—	—	—	—	.43	—	.01	—	—	.18	17
18	.26	.05	—	—	.03	—	.02	.02	.14	.04	—	.02	18
19	—	.07	.19	—	—	—	—	—	.08	.03	—	.55	19
20	.10	.03	.03	—	—	.04	.01	—	—	.01	—	1.41	20
21	.10	.15	—	.05	—	—	.15	.04	—	—	—	.32	21
22	.03	.10	.02	—	.20	.08	.11	.24	—	—	—	.10	22
23	—	.02	.04	.05	—	.02	.47	.02	—	—	.03	.01	23
24	.06	—	.09	.04	—	.04	—	.21	—	—	—	.02	24
25	.52	.03	.06	.62	—	.07	.01	—	.25	—	—	.01	25
26	.23	.30	—	.37	—	.06	.04	—	.05	—	.03	.06	26
27	.37	.25	.30	.12	—	.02	—	.08	.08	—	.05	.30	27
28	.07	.48	—	.01	—	.02	—	.15	.13	—	.01	.05	28
29	—	—	—	—	—	.17	.03	—	—	—	—	.28	29
30	.15	~~—~~	—	.06	—	.01	—	.10	.40	—	.04	.28	30
31	.28	~~—~~	—	~~—~~	—	~~—~~	—	.02	~~—~~	.23	~~—~~	.12	31
TOTAL	4.83	2.73	2.59	2.37	1.07	.45	4.18	2.45	2.39	.62	1.13	4.26	YEAR'S TOTAL
Days with ".01 in. or more	23	14	16	14	8	13	22	18	14	9	11	23	29.37
Days with ".04 in. or more	20	14	12	14	5	9	16	13	11	4	6	15	140

REGISTER OF RAINFALL IN 1923.

Kept at Witley Park Gardens
 in the County of Salisbury
 by John Benson

Lat. 52-30 Long. 2-30
 Time of Observation 9 a.m.
 Nearest Railway Station Iron Bridge Sta.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. - in.
 " " " " Sea Level 492 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	-	.19	-	-	-	.02	.01	.04	-	-	.40	1
2	.21	.01	.04	.01	.15	-	-	-	-	.09	.01	.02	2
3	-	.12	.22	-	-	.04	-	-	.09	.58	.04	.12	3
4	-	-	-	-	-	-	-	-	.01	.03	.02	-	4
5	.31	-	.08	.16	.30	.15	-	-	-	.02	-	.01	5
6	.34	.56	.13	.27	-	.05	-	.04	-	-	.02	-	6
7	.01	.57	.23	.17	-	-	.07	-	-	.16	-	.13	7
8	.15	.34	.01	-	-	.03	-	-	-	.15	.02	-	8
9	.05	.75	-	-	.11	.03	.02	.02	-	-	.30	-	9
10	.04	.16	-	.35	.03	-	.14	-	-	.35	-	-	10
11	-	.05	-	.32	.35	-	-	-	-	.09	-	-	11
12	.02	.30	-	.62	.11	.05	.48	-	-	.33	.03	-	12
13	.08	.37	-	.11	.05	-	-	-	.02	.09	.50	.03	13
14	-	.13	-	.01	.08	-	.13	.23	.07	-	-	-	14
15	.03	.13	.03	.03	.05	.10	.04	-	.05	-	.41	-	15
16	.07	.18	-	-	.10	-	-	.07	.03	-	.27	-	16
17	.03	.64	-	-	.03	.01	.02	.13	.31	.02	-	-	17
18	.03	.12	-	-	-	.02	-	.42	.02	.10	.15	.05	18
19	.04	.01	-	-	-	-	.20	.02	.20	-	.04	.03	19
20	.05	.26	.22	-	.02	-	-	.07	.31	.20	.10	.07	20
21	-	.02	-	-	-	.02	-	.05	-	.05	-	.60	21
22	-	.16	.06	-	.22	-	-	-	.03	.16	-	.14	22
23	-	.10	.06	.01	.18	-	.26	.64	.33	.13	-	.09	23
24	-	.25	-	.07	.03	.03	.16	.11	.30	.48	-	-	24
25	-	.53	-	.20	.02	.03	.10	.34	.08	.17	-	.23	25
26	-	.41	.04	.08	-	-	-	.02	-	.57	-	.27	26
27	.04	.05	.22	-	.30	-	.56	.22	-	.27	-	.11	27
28	.02	.03	.07	.03	.03	-	.08	.24	-	.03	.02	-	28
29	.05	-	.02	-	.03	-	.01	.65	-	.06	-	.30	29
30	-	X	.03	.01	-	.03	.17	-	-	.14	.12	.47	30
31	-	X	.03	X	-	X	.69	.04	X	-	X	.42	31
TOTAL	1.63	6.25	1.48	2.45	2.19	.59	3.15	3.32	1.89	4.27	2.05	3.51	YEAR'S TOTAL
Days with ".01 in. or more	19	25	14	16	19	13	17	18	15	23	15	18	32-48
Days with ".04 in. or more	13	21	11	10	12	5	13	14	10	19	9	14	21-52

County No.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

River Dist.

Station No.

Lat. 52-30 Long. 2-30

Time of Observation 9.2-3m

Nearest Railway Station Iron Bridge S. & T.

Diameter of Funnel of Rain Gauge.....5 1/8 in.

Height of top of Gauge above Ground 3 ft. 1 in.

Sea Level 492 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1 following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.10	-	.14	.64	.08	.16	-	-	.30	-	1 R VV
2	.01	-	.07	-	.12	.02	-	.04	-	.01	-	-	2 WFF
3	-	-	.10	-	-	-	.41	.31	-	-	-	-	3 C
4	-	-	-	-	-	.38	.04	.01	.02	-	-	.34	4 CFF
5	-	.02	.91	-	.11	-	.05	-	.01	.25	-	.05	5
6	-	-	-	-	.05	.01	-	.06	.35	.10	-	-	6
7	.04	-	-	-	.04	.12	-	-	.40	.68	-	-	7
8	.04	-	-	-	.13	.02	-	-	.15	-	-	-	8
9	.10	.07	-	.35	.01	.14	-	-	.18	.17	-	-	9
10	-	.01	-	.26	.25	.14	-	-	-	.08	-	-	10
11	.90	-	-	.25	.15	.08	-	-	-	-	.45	-	11
12	-	-	-	.06	.02	.03	-	1.44	.02	-	-	-	12
13	.05	-	-	.43	.03	-	-	.02	.20	-	.03	.10	13
14	-	-	-	.09	-	-	.02	.03	-	-	.01	.05	14
15	-	-	-	-	-	-	-	-	.08	-	-	.18	15
16	-	-	-	-	-	-	-	.33	.16	-	-	-	16
17	.19	.17	-	-	-	.49	.38	.20	.18	-	-	-	17
18	.17	.07	-	-	.23	-	.10	-	-	.38	-	-	18
19	.01	-	-	-	.26	.12	-	-	.13	.01	-	.02	19
20	.28	-	-	-	.72	-	.60	.16	.16	.08	-	-	20
21	.52	-	.02	-	.12	.27	.87	.09	-	.97	-	-	21
22	.20	-	.35	-	.03	-	-	.07	.29	-	-	.14	22
23	-	-	.03	.20	-	-	.09	.30	.10	-	.03	.32	23
24	.04	.27	-	.02	.25	-	-	.03	.16	-	-	.14	24
25	.06	-	.01	.03	.01	-	.47	-	.40	.03	.07	.05	25
26	-	-	-	.07	.03	-	.05	.05	.04	.55	.53	.50	26
27	.04	-	-	.27	-	-	.62	.01	-	.17	.02	.25	27
28	.01	.03	-	.08	-	.06	.36	.12	-	.01	.15	-	28
29	-	-	-	.53	.10	-	-	.41	.02	.65	.17	.45	29
30	-	X	-	1.10	.35	-	-	.03	.47	-	.04	.43	30
31	-	X	-	X	3.29	X	-	.01	X	-	X	.26	31 975
TOTAL	2.66	.64	1.59	3.74	6.44	2.52	4.14	3.88	3.52	4.14	1.83	3.28	YEAR'S TOTAL
Days with ".01 in. or more.	316	37	38	214	226	14	14	214	20	15	41	15	38.38
Days with ".04 in. or more	13	4	55	12	46	10	13	14	16	11	4	14	177

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2102

Register of Rainfall in 1925.

Kept at *Witley Park, Gardens*
in the County of *Shropshire*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *3* ft. — in.
" Ground " Sea Level *492* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	—	.12	—	.06	.03	—	.14	.08	—	.15	—	1
2	.06	.05	—	.03	—	—	—	.02	—	—	.29	—	2
3	.25	—	—	—	.10	—	.25	.01	.04	—	.04	—	3
4	.06	—	—	.08	.08	—	—	—	.09	.02	.07	—	4
5	—	.20	—	.58	.10	—	—	.05	.40	—	.62	—	5
6	.02	.07	.02	—	.11	—	.36	.05	.01	—	.05	—	6
7	—	.08	.04	.01	.52	—	.01	.16	—	—	.13	.08	7
8	.10	—	.08	—	.52	—	—	.48	.38	—	—	.28	8
9	—	.16	—	.03	.19	—	—	—	.43	—	—	.01	9
10	—	.03	.12	.01	—	—	—	.65	—	—	—	.04	10
11	—	1.00	—	—	.03	—	—	—	—	—	—	.07	11
12	—	.27	—	—	.01	—	—	.01	—	.13	—	—	12
13	.01	—	.03	.02	—	—	—	—	—	.01	—	.01	13
14	.43	.03	.08	.08	—	—	—	—	—	.80	—	—	14
15	—	—	—	.18	—	—	.02	—	—	—	—	.05	15
16	.02	.05	.02	.02	—	—	—	—	.38	.01	—	—	16
17	—	.12	—	—	.01	—	—	—	.16	—	—	—	17
18	—	.70	—	.07	.07	—	—	—	—	—	—	—	18
19	—	—	—	.02	—	—	—	—	.02	.95	—	.58	19
20	—	—	.10	—	—	—	—	.02	.87	.18	—	.12	20
21	—	.15	.03	—	.01	—	.34	.13	.16	.08	—	—	21
22	.02	.17	—	.10	.20	—	.65	.20	.41	.55	—	.83	22
23	—	—	.04	—	.03	—	.02	1.06	.06	.05	—	.04	23
24	—	.32	.07	.11	—	—	.03	.16	.03	.15	.04	.11	24
25	—	.25	.09	.45	.47	—	.15	.03	.24	.07	—	.12	25
26	—	.05	—	.08	.20	—	.26	.09	.11	.67	.01	.04	26
27	.04	.18	—	—	.12	—	.17	.02	.02	.07	.02	.01	27
28	.08	.12	—	.13	.02	—	—	—	—	.09	—	.17	28
29	.17	—	—	—	.14	—	.03	—	—	—	.25	.09	29
30	.01	X	.03	.06	—	—	.01	—	—	.04	—	.23	30
31	.25	X	.11	X	.15	X	—	.02	X	—	X	.02	31
TOTAL	2.08	4.00	.98	2.06	3.10	.03	2.30	3.33	3.89	4.07	1.67	2.90	YEARS TOTAL
Days with ".01 in. or more.	15	19	15	18	21	1	13	18	18	16	11	19	30.41
Days with ".04 in. or more.	10	14	10	11	15	—	7	11	14	13	9	15	184
													132

(Signed) *John Pearson* P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

2108

Kept at Willing Park Gardens
 in the County of Shropshire
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. — in.
 „ Ground „ Sea Level 492 ft.

Confor Arit

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.10	—	—	.46	.10	—	—	.01	—	1.02	.04	1
2	.10	.10	—	—	—	.01	—	—	.13	.01	.05	.03	2
3	.13	.09	.25	—	—	—	—	.03	.06	—	—	—	3
4	—	.02	.12	—	—	—	.18	—	—	—	.28	.02	4
5	.03	.29	—	—	.49	—	.53	.11	.07	—	.05	.22	5
6	.21	.25	—	—	.02	—	.12	—	.09	.06	.19	—	6
7	—	.71	—	.19	.29	.20	.07	—	.11	—	.22	—	7
8	.01	.02	.11	—	.04	—	—	.01	—	.54	.72	—	8
9	—	—	.05	—	.02	.22	.03	1.04	—	.02	—	—	9
10	—	—	—	—	.08	.02	.06	.11	—	.03	.39	—	10
11	—	—	—	—	.04	.09	—	—	.02	—	—	—	11
12	—	—	—	—	.20	.11	—	.06	—	.31	.08	—	12
13	.07	—	—	—	.14	.09	—	.01	.10	.03	.32	.07	13
14	.06	.14	—	.19	.76	.20	—	.03	.02	.10	.16	.10	14
15	.09	.05	—	.02	.11	—	—	.04	—	.20	.26	—	15
16	.05	.02	—	.52	—	.03	—	—	—	—	.57	—	16
17	.11	.06	—	.07	—	.35	—	.02	—	—	.35	.01	17
18	.26	—	—	—	—	—	.12	.04	—	—	.27	.03	18
19	—	—	.03	.05	—	—	.18	.10	.02	—	—	—	19
20	—	—	.02	.04	—	—	—	.03	—	—	.67	—	20
21	.04	—	.03	.01	—	—	.07	—	—	.28	.04	—	21
22	.34	.01	.02	—	—	—	—	—	—	.02	.01	—	22
23	.09	—	—	—	.03	—	—	—	.08	—	—	—	23
24	.05	—	—	—	.03	—	.05	—	.09	.40	—	—	24
25	.14	—	—	.25	—	—	.05	—	—	.13	.03	.03	25
26	—	—	.02	.03	.13	—	—	—	.30	—	—	—	26
27	.16	—	—	.07	.04	—	—	—	.04	.04	.01	—	27
28	.18	—	—	—	.08	—	.35	—	.04	.25	.02	.02	28
29	—	—	—	.14	.13	—	.10	—	—	—	—	—	29
30	.10	X	—	.21	—	—	—	—	—	—	—	—	30
31	.14	X	—	X	.02	X	—	.61	X	—	X	—	31
TOTAL	2.81	1.86	.65	1.79	3.11	1.42	1.91	2.24	1.21	2.42	5.65	.54	25.67
Days with 01 in. or more.	21	13	9	13	19	11	13	14	15	15	21	10	174
Days with 04 in. or more.	19	9	4	10	14	8	12	8	11	10	14	4	124/126

Please read the Notes and Instructions Overleaf.

John Pennington

Kept at Willy Hall Gardens
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
Ground Sea Level 1192 ft.

390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	—	—	—	·15	—	—	·09	—	·02	1
2	—	—	·02	·16	·03	·02	—	—	—	—	·15	—	2
3	·06	·02	·04	—	—	—	·01	—	—	—	—	—	3
4	·05	—	·05	·03	·18	·13	·10	—	—	—	—	·01	4
5	·04	·05	·8	·45	—	·07	·11	—	—	—	—	—	5
6	—	—	·12	—	·01	·25	—	·01	—	—	—	—	6
7	·06	·09	·02	·18	—	·09	·03	·04	·31	—	·82	—	7
8	·02	—	·01	·60	—	·21	—	·16	·05	—	—	·01	8
9	—	—	·01	·03	—	—	—	·34	—	—	—	—	9
10	—	—	·13	·03	—	—	—	·05	—	—	·09	·05	10
11	—	—	·08	·11	—	·18	·30	·09	—	—	—	—	11
12	·10	—	·02	—	·06	—	·02	·09	—	—	—	—	12
13	·29	—	·05	—	·01	·17	—	·20	·20	—	—	—	13
14	·02	—	—	—	·02	—	—	·02	·95	·10	·13	—	14
15	—	—	—	—	·44	—	·02	·89	·26	—	·02	·29	15
16	—	·01	—	—	·12	·48	—	·44	·27	—	·04	—	16
17	—	—	—	—	—	—	—	·15	·10	—	·01	—	17
18	—	—	—	—	—	·01	—	·05	·02	—	—	—	18
19	—	·26	—	—	—	·50	·02	·31	—	·06	·17	·01	19
20	·20	·62	—	—	·10	·25	·08	·25	·03	·01	·35	—	20
21	·19	·13	—	—	—	·13	·15	·35	·27	—	·16	·28	21
22	—	·20	·21	·10	—	—	—	·09	·45	·55	·16	·61	22
23	·02	·02	·09	—	·15	·17	—	·06	·31	·101	·25	·05	23
24	·13	—	·10	·04	—	·36	·18	·12	·20	—	·21	·56	24
25	·15	·08	·55	·05	—	·01	—	—	·04	·03	—	·16	25
26	·15	·45	·01	—	—	·11	·05	—	·02	·08	·01	—	26
27	·25	·32	·01	—	—	·07	·12	—	—	·04	—	—	27
28	·60	·18	·07	—	—	·06	—	—	·05	·12	·02	—	28
29	·02	—	·23	—	·20	·22	—	·01	·20	—	·39	—	29
30	·05	X	·11	—	—	·50	·02	—	·03	·05	—	—	30
31	—	X	·56	X	—	X	·05	·13	X	·03	X	—	31
TOTAL	2·40	2·33	2·66	1·78	1·31	3·99	1·41	3·85	3·76	2·17	3·98	2·05	YEARS TOTAL
Days with ·01 in. or more.	18	13	23	11	11	21	16	21	18	12	16	11	191
Days with ·04 in. or more.	14	10	16	8	7	18	10	14	14	9	12	7	147



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928

Kept at Wiley Park Gardens

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

Ground Sea Level 492 ft.

400 days

Cor for Anst
665. notified 1/3/29

2150
Corrected
W.D.
Eric J. sent
1.3.29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.28	.42	.03	.09	—	.01	.28	—	—	.06	—	1
2	.34	.02	—	—	.01	—	.12	.01	—	—	—	—	2
3	.04	.05	.35	.05	.01	—	.01	—	—	—	.12	—	3
4	—	.01	.01	.02	.06	—	—	—	—	—	—	—	4
5	.04	.38	.01	.03	—	—	.11	—	—	.40	.01	—	5
6	.04	.01	.01	.15	—	.30	.07	—	.24	.48	.01	—	6
7	—	—	—	.01	—	.15	—	—	.05	—	—	.05	7
8	.01	—	—	.25	—	.31	—	.48	.12	.47	.01	.03	8
9	.01	.02	—	.02	—	.22	.07	—	.18	.02	—	—	9
10	.05	—	—	—	—	.02	—	—	—	.01	—	—	10
11	.27	.26	—	.01	.08	.13	—	—	.02	.42	.22	.02	11
12	—	.16	—	.11	—	—	—	—	—	.13	.07	.20	12
13	.23	.34	—	.42	—	.16	—	.08	—	—	.06	.06	13
14	—	.02	—	.07	—	.25	—	.21	—	—	—	—	14
15	.04	.17	—	—	—	.09	—	.24	—	.67	.35	—	15
16	.06	.04	.04	—	.06	.12	—	.11	—	.02	.20	.02	16
17	—	.09	.01	—	.01	—	—	—	—	.20	.32	.07	17
18	.08	—	—	—	.22	.04	—	—	—	—	—	—	18
19	.42	—	—	.42	.09	.15	—	—	.01	.26	.01	.09	19
20	—	—	.12	—	.39	.19	—	.11	—	.14	.20	.24	20
21	.10	.01	.42	.07	.01	.06	—	—	.01	.03	.25	—	21
22	.85	—	.35	.05	.04	.02	—	.18	.09	.12	.08	.02	22
23	—	.02	.02	.01	.01	—	.02	.48	—	—	.34	.12	23
24	.33	—	.15	.08	.02	—	—	—	.02	.17	.35	—	24
25	.07	.01	.15	—	—	—	—	.15	.31	.03	.22	.04	25
26	.19	—	—	—	—	.06	—	.10	.01	.10	.05	.12	26
27	.17	—	—	—	.05	.09	.06	.28	—	.63	.37	—	27
28	.02	—	—	.03	—	—	—	.42	.15	.13	.50	.37	28
29	.44	.01	.08	—	—	.11	—	.01	.14	—	.01	.34	29
30	.15	X	.17	—	—	.57	.03	.28	—	.10	.05	.06	30
31	—	X	.14	X	—	X	.50	.01	X	.02	X	.48	31
TOTAL	28	42	03	09	—	01	28	34	35	48	86	233	30.87
Days with .01 in. or more.	23	18	16	18	14	17	10	17	13	22	23	17	6/209
Days with .04 in. or more.	19	9	11	10	9	17	7	14	8	15	18	13	149

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Witley Park Gardens
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level 1492 ft.

July 2nd high of 2214, 2216
4000
circ sent 28.1.30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

01

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.45	—	—	—	—	—	.40	.25	.30	—	.02	I
2	—	.04	—	.09	—	.27	—	.05	—	.18	—	—	2
3	—	.42	—	—	—	—	—	.02	—	—	.09	.12	3
4	—	—	—	.01	.03	.02	.03	.22	.31	—	—	.08	4
5	—	.01	—	.18	.21	.45	.75	—	—	.02	.02	.45	5
6	.01	—	—	—	.74	.28	.55	.30	—	.52	.25	.06	6
7	.03	—	—	—	.05	.43	.08	.19	—	.05	.10	.53	7
8	—	—	—	—	.75	—	—	—	—	.25	.28	.15	8
9	—	.08	—	.10	—	—	—	.03	—	.35	—	.80	9
10	.20	.12	—	—	—	—	.05	.02	—	—	.25	.48	10
11	.05	—	—	—	—	—	—	—	—	.12	—	.21	11
12	—	—	—	—	.40	—	.15	—	—	—	.95	.15	12
13	—	—	—	.10	.07	.90	.50	—	.08	—	—	—	13
14	.03	—	—	.01	.08	.04	—	.10	—	—	.02	—	14
15	.03	—	—	.01	.03	.28	—	—	.02	—	—	.16	15
16	.18	—	—	—	—	.03	—	—	—	—	.40	—	16
17	—	—	—	—	—	—	—	.11	—	—	.01	—	17
18	.25	—	—	—	—	—	—	.04	—	—	—	—	18
19	—	—	—	—	—	—	—	.01	—	—	.30	—	19
20	—	—	—	—	—	—	—	—	—	—	.20	.02	20
21	—	—	—	—	—	—	—	—	—	.32	.11	.35	21
22	—	—	.06	—	—	.11	—	.02	—	—	—	—	22
23	.04	—	—	.25	—	.08	—	.10	—	.03	.21	—	23
24	—	.02	—	—	—	—	.02	—	—	.02	.30	.45	24
25	—	—	.11	—	—	—	—	.10	—	.75	.75	.50	25
26	—	.21	.03	.11	—	—	—	—	—	—	.12	.05	26
27	—	.06	—	.06	.10	—	—	—	—	.05	.18	.06	27
28	—	—	—	.15	.03	—	—	—	—	.15	.25	—	28
29	.54	X	—	.21	—	—	.38	—	.25	.04	.75	.55	29
30	.02	X	—	—	—	—	—	—	—	.01	.20	.20	30
31	.04	X	—	X	—	X	.05	—	X	—	X	—	31
TOTAL	.45 1.42	.45 1.42	.20 1.20	.28 1.28	.29 1.29	.28 1.28	.40 1.71	.25 1.71	.30 1.91	.16 1.46	.02 1.54	.01 1.89	29.66
Days with or in. or more.	13	28	X3	8.12	3.11	2.11	2.11	5.15	9.15	3.86	5.46	4.20	33.146
Days with or in. or more.	X8	X6	2.1	9.1	8.1	9.1	8.1	10.1	4.1	11.2	18.1	18.1	112.111

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Witley Park Gardens*
in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *3* ft. in.
,, Ground ,, Sea Level *1192* ft.

400

Cond. 50
40

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

22

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.01</i>	<i>.35</i>	—	<i>.01</i>	—	<i>.02</i>	<i>.37</i>	—	—	—	<i>.14</i>	<i>.01</i>	1
2	<i>.01</i>	<i>.16</i>	—	—	—	<i>.02</i>	—	<i>.08</i>	—	<i>.01</i>	<i>.25</i>	—	2
3	—	<i>.02</i>	<i>.05</i>	<i>.02</i>	—	<i>.12</i>	—	<i>.11</i>	—	<i>.45</i>	<i>.52</i>	—	3
4	<i>.45</i>	<i>.04</i>	—	<i>.58</i>	—	—	—	<i>.26</i>	—	—	<i>.05</i>	—	4
5	<i>.16</i>	<i>.02</i>	—	<i>.13</i>	<i>.21</i>	—	—	<i>.04</i>	—	<i>.12</i>	—	—	5
6	<i>.04</i>	—	<i>.18</i>	<i>.02</i>	<i>.62</i>	—	—	<i>.10</i>	—	<i>.17</i>	—	—	6
7	<i>.02</i>	<i>.02</i>	<i>.60</i>	—	<i>.36</i>	—	—	<i>.03</i>	<i>.15</i>	<i>.10</i>	—	<i>.05</i>	7
8	<i>.07</i>	—	—	—	—	—	—	<i>.04</i>	—	<i>.16</i>	<i>.12</i>	<i>.05</i>	8
9	<i>.02</i>	—	—	<i>.10</i>	—	—	—	—	<i>.34</i>	<i>.18</i>	<i>.01</i>	—	9
10	<i>.26</i>	—	<i>.36</i>	<i>.21</i>	<i>.46</i>	—	—	—	<i>.01</i>	<i>.04</i>	<i>.02</i>	—	10
11	<i>.60</i>	—	<i>.23</i>	—	<i>.08</i>	—	—	<i>.13</i>	—	—	—	<i>.55</i>	11
12	<i>.02</i>	—	—	<i>.02</i>	<i>.03</i>	—	—	<i>.01</i>	<i>.02</i>	<i>.03</i>	<i>.03</i>	<i>.30</i>	12
13	<i>.30</i>	—	<i>.03</i>	—	<i>.11</i>	<i>.07</i>	—	<i>.09</i>	—	—	—	<i>.18</i>	13
14	<i>.06</i>	—	<i>.25</i>	<i>.21</i>	<i>.01</i>	—	<i>.11</i>	<i>.07</i>	<i>.34</i>	—	—	<i>.12</i>	14
15	<i>.65</i>	—	<i>.74</i>	<i>.03</i>	<i>.01</i>	<i>.01</i>	<i>.61</i>	<i>.02</i>	—	<i>.02</i>	—	<i>.12</i>	15
16	—	<i>.12</i>	<i>.27</i>	—	—	—	<i>.26</i>	—	<i>.06</i>	<i>.28</i>	<i>.14</i>	<i>.19</i>	16
17	<i>.02</i>	—	—	—	<i>.01</i>	—	<i>.07</i>	—	<i>.25</i>	<i>.04</i>	—	<i>.15</i>	17
18	—	—	—	<i>.10</i>	<i>.06</i>	—	<i>.06</i>	<i>.04</i>	<i>.75</i>	<i>.03</i>	—	<i>.02</i>	18
19	—	—	<i>.04</i>	<i>.02</i>	—	<i>.01</i>	<i>.21</i>	<i>.06</i>	<i>.02</i>	<i>.04</i>	<i>.21</i>	<i>.01</i>	19
20	—	—	<i>.12</i>	<i>.39</i>	—	<i>.02</i>	—	<i>.08</i>	<i>.58</i>	<i>.11</i>	<i>.17</i>	—	20
21	<i>.01</i>	—	—	—	—	—	<i>.91</i>	<i>.78</i>	<i>.52</i>	<i>.05</i>	<i>.07</i>	—	21
22	<i>.03</i>	—	<i>.39</i>	—	—	<i>.01</i>	<i>.25</i>	<i>.06</i>	<i>.02</i>	<i>.11</i>	<i>.12</i>	—	22
23	<i>.36</i>	—	—	—	—	—	<i>.36</i>	<i>.42</i>	<i>.02</i>	<i>.23</i>	<i>.13</i>	—	23
24	<i>.03</i>	—	—	<i>.08</i>	<i>.07</i>	—	<i>.16</i>	<i>.07</i>	<i>.01</i>	<i>.01</i>	<i>.32</i>	<i>.03</i>	24
25	<i>.22</i>	—	—	<i>.31</i>	—	—	—	—	—	<i>.49</i>	<i>.20</i>	<i>.05</i>	25
26	—	<i>.02</i>	—	<i>.20</i>	<i>.03</i>	—	—	—	<i>.15</i>	<i>.56</i>	<i>.08</i>	<i>.17</i>	26
27	<i>.88</i>	<i>.08</i>	—	<i>.20</i>	<i>.09</i>	—	<i>.05</i>	—	<i>.01</i>	<i>.03</i>	<i>.01</i>	<i>.01</i>	27
28	—	—	<i>.08</i>	<i>.01</i>	<i>.03</i>	—	<i>.20</i>	—	—	<i>.06</i>	—	<i>.06</i>	28
29	<i>.04</i>	—	<i>.05</i>	—	—	—	<i>.10</i>	—	<i>.01</i>	<i>.01</i>	<i>.26</i>	<i>.21</i>	29
30	—	<i>X</i>	—	—	—	—	<i>.25</i>	<i>.11</i>	<i>.02</i>	<i>.02</i>	<i>.07</i>	<i>.10</i>	30
31	—	<i>X</i>	—	<i>X</i>	<i>.35</i>	<i>X</i>	<i>.12</i>	<i>.02</i>	<i>X</i>	<i>.04</i>	<i>X</i>	<i>.44</i>	31
TOTAL	<i>4.26</i>	<i>.83</i>	<i>3.39</i>	<i>2.67</i>	<i>2.53</i>	<i>2.8</i>	<i>4.99</i>	<i>2.62</i>	<i>3.28</i>	<i>3.39</i>	<i>2.82</i>	<i>2.85</i>	<i>33.98</i>
*Days with or in. or more.	<i>4.26</i>	<i>.83</i>	<i>3.39</i>	<i>2.67</i>	<i>2.53</i>	<i>2.8</i>	<i>4.99</i>	<i>2.62</i>	<i>3.28</i>	<i>3.39</i>	<i>2.82</i>	<i>2.85</i>	<i>33.98</i>
*Days with .04 in. or more.	<i>13.14</i>	<i>4.26</i>	<i>13.14</i>	<i>11.14</i>	<i>10.14</i>	<i>3.2</i>	<i>16.15</i>	<i>17.19</i>	<i>9.18</i>	<i>16.15</i>	<i>17.19</i>	<i>14.16</i>	<i>14.16</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Bracewell* [P.T.O.]

2308

MYDDLE

IZATION METEOROLOGICAL

OFFICE

9 JAN 1923

Kept at Marton

in the County of Shropshire

by Maj. G. S. Go

SALOP, MARTON HALL

1922 1926-30

IMPORTANT NOTE.

previous day. If an Observer

to add the reading at 9 a.m. of

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and

particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free

on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,

Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Gauge _____ in.
 Ground _____ ft. _____ in.
 Sea Level _____ ft.
 and the result entered to the
 lastly requested

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	33	35		2		18	7	29		7	3	1
2	23	36	3		2		17					2	2
3	31	12	31		6		17	26			9		3
4	4	26	17		26		5			10			4
5	16		10	22			85	4		4	16		5
6	18		12				27	4			15	2	6
7	9		38	8			30	19				3	7
8			9				37	10			6	10	8
9			4	11				3			3		9
10						6							10
11	14										4		11
12				16		19	17	34	45				12
13				27		18	12		5				13
14				20					22			37	14
15	73	14		2					12				15
16		9		7	17		5	30	9			3	16
17	46	3			6		71		7			19	17
18	24	4			6	3			17	1		20	18
19	4	13	23						5	15		25	19
20	5	7										22	20
21	3	20		9			24					24	21
22		20			25	6	6	14			4	25	22
23				5			17					16	23
24			7	5		19		17				4	24
25	21	4	13	50		4			17			9	25
26	18	36	8	15		5	5		4		5	25	26
27	10	65	11	16				6	25		4	22	27
28	18	36				8		19	33			8	28
29						3	8					16	29
30	12	X	21	40		4		21	20		11	3	30
31	26	X		X		X	17	27	X	19	X		31
TOTAL	3.86	3.36	2.37	2.53	.90	.95	3.88	2.41	2.50	.49	.84	4.0	YEAR'S TOTAL
Days with 0.1 in. or more	21	16	15	15	8	11	18	15	14	5	11	21	27.79
Days with 0.4 in. or more	19	15	13	14	6	9	18	14	14	4	10	15	170.169 151

REGISTER OF RAINFALL IN 1922

9 JAN 1923

Kept at Marton Hall
in the County of Shropshire
by Maj W. S. Gosling

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Baschurch
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	33	35		2		18	7	29		7	3	1
2	23	36	3		2		17					2	2
3	31	12	31		6		17	26			9		3
4	4	26	17		26		5			10			4
5	16		10	22			85	4		4	16		5
6	18		12				27	4			15	2	6
7	9		38	8			30	19				3	7
8			9				37	10			6	10	8
9			4	11				3			3		9
10						6							10
11	14										4		11
12				16		19	17	34	45				12
13				27		18	12		5				13
14				20					22			37	14
15	73	14		2					12				15
16		9		7	17		8	30	9			3	16
17	46	3			6		71		7			19	17
18	24	4			6	3			17	1		20	18
19	4	13	23						5	15		75	19
20	5	7										72	20
21	3	20		9			24					24	21
22		20			25	6	6	14			4	28	22
23				5			17					16	23
24			7	5		19		17				4	24
25	21	4	13	50		4			17			9	25
26	18	36	3	15		5	5		4		5	28	26
27	10	68	4	16				6	28		4	22	27
28	18	36				8		19	33			8	28
29						3	8					16	29
30	12	X	21	40		4		21	20		11	3	30
31	26	X		X		X	17	27	X	19	X		31
TOTAL	3.86	3.36	2.37	2.53	90	95	3.88	2.41	2.50	49	84	40	YEAR'S TOTAL
Days with 0.1 in. or more	21	16	15	15	8	11	18	15	14	5	11	21	27.79
Days with 0.4 in. or more	19	15	13	14	6	9	18	14	14	4	10	15	170/169 151

Section **A**

for the entry of Daily Observations.

W H J 80

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2129

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Marton Hall, Barchurch
in the County of Shropshire

Con for April

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.18			.38	.16			.20		.65	.16	1
2	.07	.18							.07		.05	.04	2
3	.24		.38										3
4			.11						.02		.42	.12	4
5	.08	.33			.86		.06		.08		.27	.11	5
6	.29	.10					.19	.08	.08		.30		6
7		.58		.09	.42	.19			.11		.23		7
8		.05			.03	.15				.76	.44		8
9						.14	.06	1.31			.32		9
10			.06		.12	.06		.11					10
11						.05							11
12					.19	.10		.08		.60			12
13		.04		~~.22~~	.21			.03		.07	.30	.04	13
14		.16		.23	.15	.09		.05			.07		14
15				.08	.06	.03		.09		.14	.14		15
16		.05		.35		.13					.82		16
17		.05		.06		.26		.12			.17	.19	17
18	.46	.04		.05			.69	.06			.32		18
19							.38	.21	.64		.03		19
20				.09				.10			.35		20
21	.07			.08			.15			.13	.10		21
22	.30			.02		.04							22
23	.11												23
24	.15				.19		.13		.14	.24			24
25				.14						.13	.05		25
26				.03	.19				.38				26
27	.46			.06	.07		.09		.09				27
28	.05			.10	.12		.44		.02	.18		.05	28
29				.15	.22		.04						29
30	.23	X		.20	.07			.62					30
31	.15	X		X		X			X		X		31
TOTAL	3.08	1.76	.55	1.73	3.28	1.30	2.23	2.86	1.83	2.25	5.03	.71	26.67
Days with ".01 in. or more.	14	11	3	25	15	12	10	12	21	8	18	7	8156
Days with ".04 in. or more.	14	11	3	13	14	11	10	11	9	8	17	7	1281
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Marton Hall
 in the County of Shropshire
 Diameter of Funnel of Gauge 5" in.
 Height of top of Gauge above Ground 1' ft. in.
 „ „ Ground „ Sea Level _____ ft.

BA
Rain days.
Gov for arith
Obs notified D2

Obs agrees
5.774851/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13			9	7			28	15		1
2			10	14	12								2
3	15	3				7	7						3
4			21	13	17	6	25				8		4
5	9		5	16		30	23				5		5
6			6			7		8	40		61		6
7	10	19	6			14	10	9					7
8				95				20	5				8
9				55				16			8	3	9
10				2		11		7	9				10
11				11			44	7					11
12	12				11		3	11					12
13	17							19	41	14	10		13
14								12	1.00		3	18	14
15					43			21	15				15
16					14	45		22	17				16
17						7		65	11				17
18						78		60		3	93		18
19	15	20				6	27	28	6		44		19
20		53			18	14	28	19	8		24	12	20
21	10	12						74	22	49	22	40	21
22			25	9		15		8	15	76	23	6	22
23			15			33		10	15		19	43	23
24	39			3		2		24	14	11		50	24
25	8	13	27			18				28		16	25
26	9	16			14		11		4	20		9	26
27	19	21	16			50	28						27
28	54	10							9		39		28
29	7		18			30	4		24	23			29
30	7	X				39	8	17	3	10			30
31		X	40	X	6	X			X	2	X	5	31
TOTAL	2.31	1.67	2.12	2.18	1.35	4.01	2.25	4.57	3.58	2.64	3.74	2.02	YEAR'S TOTAL
Days with "01 in. or more.	14	9	12	9	8	19	12	20	18	11	14	10	105
Days with "04 in. or more.	14	8	12	7	8	18	12	19	17	9	13	9	146

Please read the Notes and Instructions Overleaf.

(Signed) J. S. Smith

(P.T.O.)

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Marton Hall Boschurch
in the County of Shropshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.5					.15	.1					1
2		.14	.23	.5									2
3				.7			.4		.2				3
4	.7	.36		.6			.18			.18	.8		4
5	.10	.5	.6	.14		.27	.10		.33	.13			5
6			.12			.68	.5	.5				.6	6
7	.9	.3		.21		.28		.23		.30	.2		7
8						.72	.6		.24	.5			8
9			.2			.3			.4	.5		.4	9
10	.15	.35	.2		.5	.27				.63	.16		10
11		.9		.14		.3		.9		.8	.15	.20	11
12	.27	.26	.3	.25		.22		.7		.6	.11	.5	12
13				.2		.40		.13			.7		13
14	.9	.12				.6		.14	.8	.40	.53		14
15	.7	.19	.2		.7	.12		.19		.19	.23	.6	15
16		.23				.2					.34	.10	16
17	.5		.7		.26	.2							17
18	.67		.8		.7	.7			.9	.17	.4	.12	18
19			.6		.19	.7		.6		.24	.59	.19	19
20	.15		.32		.16						.24		20
21	.71		.25	.16	.3	.11		.8	.11	.15	.16		21
22		.4					.4	.41			.40	.10	22
23	.43		.7				.4			.14	.16		23
24	.6		.4					.23	.44	.5	.18	.15	24
25	.20					.20		.11		.3	.9	.14	25
26	.16		.4		.11	.12		.36		.31	.27		26
27	.8			.6		.31		.76	.4	.7	.15	.26	27
28	.18							.16	.10		.6	.32	28
29	.37	.31	.18			.31	.6	.40		.13	.3	.6	29
30		X	.25	.18		.3	.44	.22		.17		.33	30
31	.40	X		X		X	.37		X	.3	X		31
TOTAL	4.50	2.22	1.86	1.34	.94	4.34	1.53	3.70	1.49	3.56	4.06	2.18	YEAR'S TOTAL
Days with 01 in. or more.	20	13	14	11	8	21	11	10	10	21	21	15	186
Days with 04 in. or more.	20	12	13	10	7	14	11	17	9	19	19	15	168

Please read the Notes and Instructions Overleaf.

J. Smith

REGISTER OF RAINFALL IN 1929.

Kept at Marton Hall
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level 9 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				2	5	17		10		32		6	1
2		18				3		2		3	12	17	2
3		1		3	2	15	13	61	25		2	10	3
4		3		21	25	10	23	7		13	3	48	4
5	4				43	22	25	36		72	19	11	5
6	5				9	29		15		5		31	6
7	3				36	11				14	15	26	7
8		18		9	2					16		56	8
9	14						9			15	64	30	9
10	9										4	34	10
11					33						87	3	11
12				5		47	26		41			3	12
13					11	5		8				17	13
14	6				13	28			7		14	4	14
15						3					31		15
16						2		10		2			16
17	21							10					17
18								12			41		18
19										2	23	3	19
20						2			9	9	5	24	20
21			31			8		5					21
22			2			4	15	15			14		22
23		6					4	5		31	29	42	23
24			3					23		34	26	27	24
25			3	13						6	16	14	25
26		8		7							10	8	26
27				14	3		2	3		21	19	5	27
28	34			10			19	8	12	7	77	60	28
29	4							4		7	19	31	29
30		X					8		78		9		30
31	19	X		X		X	28	9	X		X		31
TOTAL	1.19	54	39	84	1.82	2.06	1.72	2.43	1.72	2.89	5.39	5.10	26.09
Days with or in. or more.	X 10	26	34	29	31	45	X 11	218	6	317	222	323	2652
Days with or in. or more.	9	4	1	7	8	11	10	16	6	14	20	20	126

REGISTER OF RAINFALL IN 1930.

Kept at Marton Hall
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	6	29		34		21		16			60		I
2		5	8					15			55		2
3	29	4		43			4	13		78	4		3
4	9		9	34				3	3	7			4
5	12		13		61			5		14			5
6			55		4			4	31	17		2	6
7	21									29	10	15	7
8	2			14				3	40	19		12	8
9	52		20	45	59	4						3	9
10	53		17		15			26				78	10
II			7	2				9	26	6		17	II
12	28		3	3	22	6		3				20	12
13	13		37	12			10	7	49			2	13
14	63	3	30	7	2		23	4				15	14
15		20	32				18			16	24	40	15
16							34		16	10		15	16
17			3	3	6	4	13	9	59	9		3	17
18			8			53	22	4		8	35		18
19			16	25		10			68	14	21		19
20			14			13	43	50	20	3	15		20
21			26			9	10	9		22	9		21
22	25					8	12	37		18	27		22
23	4			7	4	6	8	7	8	3		4	23
24	34			24	6	3			4	40	27		24
25		11		17					39	30	14	6	25
26	80	9		22	47		2			7	4	17	26
27			13	2			33			2		21	27
28			4				35			3		34	28
29							15	15		4		13	29
30		X			14		12	9		15		70	30
31	33	X	2	X	12	X			X	29	X	20	31
TOTAL	4.64	.81	3.17	2.94	2.52	1.18	3.94	2.48	3.63	4.03	3.06	4.07	36.47
*Days with .01 in. or more.	16	7	19	16	12	11	16	20	12	24	13	20	25
*Days with .04 in. or more.	15	6	16	12	11	9	15	17	11	20	13	16	16

Kept at Harper
in the County of La
by

NEWPORT
AGRICULTURAL COLL
SHROPSHIRE
1921-1930

GANIZATION.

2304

2.25.30
Newport Shrop
in Gauge 5 in.
ove Ground 1 ft. in.
Sea Level 220 ft.
entered to the previous day.
tested to add
at the end of
f rain gauges,
all Observers,
62, Camden

Jan. 1, following.

03.

IMPORTANT NOTE

If an Observer prefers not
the reading at 9 a.m. on 1s
this paragraph. Full instr
and particulars as to the l
sent post-free on applicati
Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.30	-	-	-	.24	-	.03	.19	-	.10	.10	1
2	.36	Trace	.06	-	-	-	-	.28	-	-	.05	.03	2
3	Trace	-	-	-	.06	-	-	.15	-	-	.83	-	3
4	-	Trace	-	-	.03	.05	-	.02	-	1.70	.16	-	4
5	.05	-	-	-	-	.13	-	.28	-	.01	.08	Trace	5
6	-	-	.02	Trace	-	-	-	.44	-	-	.18	.04	6
7	Trace	-	Trace	-	.02	-	Trace	.03	-	-	.02	Trace	7
8	.14	-	.04	-	.11	-	-	.44	-	-	.15	Trace	8
9	.08	-	.08	-	.09	Trace	-	-	-	-	-	-	9
10	Trace	-	-	.10	.18	-	-	.18	.02	-	-	-	10
11	.10	-	-	-	Trace	-	-	.23	Trace	-	-	.06	11
12	.11	-	Trace	-	.16	-	-	.24	.11	-	.01	Trace	12
13	.31	Trace	.05	-	Trace	.01	-	.01	.33	-	-	.10	13
14	.02	.01	.20	.30	-	-	-	-	.05	.01	.02	Trace	14
15	-	-	.10	-	.12	-	.08	.04	.02	-	-	.14	15
16	-	-	Trace	Snow. .35	Trace	-	.10	-	-	-	-	Trace	16
17	-	-	Trace	Snow. .30	Trace	-	-	-	-	-	.26	-	17
18	.14	-	.01	.05	-	-	-	.08	-	-	Trace	-	18
19	.05	-	.01	.24	-	-	-	-	-	.03	-	-	19
20	-	-	.11	Trace	.05	.08	-	-	-	.16	.14	Trace	20
21	-	-	Trace	-	-	-	-	.05	-	+	.01	.01	21
22	Trace	-	.10	.05	-	.03	-	-	-	.41	.11	.13	22
23	.02	-	.11	.06	-	-	.01	Trace	-	.36	.01	.20	23
24	Trace	-	-	.02	-	-	.01	.01	Trace	.05	-	.02	24
25	Trace	.14	-	.03	-	-	-	-	-	-	-	.25	25
26	.04	.10	.10	Trace	Trace	-	.46	Trace	-	-	Trace	.05	26
27	.01	Trace	-	-	-	.05	-	-	-	-	-	.17	27
28	Trace	-	Trace	-	.18	-	.02	.02	-	-	Trace	.34	28
29	-	X	.05	-	.44	-	-	.65	-	-	-	.03	29
30	.10	X	Trace	-	.13	-	.03	Trace	-	-	-	.02	30
31	.11	X	-	X	.01	X	-	-	X	-	X	.18	31
TOTAL	1.40	.55	1.04	1.50	1.58	.62	.41	3.18	.72	2.45	2.13	1.90	18.06
Days with ".01 in. or more	1.97	.25	1.04	1.50	1.85	.35	.74	3.34	.53	2.53	2.13	1.83	135
Days with ".04 in. or more	1.19	.32	1.11	.81	1.11	.54	.31	1.13	.43	.65	1.01	.12	95

REGISTER OF RAINFALL IN 1921

Kept at Harper Adams Agricultural College, Newport
in the County of Salop.
by

Lat. 52.46.00 Long. 2.25.30
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	30	-	-	-	24	-	03	19	-	10	10	1
2	36	Trace	06	-	-	-	-	28	-	-	05	03	2
3	Trace	-	-	-	06	-	-	15	-	-	83	-	3
4	-	Trace	-	-	03	05	-	02	-	140	16	-	4
5	05	-	-	-	-	13	-	28	-	01	08	Trace	5
6	-	-	02	Trace	-	-	-	44	-	-	18	04	6
7	Trace	-	Trace	-	02	-	Trace	03	-	-	02	Trace	7
8	14	-	04	-	11	-	-	44	-	-	15	Trace	8
9	08	-	08	-	09	Trace	-	-	-	-	-	-	9
10	Trace	-	-	10	18	-	-	18	02	-	-	-	10
11	10	-	-	-	Trace	-	-	23	Trace	-	-	06	11
12	11	-	Trace	-	16	-	-	24	11	-	01	Trace	12
13	31	Trace	05	-	Trace	01	-	01	33	-	-	10	13
14	02	01	20	30	-	-	-	-	05	01	02	Trace	14
15	-	-	10	-	12	-	08	04	02	-	-	14	15
16	-	-	Trace	Snow. 35	Trace	-	10	-	-	-	-	Trace	16
17	-	-	Trace	Snow. 30	Trace	-	-	-	-	-	26	-	17
18	14	-	01	05	-	-	-	08	-	-	Trace	-	18
19	05	-	01	24	-	-	-	-	-	03	-	-	19
20	-	-	11	Trace	05	08	-	-	-	16	14	Trace	20
21	-	-	Trace	-	-	-	-	05	-	4	01	01	21
22	Trace	-	10	05	-	03	-	-	-	41	11	13	22
23	02	-	11	06	-	-	01	Trace	-	36	01	20	23
24	Trace	-	-	02	-	-	01	01	Trace	05	-	02	24
25	Trace	14	-	03	-	-	-	-	-	-	-	25	25
26	04	10	10	Trace	Trace	-	46	Trace	-	-	Trace	05	26
27	01	Trace	-	-	-	05	-	-	-	-	-	14	27
28	Trace	-	Trace	-	18	-	02	02	-	-	Trace	34	28
29	-	X	05	-	44	-	-	65	-	-	-	03	29
30	10	X	Trace	-	13	-	03	Trace	-	-	-	02	30
31	11	X	-	X	01	X	-	-	X	X	-	18	31
TOTAL	140	55	104	150	158	62	44	318	72	243	213	190	1806
Days with 01 in. or more	197	25	14	10	134	76	78	18	65	89	15	17	135
Days with 04 in. or more	13	2	11	8	10	54	3	13	3	65	10	12	95

Kept at Edgmond, Newport
in the County of Salop
by Harper Adams Agricultural College

Lat 52° 46' 40" Long 2° 25' 30"
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop 3 m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
03.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	30	41		07		01	12	21	34	18	06	1
2	15	19	32		27		07		46		16	02	2
3	32	13	03		01		70					02	3
4	06	17	12		06		04	26			02	01	4
5		02	09		38		06			13	08		5
6	08		09	30			85			04	22	01	6
7	20		19	02			09	26			21	07	7
8	17		43	09			14	11			01		8
9			09	03			29	41			05	09	9
10	03		02	04			03	29			01	01	10
11						06					06		11
12	08				01								12
13				08		11	15	32	36				13
14	45			17		02	22		10				14
15		01		08			03		31			29	15
16	21	09		08					11		02	02	16
17	33	06		04	19		06	36	02			08	17
18		02					40		02			12	18
19	19	06			04		01		29	03		12	19
20		15	10						07	10		43	20
21	04	01										64	21
22	04	03		03			19	08				25	22
23	02	07			17	21	03	31				09	23
24				07	01	08	34					05	24
25			13	12		13	01	11				02	25
26	25	02	02	53		03			19	01		04	26
27	08	14	04	11		04	08		10	03	10	06	27
28	10	26	16	12				15	12		03	19	28
29	02		01			01		10	22			03	29
30		X				03	06					22	30
31	11	X	15	X		X	01	12	X		X	15	31
TOTAL	296	173	240	191	121	72	387	300	258	68	115	309	YEAR'S TOTAL
Days with "01 in. or more	323	184	199	198	114	73	398	309	271	52	103	306	25.30
Days with "04 in. or more	21	17	16	17	9	11	23	14	14	7	13	25	187
	18	17	11	12	13	14	13	6	7	14	12	4	8

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Edgmond, Newport
in the County of Salop
by Harper Adams Agricultural College

Lat. 52° 46' 40" Long. 2° 25' 30"
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop (3 miles)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
34

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.03	.06	.11			.34	.02			.06	1
2	.06	.04	.14		.03		.02	.05	.04	.12		.18	2
3	.16	.03	.03	.01	.06		.04	.01		.38	.05	.01	3
4	.01	.03	.26			.03		.03	.16	.03	.09	.06	4
5	.01		.01			.04			.02	.02	.07	.03	5
6	.21		.08	.11	.37	.11							6
7	.38	.37	.16	.17		.02		.05	.01		.02	.01	7
8	.02	.34	.08	.02			.01	.01		.23		.10	8
9	.06	.23				.01				.43	.09	.02	9
10	.04	.32			.09	.04	.06	.06			.18	.01	10
11	.11	.15		.28	.05	.04	.12			.24	.01		11
12	.02	.09		.20	.42					.09			12
13	—	.24	.02	.45	.07	.03	.04			.20	.02	.02	13
14	—	.37		.10	.09				.05	.01	.46	.01	14
15	—				.03		.19	.35	.08	.06	.01	.02	15
16	.05	.10	.03		.03	.12	.07				.27	.04	16
17	.04	.10			.23	.02		.06	.01	.04	.21		17
18	.03	.40			.03	.02	.01	.10	.18	.01			18
19	.02	.21			.01	.03		.24	.03	.06	.19	.10	19
20	.07						.19	.01	.15			.04	20
21	.03	.11	.09		.04			.09	.46	.05	.08	.08	21
22	.02	.03				.02		.04	.03	.11		.33	22
23	.01	.16	.02		.46			.35	.01	.13		.12	23
24		.08			.11		.36	.37	.31	.08		.06	24
25		.34		.08	.03	.02	.25		.11	.22			25
26		.27		.08	.02	.02	.03	.36	.09	.21		.30	26
27		.25	.02	.09	.01		.01	.03		.28		.29	27
28		.07	.21		.35		.47	.08		.17		.26	28
29	.02	X	.04	.02	.03		.08	.04		#	.06		29
30	.05	X		.01	.02		.16	.69		.10		.31	30
31		X	.08	X		X	.04		X	.07	X	.61	31
TOTAL	145	433	130	178	269	57	305	336	176	334	181	307	2851
Days with .01 in. or more	22	23	16	14	23	15	18	21	19	24	15	24	232
Days with .04 in. or more	11	20	9	10	12	5	13	16	10	20	11	16	154

Com for W. P.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2071
County No. 2304

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Harper Adams College
Agricultural College
in the County of Salop.
by Harper Adams College

Lat. 52° 46' 40" N, Long. 2. 25 30 W.
Time of Observation 9 a.m.
Nearest Railway Station Newport, Salop.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

0.16

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.01	.09	—	.28	2.20	—	.05	Trace	.30	Trace	.05	1
2	Trace	.01	Trace	—	.06	.58	.15	.14	—	—	.22	—	2
3	.02	—	.03	—	.04	.21	.15	.01	—	.01	.05	.03	3
4	Trace	—	.15	—	.03	.03	.06	.21	—	.01	—	Trace	4
5	.01	—	Trace	—	Trace	.15	.04	.02	Trace	Trace	—	.28	5
6	—	.03	.35	—	.21	.02	.05	Trace	.02	.07	.02	.01	6
7	—	.01	Trace	—	.12	.05	.01	.06	.25	.14	—	—	7
8	.01	—	—	—	.06	.24	—	Trace	.34	.53	—	.01	8
9	.01	—	—	.05	.02	.04	—	—	.16	—	—	.02	9
10	.04	.05	—	.15	Trace	.20	—	—	.54	.12	—	—	10
11	.02	Trace	—	.18	.09	.09	—	—	—	.22	—	—	11
12	.29	—	—	.14	.15	.29	—	—	Trace	—	.28	—	12
13	.09	—	—	Trace	.03	.09	—	.04	.04	.02	Trace	—	13
14	.13	—	—	.40	.06	—	Trace	—	.14	.01	Trace	.11	14
15	Trace	—	—	.12	—	—	—	.07	—	—	.02	.03	15
16	Trace	.04	—	—	—	—	.02	.04	.04	—	—	.14	16
17	.01	—	—	—	—	—	—	.54	.04	—	—	.01	17
18	.10	.10	—	—	—	.14	.35	.15	.19	—	Trace	—	18
19	.07	.04	—	—	.18	—	—	Trace	—	.26	.01	—	19
20	.02	—	—	—	.25	.10	—	—	.11	.01	—	—	20
21	.15	.02	Trace	—	.38	—	.45	.18	.12	.07	—	—	21
22	.44	.02	Trace	—	.08	.03	.44	.21	.06	.49	—	—	22
23	.34	—	.23	.08	—	—	—	.30	.13	—	—	.02	23
24	.08	.01	.13	.11	Trace	—	.11	.16	.18	—	—	.24	24
25	.09	.26	Trace	.05	.42	—	—	Trace	.12	—	—	.21	25
26	.01	—	—	.10	—	—	.34	Trace	.45	Trace	.05	.05	26
27	.07	—	.05	.09	.03	—	.14	.06	.14	.39	.41	.12	27
28	—	.03	—	.18	—	—	.51	Trace	—	.19	.03	.15	28
29	Trace	—	—	.03	—	.05	.55	.25	—	.06	.02	—	29
30	Trace	X	—	.44	.04	Trace	.04	.26	Trace	.64	.09	.27	30
31	—	X	—	X	.32	X	—	.26	X	.07	X	.25	31
TOTAL	.81	.09	.28	.28	2.20	.05	.30	.05	.16	.05	.16	.05	YEAR'S TOTAL
Days with .01 in. or more.	21	13	6	15	20	16	17	18	19	18	12	18	30
Days with .04 in. or more	12	6	5	14	16	13	15	16	18	13	7	11	14

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Harper Adams Agricultural College*
in the County of *Newport, Salop.*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" Ground " Sea Level *220* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.03

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.25	.32	.08	.03	.11		.04	.05			.02	1
2	.18		.21		.09			.14	.03	.01	.06		2
3	.10	.02		.08			.03			.01	.12		3
4	.11				.04		.14	.13	.06	.04	.03		4
5	.13			.04	.23				.03	.02	.02		5
6	.01	.32		.24	.02			.13	.29	.01	.28		6
7		.05			.09		.84	.04			.48	.02	7
8		.10	.02		.22			.08			.32		8
9	.05	.02	.02		.35			.29	.25			.11	9
10		.11	.03		.15		.04	.05	.15		.05		10
11			.07	.05				.41	.01	.01	.01	.05	11
12		.84			.04			.03	.05				12
13		.17		.03				.04		.13			13
14		.04	.06	.04		.01		.03		.05		.01	14
15	.31		.04	.09							.01		15
16				.12					.66	.47		.01	16
17	.02	.04		.06		.02			.03		.01		17
18		.21			.02		.01		.02			.02	18
19		.18		.02	.14								19
20					.13	.01	.02		.75	.76		.15	20
21			.08				.03		.33	.26	.01	.19	21
22		.11	.02				.29	.35	.25	.10		.02	22
23		.08		.11	.02		.30	.02	.38	.28		.49	23
24	.02	.02	.03	.02	1.00				.21	.10		.07	24
25		.15	.08	.06	.04			.14	.03	.03			25
26		.21	.06	.06	.05		.30		.25	.10		.15	26
27		.05		.07	.23		.16	.14	.09	.36		.05	27
28	.02	.06			.12		.17		.03	.02			28
29	.10			.05	.04		.07			.19		.21	29
30	.16	X		.08	.12		.37				.27	.02	30
31	.02	X	.03	X		X			X	.02	X		31
TOTAL	.25	.32	.08	.03	.11	.15	.04	.05	.15	.02	.03	.03	YEARS TOTAL
Days with .01 in. or more.	14	20	14	18	21	34	15	16	20	20	14	16	191
Days with .04 in. or more.	9	17	8	13	17	07	11	13	13	12	7	9	138

(Signed) *Charles Mackay* P.T.O.

HARPER ADAMS AGRICULTURAL COLLEGE

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926

Kept at Harper Adams Agricultural College.

in the County of Shropshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....2.....in.

Ground " Sea Level 220 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

0.00

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.10			.07	.01							1
2	.28	.09			.16	.11			.30			.05	2
3	.07	.12				.01			.05		.66	.03	3
4	.15	.09	.18									.14	4
5		.02	.08				.14		.03				5
6	.04	.14	.01		.39		.29	.09	.05		.21	.22	6
7	.14	.19					.05	.07	.09	.09	.01	.01	7
8	.01	.65		.66	.28	.23	.01		.13		.20		8
9	—	—	.10	.01	.01	.04	.12		.18	.48	.18		9
10	—	—	.01			.13	.21	.83		.01	.55		10
11	—	—			.14	.05	.02	.16		.01			11
12	—	—				.03					.32		12
13	—	—			.20	.14		.11		.41	.01	.02	13
14	.01	—			.21	.02				.05	.23	.05	14
15	.02	.11		.08	.41	.09		.11		.03	.06	.02	15
16	.03	.04		.14	.42	.06			.06	.11	.21		16
17	.04	.08		.37	.02	.10				.01	.54		17
18	.05	.06		.03		.15		.11			.32	.15	18
19	.18	.06		.03	.06		.31	.02			.11	.02	19
20			.03	.02			.13	.10			.15		20
21				.09				.01	.04		.54		21
22	.04		.03	.05			.21			.13	.08		22
23	.21	.18	.01	.02							.01		23
24	.07	.01					.09					.02	24
25	.06				.03	.09	.08		.04	.23			25
26	.05		.03	.12				.02		.08	.05	.01	26
27				.01	.20		.01		.18				27
28	.07			.05	.17		.26					.01	28
29	.11			.03	.12		.04		.25	.12	.01		29
30	.01	X		.15	.22				.01				30
31	.13	X		X	.03	X		.62	X		X		31
TOTAL	1.80	1.94	0.48	1.86	3.14	1.26	1.97	2.25	1.23	1.76	4.45	0.75	YEARS TOTAL
Days with .01 in. or more.	22	14	9	17	18	14	15	12	12	13	20	13	22.86
Days with .04 in. or more.	17	12	3	10	13	11	12	9	10	9	16	5	179

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed)

Chas Bloch for Principal

Section **A**

for the entry of Daily Observations.

2095
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Harper Adams Agricultural College

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 220 ft.

Jan. 1st low
anyp. WD

Corr for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

0.04

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.38	—	.01	.34	.02	Trace	.06	—	—	1
2	—	—	.08	—	—	Trace	.03	—	—	.07	.14	—	2
3	.03	—	.07	.16	Trace	.09	—	—	—	Trace	—	—	3
4	.04	.01	—	—	—	—	Trace	—	—	—	.01	—	4
5	.14	—	.11	.08	.15	.06	.08	—	—	Trace	.06	—	5
6	.04	.05	.10	.20	—	.67	.05	—	—	—	.13	—	6
7	.01	—	.03	.03	.01	.23	.02	.07	.44	—	.63	—	7
8	.06	.06	.04	.04	—	.15	—	.21	—	—	Trace	—	8
9	.02	—	Trace	.58	—	.04	—	.21	.03	—	—	—	9
10	—	—	—	.07	—	—	—	.05	—	—	.01	—	10
11	—	—	—	Trace	—	.07	.22	.09	.02	—	—	Trace	11
12	—	—	.10	.07	—	—	.75	.07	—	—	—	—	12
13	.08	—	Trace	—	—	—	.02	.65	Trace	.01	—	.01	13
14	.10	—	.04	.01	.11	—	—	.17	.19	.03	.25	.01	14
15	Trace	—	—	Trace	.09	—	—	.10	.59	—	.03	.26	15
16	Trace	—	—	—	.39	—	.12	.12	.13	.01	.01	—	16
17	—	—	—	—	.09	.63	—	.25	.20	—	.01	—	17
18	—	—	—	—	—	.16	—	.71	.06	—	—	—	18
19	—	—	—	—	—	.63	—	.41	.01	.03	.58	—	19
20	—	.17	Trace	—	—	Trace	Trace	.46	.04	.01	.12	—	20
21	Snow .10	.36	—	—	.07	.07	.14	.05	.06	—	.15	.03	21
22	Snow .12	.06	—	—	.13	.06	.13	.15	.25	.35	.29	.46	22
23	—	.06	.14	.07	—	.18	.13	.02	.17	.97	—	Trace	23
24	—	Trace	.07	Trace	—	.47	—	Trace	.02	.01	.19	.32	24
25	.11	Trace	.26	.07	—	.18	.11	.23	.26	.04	—	.33	25
26	.17	.18	.16	.03	—	.15	—	Trace	.08	.22	—	—	26
27	.23	.25	.03	.01	Trace	.05	.14	—	.03	.04	Trace	—	27
28	.17	.06	.02	—	—	.14	.13	—	—	.11	Trace	—	28
29	.10	X	.16	—	—	—	—	—	.03	.01	.38	—	29
30	.02	X	.20	—	—	.16	.02	—	.21	.03	Trace	—	30
31	.03	X	.03	X	.87	X	.86	.11	X	.02	X	.04	31
TOTAL	1.57	1.39	2.02	1.42	1.07	4.53	2.12	4.13	2.88	1.96	2.99	1.46	YEARS TOTAL
	~~1.57~~	~~1.26~~	~~1.77~~	~~1.80~~	~~1.06~~	~~4.20~~	~~2.44~~	~~4.15~~	~~2.82~~	~~2.02~~	~~2.99~~	~~1.42~~	27.54
Days with ".01 in. or more.	18	18	18	14	10	20	17	20	19	16	16	8	186
Days with ".04 in. or more.	13	9	14	9	7	19	12	18	14	8	11	5	139

Section

A

for the entry of Daily Observations

Station No. 2304

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

Kept at HARPER ADAMS AG. WL. NEWPORT.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

COPY.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	-	.06	-	-	-	-	.28	-	-	.05	.03		1
2	-	-	-	-	.06	-	-	.15	-	-	.83	-		2
3	-	-	-	-	.03	.05	-	.02	-	1.70	.16	-		3
4	.05	-	-	-	-	.13	-	.28	-	.01	.08	-		4
5	-	-	.02	-	-	-	-	.44	-	-	.18	.04		5
6	-	-	-	-	.02	-	-	.03	-	-	.02	-		6
7	.14	-	.04	-	.11	-	-	.44	-	-	.15	-		7
8	.08	-	.08	-	.09	-	-	-	-	-	-	-		8
9	-	-	-	.10	.18	-	-	.18	.02	-	-	-		9
10	.10	-	-	-	-	-	-	.23	-	-	-	.06		10
11	.11	-	-	-	.16	-	-	.24	.11	-	.01	-		11
12	.31	-	.05	-	-	.01	-	.01	.33	-	-	.10		12
13	.02	.01	.20	.30	-	-	-	-	.05	.01	.02	-		13
14	-	-	.10	-	.12	-	.08	.04	.02	-	-	.17		14
15	-	-	-	.35	-	-	.10	-	-	-	-	-		15
16	-	-	-	.30	-	-	-	-	-	-	.26	-		16
17	.17	-	.01	.05	-	-	-	.08	-	-	-	-		17
18	.05	-	.01	.24	-	-	-	-	-	.03	-	-		18
19	-	-	.11	-	.05	.08	-	-	-	.16	.14	-		19
20	-	-	-	-	-	-	-	.05	-	-	.01	.01		20
21	-	-	.10	.05	-	.03	-	-	-	.11	.11	.13		21
22	.02	-	.11	.06	-	-	.01	-	-	.36	.01	.20		22
23	-	-	-	.02	-	-	.01	.01	-	.05	-	.02		23
24	-	.14	-	.03	-	-	-	-	-	-	-	.25		24
25	.04	.10	.10	-	-	-	.46	-	-	-	-	.05		25
26	.01	-	-	-	-	.05	-	-	-	-	-	.17		26
27	-	-	-	-	.18	-	.02	.02	-	-	-	.34		27
28	-	-	.05	-	.44	-	-	.65	-	-	-	.03		28
29	.10	X	-	-	.13	-	.03	-	-	-	-	.02		29
30	.11	X	-	-	.01	-	-	-	-	-	.10	.18		30
31	.30	X	-	X	.27	X	.03	.19	X	.10	X	.03		31
TOTAL	1.97	.25	1.04	1.50	1.85	.35	.74	3.34	.53	2.53	2.13	1.83	Year's Total 18.06	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

Kept at HARPER ADAMS AGCOL. NEWPORT

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

COPY.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.19	.32	—	.27	—	.07	—	.46	—	.16	.02		1
2	.32	.13	.03	—	.01	—	.70	—	—	—	—	.02		2
3	.06	.17	.12	—	.06	—	.04	.26	—	—	.02	.01		3
4	—	.02	.09	—	.38	—	.06	—	—	.13	.08	—		4
5	.08	—	.09	.30	—	—	.85	—	—	.04	.22	.01		5
6	.20	—	.19	.02	—	—	.09	.26	—	—	.21	.07		6
7	.17	—	.43	.09	—	—	.14	.11	—	—	.01	—		7
8	—	—	.09	.03	—	—	.29	.41	—	—	.05	.09		8
9	.03	—	.02	.04	—	—	.03	.29	—	—	.01	.01		9
10	—	—	—	—	—	.06	—	—	—	—	.06	—		10
11	.08	—	—	—	.01	—	—	—	—	—	—	—		11
12	—	—	—	.08	—	.11	.15	.32	.36	—	—	—		12
13	.45	—	—	.17	—	.02	.22	—	.10	—	—	—		13
14	—	.01	—	.08	—	—	.03	—	.31	—	—	.29		14
15	.21	.09	—	.08	—	—	—	—	.11	—	.02	.02		15
16	.33	.06	—	.04	.19	—	.06	.36	.02	—	—	.08		16
17	—	.02	—	—	—	—	.40	—	.02	—	—	.12		17
18	.19	.06	—	—	.04	—	.01	—	.29	.03	—	.12		18
19	—	.15	.10	—	—	—	—	—	.07	.10	—	.43		19
20	.04	.01	—	—	—	—	—	—	—	—	—	.64		20
21	.04	.03	—	.03	—	—	.19	.08	—	—	—	.25		21
22	.02	.07	—	—	.17	.21	.03	.31	—	—	—	.09		22
23	—	—	—	.07	.01	.08	.34	—	—	—	—	.05		23
24	—	—	.13	.12	—	.13	.01	.11	—	—	—	.02		24
25	.25	.02	.02	.53	—	.03	—	—	.19	.01	—	.04		25
26	.08	.14	.04	.11	—	.04	.08	—	.10	.03	.10	.06		26
27	.10	.26	.16	.12	—	—	—	.15	.12	—	.03	.19		27
28	.02	.41	.01	—	—	.01	—	.10	.22	—	—	.03		28
29	—	X	—	—	—	.03	.06	—	—	—	—	.22		29
30	.11	X	.15	.07	—	.01	.01	.12	.34	—	.06	.15		30
31	.30	X	—	X	—	X	.12	.21	X	.18	X	.03		31
TOTAL	3.23	1.84	1.99	1.98	1.14	.73	3.98	3.09	2.71	.52	1.03	3.06	25.30	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19623

Kept at HARPER ADAMS AG. COL. NEWPORT

in the County of.....

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft. in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.04	.14	—	.03	—	.02	.05	.04	.12	—	.18		1
2	.16	.03	.03	.01	.06	—	.04	.01	—	.38	.05	.01		2
3	.01	.03	.26	—	—	.03	—	.03	.16	.03	.09	.06		3
4	.01	—	.01	—	—	.04	—	—	.02	.02	.07	.03		4
5	.21	—	.08	.11	.37	.11	—	—	—	—	—	—		5
6	.38	.37	.16	.17	—	.02	—	.05	.01	—	.02	.01		6
7	.02	.34	.08	.02	—	—	.01	.01	—	.23	—	.10		7
8	.06	.23	—	—	—	.01	—	—	—	.43	.09	.02		8
9	.04	.32	—	—	.09	.04	.06	.06	—	—	.18	.01		9
10	.11	.15	—	.28	.05	.04	.12	—	—	.24	.01	—		10
11	.02	.09	—	.30	.42	—	—	—	—	.09	—	—		11
12	—	.24	.02	.45	.07	.03	.94	—	—	.20	.02	.02		12
13	—	.37	—	.10	.09	—	—	—	.05	.01	.46	.01		13
14	—	—	—	—	.03	—	.19	.35	.08	.06	.01	.02		14
15	.05	.10	.03	—	.03	.12	.07	—	—	—	.27	.04		15
16	.04	.10	—	—	.23	.02	—	.06	.01	.04	.21	—		16
17	.03	.40	—	—	.03	.02	.01	.10	.18	.01	—	—		17
18	.02	.21	—	—	.01	.03	—	.24	.03	.06	.19	.10		18
19	.07	—	—	—	—	—	.19	.01	.15	—	—	.04		19
20	.03	.11	.09	—	.04	—	—	.09	.46	.05	.08	.08		20
21	.02	.03	—	—	—	.02	—	.04	.03	.11	—	.33		21
22	.01	.16	.02	—	.46	—	—	.35	.01	.13	—	.12		22
23	—	.08	—	—	.11	—	.36	.37	.31	.08	—	.06		23
24	—	.34	—	.08	.03	.02	.25	—	.11	.22	—	—		24
25	—	.27	—	.08	.02	.02	.03	.36	.09	.21	—	.30		25
26	—	.25	.02	.09	.01	—	.01	.03	—	.28	—	.29		26
27	—	.07	.21	—	.35	—	.47	.08	—	.17	—	.26		27
28	.02	.03	.04	.02	.03	—	.08	.04	—	—	.06	—		28
29	.05	X	—	.01	.02	—	.16	.69	—	.10	—	.31		29
30	—	X	.08	.11	—	—	.04	—	—	.07	.06	.61		30
31	—	X	.06	X	—	X	.34	.02	X	—	X	.34		31
TOTAL	1.42	4.36	1.33	1.83	2.58	.57	3.39	3.04	1.74	3.34	1.87	3.35	28.82	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed).....

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1964

Kept at HARPER ADAMS AG. COL. NEWPORT

COPY.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	—	.06	.58	.15	.14	—	—	.22	—		1
2	.02	—	.03	—	.04	.21	.15	.01	—	.01	.05	.03		2
3	—	—	.15	—	.03	.03	.06	.21	—	.01	—	—		3
4	.01	—	—	—	—	.15	.04	.02	—	—	—	.28		4
5	—	.03	.35	—	.21	.02	.05	—	.02	.07	.02	.01		5
6	—	.01	—	—	.12	.05	.01	.06	.25	.14	—	—		6
7	.01	—	—	—	.06	.24	—	—	.37	.53	—	.01		7
8	.01	—	—	.05	.02	.04	—	—	.16	—	—	.02		8
9	.04	.05	—	.15	—	.20	—	—	.57	.12	—	—		9
10	.02	—	—	.18	.09	.09	—	—	—	.22	—	—		10
11	.29	—	—	.17	.15	.29	—	—	—	—	.28	—		11
12	.09	—	—	—	.03	.09	—	.04	.07	.02	—	—		12
13	.13	—	—	.40	.06	—	—	—	.14	.01	—	.11		13
14	—	—	—	.12	—	—	—	.07	—	—	.02	.03		14
15	—	.04	—	—	—	—	.02	.04	.04	—	—	.17		15
16	.01	—	—	—	—	—	—	.54	.04	—	—	.01		16
17	.10	.10	—	—	—	.14	.35	.15	.19	—	—	—		17
18	.07	.04	—	—	.18	—	—	—	—	.26	.01	—		18
19	.02	—	—	—	.25	.10	—	—	.11	.01	—	—		19
20	.15	.02	—	—	.38	—	.75	.18	.12	.07	—	—		20
21	.47	.02	—	—	.08	.03	.44	.21	.06	.49	—	—		21
22	.34	—	.23	.08	—	—	—	.30	.13	—	—	.02		22
23	.08	.01	.13	.11	—	—	.11	.16	.18	—	—	.24		23
24	.09	.26	—	.05	.42	—	—	—	.12	—	—	.21		24
25	.01	—	—	.10	—	—	.34	—	.45	—	.05	.05		25
26	.07	—	.05	.09	.03	—	.14	.06	.17	.39	.41	.12		26
27	—	.03	—	.18	—	—	.51	—	—	.19	.03	.15		27
28	—	—	—	.03	—	.05	.55	.25	—	.06	.02	—		28
29	—	.09	—	.44	.04	—	.04	.26	—	.64	.09	.27		29
30	—	X	—	.28	.32	—	—	.26	.30	.07	.05	.25		30
31	.01	X	—	X	2.20	X	.05	—	X	—	X	.16		31
TOTAL	2.04	.71	.94	2.43	4.77	2.31	3.76	2.96	3.49	3.31	1.25	2.14	30.11	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19625

Kept at HARPER ADAMS AG. COL. NEWPORT

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	—	.21	—	.09	—	—	.14	.03	.01	.06	—		1
2	.10	.02	—	.03	—	—	.03	—	—	.01	.12	—		2
3	.11	—	—	—	.04	—	.14	.13	.06	.04	.03	—		3
4	.13	—	—	.04	.23	—	—	—	.03	.02	.02	—		4
5	.01	.32	—	.24	.02	—	—	.13	.29	.01	.28	—		5
6	—	.05	—	—	.09	—	.84	.04	—	—	.48	.02		6
7	—	.10	.02	—	.22	—	—	.08	—	—	.32	—		7
8	.05	.02	.02	—	.35	—	—	.29	.25	—	—	.11		8
9	—	.11	.03	—	.15	—	.04	.05	.15	—	.05	—		9
10	—	—	.07	.05	—	—	—	.41	.01	.01	.01	.05		10
11	—	.84	—	—	.04	—	—	.03	.05	—	—	—		11
12	—	.17	—	.03	—	—	—	.04	—	.13	—	—		12
13	—	.04	.06	.04	—	.01	—	.03	—	.05	—	.01		13
14	.31	—	.04	.09	—	—	—	—	—	—	.01	—		14
15	—	—	—	.12	—	—	—	—	.66	.47	—	.01		15
16	.02	.04	—	.06	—	.02	—	—	.03	—	.01	—		16
17	—	.21	—	—	.02	—	.01	—	.02	—	—	.02		17
18	—	.18	—	.02	.14	—	—	—	—	—	—	—		18
19	—	—	—	—	.13	.01	.02	—	.75	.76	—	.15		19
20	—	—	.08	—	—	—	.03	—	.33	.26	.01	.19		20
21	—	.11	.02	—	—	—	.29	.35	.25	.10	—	.02		21
22	—	.08	—	.11	.02	—	1.30	.02	.38	.28	—	.49		22
23	.02	.02	.03	.02	1.00	—	—	—	.21	.10	—	.07		23
24	—	.15	.08	.06	.04	—	—	.14	.03	.03	—	—		24
25	—	.21	.06	.06	.05	—	.30	—	.25	.10	—	.15		25
26	—	.05	—	.07	.23	—	.16	.14	.09	.36	—	.05		26
27	.02	.06	—	—	.12	—	.17	—	.03	.02	—	—		27
28	.10	.32	—	.05	.04	—	.07	—	—	.19	—	.21		28
29	.16	X	—	.08	.12	—	.37	—	—	—	.27	.02		29
30	.02	X	.03	.03	—	—	—	—	—	.02	.02	—		30
31	.25	X	.08	X	.11	X	.04	.05	X	—	X	.03		31
TOTAL	1.48	3.10	.83	1.20	3.25	.04	3.81	2.07	3.90	2.97	1.69	1.60	25.94	

*Days with
.01 in.
or more.

*Days with
.04 in.
or more.

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

Kept at HARPER ADAMS AG. CO. NEWPORT

REGISTER OF RAINFALL IN 1962

in the County of.....

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft. in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

COPY.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.09	—	—	.16	.11	—	—	.30	—	—	.05		1
2	.07	.12	—	—	—	.01	—	—	.05	—	.66	.03		2
3	.15	.09	.18	—	—	—	—	—	—	—	—	.14		3
4	—	.02	.08	—	—	—	.14	—	.03	—	—	—		4
5	.04	.14	.01	—	.39	—	.29	.09	.05	—	.21	.22		5
6	.14	.19	—	—	—	—	.05	.07	.09	.09	.01	.01		6
7	.01	.65	—	.66	.28	.23	.01	—	.13	—	.20	—		7
8	—	—	.10	.01	.01	.04	.12	—	—	.48	.18	—		8
9	—	—	.01	—	—	.13	.21	.93	—	.01	.55	—		9
10	—	—	—	—	.14	.05	.02	.16	—	.01	—	—		10
11	—	—	—	—	—	.03	—	—	—	—	.32	—		11
12	—	—	—	—	.20	.14	—	.11	—	.41	.01	.02		12
13	.01	—	—	—	.21	.02	—	—	—	.05	.23	.05		13
14	.02	.11	—	.08	.41	.09	—	.11	—	.03	.06	.02		14
15	.03	.04	—	.14	.42	.06	—	—	.06	.11	.21	—		15
16	.04	.08	—	.37	.02	.10	—	—	—	.01	.54	—		16
17	.05	.06	—	.03	—	.15	—	.11	—	—	.32	.15		17
18	.18	.06	—	.03	.06	—	.31	.02	—	—	.11	.02		18
19	—	—	.03	.02	—	—	.13	.10	—	—	.15	—		19
20	—	—	—	.09	—	—	—	.01	.04	—	.54	—		20
21	.04	—	.03	.05	—	—	.21	—	—	.13	.08	—		21
22	.21	.18	.01	.02	—	—	—	—	—	—	.01	—		22
23	.07	.01	—	—	—	—	.09	—	—	—	—	.02		23
24	.06	—	—	—	.03	.09	.08	—	.04	.23	—	—		24
25	.05	—	.03	.12	—	—	—	.02	—	.08	.05	.01		25
26	—	—	—	.01	.20	—	.01	—	.18	—	—	—		26
27	.07	—	—	.05	.17	—	.26	—	—	—	—	.01		27
28	.11	—	—	.03	.12	—	.04	—	.25	.12	.01	—		28
29	.01	X	—	.15	.22	—	—	—	.01	—	—	—		29
30	.13	X	—	.07	.03	—	—	.62	—	—	—	—		30
31	.10	X	—	X	.01	X	—	—	X	—	X	—		31
TOTAL	1.87	1.84	.48	1.93	3.08	1.25	1.97	2.25	1.23	1.76	4.45	.75	22.86	

*Days with .01 in. or more.

*Days with .04 in. or more.

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed).....

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

2304

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19627.

Kept at HARPER ADAMS AG. COL. NEWPORT

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.08	—	—	—	.03	—	—	.07	.14	—		1
2	.03	—	.07	.16	—	.09	—	—	—	—	—	—		2
3	.04	.01	—	—	—	—	—	—	—	—	.01	—		3
4	.14	—	.11	.08	.15	.06	.08	—	—	—	.06	—		4
5	.04	.05	.10	.20	—	.67	.05	—	—	—	.13	—		5
6	.01	—	.03	.03	.01	.23	.02	.07	.44	—	.63	—		6
7	.06	.06	.04	.04	—	.15	—	.21	—	—	—	—		7
8	.02	—	—	.58	—	.04	—	.21	.03	—	—	—		8
9	—	—	—	.07	—	—	—	.05	—	—	.01	—		9
10	—	—	—	—	—	.07	.22	.09	.02	—	—	—		10
11	—	—	.10	.07	—	—	.75	.07	—	—	—	—		11
12	.08	—	—	—	—	—	.02	.65	—	.01	—	.01		12
13	.10	—	.04	.01	.11	—	—	.17	.19	.03	.25	.01		13
14	—	—	—	—	.09	—	—	.10	.59	—	.03	.26		14
15	—	—	—	—	.39	—	.12	.12	.13	.01	.01	—		15
16	—	—	—	—	.09	.63	—	.25	.20	—	.01	—		16
17	—	—	—	—	—	.16	—	.71	.06	—	—	—		17
18	—	—	—	—	—	.63	—	.41	.01	.03	.58	—		18
19	—	.17	—	—	—	—	—	.46	.04	.01	.12	—		19
20	.10	.36	—	—	.07	.07	.14	.05	.06	—	.15	.03		20
21	.12	.06	—	—	.13	.06	.13	.15	.25	.35	.29	.46		21
22	—	.06	.14	.07	—	.18	.13	.02	.17	.97	—	—		22
23	—	—	.07	—	—	.47	—	—	.02	.01	.19	.32		23
24	.11	—	.26	.07	—	.18	.11	.23	.26	.04	—	.33		24
25	.17	.18	.16	.03	—	.15	—	—	.08	.22	—	—		25
26	.23	.25	.03	.01	—	.05	.14	—	.03	.04	—	—		26
27	.17	.06	.02	—	—	.14	.13	—	—	.11	—	—		27
28	.10	.13	.16	—	—	—	—	—	.03	.01	.38	—		28
29	.02	X	.20	—	—	.16	.02	—	.21	.03	—	—		29
30	.03	X	.03	—	.02	.34	.01	.11	.06	.02	—	—		30
31	—	X	.38	X	.01	X	.02	—	X	—	X	.04		31
TOTAL	1.57	1.39	2.02	1.42	1.07	4.53	2.12	4.13	2.88	1.96	2.99	1.46	27.54	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Harper Adams Agricultural College, Newportin the County of ShropshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." Ground " Sea Level 2.11 ft.

moves & becomes Crop Weather station

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.01	.01	—	—	—	.17	tr	tr	tr	—	tr	1
2	.03	.25	.25	.03	tr	—	tr	—	—	tr	.09	tr	2
3	—	.01	.0	.01	.03	—	.03	tr (dew)	—	—	tr	—	3
4	.07	.45	.02	.04	—	—	.07	—	—	.23	tr	tr	4
5	.05	.16	tr	.08	—	.14	.12	—	.36	.33	tr (dew)	—	5
6	—	tr	.03	—	—	.41	.03	.01	.02	tr	—	—	6
7	.03	tr	—	.21	—	.39	—	.45	.10	.41	.01	.11	7
8	—	.02	—	—	—	.31	.04	—	.10	.01	tr	—	8
9	.06	tr	—	.01	—	.01	—	—	.01	.21	tr	—	9
10	.10	.28	—	tr	.05	.16	—	—	tr	.55	.16	.01	10
11	—	.32	—	.10	tr	.01	—	.01	tr (dew)	.17	.30	.15	11
12	.08	.25	.15 (dew)	.32	—	.11	tr (dew)	.05	tr (dew)	—	.07	.05	12
13	tr	.02	tr (dew)	.01	—	.29	—	.14	tr (dew)	—	.01	—	13
14	.03	.16	—	—	—	.01	—	.46	tr (dew)	.44	.39	—	14
15	.04	.04	tr	—	.12	.17	—	.05	tr (dew)	.02	.24	.07	15
16	—	.08	.10	—	.02	—	—	tr	tr (dew)	.27	.21	.06	16
17	.04	—	tr	tr	.43	.05	—	tr (dew)	tr (dew)	tr	tr	tr (dew)	17
18	.52	—	tr	.04	.04	.12	—	tr (dew)	.01	.16	.01	.05	18
19	.05	tr	.04	tr	.44	.07	—	.27	—	.19	.31	.17	19
20	—	tr	.30	.03	.02	.03	—	.01	tr	tr	.15	tr	20
21	.85	tr	.16	.02	.02	.05	—	.09	.09	.19	.05	.01	21
22	.01	tr	.01	tr	—	—	.01	.47	tr	tr	.29	.13	22
23	.27	tr	.04	.10	tr	tr	tr	tr	tr	.17	.09	—	23
24	tr	—	.12	—	—	tr	.07	.11	.23	.09	.29	.12	24
25	tr	—	tr	—	—	.08	tr	.05	tr	.01	.15	.09	25
26	.06	—	.01	—	.03	.18	.03	.22	tr (dew)	.44	.40	tr	26
27	tr	—	—	—	—	.02	.02	.07	.08	.11	.11	.18	27
28	.20	.01	.09	—	tr	.07	tr	tr	.09	tr	tr	.42	28
29	.25	.24	.17	—	tr	.49	.04	.12	tr	.19	.01	.07	29
30	.03	X	.10	.04	—	.01	.56	.10	tr (dew)	.04	tr	.34	30
31	.11	X	tr	X	tr	X	.29	.01	X	.03	X	—	31
TOTAL	3.26	2.30	1.60	1.04	1.20	3.18	1.48	2.69	1.09	4.26	3.34	2.03	YEAR'S TOTAL
Days with .01 in. or more.	21	15	16	14	10	22	13	18	10	21	20	16	195
Days with .04 in. or more.	16	10	11	8	5	16	8	14	7	19	16	14	142

Kept at *Harper Adams Agric Coll. hall*
in the County of *Shropshire*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *211* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>tr</i>	<i>.11</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.03</i>	<i>tr(dew)</i>	<i>.19</i>	<i>tr</i>	<i>.01</i>	1
2	<i>—</i>	<i>.20</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.03</i>	<i>tr(rain)</i>	<i>tr</i>	<i>.17</i>	<i>.12</i>	2
3	<i>tr</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.02</i>	<i>.01</i>	<i>.40</i>	<i>.33</i>	<i>—</i>	<i>tr</i>	<i>.08</i>	3
4	<i>tr</i>	<i>tr</i>	<i>—</i>	<i>.01</i>	<i>.35</i>	<i>.06</i>	<i>.31</i>	<i>.15</i>	<i>tr(dew)</i>	<i>.12</i>	<i>.01</i>	<i>.47</i>	4
5	<i>.02</i>	<i>tr</i>	<i>—</i>	<i>.16</i>	<i>.42</i>	<i>.17</i>	<i>.20</i>	<i>.72</i>	<i>tr(„)</i>	<i>1.12</i>	<i>.15</i>	<i>.02</i>	5
6	<i>.06</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.22</i>	<i>.01</i>	<i>.17</i>	<i>tr(„)</i>	<i>.04</i>	<i>.10</i>	<i>.39</i>	6
7	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.41</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>.14</i>	<i>.36</i>	<i>.13</i>	7
8	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.06</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>.46</i>	<i>tr</i>	<i>.45</i>	8
9	<i>.20</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>.01</i>	<i>—</i>	<i>.05</i>	<i>.26</i>	<i>.26</i>	9
10	<i>.04</i>	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>tr</i>	<i>—</i>	<i>.03</i>	<i>tr(dew)</i>	<i>.15</i>	<i>tr</i>	<i>.27</i>	<i>—</i>	10
11	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.34</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>tr(„)</i>	<i>tr</i>	<i>1.24</i>	<i>.01</i>	11
12	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.15</i>	<i>.49</i>	<i>.35</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	12
13	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.03</i>	<i>.02</i>	<i>—</i>	<i>.03</i>	<i>tr(dew)</i>	<i>—</i>	<i>.01</i>	<i>.08</i>	13
14	<i>.04</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>.11</i>	<i>.34</i>	<i>—</i>	<i>tr</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>.10</i>	14
15	<i>.04</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>.22</i>	<i>tr</i>	15
16	<i>—</i>	<i>—</i>	<i>tr(rain)</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	16
17	<i>.21</i>	<i>—</i>	<i>tr(„)</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>tr</i>	<i>tr(dew)</i>	<i>—</i>	<i>tr(„)</i>	17
18	<i>—</i>	<i>—</i>	<i>tr(„)</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>tr</i>	<i>.02</i>	<i>.45</i>	<i>tr(„)</i>	18
19	<i>—</i>	<i>—</i>	<i>tr(„)</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>—</i>	<i>.06</i>	<i>.03</i>	<i>.13</i>	<i>.02</i>	19
20	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>.30</i>	<i>.05</i>	<i>.25</i>	20
21	<i>—</i>	<i>—</i>	<i>.31</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>tr</i>	<i>.05</i>	<i>—</i>	<i>.01</i>	<i>tr</i>	<i>.01</i>	21
22	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.04</i>	<i>.08</i>	<i>.18</i>	<i>—</i>	<i>.10</i>	<i>.04</i>	<i>tr</i>	22
23	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>—</i>	<i>.06</i>	<i>.02</i>	<i>—</i>	<i>.01</i>	<i>.33</i>	<i>.46</i>	23
24	<i>—</i>	<i>.01</i>	<i>.12</i>	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.60</i>	<i>.33</i>	<i>.32</i>	24
25	<i>—</i>	<i>.07</i>	<i>.01</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>tr(dew)</i>	<i>—</i>	<i>.01</i>	<i>.10</i>	<i>.04</i>	25
26	<i>—</i>	<i>.25</i>	<i>—</i>	<i>.09</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>tr(„)</i>	<i>—</i>	<i>.04</i>	<i>.07</i>	<i>.05</i>	26
27	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>.17</i>	<i>.19</i>	<i>.01</i>	27
28	<i>.38</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>.03</i>	<i>.12</i>	<i>.07</i>	<i>.52</i>	<i>.50</i>	28
29	<i>.07</i>	<i>X</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>tr</i>	<i>tr(dew)</i>	<i>tr(dew)</i>	<i>.03</i>	<i>.25</i>	<i>.11</i>	29
30	<i>.01</i>	<i>X</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>.28</i>	<i>tr</i>	<i>.01</i>	<i>.01</i>	30
31	<i>.25</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>.49</i>	<i>.16</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>.02</i>	31
TOTAL	<i>1.33</i>	<i>.66</i>	<i>.46</i>	<i>.61</i>	<i>1.92</i>	<i>1.62</i>	<i>1.80</i>	<i>2.30</i>	<i>.83</i>	<i>3.66</i>	<i>5.00</i>	<i>4.24</i>	<i>24.41</i>
Days with „ or more.	<i>11</i>	<i>7</i>	<i>16</i>	<i>10</i>	<i>10</i>	<i>13</i>	<i>13</i>	<i>19</i>	<i>5</i>	<i>19</i>	<i>33</i>	<i>25</i>	<i>138</i>
Days with „ or more.	<i>9</i>	<i>5</i>	<i>2</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>8</i>	<i>9</i>	<i>5</i>	<i>14</i>	<i>18</i>	<i>18</i>	<i>104</i>

REGISTER OF RAINFALL IN 1930.

Kept at Newport
in the County of Salop

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

151A
2304

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02	.19	—	.22	—	.01	—	.09	—	—	.54	—	I
2	—	.01	~~.005~~	~~.005~~	—	TR	—	.01	—	—	.31	—	2
3	.16	~~.01~~	—	.24	—	TR	.02	.02	—	.63	.11	—	3
4	.19	TR	.03	.16	~~.005~~	TR	TR	.12	~~.005~~	.06	~~.005~~	—	4
5	.07	—	.11	TR	.59	—	—	.11	TR	.05	—	—	5
6	TR	.01	.42	TR	TR	—	.01	.03	.20	.22	—	.01	6
7	.14	TR	TR	TR	.06	—	TR	.41	~~.005~~	.13	.20	.13	7
8	TR	—	TR	.09	—	—	TR	.03	.31	.15	—	.05	8
9	.45	—	.33	.19	.40	.01	—	TR	.02	TR	~~.005~~	.08	9
10	.44	—	.20	TR	.12	.10	.27	.17	—	—	~~.005~~	.56	10
II	.10	—	.01	.03	.14	TR	~~.005~~	.05	—	.05	.01	.19	II
12	.10	—	.01	TR	.19	TR	TR	.19	.02	~~.005~~	—	.27	12
13	.12	TR	.31	.33	TR	—	.08	.12	.41	TR	—	.01	13
14	.63	.05	.55	.26	TR	—	.56	.04	—	TR	—	.03	14
15	—	.04	.24	TR	TR	—	.15	.03	.02	.18	.11	.19	15
16	.02	—	~~.005~~	—	—	.02	.07	TR	.11	.12	—	.12	16
17	—	~~.005~~	.03	.07	.10	TR	.19	.04	.61	.04	—	~~.005~~	17
18	TR	—	.34	.09	.02	.36	.26	.01	.04	~~.005~~	.27	.01	18
19	—	—	.10	.14	—	.09	—	.02	.45	.09	—	~~.005~~	19
20	—	—	.03	TR	TR	.02	1.57	.56	.35	~~.005~~	.23	TR	20
21	—	—	.42	—	—	.01	.14	.03	.01	.20	.15	—	21
22	.40	—	—	—	—	TR	.45	.50	—	.28	.28	—	22
23	.03	—	—	.06	.19	.03	.17	.04	.02	TR	.20	.08	23
24	.22	TR	—	.20	.03	.01	TR	TR	TR	.22	.15	TR	24
25	.02	~~.005~~	—	.13	TR	.01	—	—	.31	.52	.21	.05	25
26	.63	.03	—	.12	TR	TR	—	—	.01	.03	—	.08	26
27	.05	TR	.11	TR	—	.01	.23	TR	.02	.02	~~.005~~	.07	27
28	.02	TR	.03	TR	—	—	.16	—	~~.005~~	.01	.18	.15	28
29	TR	X	—	—	—	—	.48	.07	—	.09	.07	.13	29
30	TR	X	—	—	.15	.42	.06	.04	~~.005~~	.07	TR	.67	30
31	.39	X	.01	X	.02	X	TR	TR	X	.16	X	.13	31
TOTAL	4.20	.36	3.30	2.31	2.02	1.10	4.81	2.73	2.91	3.31	3.06	3.02	33.30
Days with or in. or more.	20	6	18	15	12	13	18	23	16	21	15	22	199
Days with .04 in. or more.	15	3	11	14	9	4	15	15	9	18	14	16	143

NEWPORT

Kept at *Chetwynd*

in the County of *Shropshire*

by *Mrs Burton*

CHETWYND PARK

SHROPSHIRE

1921-1930

Chetwynd - Salop
auge *5* in.
round *1* ft. *—* in.
ea Level *240* ft.
ed to the previous day.

l to add
e end of
a gauges,
bservers,"
Camden

Jan. 1, following.

IMPORTANT NOTE.—Re
If an Observer prefers not to co
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application to
Square, London, N.W.1.

Record

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-46		-07					-20	-02		-03	-05	1
2	-01				-06			-17		-01	-76		2
3			-02		-04	-05		-04		1-99	-32		3
4						-16		-30		-01	-11	-01	4
5			-02	-01				-48			-19	-04	5
6	-01		-03		-02			-05			-03	-01	6
7	-16		-04		-06		01	-48			*-12		7
8	-10		-12		-10								8
9				-10	-14	-01		-21	-02				9
10	-14				-01			-40	-06			-07	10
11	-12				-20			-33	-09		-01		11
12	-39	-02	-08		-07	-02		-02	-36			-04	12
13	-02	-04	-28	-38				-08	-08	-01			13
14	-01		-12	-32	-16		-01	-07	-02			-18	14
15	-02			-04			-09					-01	15
16	-05	-01	-02	*33				-01			-35		16
17	-29		-07	-05				-08			-01		17
18	-07		-02	-39						-04			18
19			-14	-01	-04	-11				-17	-03	-02	19
20			-01			-03					-02		20
21				-07		-01		-09		-10	-12	-06	21
22			-24	-09			-02	-01		-34	-22	-39	22
23				-03			-02	-01	-01	-08		-05	23
24	-02			-03								-25	24
25	-01	-07										-03	25
26	-08	-20	-10				-53					-24	26
27	-02	-02	-01			-07		-04					27
28			-02		-14		-01	-04				-40	28
29			-08		-46		-02	-70			-01	-05	29
30	-10				-18		-01	-01				-03	30
31	-13	X			-02		-01				-07	-22	31
31	-33	X		X	-27	X	-04	-23	X	-12	X	-04	31
TOTAL	2-57	-36	1-49	1-88	1-97	-46	-77	3-97	-64	2-94	2-21	8-24	YEAR'S TOTAL
Days with 01 in. or more	22	6	19	13	16	8	11	22	8	10	17	20	172
Days with 04 in. or more	13	3	11	9	13	4	3	17	3	8	8	14	108

REGISTER OF RAINFALL IN 192

Kept at Chelwynd Park
 in the County of Shropshire
 by Mr. Burton Borough

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Newport-Salop
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-46		-07					-20	-02		-03	-05	1
2	-01				-06			-17		-01	-76		2
3			-02		-04	-05		-04		1-99	-32		3
4						-16		-30		-01	-11	-01	4
5			-02	-01				-48			-19	-04	5
6	-01		-03		-02			-05			-03	-01	6
7	-16		-04		-06		01	-48			*-12		7
8	-10		-12		-10								8
9				-10	-14	-01		-21	-02				9
10	-14				-01			-40	-06			-07	10
11	-12				-20			-33	-09		-01		11
12	-39	-02	-08		-07	-02		-02	-36			-09	12
13	-02	-04	-28	-38				-08	-08	-01			13
14	-01		-12	-32	-16		-01	-07	-02			-18	14
15	-02			-07			-09					-01	15
16	-05	-01	-02	*33				-01			-35		16
17	-29		-07	-05				-08			-01		17
18	-07		-02	-39						-04			18
19			-14	-01	-04	-11				-17	-03	-02	19
20			-01			-03					-02		20
21				-07		-01		-09		-10	-12	-06	21
22			-24	-09			-02	-01		-34	-22	-39	22
23	-02			-03			-02	-01	-01	-08		-05	23
24	-01	-07		-03								-25	24
25	-08	-20	-10				-53					-03	25
26	-02	-02	-01			-07		-04				-24	26
27	-02		-02		-14		-01	-04				-44	27
28			-08		-46		-02	-70			-01	-05	28
29	-10				-18		-01	-01				-03	29
30	-13	X			-02		-01				-07	-22	30
31	-33	X		X	-27	X	-04	-23	X	-12	X	-04	31
TOTAL	2-57	-36	1-49	1-88	1-97	-46	-77	3-97	-64	2-94	2-21	8-24	YEAR'S TOTAL
Days with 01 in. or more	22	6	19	13	16	8	11	22	8	10	17	20	172
Days with 04 in. or more	13	3	11	9	13	4	3	17	3	8	8	14	108

REGISTER OF RAINFALL IN 1922.

Kept at Chetwynd Park
in the County of Shropshire
by Mr Burton Borough

Lat. 52° 30' N Long. 2° 30' W
Time of Observation 9 a.m.
Nearest Railway Station Newport-Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-18	-20	-36		-23		-09	-01	-73		-18	-04	1
2	*45	-15	-04		-02		-90	-01			-01	-03	2
3	*11	-14	-15		-07		-07	-25	-01	-01	-02	-01	3
4		-12	-08		-39		-04			-14	-02		4
5	-07		-13	-33			-91			-04	-33	-01	5
6	-22		-14	-02			-09	-35			-21	-03	6
7	-16		-36	-08			-20	-10			-02	-02	7
8	-01		*24	*04			-40	-30			-02	-09	8
9	-04		-02	-04			-09	-25			-01	trace	9
10	-01		-01			-05					-06		10
11	-07				-01			trace	-01				11
12				-10		-11	-14	-35	-39				12
13	*44			-19			-20		-01				13
14		-02		-07			-11		-19	-01		-30	14
15	*37	-10		-10				-01	-03		trace	-01	15
16	*89	-08		-03	-22		-12	-39	-03		-01	-07	16
17		-02			-01		-47		-02			-16	17
18	-16	-07			-04			-02	-33	-02		-10	18
19	-01	-15	-11		trace				-10	-10	-01	*98	19
20	-01	-01										*96	20
21	-01	-04	-01	-05			-15	-07		trace		-25	21
22	-06	-08			-24	-21	-05	-29				-11	22
23	-01	-15		-10	-01	-12	-32	trace			-01	-06	23
24	*02		-15	-06		-16	-01	-15			-01	-05	24
25	-28	-01	-01	-46		-05			-22	-01		-01	25
26	-14	-22	*02	-18		-11	-08		-07	-04	-10	-02	26
27	-11	-38	*11	-12		-01		-16	-13		-02	-28	27
28	-04	-42	-01			-02		-09	-26	*01		-05	28
29	-01					-16	-07		-35		-01	-23	29
30	-10		*15	-07		-02	-01	-17			-06	-09	30
31	-34						-21	-21		-19		-04	31
TOTAL	4-32	2-21	2-10	2-04	1-24	1-02	4-73	3-18	2-87	5-7	1-14	4-00	YEAR'S TOTAL
Days with "01 in. or more	27	17	18	17	10	11	22	17	15	10	18	25	29-42
Days with "04 in. or more	19	13	12	15	6	8	20	14	10	5	7	17	208
													146

REGISTER OF RAINFALL IN 192.

Kept at Chetwynd Park
 in the County of Salop
 by Mrs Burton Borough

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Newport-Salop
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-07	-06	-14	Trace	-04		-01	-05	-06	-01		-21	1
2	-22	-02	-06	-01	-05		-04	-01	-18	-06	-06	-01	2
3	-01	-04	-23			-04		-01		-45	-07	*08	3
4		-01	-6	-01		-04				-04	-07	-05	4
5	-28		-07	-04	-40	-11				-02		-01	5
6	-40	-40	-18	-15		-02		-06	-02	-04	↑01		6
7	-03	-35	-09	-02			-01	-01	-01	-20		-11	7
8	-08	-30	-5			-01				-44	-10	-01	8
9	-01	-36			-11	-04	-04	-07	-01		-18	-02	9
10	-18	-30		-30	-09	-02	-13			-31		-01	10
11	-06	-10		-21	*49			Trace		-08	-01		11
12	-02	-34	-02	-59	-05	-01	-53			-24	-02		12
13	-01	-30		-07	-08				-09	-02	-58	-02	13
14	Trace	-01		-01	-04		-23	-30	-08	-02	-01	-02	14
15	-08	-13	-03	Trace	-06	-13	-08				-34	-24	15
16	-07	-15			*16	-02	-08	-10	-03	-07	-20	Trace	16
17	-04	*43			-03	-01	-01	-10	-21	-01			17
18	-05	*18			-02	-05	-01	-23	-02	-08	-19	-09	18
19	-07	Trace					-20	-01	-17		-05	↑05	19
20	-12	↑16	-02		-05			-09	-49	-04	-08	↑08	20
21	-03	Trace	Trace		-01	-02	-08	-05	-02	-07		-41	21
22	Trace	-33	-01		-57			-19		-18	Trace	-14	22
23		-07		Trace	-08		-27	-40	-64	-11		-10	23
24		-33		-09	-03	-01	-25		-11	-20		-03	24
25		-30		-12	-05	-02	-01	-39	-11	-22		1-32	25
26		-35	-06	-08	-01		Trace	-03		-30	Trace	↑28	26
27	-01	-10	-23		-41		-50	-09		-20	*08	-31	27
28	-03	-02	-02	-01	-01		-22	-06		Trace			28
29	-12			-03	-02		-17	-74		-08		-14	29
30	-01	X	-12	-12		-01	-16			-08	-07	-77	30
31		X	-06	X		X	-22	-02	X		X	-36	31
TOTAL	2-00	5-14	1-34	1-96	2-86	-56	3-17	3-01	2-25	3-57	2-12	3-67	YEAR'S TOTAL
Days with 01 in. or more	28	204	1-36	18	23	-56	21	21	227	26	17	25	3479
Days with 04 in. or more	14	25	15	10	16	16	20	15	16	21	13	17	243
		21	10		6	6	15		10				168

AIR MINISTRY. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. REGISTER OF RAINFALL IN 1924.

Kept at Chetwynd Park
in the County of Shropshire
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Burport-Sale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 240 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-01	-01	-05		-05	-74	-14	-11			-24		1881
2	-03		-04		-04	-34	-13			-01	-03	-02	1882
3			*20		-04	-04	-05	-18		-01		trace	3
4	-01				trace	-10	-15	-01		trace		-36	4
5		-05	45		-24	-02	-06	-01	-04	-08	-01		5
6		-02	-01		-11	-05	-01	-06	-30	-16			6
7	-01				-11	-23			-26	-56		-01	7
8	102			104	-03	-09			-12			-02	8
9	*04	-09		*15	-01	-21			-56	-14			9
10	*02	-01		*18	-08	-10				-22			10
11	-34			-18	-18	-28		trace	-01	trace	-30		11
12	-10	103		-01	-04	-09		-05	-08	-01			12
13	-14			-43	-05		-01		-14	-01		-13	13
14	-01			-13				-08	-01		-03	-04	14
15							-02	-04	-05			-16	15
16	*05							-86	-04				16
17	*08	-10				-11	-35	-21	-20			-01	17
18	-09	-04			-20		-17	trace		-34	-01		18
19	-02				-17	-10			-12	-01			19
20	-14	-01			-28	trace	-65	-15	-13	-04		-01	20
21	-50	-03	*01	-08			-49	-28	-06	-50		-01	21
22	-40		-17	-08	trace	-02		-26	-13			-03	22
23	-06	-01	-20	-13	trace		-11	-22	-13			-30	23
24	-12	-24	-01	-01	-41		-02	-05	-13			-30	24
25	-01	trace		-10	trace		-30	-05	-34	trace	-04	-02	25
26	-09	trace	-01	-11	-04		-20	-04	-17	-48	-46	-23	26
27		-02		-19			-44	-01	-01	-19	-07	-20	27
28	-01			-04		-05	-82	-27		-09	-10		28
29	-01	104		-40	-05	-01	-03	-28	-01	-59	-11	-33	29
30		X		-41	-35	-02		-21	-35	-27	-05	-21	30
31		X		X	143	X	-06	-01	X	-01	X	-20	31
TOTAL	234	-76	145	259	402	263	414	344	341	372	445	259	YEAR'S TOTAL
Days with 01 in. or more	24	14		16	21	18	20	22	22	19	12	19	32-24
Days with 04 in. or more	13	6	10	14	19	14	15	18	19	13	8	11	214
			65										156

REGISTER OF RAINFALL IN 1925.

2305
2119

Kept at Chelbury Park
in the County of Shropshire
by Mr Borough

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wemport-Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 240 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-30	-	-25	-	-08	-	-	-11	-04	-	-06	-	1
2	-14	-02	-01	-	-	-	-	-	-03	-	-14	-	2
3	-15	-	-	-	-05	-	-18	-16	-06	-05	-04	-	3
4	-13	-01	-	-06	-24	-	-	-	-10	-02	-02	-	4
5	-01	-35	-	-26	-08	-	-	-11	-21	-01	-18	-	5
6	-01	-07	-01	-	-10	-	-74	-08	-03	-	-39	-	6
7	-	-15	-09	-	-19	-	-	-10	-03	-	-39	-	7
8	-06	-02	-05	-	-39	-	-	-31	-24	-	-	-19	8
9	-	-14	*05	-02	.16	-	-03	-12	-22	-	-04	-02	9
10	-	-01	-07	-	-	-	-	-41	-02	-01	-	-	10
11	-	*00	-04	-	-07	-	-	-03	-04	-	-	-	11
12	-	-18	-	-03	-	-	-	-05	-	-14	-	-	12
13	-	-03	-10	-05	-	-	-	-08	-	-05	-	-12	13
14	-30	-	-05	-11	-	-	-	-	-	-01	-	-	14
15	-	-	-	-16	-	-	-	-	-46	-49	-	-	15
16	-02	-03	-	-09	-	-01	-	-	-20	-01	-02	-02	16
17	-	-14	01	-	-01	-	-	-	-	-	-01	-02	17
18	-01	*20	-	-02	-20	-	-	-	-	-	-	-	18
19	-	-03	-	-	-	-03	-	-	-77	-76	-	-36	19
20	-	-	-11	-	-	-	-03	-07	-26	-27	-	-09	20
21	-	-09	-02	-	-	-	-34	-38	-22	-10	-02	-	21
22	-	-09	-	-11	-09	-	1-28	-03	-31	-31	-	-55	22
23	-01	-03	-03	-02	-63	-	-	-03	-40	-18	-	-	23
24	-	-18	-14	-02	-04	-	-	-06	-04	-04	-09	-12	24
25	-01	-25	-07	-05	-01	-	-24	-	-26	-11	-	-15	25
26	-	-07	-	-04	-25	-	-30	-17	-14	-49	-03	-06	26
27	-02	-10	-	-	-16	-	-19	-	-03	-02	-	-02	27
28	-13	-24	-	-03	-03	-	-08	-	-01	-29	-	-26	28
29	-18	-	-	-18	-	-	-	-	-	-	-33	-05	29
30	-02	X	-05	-	-02	-	-	-	-	-01	-	-03	30
31	-33	X	-08	X	-07	X	-01	-07	X	-03	X	-05	31
TOTAL	1-83	3-50	1-19	1-25	2-87	-04	3-42	2-37	4-32	3-36	1-46	2-11	YEARS TOTAL
Days with '01 in. or more	17	22	17	16	20	2	11	18	23	21	14	16	28-02
Days with '04 in. or more	9	15	X3	10	16	0	0	14	17	13	9	16	194
													135

If Gauge has been moved during year state—
Date. Distance. Direction.

How was height above sea level ascertained?

Ordinance Map

State pattern and maker of Gauge, if known.

Brit. Assoc.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
<i>House</i>	<i>Low</i>	<i>2594</i>	<i>N.E.</i>
<i>Tree</i>		<i>50</i>	<i>S.S.E.</i>

In order that the position may be accurately entered on a map please mention

Latitude N.

Longitude

Nearest Railway Station and Parish Church.

Name.	Distance.	Direction.
<i>Station Newport</i>	<i>2 1/2 mi.</i>	<i>S.E.</i>

<i>Church St. Michael</i>	<i>Ymmer</i>	<i>W.S.W.</i>
---------------------------	--------------	---------------

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

M.O. 7

-4 JAN 1926

(47ms) (100843 Wt. 19620/409 Gp. 163 32000 10-20
W & S Ltd.

7
1926

During Summer-time
I regret to say rain continued
to be taken at 9 a.m. Summer
time, instead of 9 A.Y.
E. R. Borough

M.O. 7

-4 JAN 1926

RAINFALL IN 1925.

NOTE.—Records taken in millimetres should not be entered on this form

At Chetwold Park

In the County of Shropshire

Rain Gauge { Diameter of Funnel.....5.....in.

{ Height { Above Ground...1...ft. — in.

{ of Top { Above Sea Level...24.0 ft.

PLEASE
FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date.	01 in. or more	04 in. or more
JAN.	1-83	-33	Jan 31	17	9
FEB.	3-50	1-00	11 th	22	15
MAR.	1-19	-25	12 th	17	13
APR.	1-25	-26	5 th	16	10
MAY	2-87	-63	23 rd	20	16
JUNE	0-04	-03	19 th	2	0
JULY	3-42	-26	22 nd	11	8
AUG.	2-37	-41	10 th	18	14
SEPT.	4-32	-77	19 th	23	17
OCT.	3-36	-78	19 th	21	13
NOV.	1-76	-39	7 th	14	9
DEC.	2-11	-55	22 nd	16	11
Total	28-02			197	135

Signed.....

Titles.....

[Please fill in the other side also.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Chetwynd Park
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 240 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-32	-10			-23	-12			-42		-14	-05	1
2	-08	-14			-	-03			-05	-03	-02	-05	2
3	-22	-09	-19		-				Trace		-01		3
4		-02	-14		Trace		-29		-03		-25	-01	4
5	-07	-23	-02		-31		-32	-09	-09		-01	-24	5
6	-18	-18	-01		-03		-07	-09	-07	-08	-21	-01	6
7	-03	-78		-48	-17	-25	-01		-19		-17	-01	7
8			-13	-01	-01	-03	-10	Trace		-53	-43		8
9			Trace		-	-15	-20	-76		-01	-01	-01	9
10			Trace		-12	-09	-03	-19		-05	-26		10
11			Trace		-05	-04		Trace		-01			11
12					-30	-15		-09		-42	-03	-12	12
13	-03				-05	-01			-04	-08	-29	-07	13
14	-04	-16		-10	-50	-14		-07		-03	-04	-08	14
15	-05	-04	Trace	-13	-35	-14		-06		-10			15
16	-03	-09		-42	-02	-10					-58	-02	16
17	-12	-07		-08		-14		-05			-38	-07	17
18	-27	-08		-03	-11		-31	-12			-17	-05	18
19			-04	-04			-10	-10	-02		Trace	-01	19
20	-02			-15				-02			-53	-03	20
21	-06		-04	-05			-18			-15	-11	*01	21
22	-22	-25	-03	-03							-01		22
23	-13	-02							-05			-01	23
24	-06				-02		-09		-05	-29		Trace	24
25	-08		-04	-14					-17	-10	-04	-03	25
26	Trace		-01	-03	-23				-13			-62	26
27	-11	-04	Trace	-06	-17		-21		-05				27
28	-17			-04	-15		-30		-01	-18			28
29	-02			-12	-24		-05						29
30	-16	X		-04	-03			-55					30
31	-14	X	Trace	X		X			X		X	-02	31
TOTAL	2-51	2-29	-65	1-45	3-09	1-39	2-26	2-19	1-32	2-06	-96	-92	YEAR'S TOTAL
Days with .01 in. or more.	23	15	10	17	19	13	14	12	13	14	21	20	24-61
Days with .04 in. or more.	18	13	6	13	14	10	12	11	10	10	15	8	191
													148

(Signed).....

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1928

Kept at *Chetwynd Park*
in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" Ground " Sea Level *240* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-19				-07			-12	-21		1
2	-04	-02	-05	-19	-03					-01			2
3	-07	-02		-02	-02	-14	-03				-03		3
4	-19		-14	-10	-19	-07					-09	-02	4
5	-04	-07	-12	-22		-53	-18				-03		5
6	-02	-01	-03	-03	-08	-19	-07	-05	-48		-74		6
7	-08	-07	-08	-08		-19	-01						7
8	-03		-58	-57		-04		-22	-04		*	-01	8
9			-07	-07				-19			-02	-04	9
10			-01	-01		-07	-11	-13	-08				10
11	-02		-09	-09			-45	-11					11
12	-17		-04		-16		-19	-78	-01				12
13	-12		-04	-01	-04			-16	-20	-06	-20	-03	13
14	-02		-03	-03	-12			-09	-65		-06	-28	14
15					-45		-15	-07	-20	-01	-04		15
16					-09	-65		-26	-19	-01	-01		16
17					-25			-70	-05				17
18					-75			-46	-02	-04	-91		18
19		-23			-03			-26	-24	-04	-16		19
20	-17	-37			-14	-13	-17	-33	-07		-16	-23	20
21	-07	-09			-10	-03	-14	-19	-07	-41	-12	-39	21
22	-08	-07	-03	-10		-14	-16	-06	-16	-10	-17	-03	22
23		-01	-25			-48	-03	-06			-23	-25	23
24	-14	-02	-10			-16	-15	-26	-23	-05		-43	24
25	-27	-20	-07	-05		-18	-03		-30				25
26	-13	-25	-04			-04	-21		-04	-09	-03		26
27	-19	-22	-03	-01		-19	-11		-14	-02			27
28	-30	-10	-16						-03		-41		28
29	-04		-18			-11	-02		-20	-04			29
30	-05	X	-05		-01	-46	-02	-09	-01	-03			30
31	-02	X	-41	X	-05	X	-03	-01	X		X	-06	31
TOTAL	2-26	1-73	2-19	1-68	1-48	4-83	2-24	4-28	3-25	2-45	3-64	1-77	YEARS TOTAL
Days with "01 in. or more.	22	14	20	16	13	21	18	21	20	15	19	11	32-27
Days with "04 in. or more.	16	10	16	10	10	19	13	18	17	11	13	6	215

(Signed).....

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Chetwynd Park
in the County of Shropshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level.....24.0 ft.

Nov 15 11¹⁵ AM

new day

Nov con for April

DI sent 14/5/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-4.0	-06	-02				-18			-02		-01	1
2	-09	-30	-23	-04			-03				-08		2
3	trace	-02		-03	-02		-03						3
4	-13	-45	-01	-05			-10			-20			4
5	-12	-13	trace	-12		-11	-14		-37	-35		-09	5
6		-03	-04			-33	-02	-02		-02		-09	6
7	-06	-01		-25		-49		-47	-09	-47	-02		7
8		-03	trace			-29	-05		-13	-04			8
9			-01	-01		-03				-16			9
10	-19	-28	-01		-12	-15				-13	-19		10
11		-39		-15		-03		-02		-20	-38	-14	11
12	-17	-26	-09	-34		-12		-11		trace	-09	-06	12
13		-01		-03		-37		-13			-03		13
14	-05	-17				-03		-49		-46	-38		14
15	-10	-07	-01		-15	-09		-15		-04	-32	-06	15
16	-05	-13	-09		-01					-27	-33	-09	16
17	-04				-42	-04							17
18	-60	-07	-03	-08	-04	-17				-18	-03	-07	18
19		-06		-24	-06			-32		-21	-33	-23	19
20	-20	-07	-32	-12	-04	trace		-01		-01	-15		20
21	-84	-07	-14	-03	-03	-12		-14	-10	-21	-07	-02	21
22		-02	trace				-02	-48			-28	-16	22
23	-36	-07	-04	-11	-01		-02		-12	-72	-78	-02	23
24	-01	-16	-18				-08	-12	21	-09	-29	-17	24
25	-15					trace	-04	-06			-22	-12	25
26	-10	-02	-03		-04	-13/2	-04	-23		-45	-39		26
27	-02				-03	-02	-02	-06	-12	-13	-09	-17	27
28	-25	-02	-08			-10	-01	-08	-08	-01	-04	-44	28
29	-24	-27	-22			-58	-07	-10	trace	-23	-04	-09	29
30	-05	X	-12	-03		trace	-59	-21		-05	-01	-35	30
31	-14	X	trace	X		X	-31	trace	X	-03	X		31
TOTAL	4-38	2-65	1-75	1-29	1-12	3-26	1-75	3-12	1-10	4-08	2-94	2-39	YEARS TOTAL
Days with 0.1 in. or more.	23	17	28	14	11	19	17	17	7	24	22	18	209
Days with 0.4 in. or more.	21	12	12	8	7	15	10	14	7	19	18	15	159

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

2305

Kept at Chetwynd Park
 in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground — ft. 6 in.
 „ Ground „ Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following:

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-03	-05		-06	-15		-17		-24		-01		1
2		-29			-03		-05			-16	-12		2
3					-04	-05		-43	-37		-03	-07	3
4	Trace			-19	-30	-03	-46	-17		08	-02	-51	4
5	*04	-01			-55	-23	-24	-79		1-06	-20	-03	5
6	*06				-03	-26	-08	-11		-07	-11	-40	6
7					-25					17	-37	-14	7
8		-24		-09	-05			-01		-53	-01	-38	8
9	-22	-12					-09	-03		-06	-27	-38	9
10	-05						-02	-05		-15	Trace	-27	10
11					-37		Trace				1-34	-02	11
12				-04	-21	-55	-34					-04	12
13	-02			-01	-05	Trace		-04			-04	-09	13
14	-05			Trace	-08	-38			06			-12	14
15	-07				03	-05					-34		15
16								-16			-03		16
17	-25							-05		-03		-02	17
18	-08			Trace				-03		-03	-43		18
19									-02	03	-14	-03	19
20			-02						-08	-30	-07	-25	20
21	-01		-38			-07		-08		-01	Trace	Trace	21
22	-02			-14		-13	-06	-17		-01	-03		22
23	-01			-03		Trace	-08	-04			-32	-47	23
24		Trace	-15	-03	-01			-17		-72	-32	-37	24
25		*06	-03	-07							-12	-05	25
26		*05		-11	-09					04	-09	-07	26
27	-05			-09			-02	-02		20	-18	-03	27
28	-35			-03			-13	-04	-17	-06	-57	-54	28
29	-11									-07	-24	-15	29
30	-02	X		-02			-04		-31		-03	04	30
31	-28	X		X		X	-55	-15	X		X	-05	31
TOTAL	1-67	82	-58	-88	2-06	1-93	2-08	2-71	-013	-86	5-46	4-65	YEAR'S TOTAL
Days with 01 in. or more.	18	7	4	12	13	11	12	20	6	19	24	26	27-74
Days with 04 in. or more.	11	6	2	8	9	9	10	15	5	14	18	20	172
					10	9		16					1279

REGISTER OF RAINFALL IN 1930 .

Kept at Chetwynd Park
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-05	-19		-26		Trace		-08			-49		I
2		-02						-09			-27		2
3	-19	-02		-23			03	-03		-69	-26		3
4	-18		-04	-18				-12	-05	-07			4
5	-07		-11	-02	-69			~~72~~		-07			5
6	-01	-03	-41		-06			-04	-22	-13			6
7	-14						5	-45		-14	-25	-14	7
8				-09	-12			-04	-26	-16		-06	8
9	-37		-31	-27	-50	-02	-13		-04			-11	9
10	-44		*25		-15	-11	-16	-18			-01	-45	10
11	*11			-04	-11			-07	-04	-05	Trace	-26	11
12	-13		-02		-15			-06	-22			-22	12
13	-15		*93	-19				-33	-18	-41		-08	13
14	-65	-07	*31	-27				-15	-07		-01	-04	14
15	-01	-07	*32					02		-18	-11	-16	15
16	-01		-01			-04	09		-16	-10		-14	16
17			-04	-00	12		-06	-05	-66	-04		-01	17
18			*30	-08	-04	-60	-70	-03		01	-30	-02	18
19			*13	-17	Trace	-10		03	-49	-11	-13		19
20	Trace		-05		-01	-03	1.60	-50	-45	-01	-12		20
21	Trace		-41			-03	-26		-02	-23	-18		21
22	-47						-49	-46	-01	-33	-34	-01	22
23	-04			-09	-18	-04	-16	-07	-02		-17	-07	23
24	-12			-13	-06				01	-18	-18	-02	24
25	-03			-12	-01	-08			-21	-60	-16	-06	25
26	-53	-06		-10					-04	-04	-07	-12	26
27	-05		-11	-03		-02	-20		-05	-03		-09	27
28	-04		-04				-26			-02	-27	-15	28
29					-04		-14	-09		-10	-10	-14	29
30		x			-20	-32	-06	-05		-05	-01	-55	30
31	-34	x	-02	x	-16	x			x	-16	x	-14	31
TOTAL	4-13	-463	-212	-362	-701	-394	-922	-943	-163	-513	-423	-043	35-24
Days with or in. or more.	22	7	17	17	16	11	17	22	17	24	18	22	211
Days with or in. or more.	18	4	16	15	13	7	16	16	13	19	16	18	171

NEWPORT

IZATION.

Kept at Aston Hall
in the County of Shrop
by Colonel R. K.

ASTON HALL

SHROPSHIRE
1921-1930

3.0 W 8
JAN 1922
East Shropshire
uge. 5 in.
round. ft. 11 in.
a Level 280 ft. about
d to the previous day.
to add
e end of
gauges,
servers,"
Camden
inburgh.

Jan. 1, following

Record

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	—	.09	—	—	—	—	.17	.21	—	.04	.06	1
2	.02	—	—	—	.07	—	—	.29	—	.04	.80	—	2
3	—	—	.01	—	.03	.08	—	.02	—	1.46	.28	—	3
4	.04	—	—	—	—	.17	—	.29	—	—	.11	—	4
5	—	—	.02	.01	—	—	—	.54	—	—	.17	.06	5
6	—	.02	.02	—	.01	—	—	.04	—	.07	.03	—	6
7	.16	—	.03	—	.06	—	.02	.46	—	—	.16	—	7
8	.08	—	.09	—	.28	—	—	.01	—	—	—	—	8
9	—	—	—	.16	.11	—	—	.17	—	—	—	—	9
10	.19	.01	—	—	.03	—	—	.50	.04	—	—	.06	10
11	.12	—	—	—	.15	—	—	.41	.08	—	.04	—	11
12	.45	.02	.06	—	.04	.01	—	.03	.40	—	—	.09	12
13	—	.03	.33	.34	—	—	—	—	.07	.08	.04	—	13
14	.03	—	.13	.34	.15	—	—	.03	.05	—	—	.18	14
15	.02	—	—	.07	—	—	.03	—	—	—	—	—	15
16	.03	.02	.04	.26	.01	—	.10	—	—	—	.40	—	16
17	.14	—	.07	.06	—	—	—	.09	—	—	.01	—	17
18	.06	—	.10	.42	—	—	—	—	—	.07	—	—	18
19	—	—	.12	.03	.04	.11	—	—	—	.18	.04	.08	19
20	—	—	.01	—	—	.04	—	—	—	—	.15	.02	20
21	—	—	—	.07	—	—	—	.03	—	.12	.01	.06	21
22	—	—	.23	.08	—	—	—	—	—	.36	—	.33	22
23	.02	—	—	.06	—	—	.03	(.034)	.01	.07	—	.05	23
24	—	.08	—	.03	—	—	.02	—	—	—	—	.27	24
25	.08	.20	.08	—	—	—	—	.07	—	—	—	.04	25
26	.01	—	—	—	.01	.01	.47	—	—	—	—	.17	26
27	.02	.02	.03	—	.06	.03	—	.02	—	—	—	.32	27
28	—	—	.05	—	.44	—	.01	.68	—	—	—	.08	28
29	.11	—	—	—	.16	—	.02	.03	—	—	—	.04	29
30	.14	~~X~~	—	—	.08	—	.03	—	—	—	.12	.21	30
31	.27	~~X~~	—	~~X~~	.12	~~X~~	.06	.21	~~X~~	.08	~~X~~	.03	31
TOTAL	2.26	.40	1.51	1.93	1.85	.45	.79	4.13	.86	2.53	2.40	2.15	YEAR'S TOTAL
Days with 0.1 in. or more	20	8	18	13	18	7	10	21	7	10	15	18	21.26
Days with 0.1 in. or more	13	2	12	10	13	4	3	13	6	10	12	16	114

Kept at Aston Hall Newport
in the County of Shropshire
by Colonel R. Leake

Time of Observation 9 a.m.
Nearest Railway Station Shropshire
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft.
Sea Level 280 ft. about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	—	.09	—	—	—	—	.17	.21	—	.04	.06	1
2	.02	—	—	—	.07	—	—	.29	—	.04	.80	—	2
3	—	—	.01	—	.03	.08	—	.02	—	1.46	.28	—	3
4	.04	—	—	—	—	.17	—	.29	—	—	.11	—	4
5	—	—	.02	.01	—	—	—	.54	—	—	.17	.06	5
6	—	.02	.02	—	.01	—	—	.04	—	.07	.03	—	6
7	.16	—	.03	—	.06	—	.02	.46	—	—	.16	—	7
8	.08	—	.09	—	.28	—	—	.01	—	—	—	—	8
9	—	—	—	.16	.11	—	—	.17	—	—	—	—	9
10	.19	.01	—	—	.03	—	—	.50	.04	—	—	.06	10
11	.12	—	—	—	.15	—	—	.41	.08	—	.04	—	11
12	.45	.02	.06	—	.04	.01	—	.03	.40	—	—	.09	12
13	—	.03	.33	.34	—	—	—	—	.07	.08	.04	—	13
14	.03	—	.13	.34	.15	—	—	.03	.05	—	—	.18	14
15	.02	—	—	.07	—	—	.03	—	—	—	—	—	15
16	.03	.02	.04	.26	.01	—	.10	—	—	—	.40	—	16
17	.14	—	.07	.06	—	—	—	.09	—	—	.01	—	17
18	.06	—	.10	.42	—	—	—	—	—	.07	—	—	18
19	—	—	.12	.03	.04	.11	—	—	—	.18	.04	.08	19
20	—	—	.01	—	—	.04	—	—	—	—	.15	.02	20
21	—	—	—	.07	—	—	—	.03	—	.12	.01	.06	21
22	—	—	.23	.08	—	—	—	—	—	.36	—	.33	22
23	.02	—	—	.06	—	—	.03	(.034)	.01	.07	—	.05	23
24	—	.08	—	.03	—	—	.02	—	—	—	—	.27	24
25	.08	.20	.08	—	—	—	—	.07	—	—	—	.04	25
26	.01	—	—	—	.01	.01	.47	—	—	—	—	.17	26
27	.02	.02	.03	—	.06	.03	—	.02	—	—	—	.32	27
28	—	—	.05	—	.44	—	.01	.68	—	—	—	.08	28
29	.11	—	—	—	.16	—	.02	.03	—	—	—	.04	29
30	.14	~~X~~	—	—	.08	—	.03	—	—	—	.12	.21	30
31	.27	~~X~~	—	~~X~~	.12	~~X~~	.06	.21	~~X~~	.08	~~X~~	.03	31
TOTAL	2.26	.40	1.51	1.93	1.85	.45	.79	4.13	.86	2.53	2.40	2.15	YEAR'S TOTAL 21.26
Days with .01 in. or more	20	8	18	13	18	7	10	21	7	10	15	18	165
Days with .01 in. or more	13	2	12	10	13	4	3	13	6	10	12	16	114

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Aston Hall
in the County of Shropshire
by Colonel R Deeke

Lat. 52° 45' 24" Long. 2° 23' 0" W
Time of Observation 9 a.m.
Nearest Railway Station Wolverhampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft. in.
" " " " Sea Level 280 ft. about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres—should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.26	.38	—	.50	—	.10	.02	.58	—	.13	.03	1
2	.38	.15	.04	—	.02	—	.44	.02	—	—	—	.03	2
3	.08	.20	.11	—	.09	—	.04	.24	—	.02	—	.01	3
4	—	.17	.09	—	.37	—	.10	—	—	.07	.07	—	4
5	.06	—	.16	.32	.01	—	1.13	—	—	.03	.27	—	5
6	.20	—	.20	.02	—	—	.08	.42	—	—	.22	.06	6
7	.07	—	.40	.09	—	—	.24	.14	—	—	.03	.03	7
8	.01	—	.33	.02	—	—	.31	.34	—	—	.05	.08	8
9	.04	—	.03	.07	—	—	.09	.31	—	—	.02	—	9
10	—	—	—	—	.02	.07	—	—	—	—	.05	—	10
11	.05	—	—	—	—	—	—	—	—	—	—	—	11
12	—	—	—	.13	—	.13	.08	.36	.45	—	—	.01	12
13	.47	—	—	.21	—	.03	.28	—	.01	—	—	—	13
14	—	.03	—	.06	—	—	.12	—	.23	—	—	.28	14
15	.39	.09	—	.09	.18	—	—	—	.03	—	—	.02	15
16	.35	.07	—	.04	.02	—	.10	.26	.04	.03	—	.08	16
17	—	.04	—	—	.04	—	.46	—	—	—	—	.20	17
18	.25	.06	—	—	—	—	.02	.01	.21	.03	—	.07	18
19	—	.12	.12	—	—	—	—	—	.18	.16	—	1.33	19
20	.03	.02	—	—	—	.03	.01	—	—	—	—	.69	20
21	.06	.06	—	.05	—	—	.10	.04	—	—	—	.25	21
22	.03	.07	—	—	.32	.14	.04	.39	—	—	—	.18	22
23	—	—	—	.05	.01	.04	.37	—	—	.01	.03	.06	23
24	—	—	.20	.12	—	.09	.01	.14	—	—	—	.02	24
25	.25	.02	.02	.50	—	.03	—	—	.25	.01	—	.05	25
26	.35	.29	.02	.10	—	.02	.10	—	.11	.02	.07	.03	26
27	.08	.32	.11	.15	—	—	—	.14	.14	—	.07	.20	27
28	.03	.44	.01	—	—	.01	—	.09	.24	—	—	.05	28
29	—	—	—	—	—	.07	.07	—	—	—	—	.28	29
30	.10	X	.17	.06	—	.02	.02	.17	.36	—	.07	.09	30
31	.32	X	—	X	—	X	.09	.21	X	.26	X	.04	31
TOTAL	3.73	2.41	2.39	2.08	1.58	.68	4.40	3.30	2.83	.64	1.08	4.17	YEAR'S TOTAL
Days with "01 in. or more	42	31	41	27	51	62	42	31	21	71	31	58	29.29
Days with "04 in. or more	18	14	12	15	6	6	20	14	11	3	9	1	145

REGISTER OF RAINFALL IN 1921.

Kept at Aston Hall - Newport
in the County of Shropshire
by Colonel R deete

Lat. 52° 45' 24" Long. 2° 23' 0" W
Time of Observation 9 a.m.
Nearest Railway Station Newport-Salep
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 11 in.
" " " " Sea Level 280 ft. above

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.04	.18	—	.01	—	.03	.03	.07	.01	—	.34	1
2	.28	.06	.04	.02	.09	—	.03	.03	—	.08	.06	.03	2
3	—	—	.22	—	—	.04	.02	.02	.18	.39	.06	.09	3
4	—	—	—	—	—	.03	—	—	.03	.02	.09	.05	4
5	.26	—	.07	.13	.33	.11	—	—	—	.02	—	—	5
6	.46	.47	.17	.18	—	.03	—	.05	—	.01	—	.02	6
7	.02	.41	.09	.06	—	—	—	.01	—	.25	—	.18	7
8	.07	.33	—	—	—	.01	—	—	—	.45	.12	—	8
9	.02	.48	—	—	.11	.04	.04	.07	.01	—	.17	.03	9
10	.19	.21	—	.32	.08	.02	.19	—	—	.27	—	—	10
11	.03	.09	—	.23	.39	—	—	—	—	.07	—	—	11
12	—	.34	.03	<u>1.17</u>	.06	.02	.69	—	—	.23	.03	.03	12
13	.04	.30	—	.11	.12	—	—	—	.06	.01	.55	.01	13
14	—	—	—	.03	.04	—	.27	.18	.09	.02	—	.01	14
15	.08	.15	.03	.01	.15	.16	.07	—	.01	—	.30	.04	15
16	.05	.20	—	—	.22	.04	—	.06	.02	.05	.23	.01	16
17	.04	.57	—	—	.02	.01	.01	.16	.28	.01	.02	—	17
18	.06	.20	—	—	.01	.03	—	.26	.02	.11	.27	.09	18
19	.08	—	—	—	—	—	.22	.02	.27	—	.02	.05	19
20	.05	.21	.14	—	.04	—	—	.10	.45	.14	.06	.10	20
21	.04	.02	—	—	.01	.02	—	.06	.07	.09	—	.36	21
22	—	.21	.02	—	.34	—	—	.30	.01	.09	.03	.12	22
23	.02	.07	—	—	.11	.02	.40	.41	.77	.14	—	.06	23
24	—	.38	—	.07	—	.04	.21	.02	.14	.29	—	.03	24
25	—	.34	—	.07	.06	—	.05	.34	.05	.17	—	.27	25
26	—	.34	.08	.16	.01	—	—	.03	—	.39	—	.31	26
27	—	.06	.26	—	.34	—	.51	.13	—	.21	.07	.24	27
28	.03	.04	.03	.02	.03	—	.15	.08	—	—	—	—	28
29	.12	—	—	—	.01	—	.18	.86	—	.09	—	.21	29
30	—	X	.11	.10	—	.01	.15	—	—	.07	—	.58	30
31	—	X	.07	X	—	X	.29	.07	X	.01	X	.33	31
TOTAL	1.99	5.52	1.54	2.68	2.58	.63	3.51	3.29	2.46	3.69	2.08	3.59	YEAR'S TOTAL 33.56
Days with 01 in. or more	20	23	15	15	22	16	18	22	17	27	15	25	235
Days with 04 in. or more	15	22	11	11	15	6	14	15	11	19	11	17	167

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at Aston Hall - Newport
in the County of Shropshire
by Colonel R. Deeke

Lat. 52.45.24 Long. 2.23.00
Time of Observation 9 a.m.
Nearest Railway Station Newport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft.
" " " " Sea Level 286 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.06	—	.04	.77	.14	.12	—	—	.27	—	1 RRV
2	.03	—	.03	—	.08	.22	.09	.04	—	.02	.07	.05	2 WRF
3	—	.02	.23	—	.02	.04	.12	.25	—	—	—	—	3 C
4	—	—	—	—	—	.20	.14	.02	.02	—	—	.41	4 CHA
5	—	.03	.43	—	.19	.03	.08	.01	.04	.08	.03	.02	5
6	—	.01	—	—	.08	.03	.03	.05	.30	.53	—	—	6
7	.02	—	—	—	.16	.14	.01	—	.38	.62	—	.02	7
8	.04	—	—	.04	.02	.03	—	—	.15	.01	—	—	8
9	.08	.06	—	.10	.01	.19	—	—	.59	.13	—	—	9
10	.02	—	—	.25	.10	.14	—	—	.01	.15	—	—	10
11	.50	—	—	.20	.17	.42	—	.02	.01	—	.33	—	11
12	.11	.03	—	—	.04	.10	—	.29	.06	.03	—	—	12
13	.14	—	—	.37	.04	—	—	—	.15	—	—	.11	13
14	—	.02	—	.16	—	—	—	.10	.02	.01	.03	.04	14
15	—	—	—	—	—	—	.04	.04	.06	—	—	.15	15
16	.10	—	—	—	—	—	—	.66	.07	—	—	—	16
17	.09	.12	—	—	—	.14	.37	.15	.19	—	—	.02	17
18	.15	—	—	—	.20	—	.04	.01	—	.29	.02	.01	18
19	.02	—	—	—	.20	.04	—	—	.11	.01	—	—	19
20	.15	.04	—	—	.30	.10	.72	.27	.13	.06	—	—	20
21	.49	.02	.03	—	.09	.09	.61	.14	.03	.49	—	—	21
22	.38	—	.21	.10	—	—	—	.21	.14	—	—	.06	22
23	.08	—	.14	.12	.01	—	.09	.28	.14	—	.01	.29	23
24	.12	.22	—	.02	.32	—	—	.01	.13	—	—	.16	24
25	—	—	—	.08	—	—	.38	.04	.47	.01	.05	.02	25
26	.07	—	.16	.10	.02	—	.16	.07	.13	.52	.54	.24	26
27	—	.03	—	.21	—	—	.39	.02	—	.18	.07	.22	27
28	.01	—	—	.05	—	.05	.46	.18	.01	.05	.09	—	28
29	—	.07	—	.36	.08	.02	—	.24	.02	.65	.13	.37	29
30	—	X	—	.34	.32	.01	—	.28	.31	.04	.05	.26	30
31	—	X	—	X	1.86	X	.06	.06	X	.01	X	.20	31 865
TOTAL	2.60	.67	1.29	2.50	4.35	2.76	4.43	3.56	3.67	3.89	1.69	2.65	YEAR'S TOTAL 34.06
Days with ≥ 1 in. or more.	14	12	8	15	22	19	18	25	25	20	13	18	214
Days with ≥ 0.1 in. or more.	14	5	6	14	17	14	16	19	18	13	9	13	158

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Aston Hall* *Newport*

in the County of *Shropshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *11* ft. in.

Ground Sea Level *280* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	—	.31	—	.10	—	—	.25	.03	—	.07	—	1
2	.12	.02	—	.03	—	—	—	—	.01	—	.15	.01	2
3	.18	—	.01	—	.05	—	.20	.11	.05	.04	.05	—	3
4	.11	—	—	.06	.23	—	—	—	.14	.03	.04	.01	4
5	.01	.33	—	.28	.14	—	—	.11	.37	—	.20	—	5
6	—	.08	.01	—	.09	—	.73	.10	—	—	.44	—	6
7	—	.14	.04	—	.23	—	.01	.06	—	.01	.42	.02	7
8	.05	.02	.04	—	.41	—	—	.41	.36	—	—	.16	8
9	—	.10	.02	.02	.08	—	.04	.03	.16	—	.05	—	9
10	—	.01	.06	.03	—	—	—	.49	—	.02	—	.04	10
11	—	.11	—	—	.03	—	—	.02	—	.15	—	.03	11
12	—	.22	—	.04	.01	—	—	.05	—	.05	.03	.01	12
13	.02	.02	.08	.05	—	.01	—	—	—	—	.01	.03	13
14	.32	—	.05	.11	—	—	—	—	—	—	—	—	14
15	—	—	—	.20	—	—	—	—	.42	.50	.01	.01	15
16	.01	.04	—	.08	—	.01	—	—	.20	—	—	—	16
17	—	.20	—	—	.02	—	—	—	.01	.01	—	.02	17
18	—	.19	—	—	.10	—	—	—	—	—	—	—	18
19	—	.02	—	—	.02	.02	—	—	.83	.83	.01	.45	19
20	—	—	.11	—	—	—	—	.04	.42	.29	—	.07	20
21	—	.08	.02	—	—	—	.03	.39	.17	.07	.01	.02	21
22	—	.13	—	.11	.03	—	.29	.05	.38	.33	—	.61	22
23	.02	.02	.04	.01	.81	—	1.42	—	.38	.06	—	.07	23
24	—	.26	.13	.09	.03	—	—	.06	.04	.02	.07	.04	24
25	—	.38	.07	.04	.01	—	—	—	.24	.10	—	.75	25
26	—	.09	.01	.07	.24	—	.22	.16	.12	.55	.03	.05	26
27	.05	.05	—	—	.09	—	.26	—	.02	.06	—	.04	27
28	.07	.21	—	.03	.05	—	.16	—	—	.13	—	.26	28
29	.16	—	—	.17	.12	—	.04	—	—	—	.22	.05	29
30	—	X	.03	—	.05	—	.25	—	—	.01	.01	.03	30
31	.28	X	.12	X	.08	X	—	.06	X	.03	X	.03	31
TOTAL	1.76	3.72	1.15	1.42	3.02	.04	3.65	2.39	4.35	3.29	1.82	2.21	28.82
Days with '01 in. or more.	14	22	17	17	23	3	12	16	19	20	17	23	203
Days with '04 in. or more.	10	16	11	12	44	16	10	14	15	13	10	12	139

(Signed)

W. H. H. H.

[P.T.O.]

[E]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

2094

Kept at Aston Hall, Newport, Shropshire

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 11 ft.

Ground Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.16	—	—	—	.06	—	—	.10	.19	—	1
2	.03	.03	.04	.18	.02	—	—	—	—	—	—	—	2
3	.20	.03	—	.01	.01	.09	.03	—	—	—	.01	—	3
4	.03	—	.13	.07	.12	.04	.06	—	—	—	.06	—	4
5	.03	.07	.09	.25	—	.56	.09	—	—	—	.06	—	5
6	.03	—	.03	.01	.04	.47	.03	.05	.58	—	.79	—	6
7	.06	.08	.05	.05	—	.21	.01	.01	.03	—	—	—	7
8	.01	—	.01	.56	—	.02	—	.12	—	—	—	—	8
9	—	—	—	.05	—	—	—	.17	.05	.02	.09	.05	9
10	—	—	—	.01	—	.07	.10	.10	—	—	—	—	10
11	.01	—	.08	.08	—	.01	.65	.09	—	—	—	—	11
12	.10	—	.04	—	.14	—	.20	.34	—	—	—	.02	12
13	.13	—	.09	—	.03	—	—	.15	.17	.05	.17	.02	13
14	—	—	—	.02	.12	—	—	.09	.70	—	.04	.42	14
15	—	—	—	—	.41	—	.20	.05	.26	—	.03	.01	15
16	—	—	—	—	.09	.57	—	.29	.17	—	—	—	16
17	—	—	—	—	—	.08	—	.80	.06	—	.01	—	17
18	—	—	—	—	—	.61	—	.27	.01	.02	1.00	—	18
19	—	.20	—	—	—	.05	—	.19	.05	.01	.19	—	19
20	.15	.39	—	—	.12	.17	.13	.27	.05	—	.18	.32	20
21	.03	.12	—	—	.15	.02	.19	.18	.19	.44	.14	.42	21
22	.07	.09	.24	.04	.02	.18	.19	.05	.17	1.15	.14	.01	22
23	.01	.01	.08	—	—	.42	.01	—	.10	—	.20	.31	23
24	.11	.01	.32	.06	—	.18	.14	.32	.11	.07	.01	.30	24
25	.26	.15	.23	—	—	.15	.01	—	.01	.22	—	—	25
26	.15	.22	.05	.05	.01	.07	.22	—	.07	.07	.01	—	26
27	.26	.22	.03	—	—	.15	—	—	—	—	.01	—	27
28	.65	.13	.14	—	—	—	—	—	.02	—	.42	—	28
29	.01	—	.18	—	—	.11	.01	—	.18	.03	—	—	29
30	.07	X	.03	—	—	.41	.01	.08	.01	.02	.01	—	30
31	—	X	.44	X	.05	X	.01	.01	X	—	X	.05	31
TOTAL	2.40	1.75	2.46	1.49	1.33	4.64	2.35	3.63	2.99	2.20	3.76	1.93	YEAR'S TOTAL 30.93
Days with ".01 in. or more.	21	14	20	14	14	22	20	20	20	12	21	11	20.9
Days with ".04 in. or more.	12	10	16	10	9	19	12	18	15	7	14	9	151

Pat. J. J. J.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Aston Hall Newportin the County of ShropshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 11 ft. in.,, Ground ,, Sea Level 280 ft.Totals see other side
8

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	.02	—	.13	—	.08	—	.18	.01	—	1
2	—	.24	—	—	—	.01	—	.03	.01	—	.14	.10	2
3	—	—	—	—	.02	.04	—	.32	.30	—	—	.06	3
4	.01	—	—	.16	.26	.07	.30	.14	—	.03	.01	.50	4
5	—	—	—	—	.58	.16	.24	.54	—	1.17	.16	—	5
6	.11	—	—	—	.04	.25	.01	.20	—	.06	.11	.45	6
7	—	—	—	—	.19	—	—	—	—	.16	.37	.19	7
8	—	.10	—	.08	.05	—	—	—	—	.45	—	.24	8
9	.15	.08	—	—	—	—	.09	.01	—	.05	.28	.34	9
10	.02	—	—	—	—	—	.01	—	—	.14	—	.20	10
11	—	—	—	—	.35	—	.01	.02	—	—	1.13	.01	11
12	—	—	—	.03	.32	.60	.32	—	—	—	—	—	12
13	.01	—	—	.01	.11	—	—	.04	—	—	.02	.08	13
14	.03	—	—	—	.18	.65	—	—	.03	—	—	.11	14
15	.07	—	—	—	—	.03	—	—	—	—	.44	—	15
16	—	—	—	—	—	—	—	.09	—	—	.01	—	16
17	.17	—	—	—	—	—	—	.01	—	—	—	—	17
18	—	—	—	—	—	—	—	—	—	.03	.52	—	18
19	—	—	—	—	—	—	—	—	.01	.01	.11	.07	19
20	—	—	.05	—	—	—	—	—	.07	.49	.05	.32	20
21	—	—	.26	—	—	.07	.01	.04	—	—	—	—	21
22	.02	—	—	.14	—	.06	—	.20	—	—	.06	.01	22
23	—	—	—	—	—	—	.03	.01	—	.01	.31	.45	23
24	—	.03	.13	.01	—	.01	—	.20	—	.73	.40	.40	24
25	—	.15	.04	.05	—	—	—	—	—	—	.13	.04	25
26	—	.02	—	.08	.13	—	—	—	—	.04	.06	.07	26
27	.06	—	—	.12	—	—	—	.01	—	.24	.20	—	27
28	.48	—	—	.02	—	—	.12	.04	.07	.06	.58	.55	28
29	.07	—	—	—	—	—	—	—	—	.04	.21	.12	29
30	.01	X	—	—	—	—	.02	—	.29	—	—	.01	30
31	.28	X	—	X	—	X	.35	.13	X	—	X	.02	31
TOTAL	1.49	.66	.48	.72	2.23	2.08	1.51	2.11	.78	3.89	5.31	4.24	YEAR'S TOTAL
Days with ".01 in. or more.	14	7	4	11	11	12	12	18	7	17	22	22	157
Days with ".04 in. or more.	8	5	4	6	10	9	6	12	4	13	18	18	113

Kept at Aston Hall
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 11 in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.22	—	.22	—	.04	.22	.10	—	—	.42	—	I
2	—	—	—	—	—	—	—	.15	—	—	.35	—	2
3	.18	.01	—	.29	—	—	—	.03	—	.66	.14	—	3
4	.18	—	.03	.24	—	—	.05	.09	—	.05	—	—	4
5	.02	—	.10	.01	.64	—	—	.12	—	.06	—	—	5
6	—	—	.50	—	.10	—	—	.03	.15	.24	—	—	6
7	.16	—	—	—	—	—	.01	.56	—	.10	.28	.11	7
8	—	—	—	.07	—	—	—	.03	.25	.13	—	.01	8
9	.41	—	.39	.21	.41	—	—	—	.04	—	—	.17	9
10	.46	—	.19	—	.12	.05	—	.20	—	—	—	.49	10
11	.14	—	—	.03	.20	—	.14	.05	.04	.02	.01	.29	11
12	.10	—	.04	—	.23	—	.17	.18	—	—	—	.15	12
13	.10	—	.28	.24	—	—	—	.13	.34	—	—	.07	13
14	.66	.06	.78	.29	.01	—	.07	.01	—	—	—	.02	14
15	—	.03	.22	—	—	—	.42	.02	—	.19	.10	.20	15
16	—	—	—	—	—	.02	.18	—	.13	.12	—	.17	16
17	.01	—	.02	.06	.12	—	.10	.03	.73	.04	—	—	17
18	—	—	.21	.04	—	.46	.07	.02	.01	—	.28	.03	18
19	—	—	.12	.16	—	.07	.38	—	.51	.10	.14	—	19
20	—	—	.03	—	.01	.01	—	.55	.33	.01	.08	—	20
21	—	—	.35	—	—	.02	.58	.01	—	.17	.13	—	21
22	.39	—	—	—	—	.02	.26	.37	—	.29	.28	—	22
23	.03	—	—	.08	.15	—	.47	.07	.02	—	.19	.05	23
24	.21	.01	—	.13	.07	—	.20	—	.02	.19	.19	—	24
25	—	.01	.01	.05	—	—	—	—	.27	.65	.17	.07	25
26	.55	.06	—	.13	—	—	—	—	.04	.03	.06	.11	26
27	.03	—	.09	.01	—	.01	.01	—	.02	.02	—	.13	27
28	.02	—	.02	—	—	—	.20	—	—	.01	.32	.14	28
29	—	×	—	—	—	—	.21	.09	—	.08	.08	.12	29
30	—	×	—	—	.14	—	.40	.06	.02	.08	—	.71	30
31	.40	×	—	×	.03	×	.05	—	×	.13	×	.13	31
TOTAL	4.09	.40	3.38	2.26	2.23	.70	5.19	2.90	2.92	3.37	3.22	3.17	33.83
*Days with or in. or more.	19	7	17	17	13	9	20	22	16	22	17	19	198
*Days with .04 in. or more.	14	3	12	14	10	4	18	14	11	17	16	16	149

Kept at *Chetwynes Rd*
in the County of *Shropshire*
by *H. Lh*

SHROPSHIRE
1921 - 1924

2040
JAN 1922
Long *9. A.M.*
ation *Newport Lalep*
of Rain Gauge *5* in.
uge above Ground *1* ft. *—* in.
Sea Level *250* ft.
result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not the reading at 9 a.m. on 1st this paragraph. Full instructions for the measurement of rain, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-37		-07					-20	-04		-02	-05	1
* 2	-01				-05			-15		-02	-78		2
3			-02		-04	-05		-05		2,00	-32		3
4	-07					-15		-29		-01	-10	-01	4
5	-01		-02	-01				-49			-18	-07	5
6	-01		-03		-03		-01	-05			-03	-01	6
7	-15		-04		-10			-50			* -15		7
8	-10				-11			-21					8
9	-01		-13	-10	-15	-01			-03				9
10	-13		-01		-02			-31	-01			-07	10
11	-12				-20			-37	-10		-01		11
12	-41	-02	-09		-07	-02		-02	-37			-08	12
13	-02	-04	-22	-38				-01	-08	-08	-01		13
14	-01		-12	-32	-15		-01	-06	-02			-18	14
15	-02		-01	-07			-11	-01				-02	15
16	-05	-01	-02	-31				-01			-37		16
17	-27		-07	-05				-08			-02		17
18	-07		-02	-42						-04	-01		18
19	-01		-12	-01	04	-11				-17	-03	-02	19
20			-01			-03					-02		20
21				-07		-01		-08		-10	-12	-07	21
22	-02		-27	-08			-02	-01		-33	-02	-36	22
23	-01			-05			-02	-02		-07		-05	23
24		-09		-03						-02		-28	24
25	-08	-18	-12				-50					-04	25
26	-03	-03	-02			-07		-04				-24	26
27	-02		-02		-11		-02	-03				-4.0	27
28			-08		-47		-01	-73			-01	-04	28
29	-10		-01		-16		-01	-01				-03	29
30	-11	~~X~~			-03		-01	-19			-06	-21	30
31	-36	~~X~~		~~X~~	-25	~~X~~	-04	-19	~~X~~	-10	~~X~~	-03	31
TOTAL	2,57	-37	1,52	1,90	1,98	-45	-76	3,92	65	2,94	2,26	2,26	YEAR'S TOTAL 2,158
Days with 0.1 in. or more	26	6	22	13	16	8	11	24	7	11	18	20	182
Days with 0.1 in. or more	14	3	11	10	13	4	3	16	4	8	8	14	108

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1.) REGISTER OF RAINFALL IN 192.....

Kept at Chelwood Park gardens
in the County of Salop.
by M. Sheppard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-37		-07					-20	-04		-02	-05	1
* 2	-01				-05			-15		-02	-78		2
3			-02		-04	-05		-05		2.00	-32		3
4	-07					-15		-29		-01	-10	-01	4
5	-01		-02	-01				-49			-18	-07	5
6	-01		-03		-03		-01	-05			-03	-01	6
7	-15		-04		-10			-50			* -15		7
8	-10				-11			-21					8
9	-01		-13	-10	-15	-01			-03				9
10	-13		-01		-02			-31	-01			-07	10
11	-12				-20			-37	-10		-01		11
12	-41	-02	-09		-07	-02		-02	-37			-08	12
13	-02	-04	-22	-38				-01	-08	-08	-01		13
14	-01		-12	-32	-15		-01	-06	-02			-18	14
15	-02		-01	-07			-11	-01				-02	15
16	-05	-01	-02	* -31				-01			-37		16
17	-27		-07	-05				-08			-02		17
18	-07		-02	-42						-04	-01		18
19	-01		-12	-01	04	-11				-17	-03	-02	19
20			-01			-03					-02		20
21				-07		-01		-08		-10	-12	-07	21
22	-02		-27	-08			-02	-01		-33	-02	-36	22
23	-01			-05			-02	-02		-07		-05	23
24		-09		-03						-02		-28	24
25	-08	-18	-12				-50					-04	25
26	-03	-03	-02			-07		-04				-24	26
27	-02		-02		-11		-02	-03				-4.0	27
28			-08		-47		-01	-73			-01	-04	28
29	-10		-01		-16		-01	-01				-03	29
30	-11	X			-03		-01	-19			-06	-21	30
31	-36	X		X	-25	X	-04	-19	X	-10	X	-03	31
TOTAL	2.57	-37	1.52	1.90	1.98	-45	-76	3.92	65	2.94	2.26	2.26	YEAR'S TOTAL 21.58
Days with "01 in. or more	26	6	22	13	16	8	11	24	7	11	18	20	182
Days with "04 in. or more	14	3	11	10	13	4	3	16	4	8	8	14	107

W- 243.
AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Chetwynd Park gardens
in the County of Shropshire
by H. Sherwood

Lat. 52. 47-20 Long. 22. 23-15

Time of Observation 9 a.m.

Nearest Railway Station Wolverhampton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	19	37		21		09	01	75		16	04	1
2	* 41	15	04		02		84	02			02	02	2
3	* 13	14	15		07		09	(28)		02	02	01	3
4		14	08		39		02			12	* 09		4
5	07		12	37	01		93			04	25	01	5
6	23		* 14	03			10	37			22	03	6
7	15		* 44	07			21	09			01	01	7
8	02		17	* 05			(34)	38			05	09	8
9	03		02	* 06			15	23		02	02	02	9
10	01		01		01	05					06		10
11	07		7						01				11
12			10			11	14	38	39	01			12
13	54		19				22		05				13
14		02		07			07		20	01	01	30	14
15	* 37	09		11			01	01	05			02	15
16	84	09		03	21		12	36	02		01	06	16
17		02			01		47		02			16	17
18	15	07			04	2		02	34	03		10	18
19	02	14	10		2			01	10	10	01	* 98	19
20	01	02					01					* 96	20
21	05	03	01	05			22	07		2		22	21
22	02	09			22	21	03	31				12	22
23	01	01		10	01	12	34	2			01	06	23
24	02		15	07		16	01	16				04	24
25	26	02	01	51		6	2	2	20	01		03	25
26	15	20	02	19		10	08		07	05	10	02	26
27	12	35	* 11	12		01		16	14		02	28	27
28	03	47	* 02	01		02		08	26	01		03	28
29	01					19	05				01	23	29
30	11	X	* 15	07		05	07	17	35	17	05	09	30
31	35	X	2	X		X	18	21	X		X	04	31
TOTAL	4.37	2.24	2.11	2.20	1.20	1.08	4.79	3.32	2.95	-.59	1.12	3.97	YEAR'S TOTAL
Days with 1/4 in. or more	34	61	61	21	51	21	54	51	51	71	101	64	74
Days with 1/4 in. or more	161	121	121	151	61	91	191	141	121	51	81	161	151

144

REGISTER OF RAINFALL IN 1923.

Kept at Chilwood Park Gardens
in the County of Salop
by H. Sherwood

Lat. 52° 47' 20" Long. 2° 23' 15"
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	- 06	- 05	- 13		- 04		- 01	- 06	- 05	- 01		- 18	1
2	- 18	- 02	- 05	- 01	- 06		- 04	- 01	- 02	- 08	- 06	- 01	2
3	- 02	- 03	- 25			- 04	- 01	- 02	18	- 44	- 06	- 08	3
4		- 01	2	- 02		- 05			- 02	- 03	- 06	- 05	4
5	- 28		- 17	- 03	- 40	- 10			- 02	- 04		- 01	5
6	- 43	- 38	- 18	- 17		- 02		- 06	- 02	- 02	- 01		6
7	- 03	- 35	- 08	- 02			- 01	- 02	- 02	- 22		- 11	7
8	- 08	- 34		- 01		- 01			02	- 45	- 10	- 01	8
9	- 01	- 34			- 11	- 02	- 05	- 08	- 01		- 18	- 02	9
10	- 18	- 34		- 30	- 09	- 02	- 16			- 31		- 01	10
11	- 04	- 10	- 02	- 23	- 46					- 10	- 01		11
12	- 03	- 36		- 70	- 06	- 02	- 81	2		- 21	- 04		12
13	- 02	- 32		- 07	- 08				- 09	- 02	- 55	- 02	13
14	2	- 01		- 03	- 04		- 25	- 33	08	- 02	- 01	- 02	14
15	- 07	- 13	03	2	- 06	- 13	- 09			2	- 34	- 05	15
16	- 07	- 15			- 17	- 01		- 10	- 04	- 07	- 20	2	16
17	- 03	- 44			- 02	- 01	- 01	- 10	21	- 01	- 02	- 08	17
18	- 06	- 17			- 02	- 04		- 28	02	- 07	- 18	- 08	18
19	- 06				- 01		- 22	- 02	17		- 06	- 09	19
20	- 12	- 15	03		- 05		- 01	- 10	47	- 04	- 08	- 09	20
21	- 02	2	2		- 01	- 02	- 12	- 05	02	- 09	- 01	- 39	21
22	- 2	- 25	- 01		- 57			- 18		- 16	2	- 14	22
23		- 07		2	- 08		- 31	- 39	54	- 10		- 08	23
24		- 36		- 09	03	- 03	- 27		11	- 29		- 03	24
25		- 30		- 15	05	- 01	- 02	- 41	11	- 20		- 35	25
26		- 36	- 05	- 08	01	- 01	2	- 03		- 34		- 24	26
27		- 10	- 23		40		- 50	- 13		- 20	2	- 31	27
28	- 02	- 02	- 02	- 01	03		- 21	- 06		2	- 08		28
29	- 12			- 02	02	- 01	- 18	- 73		- 08		- 15	29
30	- 01	X	11	- 13			- 23			- 06	- 08	- 86	30
31		X	- 07	X		X	23	- 02	X	- 01	X	- 36	31
TOTAL	1.94	5.15	1.33	2.07	2.87	- 55	3.69	3.18	2.16	3.57	2.12	3.68	YEAR'S TOTAL
Days with 01 in. or more	22	25	15	17	24	17	21	21	17	27	19	25	32 30
Days with 04 in. or more	13	20	10	9	16	5	15	75	11	20	14	17	250 2

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1924

Kept at Chelwynd Park Gardens
in the County of Shropshire
by H. Sherwood

Lat 52.47.20 Long 2.23.18
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	2	05		07	62	15	14			17		W W W
2	03		02		05	33	15	02		01	03	02	W W W
3			19		03	02	06	17		01		2	3
4	01		16		2	12	11			01		33	4
5		04	46		22	02	06	02	05	07	01		5
6	01	01	01		12	05	01	02	29	17			6
7					11	24		06	24	57		01	7
8	*02			04	17	10			18	01		02	8
9	09	06		19	01	21			63	14			9
10	02	01		18	09	10				23			10
11	31			19	17	21		01	01		30		11
12	09	03		01	04			04	06	01			12
13	13			43	05		01		17	02		14	13
14	01			14				08	2		03	04	14
15				01			02	03	06			16	15
16	*07							65	05				16
17	10	10				10	34	21	22			01	17
18	08	7			20		09	01		34	01		18
19	03				16	10		14	13	01			19
20	14	01			30	2	66	24	15	07			20
21	50	02	01		08	03	53	30	06	53			21
22	40		19	08	2			41	13			02	22
23	07	01	19	12	2		11	16	19			30	23
24	11	24	01	04	43		02	05	12			17	24
25	01	2		10			30	05	34	01	04	02	25
26	09	2	01	09	64		21	04	19	48	47	26	26
27		02		17			51	01		19	07	17	27
28	01			04		05	75	29		09	08		28
29	01	*06		49	03	01	03	28	01	57	10	33	29
30		X		39	34	02		20	35	27	05	20	833 30
31		X		X	2.06	X	06	01	X	02	X	20	31
TOTAL	2.35	68	1.44	2.71	4.77	2.33	4.18	3.40	3.63	3.83	1.36	2.40	32.27
Days with "01 in. or more	24	13	10	17	21	17	20	25	22	22	12	18	23
Days with "01 in. or more	13	6	5	15	18	12	15	17	19	23	8	11	15

NEWPORT
EDMOND
SHROPSHIRE

RAINFALL ORGANIZATION.
N 1921.

Kept at Edmond
in the County of Shropshire
by W. B. B. B.

Long. 9 a.m.
Station 9 a.m.
unnel of Rain Gauge 5 in.
of Gauge above Ground 1 ft. in.
" " Sea Level 1 ft.
the result entered to the previous day.

IMPORTANT NOTE

If an Observer prefers not to read at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	—	.07	—	—	—	—	.20	—	—	.03	.12	1
2	.01	—	—	—	—	—	—	.18	—	—	.67	—	2
3	.03	—	—	—	.07	.05	—	—	—	1.62	.52	—	3
4	.04	—	—	—	—	.11	—	.32	—	.01	.13	—	4
5	—	—	.01	.01	—	—	—	.40	—	—	.19	.08	5
6	.01	—	.03	—	—	—	—	.03	—	—	.15	.01	6
7	.14	—	.05	—	—	—	—	.45	—	—	—	—	7
8	.07	—	.07	—	—	—	—	.18	—	—	—	—	8
9	—	—	—	.16	.35	—	—	.36	—	—	—	—	9
10	.13	—	—	—	—	—	—	.30	.03	—	—	.12	10
11	.13	—	—	—	—	—	—	—	.10	—	—	—	11
12	.35	.02	—	—	.19	—	—	—	.35	—	—	.02	12
13	.02	—	.30	.30	—	—	—	—	—	—	.04	—	13
14	—	—	.12	.36	.14	—	—	—	.07	.10	—	—	14
15	—	—	.01	.36	—	—	.17	.03	—	—	—	.18	15
16	.05	.02	—	.22	.01	—	—	.01	—	—	.56	—	16
17	.03	—	—	.33	—	—	—	.06	—	—	—	—	17
18	.17	—	.10	—	—	.08	—	—	—	.04	—	—	18
19	—	—	.11	—	—	—	—	—	—	.17	.07	—	19
20	—	—	—	—	—	.03	—	—	—	—	—	—	20
21	.02	—	—	.05	—	—	—	.05	—	.12	.17	—	21
22	—	—	.20	—	—	—	—	.01	—	.34	—	.38	22
23	.01	—	—	—	—	—	—	.01	—	.14	—	.03	23
24	—	.11	—	—	—	—	—	—	—	—	—	.26	24
25	.04	.16	.09	.05	—	—	.57	—	—	—	—	—	25
26	.01	—	—	—	—	.04	—	—	—	—	—	.27	26
27	.01	—	.01	—	—	—	.01	—	—	—	—	.33	27
28	—	—	—	—	.64	—	.02	.67	—	—	—	.04	28
29	.23	—	—	—	—	—	—	.01	—	—	—	.04	29
30	—	—	—	—	.02	—	—	—	—	—	—	.22	30
31	.27	—	—	—	.19	—	.03	.22	—	.06	—	.02	31
TOTAL	2.08	.31	1.17	1.48	1.61	.31	.80	3.49	.55	2.60	2.53	2.12	19.05
Days with "01 in. or more	22	4	13	9	10	5	5	18	4	9	10	16	125
Days with "04 in. or more	13	2	9	8	8	4	2	12	3	8	9	11	89

REGISTER OF RAINFALL IN 1921.....

Kept at Edgmond
in the County of Salop
by W. B. Swan

Lat..... Long.....
Time of Observation 9 a.m.
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft..... in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	—	.07	—	—	—	—	.20	—	—	.03	.12	1
2	.01	—	—	—	—	—	—	.18	—	—	.67	—	2
3	.03	—	—	—	.07	.05	—	—	—	1.62	.52	—	3
4	.04	—	—	—	—	.11	—	.32	—	.01	.13	—	4
5	—	—	.01	.01	—	—	—	.40	—	—	.19	.08	5
6	.01	—	.03	—	—	—	—	.03	—	—	.15	.01	6
7	.14	—	.05	—	—	—	—	.45	—	—	—	—	7
8	.07	—	.07	—	—	—	—	.18	—	—	—	—	8
9	—	—	—	.16	.35	—	—	.36	—	—	—	—	9
10	.13	—	—	—	—	—	—	.30	.03	—	—	.12	10
11	.13	—	—	—	—	—	—	—	.10	—	—	—	11
12	.35	.02	—	—	.19	—	—	—	.35	—	—	.02	12
13	.02	—	.30	.30	—	—	—	—	—	—	.04	—	13
14	—	—	.12	{.36}	.14	—	—	—	.07	.10	—	{.18}	14
15	—	—	.01		—	—	.17	.03	—	—	—		15
16	.05	.02	—	.22	.01	—	—	.01	—	—	.56	—	16
17	.03	—	—	.33	—	—	—	.06	—	—	—	—	17
18	.17	—	.10	—	—	.08	—	—	—	.04	—	—	18
19	—	—	.11	—	—	—	—	—	—	.17	.07	—	19
20	—	—	—	—	—	.03	—	—	—	—	—	—	20
21	.02	—	—	.05	—	—	—	.05	—	.12	.17	—	21
22	—	—	.20	—	—	—	—	.01	—	.34	—	.38	22
23	.01	—	—	—	—	—	—	.01	—	.14	—	.03	23
24	—	.11	—	—	—	—	—	—	—	—	—	.26	24
25	.04	.16	.09	.05	—	—	.57	—	—	—	—	—	25
26	.01	—	—	—	—	.04	—	—	—	—	—	.27	26
27	.01	—	.01	—	{.64}	—	.01	—	—	—	—	.33	27
28	—	—	—	—		—	.02	.67	—	—	—	.04	28
29	{.23}	{X}	—	—	{.64}	—	—	.01	—	—	—	.04	29
30			—	—		.02	—	—	—	—	—	.22	30
31	.27	{X}	—	{X}	.19	{X}	.03	.22	{X}	.06	{X}	.02	31
TOTAL	2.08	.31	1.17	1.48	1.61	.31	.80	3.49	.55	2.60	2.53	2.12	19.05
Days with ".01 in. or more	22	4	13	9	10	5	5	18	4	9	10	16	125
Days with ".04 in. or more	13	2	9	8	8	4	2	12	3	8	9	11	89